

Khalil altowhi

Bash1

```
ecuser@server-19:~$ mkdir inlamning4
ecuser@server-19:~$ ls
inlamning4  students  teachers
ecuser@server-19:~$ cd inlamning4
ecuser@server-19:~/inlamning4$ vi bash1.sh
ecuser@server-19:~/inlamning4$ sudo u+x bash1.sh
[sudo] password for ecuser:
sudo: u+x: command not found
ecuser@server-19:~/inlamning4$ ./bash1.sh
-bash: ./bash1.sh: Permission denied
ecuser@server-19:~/inlamning4$ sudo u+x bash1.sh
sudo: u+x: command not found
ecuser@server-19:~/inlamning4$ sudo chmod u+x bash1.sh
ecuser@server-19:~/inlamning4$ ./bash1.sh
Hello ecuser
ecuser@server-19:~/inlamning4$ vi bash1.sh
ecuser@server-19:~/inlamning4$ vi bash1.sh
ecuser@server-19:~/inlamning4$ ./bash1.sh
Hello ecuser
hello Khalil
```

```
;jdgospdgpgsd
```

```
A
```

```
A
```

```
g;sjdg;k
```

```
~
```

```
~
```

```
sdgsdg
```

```
B
```

```
B
```

```
B
```

```
B
```

```
A
```

```
:wq
```

Khalil altowi

```
khalil  
lsdhg;sjdg;k  
aya  
c  
poyy  
yy  
p  
tt  
D  
D  
vyalksjhdghpsigdg
```

```
khalil  
lsdgsd
```

```
sdgsdg
```

```
B
```

```
B
```

```
B
```

```
B
```

```
A
```

```
search hit BOTTOM, continuing at TOP
```

Khalil altowhi

```
khalil  
lsdhg;sjdg;k  
aya  
c  
poyy  
yy  
p  
tt  
D  
D  
vya!ksjhdghpsigdg
```

```
khalil  
lsdgsd
```

```
sdgsdg  
B  
B  
B  
B  
A  
/khalil
```

Khalil altowhi

Bash2

```
ecuser@server-19:~/inlamning4$ ./bash2.sh
hi user, plz enter your name?
zamzo
hi user, what is your age?
33
hi user, where do u live?
stockholm
the user name is zamzo with 33 years old and lives in stockholm
```

```
#!/usr/bin/env bash
echo " Hello $USER "
echo " hello Khalil "
```

```
#!/usr/bin/env bash
#this will ask the user for his/her name and save it in variable name.

echo "hi user, plz enter your name?"
read name

#this will ask user for his/her age and save it in variable age"
echo "hi user, what is your age?"
read age

#this will ask user about the area he/she live in and save it in variable area
echo "hi user, where do u live?"
read area

#this will print the name,age and area of the user!
echo " the user name is $name with $age years old and lives in $area"
~
```

Khalil altowhi

Bash 3

```
ecuser@server-19:~/inlamning4$ ./bash3.sh
hi suer, plz enter your name
hoho
kaka
mama
hoho
```

```
#!/usr/bin/env bash
#asking for user name
echo " hi suer, plz enter your name"
read name
echo " $name ">> name.txt
#to check if the name is added withen the script is running!
cat name.txt
~
```

Bash4

```
ecuser@server-19:~/inlamning4$ ./bash4.sh
hi user, whats your favorite color?
the user favorite color is red
ecuser@server-19:~/inlamning4$ ./bash4.sh
hi user, whats your favorite color?
green
the user favorite color is green
```

Khalil altowhi

```
#!/usr/bin/env bash
#ask user for his/her favorite color!
echo " hi user, whats your favorite color?"
read -t 5 color
if [ -z "$color" ]
then
    color="red"
fi
echo "the user favorite color is $color"
```

Bash5

```
ecuser@server-19:~/inlamning4$ ./bash5.sh
hi user, plz enter 2 numbers!
7
27
7 not equle 27
7 less than 27
ecuser@server-19:~/inlamning4$ vi bash5.sh
ecuser@server-19:~/inlamning4$ ./bash5.sh
hi user, plz enter 2 numbers!
2
2
2 equle 2
```

Khalil altowhi

```
#!/usr/bin/env bash
#ask user to enter 2 numbers and save them in num1 and num2
echo " hi user, plz  enter 2 numbers!"
read num1
read num2
#check if the numbers is equle
if [ $num1 -eq $num2 ]
then
    echo "$num1 equle $num2"
fi
#check if they r not equle
if [ $num1 -ne $num2 ]
then
    echo "$num1 not equle $num2"
fi
#check if num1 less than num2
if [ $num1 -lt $num2 ]
then
    echo " $num1 less than $num2 "
fi
#check if num1 grater than num2
if [ $num1 -gt $num2 ]
then
    echo " $num1 greater than $num2 "
fi
```

```
ecuser@server-19:~/inlamning4$ touch recept.txt
ecuser@server-19:~/inlamning4$ ls
bash1.sh  bash2.sh  bash3.sh  bash4.sh  bash5.sh  bash6.sh  name.txt  recept.txt
```

Bash6

```
ecuser@server-19:~/inlamning4$ ./bash6.sh
the file recept.txt is exists
the file is readable
the file is writable
```

Khalil altowhi

```
#!/usr/bin/env bash
#create a variable for file name to use it for comparing!
file="recept.txt"
# -e used to check the existing of a file!
if [ -e "$file" ]
then
    echo "the file recept.txt is exists"
else
    echo "the file dosnt exists"
fi
# -r check if the fiel is readable!
if [ -r "$file" ]
then
    echo "the file is readable"
else
    echo "the file is not readable"
fi
# -w check if the file is writable!
if [ -w "$file" ]
then
    echo "the file is writable"
else
    echo "the file is not writable"
fi
```

Bash7

```
ecuser@server-19:~/inlamning4$ ./bash7.sh
hi user, enter a number between 1 - 10 plz
4
the number you enter is 4
ecuser@server-19:~/inlamning4$ ./bash7.sh
hi user, enter a number between 1 - 10 plz
11
plz insert a number ntween 1 - 10
```


Khalil altowhi

```
#!/usr/bin/env bash
#ask user to enter a number between 1 - 10!
echo "hi user, enter a number between 1 - 10 plz"
read num
if [ $num -lt 1 ] || [ $num -gt 10 ]
then
    echo "plz insert a number ntween 1 - 10"
else
    echo "the number you enter is $num"
fi
~
~
```

Bash8

```
ecuser@server-19:~/inlamning4$ ./bash8.sh
hi user, plz enter your math score between 1-100 !
20
hi user, plz enter your english score between 1-100 !
20
hi user, plz enter your chmistry score between 1-100 !
202
hi user, plz enter your science score between 1-100 !
20
the input for score must between 1-100! bad input for one or all score
ecuser@server-19:~/inlamning4$ ./bash8.sh
hi user, plz enter your math score between 1-100 !
90
hi user, plz enter your english score between 1-100 !
98
hi user, plz enter your chmistry score between 1-100 !
88
hi user, plz enter your science score between 1-100 !
99
you grade is MVG!
```

Khalil altowhi

```
#!/usr/bin/env bash
#ask user to enter 4 score he/she gaine in each filed"
#the filed is math, engilsh, chmistry, science
echo "hi user, plz enter your math score between 1-100 !"
read mat
echo "hi user, plz enter your english score between 1-100 !"
read eng
echo "hi user, plz enter your chmistry score between 1-100 !"
read chm
echo "hi user, plz enter your science score between 1-100 !"
read sci
if [ "$mat" -gt 100 ] || [ "$eng" -gt 100 ] || [ "$chm" -gt 100 ] || [ "$sci" -gt 100 ]
then
    echo " the input for score must between 1-100! bad input for one or all score"
    exit 1
fi
avg=$((($mat + $eng + $chm + $sci) / 4))
if [ $avg -ge 90 ]
then
    echo "you grade is MVG!"
elif
    [ $avg -ge 65 ]
then
    echo " your grade is VG "
elif
    [ $avg -ge 50 ]
then
    echo " your grade is G "
else
    echo " sorry you didnt make it! try again "
fi
```

Bash9

Khalil altowhi

```
ecuser@server-19:~/inlamning4$ ./bash9.sh
hi user, plz enter 2 numbers!
5
3
the summation results of tow numbers is 8
the subtraction results of tow numbers is 2
the multiplication results of tow numbers is 15
the division results of tow numbers is 1
the reminder result of tow numbers is 2
ecuser@server-19:~/inlamning4$ ./bash9.sh
hi user, plz enter 2 numbers!
4
2
the summation results of tow numbers is 6
the subtraction results of tow numbers is 2
the multiplication results of tow numbers is 8
the division results of tow numbers is 2
the reminder result of tow numbers is 0
```

Khalil altowhi

```
#!/usr/bin/env bash
#ask user to enter 2 numbers!
echo "hi user, plz enter 2 numbers!"
read num1
read num2
if [ $num1 = 0 ] || [ $num2 = 0 ]
then
    echo "sorry, u must inter a valid input (not a zero)! reexcute"
    exit 1
fi
#performing math oprations for 2 inputs
sum=$(( $num1 + $num2 ))
echo "the summation results of tow numbers is $sum"
sub=$(( $num1 - $num2 ))
echo "the subtraction results of tow numbers is $sub"
mul=$(( num1 * num2 ))
echo "the multiplication results of tow numbers is $mul"
div=$(( num1 / num2 ))
echo "the division results of tow numbers is $div"
rim=$(( num1 % num2 ))
echo "the reminder result of tow numbers is $rim"
```

Khalil altowhi

Bash10

```
ecuser@server-19:~/inlamning4$ ./bash10.sh
hi, do u want to convert temperture from fahrenheit to celsius or viseversa?
enter the dgree
20
enter F for fahrenheit or C for celsius !
F
the dgree in fahrenheit is 68
ecuser@server-19:~/inlamning4$ ./bash10.sh
hi, do u want to convert temperture from fahrenheit to celsius or viseversa?
enter the dgree
20
enter F for fahrenheit or C for celsius !
C
the dgree in celsius is -6
ecuser@server-19:~/inlamning4$ ./bash10.sh
hi, do u want to convert temperture from fahrenheit to celsius or viseversa?
enter the dgree
20
enter F for fahrenheit or C for celsius !
H
you enter a wrong letter! reexecute plz
ecuser@server-19:~/inlamning4$
```

```
#!/usr/bin/env bash
#ask user if he/she want to convert from fahrenheit to celsius or viseversa
echo "hi, do u want to convert temperture from fahrenheit to celsius or viseversa?"
echo "enter the dgree "
read num
echo "enter F for fahrenheit or C for celsius !"
read s
if [ "$s" != "C" ] && [ "$s" != "F" ]
then
    echo " you enter a wrong letter! reexecute plz"
    exit 1
elif
    [ $s == "C" ]; then
    c=$(( num - 32 ) * 5 / 9 ))
    echo " the dgree in celsius is $c"
else
    f=$((num * 9 / 5) + 32 ))
    echo " the dgree in fahrenheit is $f"
fi
```

Khalil altowhi

Bash11

```
ecuser@server-19:~/inlamning4$ ./bash11.sh 11 D
a wrong input! reexecute plz
ecuser@server-19:~/inlamning4$ ./bash11.sh 11 F
the dgree in fahrenheit is 51
ecuser@server-19:~/inlamning4$ ./bash11.sh 1 F
the dgree in fahrenheit is 33
ecuser@server-19:~/inlamning4$ ./bash11.sh 1 C
the dgree in celsius is -17
```

```
#!/usr/bin/env bash
if [ $# -ne 2 ]; then
    echo " you must enter the dgree first then (F or C)"
    echo " F represent Fahrenheit and C represent Celsius"
    echo " re execute!"
fi
num=$1
char=$2
if [ "$char" != "C" ] && [ "$char" != "F" ]
then
    echo " a wrong input! reexecute plz"
    exit 1
elif
    [ "$char" == "C" ]; then
    c=$(( (num - 32) * 5 / 9 ))
    echo " the dgree in celsius is $c"
else
    f=$(( (num * 9 / 5) + 32 ))
    echo " the dgree in fahrenheit is $f"
fi
```

Khalil altowhi

Bash12

```
ecuser@server-19:~/inlamning4$ ./bash12.sh
you should insert at lest 2 argument
re execute plz!
ecuser@server-19:~/inlamning4$ ./bash12.sh 1 1
you have enterd 1 and 1!
ecuser@server-19:~/inlamning4$ ./bash12.sh 1 40
you have enterd 1 and 40!
ecuser@server-19:~/inlamning4$ ./bash12.sh 1 f
you have enterd 1 and f!
ecuser@server-19:~/inlamning4$ ./bash12.sh xx 30
you have enterd xx and 30!
```

```
#!/usr/bin/env bash
if [ $# -lt 2 ]; then
    echo " you should insert at lest 2 argument "
    echo " re execute plz!"
#    exit 0
else
    input1=$1
    input2=$2
    echo "you have enterd "$input1" and "$input2"!"
fi
~
```

```
#!/usr/bin/env bash
if [ "$SUDO_COMMAND" != "./bash13.sh" ]; then
    echo " you must run this scropt with sudo! "
    exit 1
else
    rm -rf /home/ecuser/teachers/tmp/
fi
```

Khalil altowhi

Bash13

```
ecuser@server-19:~/inlamning4$ ./bash13.sh
you must run this script with sudo!
ecuser@server-19:~/inlamning4$ sudo ./bash13.sh
ecuser@server-19:~/inlamning4$
```

```
#!/usr/bin/env bash
star() {
    num=$1
    for ((i=1; i <= num; i++)); do
        echo -n "*"
    done
    echo
}
star 20
~
~
```


Khalil altowhi

Bash14

```
ecuser@server-19:~/inlamning4$ ./bash14.sh
hi ill make a copy of your home cataloge
u will find the backup on /tmp/användernamn.dagensdatum.tar.gz
./
tar: ./teachers: Cannot open: Permission denied
./profile
./cloud-locale-test.skip
./students/
./bash_history
./inlamning4/
./inlamning4/.bash115.sh.swp
./inlamning4/name.txt
./inlamning4/bash11.sh
./inlamning4/bash16.sh
./inlamning4/bash12.sh
./inlamning4/bash5.sh
./inlamning4/bash1.sh
./inlamning4/.bash115.sh.swo
./inlamning4/bash7.sh
./inlamning4/bash2.sh
./inlamning4/inlamning4.tar.gz
./inlamning4/bash10.sh
./inlamning4/bash3.sh
./inlamning4/bash14.sh
./inlamning4/bash8.sh
./inlamning4/bash9.sh
./inlamning4/.bash15.sh.swn
./inlamning4/bash13.sh
./inlamning4/bash4.sh
```

Khalil altowhi

```
#!/usr/bin/env bash
echo "hi ill make a copy of your home cataloge"
echo "u will find the backup on /tmp/användernamn.dagensdatum.tar.gz"
#check if the home dir is exsisting!
if [ ! -d "$HOME" ]; then
    echo "the directory is not found"
    exit 1
else
#    tar -czf /home/ecuser/inlamning4.tar.gz -c "$HOME" .
#    tar -czf /tmp/$USER_$(date +%y-%m-%d).tar.gz -C "$HOME" .
    tar zcvf /tmp/$USER_$(date +%y-%m-%d).tar.gz -C "$HOME" .
    echo " backup completed"
fi
~
```

Bash15

```
ecuser@server-19:~/inlamning4$ ./bash15.sh
*****
ecuser@server-19:~/inlamning4$ ./bash15.sh
*****
```

```
#!/usr/bin/env bash
star() {
    num=$1
    for ((i=1; i <= num; i++)); do
        echo -n "*"
    done
    echo
}
star 20
~
~
```

Khalil altowhi

Bash16

```
ecuser@server-19:~/inlamning4$ ./bash16.sh
hi user, plz enter 2 numbers between 10-100
20
30
the summation of 20+30 is 50
the subtraction of 20-30 is -10
the multiplication of 20*30 is 600
the division of 20/30 is 0
ecuser@server-19:~/inlamning4$ ./bash16.sh
hi user, plz enter 2 numbers between 10-100
9
20
your input msut be between 10-100 ! reexecute
ecuser@server-19:~/inlamning4$ ./bash16.sh
hi user, plz enter 2 numbers between 10-100
0
40
zero input will give not valid results to division function! reexecute!
```

```

#!/usr/bin/env bash
#ask user to enter 2 integer numbers!
echo "hi user, plz enter 2 numbers between 10-100"
read num1
read num2
#check if the input is 0
if [ "$num1" -eq 0 ] || [ "$num2" -eq 0 ]; then
    echo "zero input will give not valid results to division function! reexecute!"
    exit 1
elif
    #check if the input out of range(1-100)
    [ "$num1" -lt 10 ] || [ "$num1" -gt 100 ] || [ "$num2" -lt 10 ] || [ "$num2" -gt 100 ]; then
    echo "your input must be between 10-100 ! reexecute"
    exit 1
#else
#try to check if the input is not valid"char" but got error, sorry!
# [[ "$num1" =~ . ]] || [ "$num2" =~ . ]; then
# echo "you must enter a number! reexecute!"
# exit 1
fi
sum() {
    sum_nm=$((num1 + num2))
    echo "the summation of $num1"+"$num2 is $sum_nm"
}
sub() {
    sub_nm=$((num1 - num2))
    echo "the subtraction of $num1"-"$num2 is $sub_nm"
}
mul() {
    mul_nm=$((num1 * num2))
    echo "the multiplication of $num1"*"$num2 is $mul_nm"
}
div() {
    div_nm=$((num1 / num2))
    echo "the division of $num1"/"$num2 is $div_nm"
}
sum
sub
mul
div
~

```