



Technical Specification



COB-DR

Product Name:	COB - DR
Category:	Ceiling Light
Description:	Recessed ceiling light with single Chip on Board LED



COB7 | 10 - DR



COB15 | 20 - DR



COB25 | 35 | 45 - DR



Technical Specification

COB-DR

Fitting Material	High pressure die cast aluminium housing
Trim adjustability	Fixed Trim, Deep Recessed
Available finishes	Powder coated white (WT), optional colours – Black (BK), Matt Silver (MS)
Optic Type	Reflector
IP Rating	IP20
Mounting Type	Ceiling cut-out
LED Colours (CCT)	3000K, 4000K + speciality retail, food and health colours
LED Colour Consistency	<3 SDCM
Colour Rendering Index (CRI)	CRI80 , CRI90 (CRI95+ on request)
LED Lifetime	L80B10 >50,000 hrs at Ta = 25° Celsius
Control Options	Non-dim (N), Phase-cut Dim (D), DALI-Dim (DALI), Bluetooth (BLU)
Operating Voltage/ Frequency	220 – 240 V/ 50 – 60 Hz
Optional Add-ons	Min. 1 hour emergency version available
	Compatibility with specific motion or light sensors
Warranty	5 year warranty as per LEDwise standard terms of warranty
Manufacture	Assembled in South Africa

Optical and Electrical Characteristics							
Product Code	Plug Power (W)	Colour Temp (K)	Luminaire Luminous Flux (lm) *		Luminaire Luminous Efficacy (lm/W)		Beam Angle
			Minimum CRI		Minimum CRI		
			80	90	80	90	
COB7 - DR	7.2	3000	855	727	118	100	25, 45°
		4000	897	762	124	105	
COB10 - DR	10.1	3000	1188	1010	117	99	
		4000	1247	1060	123	105	
COB15 - DR	13.6	3000	1707	1511	125	111	30, 50°
		4000	1807	1556	133	114	
COB20 - DR	19.9	3000	2405	2100	121	105	
		4000	2575	2163	129	108	
COB25 - DR	27.7	3000	3142	2740	113	99	30, 50°
		4000	3347	2821	121	102	
COB35 - DR	36.5	3000	3959	3356	108	92	
		4000	4204	3456	115	95	
COB45 - DR	42.2	3000	4519	3818	107	90	
		4000	4791	4168	114	99	

*Values accurate to within 10%



Phone: +27 21 447 3325



info@ledwise.co.za



www.ledwise.co.za




Unit 2, 8th Avenue Industrial Estate, 69 8th Avenue, Maitland, 7405

Technical Specification

COB-DR

Product Ordering Code				
Example: COB25-DR – 3080 – 30° – WT – N				
COB25-DR	3080 = 3000K CRI80	30°	WT	N (Non-Dim)
Product Code	LED Colour CRI	Beam Angle	Fitting Colour	Control

Warning	
DO NOT COVER WITH THERMAL INSULATION MATERIAL	

Document info
COB-DR Rev 5

