



LIGHTING CHANNEL CATALOGUE



# ABOUT LBY AFRICA

---

For over 20 years, LBY LED has been developing and leading the way in LED lighting for the signage and architectural lighting industries.

## **Our Expertise**

Focused on developing, manufacturing and marketing LED products, LBY LED has been setting the standard since 2004.

## **Global Reach, Local Expertise**

The LBY network spans over 120 countries. We take pride in being more than a global entity; we're your local lighting experts.

## **LBY Africa: Where Brilliance Begins**

We bring you a comprehensive range of LED Modules, LED Strips, Power Supplies and Lighting Profiles. Experience the brilliance of LBY LED.



# INDEX

---

- 1 | ALUMINIUM PROFILES
- 2 | SILICONE PROFILES
- 3 | ACCESSORIES







| 1

# ALUMINIUM PROFILES

Elevate your lighting design with our exquisite range of Aluminium Profiles for LED Strip lighting. These versatile profiles seamlessly integrate into floors, ceilings, tiles and walkways, providing a sophisticated touch to your space.

Our Aluminum Profiles offer attractive linear lighting and outlining, as well as providing heat management and a protective housing for LED strips. Their simplicity, practicality and elegance make them the perfect choice for your lighting needs.


## ECO-L001

RECESSED PROFILE



### Specifications

|                     |                          |
|---------------------|--------------------------|
| Size:               | 25.7 x 7mm               |
| Finish:             | Silver Anodised or Black |
| Cover:              | PC Opal or Black         |
| Light source width: | 12mm                     |
| Length:             | 3 meters                 |
| Accessories:        | End caps and clips       |




## ECO-L002

SURFACE MOUNTED PROFILE



### Specifications

|                     |                          |
|---------------------|--------------------------|
| Size:               | 17.2 x 6.9mm             |
| Finish:             | Silver Anodised or Black |
| Cover:              | PC Opal or Black         |
| Light source width: | 12mm                     |
| Length:             | 3 meters                 |
| Accessories:        | End caps and clips       |




## ECO-L205

### RECESSED PROFILE



#### Specifications

Size: 23.6 x 7mm  
Finish: Silver Anodised  
Cover: PC Opal  
Light source width: 12mm  
Length: 3 meters  
Accessories: End caps and clips




## ECO-L204

### SURFACE MOUNTED PROFILE



#### Specifications

Size: 17 x 7mm  
Finish: Silver Anodised  
Cover: PC Opal  
Light source width: 12mm  
Length: 3 meters  
Accessories: End caps and clips




## ECO-L1806

### SURFACE MOUNTED PROFILE



#### Specifications

Size: 18 x 4.4mm  
Finish: Silver Anodised  
Cover: PC Opal  
Light source width: 14mm  
Length: 3 meters  
Accessories: End caps and clips





## ECO-L1010H-A

### RECESSED PROFILE



#### Specifications

Size: 17 x 10mm  
Finish: Silver Anodised  
Cover: PC Opal  
Light source width: 8mm  
Length: 3 meters  
Accessories: End caps and clips




## ECO-L1010H-M

SURFACE MOUNTED PROFILE



### Specifications

Size: 10 x 10mm  
 Finish: Silver Anodised  
 Cover: PC Opal  
 Light source width: 8mm  
 Length: 3 meters  
 Accessories: End caps and clips





## ECO-L512

RECESSED PROFILE



### Specifications

Size: 8.7 x 23.7mm  
 Finish: Silver Anodised  
 Cover: PC Opal  
 Light source width: 6mm  
 Length: 3 meters  
 Accessories: End caps and clips





## ECO-L005

CORNER SURFACE MOUNTED PROFILE



### Specifications

Size: 15.5 x 15.5mm  
 Finish: Silver Anodised  
 Cover: PC Opal  
 Light source width: 10mm  
 Length: 3 meters  
 Accessories: End caps and clips




## ECO-L006

CORNER SURFACE MOUNTED PROFILE



### Specifications

Size: 15.5 x 15.5mm  
 Finish: Silver Anodised or Black  
 Cover: PC Opal or Black  
 Light source width: 10mm  
 Length: 3 meters  
 Accessories: End caps and clips






## ECO-L007

### CORNER SURFACE MOUNTED PROFILE



#### Specifications

|                     |                    |
|---------------------|--------------------|
| Size:               | 18 x 18mm          |
| Finish:             | Silver Anodised    |
| Cover:              | PC Opal            |
| Light source width: | 12mm               |
| Length:             | 3 meters           |
| Accessories:        | End caps and clips |




## ECO-L016

### CORNER SURFACE MOUNTED PROFILE



#### Specifications

|                     |                    |
|---------------------|--------------------|
| Size:               | 29.7 x 29.7mm      |
| Finish:             | Silver Anodised    |
| Cover:              | PC Opal            |
| Light source width: | 20mm               |
| Length:             | 3 meters           |
| Accessories:        | End caps and clips |




## ECO-L003

### RECESSED PROFILE



#### Specifications

|                     |                    |
|---------------------|--------------------|
| Size:               | 24.2 x 14.3mm      |
| Finish:             | Silver Anodised    |
| Cover:              | PC Opal            |
| Light source width: | 12mm               |
| Length:             | 3 meters           |
| Accessories:        | End caps and clips |





## ECO-L004

### SURFACE MOUNTED PROFILE



#### Specifications

|                     |                    |
|---------------------|--------------------|
| Size:               | 16.8 x 14.3mm      |
| Finish:             | Silver Anodised    |
| Cover:              | PC Opal            |
| Light source width: | 12mm               |
| Length:             | 3 meters           |
| Accessories:        | End caps and clips |




## ECO-L013

### RECESSED PROFILE



#### Specifications

|                     |                          |
|---------------------|--------------------------|
| Size:               | 30 x 9.6mm               |
| Finish:             | Silver Anodised or Black |
| Cover:              | PC Opal or Black         |
| Light source width: | 21mm                     |
| Length:             | 3 meters                 |
| Accessories:        | End caps and clips       |





## ECO-L014

### SURFACE MOUNTED PROFILE



#### Specifications

|                     |                          |
|---------------------|--------------------------|
| Size:               | 23.3 x 9.6mm             |
| Finish:             | Silver Anodised or Black |
| Cover:              | PC Opal or Black         |
| Light source width: | 21mm                     |
| Length:             | 3 meters                 |
| Accessories:        | End caps and clips       |




## ECO-2320M

### SURFACE MOUNTED PROFILE



#### Specifications

|                     |                    |
|---------------------|--------------------|
| Size:               | 23 x 20mm          |
| Finish:             | Silver Anodised    |
| Cover:              | PC Opal            |
| Light source width: | 20mm               |
| Length:             | 3 meters           |
| Accessories:        | End caps and clips |




## ECO-2320A

### RECESSED PROFILE



#### Specifications

|                     |                    |
|---------------------|--------------------|
| Size:               | 30 x 20mm          |
| Finish:             | Silver Anodised    |
| Cover:              | PC Opal            |
| Light source width: | 20mm               |
| Length:             | 3 meters           |
| Accessories:        | End caps and clips |






## ECO-L018

### SURFACE MOUNTED PROFILE



#### Specifications

Size: 35 x 35mm  
Finish: Silver Anodised  
Cover: PC Opal  
Light source width: 31mm  
Length: 3 meters  
Accessories: End caps and clips




## ECO-L017

### RECESSED PROFILE



#### Specifications

Size: 44 x 35mm  
Finish: Silver Anodised  
Cover: PC Opal  
Light source width: 31mm  
Length: 3 meters  
Accessories: End caps and clips




## ECO-L051

### SUSPENDED PROFILE



#### Specifications

Size: 50 x 34.7mm  
Finish: Silver Anodised  
Cover: PC Opal  
Light source width: 37mm  
Length: 3 meters  
Accessories: End caps, clips and suspension cables




## ECO-L053A

### RECESSED PROFILE



#### Specifications

Size: 64 x 34.7mm  
Finish: Silver Anodised  
Cover: PC Opal  
Light source width: 37mm  
Length: 3 meters  
Accessories: End caps and clips




## ECO-L053B

### RECESSED PROFILE



#### Specifications

Size: 65 x 34.7mm  
 Finish: Silver Anodised  
 Cover: PC Opal  
 Light source width: 37mm  
 Length: 3 meters  
 Accessories: End caps and clips




## ECO-L111

### SUSPENDED PROFILE



#### Specifications

Size: 45 x 42mm  
 Finish: Silver Anodised  
 Cover: PC Opal  
 Light source width: 34mm  
 Length: 3 meters  
 Accessories: End caps, clips and suspension cables




## ECO-L069A

### SUSPENDED PROFILE



#### Specifications

Size: 60mm Ø  
 Finish: Silver Anodised  
 Cover: PC Opal  
 Light source width: 30mm  
 Length: 3 meters  
 Accessories: End caps, clips and suspension cables




## ECO-A017

### SUSPENDED PROFILE



#### Specifications

Size: 50 x 50mm  
 Finish: Silver Anodised  
 Cover: PC Opal  
 Light source width: 37mm  
 Length: 3 meters  
 Accessories: End caps, clips and suspension cables




## ECO-L7676M

### SUSPENDED PROFILE



#### Specifications

Size: 76.2 x 76mm  
 Finish: Silver Anodised  
 Cover: PC Opal  
 Light source width: 55mm  
 Length: 3 meters  
 Accessories: End caps, clips and suspension cables





## ECO-L001BLK

### RECESSED PROFILE



#### Specifications

Size: 24.7 x 7mm  
 Finish: Black  
 Cover: PC Black  
 Light source width: 12mm  
 Length: 3 meters  
 Accessories: End caps and clips




## ECO-L002BLK

### SURFACE MOUNTED PROFILE



#### Specifications

Size: 17.4 x 7mm  
 Finish: Black  
 Cover: PC Black  
 Light source width: 12mm  
 Length: 3 meters  
 Accessories: End caps and clips




## ECO-L006BLK

### CORNER SURFACE MOUNTED PROFILE



#### Specifications

Size: 15.5 x 15.5mm  
 Finish: Black  
 Cover: PC Black  
 Light source width: 10mm  
 Length: 3 meters  
 Accessories: End caps and clips






## ECO-L013BLK

RECESSED PROFILE



### Specifications

Size: 30 x 9.6mm  
Finish: Black  
Cover: PC Black  
Light source width: 21mm  
Length: 3 meters  
Accessories: End caps and clips




## ECO-L014BLK

SURFACE MOUNTED PROFILE



### Specifications

Size: 23.3 x 9.6mm  
Finish: Black  
Cover: PC Black  
Light source width: 21mm  
Length: 3 meters  
Accessories: End caps and clips




## ECO-A018BLK

SUSPENDED PROFILE



### Specifications

Size: 50 x 75mm  
Finish: Black  
Cover: PC Opal  
Light source width: 26mm  
Length: 3 meters  
Accessories: End caps, clips, tracks suspension cables




## ECO-L048

RECESSED FLOOR PROFILE



### Specifications

Size: 27.1 x 11.3mm  
Finish: Silver Anodised  
Cover: PC Opal  
Light source width: 12mm  
Length: 3 meters  
Accessories: End caps and clips





## ECO-L404L

### SURFACE MOUNTED PROFILE



#### Specifications

|                     |                    |
|---------------------|--------------------|
| Size:               | 50 x 35mm          |
| Finish:             | Silver Anodised    |
| Cover:              | PC Opal            |
| Light source width: | 46mm               |
| Length:             | 3 meters           |
| Accessories:        | End caps and clips |




## ECO-L040L

### SURFACE MOUNT UP AND DOWN PROFILE



#### Specifications

|                     |                    |
|---------------------|--------------------|
| Size:               | 50 x 17mm          |
| Finish:             | Silver Anodised    |
| Cover:              | PC Opal            |
| Light source width: | 12mm               |
| Length:             | 3 meters           |
| Accessories:        | End caps and clips |




## ECO-L516

### STAIR EDGE PROFILE



#### Specifications

|                     |                    |
|---------------------|--------------------|
| Size:               | 65.6 x 26.9mm      |
| Finish:             | Silver Anodised    |
| Cover:              | PC Opal            |
| Light source width: | 12mm               |
| Length:             | 3 meters           |
| Accessories:        | End caps and clips |




## ECO-L515

### RECESSED SKIRTING PROFILE



#### Specifications

|                     |                    |
|---------------------|--------------------|
| Size:               | 71.4 x 13.4mm      |
| Finish:             | Silver Anodised    |
| Cover:              | PC Opal            |
| Light source width: | 11mm               |
| Length:             | 3 meters           |
| Accessories:        | End caps and clips |




# ECO-L503

SURFACE MOUNTED SKIRTING PROFILE



Specifications

|                     |                    |
|---------------------|--------------------|
| Size:               | 60 x 15.4mm        |
| Finish:             | Silver Anodised    |
| Cover:              | PC Opal            |
| Light source width: | 10mm               |
| Length:             | 3 meters           |
| Accessories:        | End caps and clips |




# ECO-L305

RECESSED WALL AND CEILING PROFILE



Specifications

|                     |                    |
|---------------------|--------------------|
| Size:               | 66.7 x 13.8mm      |
| Finish:             | Silver Anodised    |
| Cover:              | PC Opal or Black   |
| Light source width: | 20mm               |
| Length:             | 3 meters           |
| Accessories:        | End caps and clips |






# ECO-L311

RECESSED WALL AND CEILING PROFILE



## Specifications

|                     |                    |
|---------------------|--------------------|
| Size:               | 19 x 38.4mm        |
| Finish:             | Silver Anodised    |
| Cover:              | PC Opal            |
| Light source width: | 14mm               |
| Length:             | 3 meters           |
| Accessories:        | End caps and clips |





## 12 SILICONE PROFILES

Innovate with our state-of-the-art Silicone Profiles for LED Strip lighting. Offering an abundance of options for your lighting designs with various shapes and sizes; these profiles can be recessed, surface mounted or suspended.

Our Silicone Profiles provide unparalleled flexibility, with a sleek and stunning finish. Unleash your creativity and illuminate your space with style.



### LBY-SIL-1212

SURFACE MOUNTED PROFILE



#### Specifications

|                     |                |
|---------------------|----------------|
| Size:               | 12 x 12mm      |
| PCB width:          | 8mm            |
| Colour:             | White and Opal |
| Beam angle:         | 120°           |
| Lighting direction: | Top            |
| Weight:             | 111 g/m        |
| Cutting Marks:      | Yes            |




### LBY-SIL-2020

SURFACE MOUNTED PROFILE



#### Specifications

|                     |                |
|---------------------|----------------|
| Size:               | 20 x 20mm      |
| PCB width:          | 10 or 12mm     |
| Colour:             | Opal and White |
| Beam angle:         | 120°           |
| Lighting direction: | Top            |
| Weight:             | 336 g/m        |
| Cutting Marks:      | Yes            |





## LBY-SIL-3032

SURFACE MOUNTED PROFILE



### Specifications

|                     |                |
|---------------------|----------------|
| Size:               | 30 x 32mm      |
| PCB width:          | 12 or 15mm     |
| Colour:             | Opal and White |
| Beam angle:         | 120°           |
| Lighting direction: | Side           |
| Weight:             | 628 g/m        |
| Cutting Marks:      | Yes            |





## LBY-SIL-2014

SURFACE MOUNTED PROFILE



### Specifications

|                     |                |
|---------------------|----------------|
| Size:               | 20 x 14mm      |
| PCB width:          | 10mm           |
| Colour:             | White and Opal |
| Beam angle:         | 120°           |
| Lighting direction: | Top            |
| Weight:             | 218 g/m        |
| Cutting Marks:      | Yes            |




## LBY-SILR-1212T

RECESSED PROFILE



### Specifications

|                     |                |
|---------------------|----------------|
| Size:               | 18 x 12mm      |
| PCB width:          | 8mm            |
| Colour:             | Opal and White |
| Beam angle:         | 120°           |
| Lighting direction: | Top            |
| Weight:             | 126 g/m        |
| Cutting Marks:      | Yes            |





## LBY-SILR-1616

RECESSED PROFILE



### Specifications

|                     |                |
|---------------------|----------------|
| Size:               | 23 x 16mm      |
| PCB width:          | 8 or 10mm      |
| Colour:             | Opal and White |
| Beam angle:         | 120°           |
| Lighting direction: | Top            |
| Weight:             | 151 g/m        |
| Cutting Marks:      | Yes            |






## LBY-SIL-0612

SURFACE MOUNTED PROFILE



### Specifications

|                     |                |
|---------------------|----------------|
| Size:               | 6 x 12mm       |
| PCB width:          | 8mm            |
| Colour:             | Opal and White |
| Beam angle:         | 120°           |
| Lighting direction: | Side           |
| Weight:             | 71 g/m         |
| Cutting Marks:      | Yes            |




## LBY-SIL-1020

SURFACE MOUNTED PROFILE



### Specifications

|                     |                |
|---------------------|----------------|
| Size:               | 10 x 20mm      |
| PCB width:          | 10mm           |
| Colour:             | Opal and White |
| Beam angle:         | 120°           |
| Lighting direction: | Side           |
| Weight:             | 190 g/m        |
| Cutting Marks:      | Yes            |





## LBY-SIL-1313

SURFACE MOUNTED PROFILE



### Specifications

|                     |           |
|---------------------|-----------|
| Size:               | 13 x 13mm |
| PCB width:          | 8mm       |
| Colour:             | Opal      |
| Beam angle:         | 180°      |
| Lighting direction: | Top       |
| Weight:             | 141 g/m   |
| Cutting Marks:      | Yes       |




## LBY-SIL-1023

RECESSED OR SURFACE MOUNTED PROFILE



### Specifications

|                     |                |
|---------------------|----------------|
| Size:               | 10 x 23mm      |
| PCB width:          | 10mm           |
| Colour:             | Opal and White |
| Beam angle:         | 270°           |
| Lighting direction: | Side           |
| Weight:             | 185 g/m        |
| Cutting Marks:      | Yes            |




## LBY-SIL-0817

RECESSED OR SURFACE MOUNTED  
PROFILE



### Specifications

Size: 8 x 17mm  
PCB width: 8mm  
Colour: Opal and White  
Beam angle: 270°  
Lighting direction: Side  
Weight: 141 g/m  
Cutting Marks: Yes




## LBY-SIL-1212BL

SURFACE MOUNTED PROFILE



### Specifications

Size: 12 x 12mm  
PCB width: 8mm  
Colour: Opal and Black  
Beam angle: 120°  
Lighting direction: Top  
Weight: 126 g/m  
Cutting Marks: Yes




## LBY-SIL-1616BL

SURFACE MOUNTED PROFILE



### Specifications

Size: 16 x 16mm  
PCB width: 10mm  
Colour: Opal and Black  
Beam angle: 120°  
Lighting direction: Top  
Weight: 192 g/m  
Cutting Marks: Yes




## LBY-SIL-1220BL

SURFACE MOUNTED PROFILE



### Specifications

Size: 12 x 20mm  
PCB width: 10mm  
Colour: Opal and Black  
Beam angle: 120°  
Lighting direction: Side  
Weight: 220 g/m  
Cutting Marks: Yes




## LBY-SIL-1212TBL

RECESSED PROFILE



### Specifications

|                     |                       |
|---------------------|-----------------------|
| Size:               | 18 x 12mm             |
| PCB width:          | 8mm                   |
| Colour:             | Opal, Black and White |
| Beam angle:         | 120°                  |
| Lighting direction: | Top                   |
| Weight:             | 115 g/m               |
| Cutting Marks:      | Yes                   |




## LBY-SIL-D20

SURFACE MOUNTED PROFILE



### Specifications

|                     |         |
|---------------------|---------|
| Size:               | 20mm Ø  |
| PCB width:          | 10mm    |
| Colour:             | Opal    |
| Beam angle:         | 270°    |
| Lighting direction: | Top     |
| Weight:             | 313 g/m |





## LBY-SIL-D33

360° LOOP LIGHT



### Specifications

|                     |                  |
|---------------------|------------------|
| Size:               | 33mm Ø           |
| PCB width:          | 8mm double sided |
| Colour:             | Opal             |
| Beam angle:         | 360°             |
| Lighting direction: | 360°             |
| Weight:             | 350 g/m          |





## LBY-SIL-D40

360° LOOP LIGHT



### Specifications

|                     |                   |
|---------------------|-------------------|
| Size:               | 40mm Ø            |
| PCB width:          | 10mm double sided |
| Colour:             | Opal              |
| Beam angle:         | 360°              |
| Lighting direction: | 360°              |
| Weight:             | 1309 g/m          |









| 3

## ACCESSORIES

### END CAPS

For use with all aluminium and silicone profiles.



• White end caps for aluminium



• Black end caps for aluminium



• Aluminium plates for aluminium



• Plastic end caps for silicone

### CLIPS AND TRACKS

Clips for all aluminium and silicone profiles.  
Channels and flexible tracks for silicone profiles only.



• Clips for recessed profiles



• Clips for surface mounting



• Channels and clips for silicone profiles



• Tracks for silicone profiles





## JOINERS

For use in all aluminium profiles.



• Straight connector



• Connector for internal corners



• Connector for external corners



• Y connector

## SUSPENSION CABLES

For use with all suspended aluminium profiles.



• Large single end



• Large double end



• Small end



• Ball end





☎ +27 11 824 3270

✉ [admin@lbyafrica.com](mailto:admin@lbyafrica.com)

🌐 [www.lbyafrica.com](http://www.lbyafrica.com)

Johannesburg - Cape Town - Durban