# Report on Certificate Tools

Oliver Bodnár

August 2016

# Contents

Ι	O	rerview	3
1	Ove	rview Tables	4
	1.1	General	4
		1.1.1 Type	4
		1.1.2 View and information	4
		1.1.3 License	4
	1.2	Generation and signing of certificates	5
		1.2.1 Keys, certificates and basic constraints	
		1.2.2 Specifications	
	1.3	Conversions	
	_	1.3.1 Exporting	
		1.3.2 Direct conversion between Java Keystore and PKCS#12 file	
		1.3.3 Importing of certificates and keys into storage files	
тт		1	_
II	. 1	pols	7
2	Ope	${ m enSSL}$	8
	2.1	General	8
		2.1.1 Type	8
		2.1.2 View and information	8
		2.1.3 License	8
	2.2	Generation and signing of certificates	8
		2.2.1 Keys, certificates and basic constraints	
		2.2.2 Specifications	
	2.3	Conversions	
		2.3.1 Exporting	
		2.3.2 Direct conversion between Java Keystore and PKCS#12 file	
		2.3.3 Importing certificates and keys into storage files	
0	T/2		1.0
3	Key	gen	10
4	Too	l Page Template	11
	4.1	General	11
		4.1.1 Type	11
		4.1.2 View and information	11
		4.1.3 License	11
	4.2	Generation and signing of certificates	11

	4.2.1	Keys, certificates and basic constraints	11
	4.2.2	Specifications	12
4.3	Conve	rsions	12
	4.3.1	Exporting	12
	4.3.2	Direct conversion between Java Keystore and PKCS#12 file	12
	4.3.3	Importing certificates and keys into storage files	12

# Part I Overview

## **Overview Tables**

## 1.1 General

Table 1.1: Overwiew General					
Tools	General				
10018	Type	View and information	License		
OpenSSL	PKCS12	Yes	Public		
Keygen	JKS				

## 1.1.1 Type

This section defines type of storage file in which the certificates or keys are saved. Most common are PKCS#12 (.pfx and .p12 extentions) and JKS (Java KeyStore).

## 1.1.2 View and information

This section shows whether it is possible to view certificates or keys and additional information. Yes means that at least viewing is supported while not necessary meaning possibility of viewing more information about certificate.

## 1.1.3 License

Type of license and possibility of using said tool for testing or production code. Public means that license is not requiered for use in production code but does not mean that it should be used as such. Definition if it is advised to use said tool in production code or only in testing environment will be talked about in the next chapter under each tool.

## 1.2 Generation and signing of certificates

## 1.2.1 Keys, certificates and basic constraints

Table 1.2: Generation of keys and certificates and basic constrints

	Generate keys				Basic Constraints	
Tool	+ self-signed certificate	+ CSR	Specify length	Specify algorithm	Specify Type	Specify path length
OpenSSL	Yes	Yes	Yes	Yes	Yes	Yes
Keygen						

## Generate keys

Self-signed certificate possibility of using 1 command to generate key pair and self-signed certificate

**Certificate Signing Request** possibility of using a command to generate key pair and certificate signing request to certificate authority.

Specify length possibility to specify the length of output key

Specify algorithm possibility to choose between different types of algorithms for key generation

## **Basic Constraints**

**Specify Type** specify if generated certificate will belong to certificate authority or whether it will be end certificate

Specify path length specify the maximum length of certificate authority chain

## 1.2.2 Specifications

Table 1.3: Specifications

Tool	CSR signing	Privkey + signed chain	Specify certificate validity	SAN for end certificates	Support for CSP
OpenSSL	Yes	Yes	Yes	Yes	Yes
Keygen					

Certificate Signing Request signing possibility of signing a certificate signing request with certificate authority's key

Create combination of private key and signed chain possibility of generating private key and chain signed by certificate authority that will be outputed to a single file

**Specify certificate validity** possibility of choosing how long will the certificate be valid. This should be done by certificate authority.

**Setting Subject Alternative Name for end certificates** possibility of choosing Subject Alternative Name for end certificates. That should be done by IP's or DNS addresses.

Support for Cryptographic Service Provider whether the use, choosing and changing of Cryptographic Service Provider is supported.

## 1.3 Conversions

Table 1.4: Conversions

Tools	Exporting Certificate/chain only from file	Private kev only	Direct JKS and PKCS12	Import certificate and private key into a file
OpenSSL	Yes	Yes	No	Yes
Keygen				

## 1.3.1 Exporting

## Certificate or certificate chain from a file

Possibility of extracting certificate or certificate only from a file. Choice of Yes based on possibility of extracting either from a file.

## Private key only

Possibility of extracting private key from tool's file storage type of choice.

## 1.3.2 Direct conversion between Java Keystore and PKCS#12 file

Possibility of direct conversion (by a command of tested tool) between Java KeyStore and PKCS#12 type file.

## 1.3.3 Importing of certificates and keys into storage files

Possibility of importing (additional?) certificates and keys into storage files of said tool. Yes if it is possible to import or add another certificate or key into storage.

Part II

Tools

## OpenSSL

## 2.1 General

## 2.1.1 Type

OpenSSL uses PKCS12 to store keys and or certificates. Certificates and keys made in OpenSSL however are being made into PEM or DER encoded file. Said keys/certificates can then be stored inside single .pfx file.

#### 2.1.2 View and information

Viewing stored certificates

PEM encoded certificates (.pem|.cer|.crt):

openssl x509 -in sample\_cert.extention -text -noout

DER encoded certificates (.der):

openssl x509 -in certificate.der -inform der -text -noout

#### Importing PEM or DER encoded keys or certificates into PKCS#12 file:

openssl pkcs12 -export -in file.pem -out file.p12 -name "My Certificate" -certfile othercerts.pem certfile option is used only if importing more certificates into a single PKCS#12 file is wanted.

## 2.1.3 License

OpenSSL is free to use commercialy, however creating CA is not advised a) OPENSSL O'REILY page 59 b) hinted in manual pages.

The ca command is quirky and at times downright unfriendly.

The ca utility was originally meant as an example of how to do things in a CA . It was not supposed to be used as a full blown CA itself: nevertheless some people are using it for this purpose.

The ca command is effectively a single user command: no locking is done on the various files and attempts to run more than one ca command on the same database can have unpredictable results.

## 2.2 Generation and signing of certificates

## 2.2.1 Keys, certificates and basic constraints

Generate keys

Self-signed certificate

Certificate Signing Request

Specify length

Specify algorithm

**Basic constraints** 

Specify Type

Specify path length

## 2.2.2 Specifications

Certificate Signing Request signing

Create combination of private key and signed chain

Specify certificate validity

Setting Subject Alternative Name for end certificates

Support for Cryptographic Service Provider

## 2.3 Conversions

## 2.3.1 Exporting

Certificate or certificate chain from a file

Private key only

- 2.3.2 Direct conversion between Java Keystore and PKCS#12 file
- 2.3.3 Importing certificates and keys into storage files

Keygen

# Tool Page Template

- 4.1 General
- 4.1.1 Type
- 4.1.2 View and information
- 4.1.3 License
- 4.2 Generation and signing of certificates
- 4.2.1 Keys, certificates and basic constraints

Generate keys

Self-signed certificate

Certificate Signing Request

Specify length

Specify algorithm

Basic constraints

Specify Type

Specify path length

## 4.2.2 Specifications

Certificate Signing Request signing

Create combination of private key and signed chain

Specify certificate validity

Setting Subject Alternative Name for end certificates

Support for Cryptographic Service Provider

## 4.3 Conversions

## 4.3.1 Exporting

Certificate or certificate chain from a file

Private key only

- 4.3.2 Direct conversion between Java Keystore and PKCS#12 file
- 4.3.3 Importing certificates and keys into storage files