

1. **Error** The character encoding was not declared. Proceeding using windows-1252.
2. **Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 5, column 4; to line 5, column 42

```
=1.0" >↵ <meta name="robots" content="noindex"/>
```
3. **Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 6, column 4; to line 6, column 50

```
> ↵ <meta name="author" content="Alvaro Escalona"/>↵ <m
```
4. **Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 7, column 4; to line 7, column 92

```
ona"/>↵ <meta name="keywords" content=" ironman, hulk, thor, capitán america, marvel, Stan Lee"/>↵ <m
```
5. **Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 8, column 4; to line 8, column 50

```
Lee"/>↵ <meta name="author" content="Alvaro Escalona"/>↵ <m
```
6. **Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 9, column 4; to line 9, column 44

```
ona"/>↵ <meta name="copyright" content="Marvel"/>↵ <m
```
7. **Error** Bad value cache-control for attribute http-equiv on element meta.
From line 10, column 4; to line 10, column 55

```
vel"/>↵ <meta http-equiv="cache-control" content="no-store"/>↵ <m
```
8. **Info** Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.
From line 11, column 4; to line 11, column 42

```
tore"/>↵ <meta name="robots" content="noindex"/>↵ <m
```
9. **Error** Bad value 175px for attribute width on element img: Expected a digit but saw p instead.
From line 34, column 50; to line 34, column 84

```
</summary><img src=IronMan.png width="175px"><br>Ir
```
10. **Error** An img element must have an alt attribute, except under certain conditions. For details, consult guidance on providing text alternatives for images.
From line 34, column 50; to line 34, column 84

```
</summary><img src=IronMan.png width="175px"><br>Ir
```
11. **Error** No li element in scope but a li end tag seen.
From line 34, column 297; to line 34, column 301

```
</details></li>↵
```
12. **Error** Bad value 175px for attribute width on element img: Expected a digit but saw p instead.
From line 35, column 57; to line 35, column 86

```
</summary><img src=ca.png width="175px"><br>Ca
```
13. **Error** An img element must have an alt attribute, except under certain conditions. For details, consult guidance on providing text alternatives for images.
From line 35, column 57; to line 35, column 86

```
</summary><img src=ca.png width="175px"><br>Ca
```
14. **Error** No li element in scope but a li end tag seen.
From line 35, column 285; to line 35, column 289

```
</details></li>↵
```
15. **Error** Bad value 175px for attribute width on element img: Expected a digit but saw p instead.
From line 36, column 46; to line 36, column 77

```
</summary><img src=hulk.png width="175px"><br>Hu
```
16. **Error** An img element must have an alt attribute, except under certain conditions. For details, consult guidance on providing text alternatives for images.
From line 36, column 46; to line 36, column 77

```
</summary><img src=hulk.png width="175px"><br>Hu
```
17. **Error** No li element in scope but a li end tag seen.
From line 36, column 253; to line 36, column 257

```
</details></li>↵
```

18. **Error** Bad value `175px` for attribute `width` on element `img`: Expected a digit but saw `p` instead.
From line 37, column 46; to line 37, column 77
`</summary>
Th`
19. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).
From line 37, column 46; to line 37, column 77
`</summary>
Th`
20. **Error** No `li` element in scope but a `li` end tag seen.
From line 37, column 252; to line 37, column 256
`</details>`
21. **Error** Bad value `250px` for attribute `width` on element `img`: Expected a digit but saw `p` instead.
From line 38, column 53; to line 38, column 82
`</summary>
Vi`
22. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).
From line 38, column 53; to line 38, column 82
`</summary>
Vi`
23. **Error** No `li` element in scope but a `li` end tag seen.
From line 38, column 251; to line 38, column 265
`</details>`
24. **Error** Element `d1` not allowed as child of element `ul` in this context. (Suppressing further errors from this subtree.)
From line 61, column 13; to line 61, column 16
`<d1>`
Contexts in which element `d1` may be used:
Where `flow_content` is expected.
Content model for element `ul`:
Zero or more `li` and `script-supporting` elements.
25. **Error** No `li` element in scope but a `li` end tag seen.
From line 64, column 18; to line 64, column 22
`</d1>`
26. **Error** Element `br` not allowed as child of element `ul` in this context. (Suppressing further errors from this subtree.)
From line 65, column 13; to line 65, column 16
`
`
Contexts in which element `br` may be used:
Where `phrasing_content` is expected.
Content model for element `ul`:
Zero or more `li` and `script-supporting` elements.
27. **Error** Element `d1` not allowed as child of element `ul` in this context. (Suppressing further errors from this subtree.)
From line 66, column 13; to line 66, column 16
`<d1>`
Contexts in which element `d1` may be used:
Where `flow_content` is expected.
Content model for element `ul`:
Zero or more `li` and `script-supporting` elements.
28. **Error** Unmappable byte sequence: `[9d]`.
At line 81, column 75
29. **Error** No `li` element in scope but a `li` end tag seen.
From line 69, column 18; to line 69, column 22
`</d1>`
30. **Error** Element `br` not allowed as child of element `ul` in this context. (Suppressing further errors from this subtree.)
From line 70, column 13; to line 70, column 16
`
`
Contexts in which element `br` may be used:
Where `phrasing_content` is expected.
Content model for element `ul`:
Zero or more `li` and `script-supporting` elements.

31. **Error** Element `d1` not allowed as child of element `ul` in this context. (Suppressing further errors from this subtree.)
From line 71, column 13; to line 71, column 16
`<d1>`
Contexts in which element `d1` may be used:
Where `flow content` is expected.
Content model for element `ul`:
Zero or more `li` and `script-supporting` elements.
32. **Error** No `li` element in scope but a `li` end tag seen.
From line 74, column 18; to line 74, column 22
`</d1>`
33. **Error** Element `br` not allowed as child of element `ul` in this context. (Suppressing further errors from this subtree.)
From line 75, column 13; to line 75, column 16
`
`
Contexts in which element `br` may be used:
Where `phrasing content` is expected.
Content model for element `ul`:
Zero or more `li` and `script-supporting` elements.
34. **Error** Element `d1` not allowed as child of element `ul` in this context. (Suppressing further errors from this subtree.)
From line 76, column 13; to line 76, column 16
`<d1>`
Contexts in which element `d1` may be used:
Where `flow content` is expected.
Content model for element `ul`:
Zero or more `li` and `script-supporting` elements.
35. **Error** No `li` element in scope but a `li` end tag seen.
From line 78, column 18; to line 78, column 22
`</d1>`
36. **Error** Element `br` not allowed as child of element `ul` in this context. (Suppressing further errors from this subtree.)
From line 79, column 13; to line 79, column 16
`
`
Contexts in which element `br` may be used:
Where `phrasing content` is expected.
37. **Error** Element `d1` not allowed as child of element `ul` in this context. (Suppressing further errors from this subtree.)
From line 80, column 13; to line 80, column 16
`<d1>`
Contexts in which element `d1` may be used:
Where `flow content` is expected.
Content model for element `ul`:
Zero or more `li` and `script-supporting` elements.
38. **Error** No `li` element in scope but a `li` end tag seen.
From line 83, column 18; to line 83, column 22
`</d1>`
39. **Error** Element `br` not allowed as child of element `ul` in this context. (Suppressing further errors from this subtree.)
From line 84, column 13; to line 84, column 16
`
`
Contexts in which element `br` may be used:
Where `phrasing content` is expected.
Content model for element `ul`:
Zero or more `li` and `script-supporting` elements.
40. **Error** Element `d1` not allowed as child of element `ul` in this context. (Suppressing further errors from this subtree.)
From line 85, column 13; to line 85, column 16
`<d1>`
Contexts in which element `d1` may be used:
Where `flow content` is expected.
Content model for element `ul`:
Zero or more `li` and `script-supporting` elements.
41. **Error** Unmappable byte sequence: `9d`.
At line 91, column 93
42. **Error** No `li` element in scope but a `li` end tag seen.
From line 88, column 18; to line 88, column 22
`</d1>`

43. **Error** Element `bc` not allowed as child of element `ul` in this context. (Suppressing further errors from this subtree.)
From line 89, column 13; to line 89, column 16
`
`
Contexts in which element `bc` may be used:
Where `phrasing_content` is expected.
Content model for element `ul`:
Zero or more `li` and `script-supporting` elements.
44. **Error** Element `dl` not allowed as child of element `ul` in this context. (Suppressing further errors from this subtree.)
From line 90, column 13; to line 90, column 16
``
Contexts in which element `dl` may be used:
Where `flow_content` is expected.
Content model for element `ul`:
Zero or more `li` and `script-supporting` elements.
45. **Error** No `li` element in scope but a `li` end tag seen.
From line 93, column 18; to line 93, column 22
`</dl>`
46. **Error** Element `bc` not allowed as child of element `ul` in this context. (Suppressing further errors from this subtree.)
From line 94, column 13; to line 94, column 16
`
`
Contexts in which element `bc` may be used:
Where `phrasing_content` is expected.
Content model for element `ul`:
Zero or more `li` and `script-supporting` elements.
47. **Error** Element `dl` not allowed as child of element `ul` in this context. (Suppressing further errors from this subtree.)
From line 95, column 13; to line 95, column 16
``
Contexts in which element `dl` may be used:
Where `flow_content` is expected.
Content model for element `ul`:
Zero or more `li` and `script-supporting` elements.
48. **Error** No `li` element in scope but a `li` end tag seen.
From line 98, column 18; to line 98, column 22
`</dl>`
49. **Error** Element `bc` not allowed as child of element `ul` in this context. (Suppressing further errors from this subtree.)
From line 99, column 13; to line 99, column 16
`
`
Contexts in which element `bc` may be used:
Where `phrasing_content` is expected.
Content model for element `ul`:
Zero or more `li` and `script-supporting` elements.
50. **Error** Element `dl` not allowed as child of element `ul` in this context. (Suppressing further errors from this subtree.)
From line 100, column 13; to line 100, column 16
``
Contexts in which element `dl` may be used:
Where `flow_content` is expected.
Content model for element `ul`:
Zero or more `li` and `script-supporting` elements.
51. **Error** No `li` element in scope but a `li` end tag seen.
From line 103, column 18; to line 103, column 22
``
52. **Error** Element `bc` not allowed as child of element `ul` in this context. (Suppressing further errors from this subtree.)
From line 104, column 13; to line 104, column 16
`
`
Contexts in which element `bc` may be used:
Where `phrasing_content` is expected.
Content model for element `ul`:
Zero or more `li` and `script-supporting` elements.
53. **Error** Element `dl` not allowed as child of element `ul` in this context. (Suppressing further errors from this subtree.)
From line 105, column 13; to line 105, column 16
``
Contexts in which element `dl` may be used:

53. **Error** Element `dl` not allowed as child of element `ul` in this context. (Suppressing further errors from this subtree.)

From line 105, column 13; to line 105, column 16

`<dl>`

Contexts in which element `dl` may be used:

Where `flow content` is expected.

Content model for element `ul`:

Zero or more `li` and `script-supporting` elements.

54. **Error** No `li` element in scope but a `li` end tag seen.

From line 108, column 18; to line 108, column 22

`</dl>`