


Criptografía y Blockchain


Módulo 4 - Resolución del proyecto integrador



Resolución de la etapa 3







```
--(kali@kali)-[~/Desktop]
-s ipfs daemon
Initializing daemon ...
Kubo version: 0.22.0
Repo version: 14
System version: amd64/linux
Golang version: go1.19.12
2023/10/05 00:31:55 failed to sufficiently increase receive buffer
size (was: 208 kiB, wanted: 2048 kiB, got: 416 kiB). See https://gi
thub.com/quic-go/quic-go/wiki/UDP-Buffer-Sizes for details.
Swarm listening on /ip4/10.0.2.15/tcp/4001
Swarm listening on /ip4/10.0.2.15/udp/4001/quic
Swarm listening on /ip4/10.0.2.15/udp/4001/quic-v1
Swarm listening on /ip4/10.0.2.15/udp/4001/quic-v1/webtransport/cer
thash/uEiC4DyQs6rjN-jEquEKALtJmVn5OvmuAjZpNIOfpj6lyKg/certhash/uEiC
4lFz4o90EbpwvszuRMUHNJe2ZclbQz_y-TdnznWqS0g
Swarm listening on /ip4/127.0.0.1/tcp/4001
Swarm listening on /ip4/127.0.0.1/udp/4001/quic
Swarm listening on /ip4/127.0.0.1/udp/4001/quic-v1
Swarm listening on /ip4/127.0.0.1/udp/4001/quic-v1/webtransport/cer
```




```
(kali@kali)-[~/Desktop/EHR-Using-Blockchain/src/js]
start
> agent@1.0.0 start
> lite-server
** browser-sync config **
  injectChanges: false,
  files: [ './**/*.{html,htm,css,js}' ],
  watchOptions: { ignored: 'node_modules' },
  server: {
   baseDir: './src',
    middleware: [ [Function (anonymous)], [Function (anonymous)] ]
[Browsersync] Access URLs:
      Local: http://localhost:3000
    External: http://10.0.2.15:3000
```




5 y 6.













¡Sigamos trabajando!