APPROVED 31/Mar/2025 15:11:55 GMT

Rev 10
- Change order of condenser fan fuse
- Remove cable to BBL
- Change eCompressor control pinout
- Add DCDC Converter for E300

Rev 11
- Move UON to RY9
- Connect CEN2 to CEN
- Use EF3 only for E300
- Enable OPTION 40/60 AC-ePTO /V2L
- Remove PS7
- Remove connection DSR-C2 to CCT
- Replace CCT1 to CCT
- Update page 3
- Add legends
- Align wire names with harness
  EF2-02, EF2-03, CH_I, CH_G,CH_0A,...
- Rename PS5 to RV

Rev 12
- Add BBL with TouchLog Option
- Remove unnecessary identification of terminals
- Remove Extended battery option
- Change Connection of CCT in Single temp configuration
- Simplify wire colors in schematics

Rev13
- Remove interface connector for MT ADDON.  X44 annd X43.
- Remove NOTE page 13
- Locate the BBL.1 into the condenser. It was on the vehicle section.
- Identify PinM4 as DO_3. It was DO_4.
- Version compatible with harness 4E57820G01 rev E
- Version compatile with 1.9.2 or earlier

Rev 14
- Change Start/Stop and Increase Idle Speed wiring
- Add precharge function. Recombine GC digital Outputs DO_7 and DO_3
- Add Speed reducer in Condenser fan. Remove DCDC converter.
- Version compatible with GC sw 1.10.

PRELIMINARY

TODO
+ Update view HT1 HT2

| CN | REV | DESCRIPTION | DATE | APP |
|---|---|---|---|---|
| 1615264 | | RELEASE | DD/MM/2024 | JB |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

THERMO KING IS THE SOLE OWNER OF THIS DRAWING AND ALL INFORMATION IN IT, WHICH ARE PROTECTED BY COPYRIGHT AND OTHER LAWS AND MAY BE SUBJECT TO LAWS REGARDING EXPORTING INFORMATION OUTSIDE OF THE U.S. THIS DRAWING MAY BE USED ONLY BY ITS RECIPIENTS FOR THE PURPOSE FOR WHICH IT IS PROVIDED AND ONLY BY THE RECIPIENT, WHO AGREES THAT IT WILL NOT, WITHOUT THERMO KING'S PRIOR WRITTEN PERMISSION: 1) DISCLOSE NOR USE THIS DRAWING OR THE INFORMATION IN IT EXCEPT AS SPECIFIED ABOVE; OR 2) MAKE ANY COPIES OF OR EXTRACTS, REVISIONS, OR UPDATES FROM THE DRAWING. ALL COPIES MUST BE RETURNED TO THERMO KING UPON COMPLETION OF THE WORK FOR WHICH THEY HAVE BEEN PROVIDED OR UPON ANY EARLIER REQUEST.


CAD GENERATED DRAWING, DO NOT MANUALLY UPDATE

| | | |
|---|---|---|
| DRAWN | JGF | DATE 27/03/2024 |
| CHECKED | EC | DD/MM/2024 |
| APPROVED | JGF | DD/MM/2024 |
| ENG APPVL | | -- |

THERMO KING

TITLE
E100/200/300-10-20-30-50 ST/MT
Single Temp /SPECTRUM
SCHEMATIC WIRING DIAGRAM ATOM

| SIZE | CODE IDENT NO | DWG NO | REV | SHEET |
|---|---|---|---|---|
| A3 | - | 4E69000 | 13 | 01/7 |




PRELIMINARY

THERMO KING


Power input

| SIZE | CODE IDENT NO | DWG NO | REV | SHEET |
|---|---|---|---|---|
| A3 | - | 4E69000 | 14 | 02/7 |

APPROVED 31/Mar/2025 15:11:55 GMT


## OPTION 40/60 AC-ePTO /V2L


### 230VAC SHORE POWER




### CHANGE-OVER SELECTOR

### OPTION 40/60 AC-ePTO /V2L





NOTES: 3 position selector SW1
1.- Positions
I: AC-ePTO / V2L
0: OFF
II: SHORE POWER
2.- 9-10 and 11-12 contacts available for dealer to signal the positions I and II respectivelly.


## STANDARD OPTION 20/50

### 230VAC SHORE POWER





## NA OPTION 20/50

### 230VAC SHORE POWER





## OPTION WITH FILTER





## OPTION ONE POWER SUPPLY

## OPTION WITHOUT FILTER




## OPTION 2 POWER SUPPLIES PARALLEL OPERATION

## OPTION NA 230Vac




NOTE: Not compatible with OTION 40/60 AC-ePTO/¡V2L

PRELIMINARY

THERMO KING

| SIZE | CODE IDENT NO | DWG NO | REV | SHEET |
|---|---|---|---|---|
| A3 | - | 4E69000 | 14 | 03/7 |

APPROVED 31/Mar/2025 15:11:55 GMT

DSR3.1

DSR3.LB1

LPCO A2. — C1 C20 A2 — LPCO — C17-A — LPCO P 1 2 — B-C17 — CHV; /05.1F CH98; /02.3F CH_BBL

DSW1 A3. — A3 — DSW1 — DSW1 1 2 — CHW; /05.2F CH_X; /05.3F CH_A

SGND A4. — A4 — CH5 — /04.2C; /04.2B CH5; /04.3E PNK; /04.4F CH_P; /04.3E CHT; SPL1

CFi A5.

EX2 A6.

SN1 B4. — B4 — S1 — C23-A — SN1 A B — B-C23 — PNK — /04.2C

OL B2.

EX1 B3.

EFi B5.

5V C5. — C5 — 5V — C13-2 — THPCO P 2 1 — 1-C13 — CHT — /04.2C

THPCO C4. — C4 — HP — C13-3 — 3

DK1 C1. — C1 — DK1 — C16-A — ECT1 A B — B-C16 — CHB — /02.4H

DK3 C2.

SN2 C3. — C3 — S2 — C77 -A — SN2 A B — C77 B- — CH_P — /04.2C

DK4 C8.

DSW2 B1. — B1 — DSW2 — DSW2 1 2 — CH_F

DK2 C6. — C6 — ECT2 — C78 -A — ECT2 — C78 B- — CH_O; /05.2F CH_Z

GATEWAY

AI_NTC G2. — XG XG2 G2 — CDT — C27-A — CDT A B — B-C27

RET_AI_NTC H2. — H2 — CDTN

AI_ISENSE_1 H4. — H4 — CCT — C25 -A — CCT — C25 B-

+5V_ISENSE H3. — H3 — CCT5V


OPTION: spectrum
Only present in a Multi-Temp unit

PRELIMINARY

THERMO KING

DSR3.1 and Gateway Digital and analog inputs

| SIZE | CODE IDENT NO | DWG NO | REV | SHEET |
|---|---|---|---|---|
| A3 | - | 4E69000 | 14 | 04/7 |





OPTION: spectrum




LEGEND

EFM1 Evaporator Fan Motor 1 (Evap. 1)
CFM Condennser Fan Motor
A2 DC/DC 12/24VDC converter
RCV Reverse Cycle Valve
EFM3 Evaporator Fan motor 3 (Evap1). Only E300.
COMP Electronically controlled moto-Compressor
HTC Drain Heater Condenser Coil
HT1 Drain Heater Evap. 1
EFM2 Evaporator Fan Motor 2 (Evap 2)
PS2 Liquid Pilot Solenoid (Evap 2)
PS3 Liquid Pilot Solenoid (Evap 1)
SS1 Suction Solenoid (Evap 1)
SS2 Suction Solenoid (Evap 2)
HT2 Drain Heater (Evap 2)
LIV Liquid Injection Valve

W1 HARNESS ADD-ON ECU OEM START/STOP INHIBIT and INCREASE IDDLE SPEED (OPTIONAL)





PRELIMINARY

THERMO KING

DSRIII and Gateway Digital Outputs

| SIZE | CODE IDENT NO | DWG NO | REV | SHEET |
|---|---|---|---|---|
| A3 | - | 4E69000 | 14 | 05/7 |




LEGEND
DSR3.1 Direct Smart Reefer 3.1 electronic Controller
In-cab HMI
GATEWAY electronic controller
BBL Blue Box Lite (Telematic device)
COMP Electronically controlled moto-Compressor
TL TouchLog. Telemetry device.

PRELIMINARY

THERMO KING
Communications

| SIZE | CODE IDENT NO | DWG NO | REV | SHEET |
|---|---|---|---|---|
| A3 | - | 4E69000 | 14 | 06/7 |

APPROVED 31/Mar/2025 15:11:55 GMT

PRELIMINARY

PLUC_AC

FL1

PSU1

K11

K10

CFM

CDT

LPCO

THPCO

CCT

VEHICLE

SSW1

BT1

DSR3.LB1

BBL

K1

CTRL

PWR

COMP2.

eCompressor

NCAB

N CAB

XPW1

GATEWAY

BBL1

EVAPORATOR SECTION

EVAPORATOR 2 SECTION

THERMO KING

| SIZE | CODE IDENT NO | DWG NO | REV | SHEET |
|---|---|---|---|---|
| A3 | - | 4E69000 | 14 | 07/7 |