


ÁLVARO JOAQUÍN ALBARRACÍN SALINAS. 2ºDAW.

HDescargamos la versión correcta de eclipse, ya que es para empresas(enterprise).





Eclipse IDE for Enterprise Java and Web Developers

[details](#)

Tools for developers working with Java and Web applications, including a Java IDE, tools for JavaScript, TypeScript, JavaServer Pages and Faces, Yaml, Markdown, Web Services, JPA and Data Tools, Maven and Gradle, Git, and more.

Java 21+ VM

C:\Program Files\Java\jdk-23



Installation Folder

C:\Users\Alvaro\eclipseEnterprise\jee-2024-09




create start menu entry



create desktop shortcut




INSTALL

 BACK




Select a directory as workspace

Eclipse IDE uses the workspace directory to store its preferences and development artifacts.



Accedemos a los servidores con los que podemos trabajar. Debemos de elegir el instalado anteriormente.(Apache Tomcat)



New Server Runtime Environment

Tomcat Server

Unknown version of Tomcat was specified.

Name:
Apache Tomcat v9.0

Tomcat installation directory:
C:\Users\Alvaro\eclipse-enterprise

apache-tomcat-9.0.89

JRE:
Workbench default JRE

Download and Install...

Installed JREs...

< Back Next > Finish Cancel



Download and Install



Feature License

This license must be accepted before proceeding with the installation.



Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with the acting entity.

- ☒ I accept the terms of the license agreement
☐ I do not accept the terms of the license agreement




< Back

Next >


Finish

Cancel


Aplicamos los ajustes que hemos definido.



Accedemos a Tomcat desde el enlace que hay marcado en la casilla roja.



Elegimos la versión que hemos descargado de Tomcat.



New Server

Define a New Server

Choose the type of server to create

Select the server type:

type filter text

- Tomcat v6.0 Server
- Tomcat v7.0 Server
- Tomcat v8.0 Server
- Tomcat v8.5 Server
- Tomcat v9.0 Server
- Tomcat v10.0 Server**
- Tomcat v10.1 Server

Publishes and runs J2EE and Java EE Web projects and server configurations to a local Tomcat server.

Server's host name: localhost

Server name: apache-tomcat-9.0.89 at localhost

Server runtime environment: apache-tomcat-9.0.89 [Add...](#)

[Configure runtime environments...](#)

? < Back Next > Finish Cancel

Ya podemos usar Tomcat como servidor.

