Business API

Welcome to the Vita Wallet Business API documentation! This comprehensive guide provides all the necessary information for developers to integrate Vita Wallet's powerful API into their applications seamlessly.

Overview

The Vita Wallet Business API offers a range of features and functionalities tailored to meet the diverse needs of businesses in the digital payments ecosystem. Our API empowers businesses to streamline their operations and deliver exceptional user experiences.

Connect your business payments with LatAm and the world through our API to enjoy:

- **Real-time payments:** Receive and send 100% automated payments 24/7, including weekends and holidays.
- **Screening and Alerts:** Every transaction is analyzed against restrictive lists to help minimize risks in your international payments, in compliance with AML regulations.
- **White Label Technology:** Customize the experience under your own brand.

About Our Solutions

With a simple integration and dedicated technical support, you can centralize your financial operations and reduce costs for:

- **Payins:** Securely receive payments from your customers in local currencies in LatAm and centralize your operation in USD. (Check for our available countries.)
- **Payouts:** Send payments to 50+ countries with the best FX rates and accreditation times of up to 1 business day.

Getting Started

- Register and verify a Test account on our platform.
- Generate API Credentials in the platform.
- Perform test payments.

Creating a Test Account

1. **Initial Access**
    a. Go to the Vita Wallet Test or Sandbox environment at: https://stage.vitawallet.io/
    b. Register a BUSINESS account with your email address and a secure password that includes uppercase letters, lowercase letters, numbers, and a symbol.
2. **Email Verification**
    a. You will receive an email with a 6-digit confirmation PIN.
    b. Enter the PIN on the registration page to validate your email address.
3. **Account Verification**
    a. Once your email is confirmed, complete the verification form with the required information. Note that this

information does not need to be real.

b. Select the "Verify" option and contact your assigned support representative to request the verification of your Vita Test account and enable API configurations.



Generating API Credentials

Once your Vita Test account is enabled, you can manage the credentials needed to integrate your application with our API from the **Integrations** section in the main menu of our platform.

API Credential Details

Credential Type	Description
API Key	Required to authenticate requests to our API.
Secret Key	Used to generate authorization for requests.
IP Addresses	List of valid IPs to establish secure connections from your application.

Types of Credentials

1. **Sandbox Credentials:**
   a. Allow you to simulate transactions without affecting real accounts.
   b. Use them to perform integration tests in a secure environment.
2. **Production Credentials:**
   a. Required to process real payments in the production environment.

How to Obtain Your Credentials

The process for obtaining credentials in both the test and production environments is the same:

1. Access the **Integrations** section from your Vita Wallet account.
2. Click the button to send your credentials to the registered email address.
3. From the received email, access and manage your credentials as needed.

> **Note:** Successfully verifying and completing all connection tests in the Sandbox environment is an essential step before generating credentials for the production environment.





Perform Test Payments

In this step, you'll ensure that your business case works correctly by conducting simulated transactions. These tests utilize the various endpoints specifically designed for your integration type, guaranteeing that flows and processes respond optimally.

Testing Basic Endpoints

Connect the required functions in your system using the endpoints defined in the documentation:

- Create and query payment types: Whether Payment Orders (Payins) or Withdrawals (Payouts).
- Validate webhooks: Set up an endpoint to receive notifications about transaction status changes.
- Handle common errors.

Test Certification Meeting

To certify and finalize your integration process, you will need to request a meeting with our Technical Team to conduct real-time tests and ensure proper functionality.

This meeting is essential to guarantee an efficient flow in the production environment. Before requesting it, you must complete at least 10 tests for each endpoint you plan to use in the test environment.

Authentication

To manage authentication process Vita Wallet uses some keys and secrets. Please set your values in the Environment section for this collection. Also you can check the pre-request script to learn about how the signature and headers are setted.

Security

MAC (Message Authentication Code), an algorithm that confirms that a given message comes from its sender and that the data in the message has not been altered.

Every request to Vita Business API must be signed using HMAC-SHA256 algorithm, and the signature's content included in the `Authorization` header as documented below. This header must have as a prefix the signature version and hash function used, which is currently V2-HMAC-SHA256.

Header	Type	Description
x-date	String	ISO8601 Datetime with Timezone. For instance `2018-07-12T13:46:28.629Z`
x-login	String	Business xLogin
x-api-key	String	Business xTransKey
Content-Type	String	application/json
Authorization	String	`, Signature:`

Authorization header example

`Authorization: V2-HMAC-SHA256, Signature: 80ebe700c5db952bd4c60ae53fe1971ec6e4fe84dc0922b67eca6b3e18707260`

HAMC signatures generation examples in the most popular programming languages

Language	Code
Python	`signature = hmac.new(secretKey, x_login+x_date+sorted_request_body, hashlib.sha256).hexdigest()`
Ruby	`signature = OpenSSL::HMAC.hexdigest('sha256', secret_key, "#{x_login}#{x_date}#{sorted_request_body}")`
PHP	`$signature = hash_hmac("sha256", "$xLogin$xDate$sortedRequestBody", $secretKey);`

> ℹ️ In the integrations section of the merchant's Vita Wallet account, you can find a button to request access credentials for Vita Business. We will send an email with the instructions.

> ℹ️ The request hash was joined into a single string of all key-value pairs, alphabetically sorted and concatenated without separators. If the request body is null, then the signature must be calculated without the request body.
> `hash = { "order": "xyz", "amount": 400 }`

```
sorted_request_body = hash.sort.join
# amount400orderxyz
```

Integration Environments

Vita offers 2 environments to manage the integration:

Stage or Sandbox

This environment allows developers to initiate integration and test API connections. You can test each endpoint to ensure effective communication. Once integration is complete, certification tests are conducted to verify that implemented flows function correctly.

Base URL: https://api.stage.vitawallet.io/api/businesses

Production

After certifying the connection in Stage, you proceed to connect in Production, completing the integration process and enabling the environment for real operations.

Base URL: https://api.vitawallet.io/api/businesses

Error codes

Feel safe to receive standard errors from our API, if you see something wrong please let us know and we will work to fix it right away.

Description	Range
Syntax and parameter existence validation	3xx
Resource existence	4xx
Business logic and server errors validations	5xx

> ℹ️ Keep in mind that Vita Business will return the HTTP status code 422 [UNPROCESSABLE ENTITY] whenever it cannot process the request, however the api returns an error code with the corresponding message of what happened in the response body.

json

```json
{
    code: 500,
    message: "An error has occurred, please try again later"
}
```

Syntax and parameter existence validation

Description	Code
Invalid [header] header, [description]	300
[header] header was not found	301
Signature version was not found	302
Invalid signature	303
Parameter [parameter] not found	304
Invalid [parameter], [description]	305

Resource existence

Description	Code
[resource] was not found	404

Business logic and server errors validations

Description	Code
An error has occurred, please try again later	500
Invalid IP address	501
Business [parameter] is not supported	502
[parameter] is used	503
Invalid amount, minimum amount of X CLP	507
Insufficient balance business	509
Insufficient balance wallet	510
Invalid bank_code, bank does not belong to the selected country	578
Invalid account_bank, incorrect account size	579

Reference

For more information please visit our site.

Do You Have Questions or Need Help?

Our dedicated support team is here to assist you. Contact us through our support channels, and we'll be happy to guide you through your integration.

- Email: empresas@vitawallet.io
- WhatsApp: +56949705364

Prices

We provide an endpoint to retrieve real-time prices, which also updates prices if they have expired.

GET List prices

/api/businesses/prices

This method shows Vita Business prices, in order to calculate transactions final amount.

Withdrawal prices

Structure

Field	Description
valid_until	Price deadline
business_days_of_payment	Number of business days Vita Wallet Business needs to complete payment on destination bank account
clp_sell	CLP Sell price
fixed_cost	Fixed cost in destination country local
fixed_cost_usd	Fixed cost in USD
min_amount	Minimum amount for withdrawal

The selling price fields correspond to the active balances of the account. For example, if there is an active balance in ARS, there will be an `ars_sell` field.

Vita transfer prices

For prices related to transfers to Vita users, there is a `vita_sent` section.

Structure

Field	Description
valid_until	Price deadline
clp_sell	CLP Sell price
fixed_cost	Fixed cost in destination country local
fixed_cost_usd	Fixed cost in USD

Here the selling price fields correspond to the active balances of the account as well.

You can also obtain `vita_sent` or `withdrawal` prices from each of the currency sections. For example, if you have `clp` active balance, you will also get a `clp` object with its `withdrawal` and `vita_sent` prices object structure.

Final amount

To calculate the final amount, you must multiply the amount to be sent by the CLP or the currency of origin of your account sale price in the destination country, also remember that you must subtract the fixed cost of the destination country.

```javascript
const finalAmount = (amount * withdrawal.prices.attributes["clp_sell"]["co"]) - withdrawal.
```

Sent price

Structure

Field	Description
valid_until	Price deadline
clp_sell	CLP Sell price
fixed_cost	Fixed cost in destination country local

Final amount

To calculate the final amount, you must multiply the amount to be sent by the CLP or the currency of origin of your account sale price in the destination country, also remember that you must subtract the fixed cost of the destination country.

```javascript
const finalAmount = (amount * vita_send.prices.attributes["clp_sell"]["co"]) - vita_send.pr
```

Multicurrency

Now Vita Business allows you to use all the currencies available in your wallet, to calculate the destination amount you must use the previous formulas, but selecting the corresponding source currency, for example, if you want to use USD as the source currency, you must select the settings prices for endpoint usd /businesses/prices.

To calculate the final amount, you must multiply the amount to be sent by the USD sales price of your account in the destination country, also remember to subtract the fixed cost of the destination country.

```javascript
const finalAmount = (amount * usd.withdrawal.prices.attributes["usd_sell"]["co"]) - usd.wit
```

If you want to use COP, you must use the COP key of the pricing endpoint

To calculate the final amount, you must multiply the amount to be sent by the COP sales price of your account in the destination country, also remember to subtract the fixed cost of the destination country.

```javascript
const finalAmount = (amount * cop.withdrawal.prices.attributes["cop_sell"]["cl"]) - cop.wit
```

Payins prices

currency_destiny
Indicates the ISO currency code in which the **owner of the payment link will receive the funds**.

- If this parameter is sent in the **URL**, it can be used to fetch pay-in prices in the specified destination currency.
- This parameter is **optional**. If omitted, prices will be loaded using the **default destination currency** configured for the payment link owner.
  /api/businesses/prices?currency_destiny=COP

Structure

Field	Description
destination_currency	Currency used to credit payment to the Vita account
source_currency	Local currency of the country
payment_methods	Country payment method

Payment method structure

Field	Description
payment_method	Payment method name
fixed_cost	Fixed cost in the crediting currency
spread	Sell spread
spread_type	Spread type (percentage)
sell_price	Sell price

Final amount

You can get the amount in the credit currency of a payment link using the following equation.

```javascript
const finalAmount = ( amount * sell_price ) - fixed_cost
```

GET List payin prices

GET List payin prices

/api/businesses/payins_prices

This method shows Vita Business prices for payins only, in order to calculate transactions final amount. This endpoint has no rate limit and can be used without freezing the price for other operations, like `/api/businesses/payins_prices`.

Payins prices

Structure

Field	Description
source_currency	Local currency of the country
destinations	Destination currency to receive payments

Payment method structure

Field	Description
payment_method	Payment method name
fixed_cost	Fixed cost in the crediting currency
spread	Sell spread
spread_type	Spread type (percentage)
sell_price	Sell price

Final amount

You can get the amount in the credit currency of a payment link using the following equation.

```javascript
const finalAmount = ( amount * sell_price ) - fixed_cost
```

GET List crypto prices

/api/businesses/crypto_prices

This method show Vita Business crypto prices, in order to calculate exchange final amount.

Exchange prices

Structure

Field	Description
valid_until	Crypto price deadline
prices	object with your active coins and their respective changes with the available criptos
coin_sell	Coin Sell price

The `coin_sell` value corresponds to the current exchange rate. For example, `usd: {usdt_sell: 0.895}` means for `1 USD`, you receive `0.895 USDT`

Final amount

To calculate the final amount, you must multiply the amount to be sent by the `coin_sell` value, where `coin` is the currency you will receive.

javascript

```javascript
const finalAmount = amount * coin_sell;
```

Payins

The Payment Orders feature enables businesses to generate payment requests directly through the Vita Wallet platform. Whether it's for products, services, or subscription fees, businesses can easily create customized payment orders tailored to their specific needs.

POST Create payin

/api/businesses/payment_orders

Please use this endpoint to create a new payment order. Upon successful creation, you will receive a detailed response containing the data of the new payment order, along with a URL. This URL can be utilized to proceed with payment through one of the providers configured for your account. If a webhook URL is configured for your account, you will automatically receive an Instant Payment Notification (IPN) once the order has been paid.

> ℹ️ For more information about IPNs please go to the Transactions section.

Structure

Field	Description
currency_destiny	Indicates the ISO currency code in which the owner of the payment link will receive the funds. Example: COP, USD, ...
is_receive	If true → The amount represents the value that the owner of the payment link will receive (in their configured currency). If false → The amount represents the value that the customer will pay in their local currency.
amount	Amount in the local currency of the destination country for the payment order.
country_iso_code	ISO code for the destination country.
issue	Issue for the payment order.
success_redirect_url	URL to redirect in case of success.

Body raw (json)

json

```
{
    "amount": 100000,
    "country_iso_code": "AR",
    "issue": "This is a test",
    "success_redirect_url": "https://www.google.com/"
}
```

Direct Payment

Direct Payment allows processing transactions without user redirection. Developers can integrate payment methods directly into their applications.

Integration flow

1. **Query available methods**: Use `GET /api/businesses/payment_methods/{country}`
2. **Create payment order**: Use existing Payins endpoint
3. **Process direct payment**: Use `POST /api/businesses/payment_orders/{id}/direct_payment`

Features

- ✅ **No redirection**: User stays in your application
- ✅ **Automatic validation**: Required fields and formats
- ✅ **Multiple methods**: PSE, Nequi, Bancolombia, TDC (Cards), Khipu, Webpay
- ✅ **Error handling**: Detailed responses with HTTP codes

GET GET - Payment Methods by Country

/api/businesses/payment_methods/{country_iso_code}

GET /api/businesses/payment_methods/{country_iso_code}

Returns available payment methods for a specific country with their required fields. This endpoint is essential for implementing direct payments without checkout redirection.

Purpose

This endpoint allows businesses to:

- Query payment methods available in each country
- Get required fields for each payment method
- Build dynamic payment forms in their own interface
- Avoid redirecting customers to external checkout

Parameters

Parameter	Type	Required	Description
country_iso_code	string	Yes	ISO 3166-1 alpha-2 country code (AR, CL, CO, MX, BR)

Authentication Headers

All requests must include HMAC-SHA256 authentication headers:

Header	Type	Required	Description
x-login	string	Yes	Business API login
x-trans-key	string	Yes	Business API transaction key
x-date	string	Yes	ISO8601 DateTime (2024-01-15T10:30:00Z)
Authorization	string	Yes	V2-HMAC-SHA256, Signature:{signature}
Content-Type	string	Yes	application/json

Response Structure

Successful response includes:

- Array of payment methods available in the country
- Required fields for each method with validation rules
- Field types (text, select, phone, email)
- Available options for select fields (banks, document types)

Supported Countries

- AR **Argentina (AR)**: Khipu, Bind, Bind QR
- CL **Chile (CL)**: Khipu, Webpay, Fintoc
- CO **Colombia (CO)**: PSE, Nequi, Daviplata, Bancolombia, TDC, BNPL
- MX **México (MX)**: Bitso One-time CLABE
- BR **Brasil (BR)**: PIX QR

Error Codes

Status	Code	Description	Solution
400	305	Invalid country_iso_code	Use valid ISO codes: AR, CL, CO, MX, BR
401	303	Invalid signature	Check HMAC-SHA256 generation
401	301	Missing authentication header	Include all required headers
404	404	Country not supported	Verify country is in supported list
500	500	Internal server error	Contact support if persists

Example Usage

bash

```bash
# Get payment methods for Colombia
GET /api/businesses/payment_methods/CO
# Response includes methods like PSE, Nequi, TDC with their required fields
```

POST POST - Direct Payment

/api/businesses/payment_orders/{id}/direct_payment

Process a direct payment without redirection. This endpoint allows processing payments directly with customer data.

Parameters

Parameter	Type	Description
id	string	Payment order ID
payment_data	object	Payment data according to method

Required fields by method

AR Argentina

Khipu

```json
{
  "payment_data": {
    "first_name": "Juan",
    "last_name": "Pérez",
    "email": "juan.perez@example.com"
  }
}
```

Bind

```json
{
  "payment_data": {
    "first_name": "Ana",
    "last_name": "Silva",
    "email": "ana.silva@example.com"
  }
}
```

Bind QR

```json
{
  "payment_data": {}
}
```

CL Chile

Khipu

```json
```

```
{
  "payment_data": {
    "first_name": "María",
    "last_name": "González"
  }
}
```

Webpay

```
{
  "payment_data": {
    "first_name": "Pedro",
    "last_name": "Martínez",
    "email": "pedro.martinez@example.com"
  }
}
```

Fintoc

```
{
  "payment_data": {}
}
```

co Colombia

PSE

```
{
  "payment_data": {
    "bank_id": "1007",
    "document_number": "12345678",
    "document_type": "CC",
    "first_name": "María",
    "last_name": "García",
    "phone": "+573001234567"
  }
}
```

Nequi

```
{
  "payment_data": {
    "phone": "+573001234567",
    "email": "usuario@example.com"
  }
```

```
}
```

Daviplata

```json
{
  "payment_data": {
    "document_type": "CC",
    "document_number": "12345678",
    "email": "ana.garcia@example.com"
  }
}
```

Bancolombia

```json
{
  "payment_data": {
    "email": "carlos.rodriguez@example.com"
  }
}
```

TDC (Credit/Debit Cards)

```json
{
  "payment_data": {
    "card_type": "tdc",
    "card_number": "4111111111111111",
    "cvc": "123",
    "exp_month": "12",
    "exp_year": "25",
    "card_holder": "JUAN PEREZ",
    "installments": "1",
    "email": "juan.perez@example.com"
  }
```

Bancolombia BNPL (Buy Now Pay Later)

```json
{
  "payment_data": {
    "first_name": "María",
    "last_name": "López",
    "document_number": "11223344",
    "document_type": "CC",
    "phone": "+573001234567"
  }
}
```

MX México

Bitso One-time CLABE

```json
{
  "payment_data": {
    "first_name": "Miguel",
    "last_name": "Hernández"
  }
}
```

BR Brasil

PIX QR

```json
{
  "payment_data": {
    "document_number": "12345678901",
    "email": "usuario@example.com",
    "first_name": "João",
    "last_name": "Silva"
  }
}
```

Error Responses

- **400**: Missing required fields or invalid format
- **401**: Invalid authentication credentials
- **404**: Payment order not found
- **422**: Validation error
- **500**: Internal server error

Body raw (json)

```json
{
  "method_id": "8",
  "payment_data": {
    "bank_id": "1007",
    "document_number": "12345678",
    "document_type": "CC",
    "first_name": "Juan",
    "last_name": "Pérez",
    "phone": "+573001234567",
    "email": "nestor@vitawallet.io"
  }
}
```

Wallet

Perhaps the word wallet is familiar to you, for now it's enough to say that you'll be able to carry out transactions by using it. A wallet is capable of keeping the total balance of your transactions.

Use cases

A business can have as many wallets as customers they have on their platform, from which they will manage the balance of customer transactions.

Think of an e-commerce, where each customer registered in the business receives a unique wallet, from which they can receive money to make their purchases.

In addition to this, the business receives a unique and exclusive wallet for its internal management, which we have called the master wallet, with which it can reward its most loyal customers by sending money from it to their customers' wallets.

Consider a customer's wallet, such as a bank account, in which the customer's real-time balance will be stored.

Wallet structure

Field	Description
uuid	Universal unique identifier that Vita Wallet provides for the wallet in all its services.
token	master
balances	Updated balances at current moment
is_master	Boolean field that identifies if wallet is o is not master.

Master wallet

Once access to Vita Business is enabled for a merchant, it is provided with an initial wallet called master wallet, which is intended to be managed by the merchant, from which it can send money to the wallets it deems necessary in its business logic, such as the BONUS policy to reward its best customers.

If you want to add balance to this master wallet, you must request it to soporte@vitawallet.io

If you want to know your master wallet UUID, please use the list wallets endpoint.

GET List wallets (deprecated)

/api/businesses/wallets?page=1&count=10

This method allows you to list all your business wallets, supports pagination.

PARAMS

page	1 Page number
count	10 Wallets count (20 by default)

GET Get wallet

/api/businesses/wallets/:uuid

This method allows you to list all your business wallets, supports pagination.

PATH VARIABLES

uuid	f0953f43-2e68-4a1a-acdf-f5227fe0095c Wallet UUID

Transactions

Once your first wallet is created, you can create different types of transactions.

Transactions types

- **Vita sent:** sending money from a wallet to a Vita Wallet registered user.
- **Withdrawal:** money withdrawal from a wallet to a bank account in the supported countries.

Transaction structure

Field	Description
sender_wallet	Information of the wallet that sends money, with its merchant identification token, Vita Business uuid and balance updated to date
status	Transaction status
order	Unique merchant payment id
currency	Transaction currency
category	Transaction type
amount	Transaction amount without fee
total	Transaction total with fee included
fee_value	Fee value
total_fee	Total fee
created_at	Transaction date
included	Contains information related to the transaction

Included

Field	Description
withdrawal	Withdrawal-related data, such as destination country information, destination currency, destination bank account, reason for withdrawal rejection, among others
payment	Payment-related data such as fixed cost, amount in local currency, sales spread, among others

Withdrawal included

Field	Description
country_iso_code	ISO code of the destination country
country_name	Name of destination country
country_flag	URL of the destination country's flag image
currency	Currency of the destination country
total_without_fixed_cost	Total sent without fixed cost
total_sent	Total sent
fixed_cost	Fixed cost
sell_price	Sell price
bank_account	Details of the destination bank account
reject_motive	Reason for withdrawal rejection

Payment included (Payins)

Field	Description
amount_local_currency	Amount in local currency
payment_method	Name of payment method
spot_origin_usd	Origin of the spot price in USD
fixed_cost	Fixed cost
spread	Spread (percentage)
spot_usd_destiny	Destination of the spot price in USD
accreditation_amount	Accreditation amount
accreditation_currency	Accreditation currency

Transaction life cycle

A transaction can have different statuses:

1. Started
2. Processed
3. Pending
4. Completed or denied

First transaction status is started, followed by processed and pending, once transactions reaches pending status it proceeds to execute one of the possible final status, completed or denied.

Some transaction types, like purchase and sent reach their final status immediately.

> ℹ️ The endpoint to create any type of transaction is always the same, following the REST architecture

> ℹ️ The endpoint to create any type of transaction is always the same, following the REST architecture, transaction_type field in the request body allows creation of the desired type of transaction.

Purpose codes

Some countries require you to specify the transaction purpose.

Description	Code
Family maintenance	EPFAMT
Health care services payment	ISMDCS
Study/enrolment costs payment	ISSTDY
Payment for charity reasons	ISCHAR
Property purchase payment	EPPROP
Stocks payment	EPSHAR
Investment payment	EPIVST
Common public service provider payment	ISUBIL
Tax payment	ISTAXS
Tourism	EPTOUR
Savings/retirement account payment	ISSAVG
Pension payment	ISPENS
Payroll payment	ISPAYR
Goods purchase	ISGDDS

IPN (Instant Payment Notification)

Every time a transaction is changed to a final status (completed, denied), Vita Business will send an IPN under the POST method with the status change data to the notification url (url_notify) provided by merchant.

Request body

Field	Description
status	Transaction status
order	Unique order id provided by merchant
wallet	Wallet UUID and token `{ "token": "token", "uuid": "wallet_uuid" }`

Security

Merchant is required to validate IPN info by calculating the signature according to request body and its headers (Authorization, X-Date, X-Login, X-Trans-Key).

```
hash = { status: "pending", order: "222222223", wallet: { token: "KipouKI77", uuid: "11158-OPOS74s4-oospop-7785s74u" } }
```

```
// result
```

```
// order222222223statuspendingwallet{"token":"KipouKI77","uuid":"11158-OPOS74s4-oospop-7785s74u"}
```

> ℹ️ Vita Business will send IPN every 10 minutes, for 30 days, until we get a 200 status code as reponse from merchant servers.

Forms

This is the way to know the fields needed to make a withdrawal to a certain country (keep in mind that these fields may change at any time). A form is composed of some keys with its meaning.

> ⚠️ Keep in mind that the fields of a form can change, we recommend creating your application taking this in consideration

Key	Description
type	Defines the type of field, allowed values are: text, select, email
name	Field name
key	Field key, must be sent on the withdrawal request body
options	Field options if type is select, some of these options are subject to other fields values. On this example, "Banco Sofitasa" is available if transfer_type has the value "Pago movil" or "Transferencia bancaria" `{ "label": "Banco Sofitasa", "value": 32, "visible": { "key":"transfer_type", "value":["Pago movil","Transferencia bancaria"] } }`
min	Minimum number of characters the field must contain
max	Maximum number of characters the field must contain
when	This field specifies when the form field is required. It

---

GET List payout rules

/api/businesses/withdrawal_rules

This method allows obtaining the form with the necessary fields to make a withdrawal to a certain country.

> ℹ️ If your account has the "Final Customers" service activated, you will have to provide additional information about the person or business carrying out the transaction. For this, this endpoint will return for you some extra fields about your final customer, all of them have names that start with "fc_".

POST Create Vita sent

/api/businesses/transactions

Consider two scenarios: a merchant's client transferring money to a Vita Wallet user, or the merchant transferring from the master wallet to a Vita Wallet account. For these cases, Vita Business offers the "sending to Vita Wallet" service.This method creates a "vita_sent" type transaction from your wallet to a Vita Wallet user. The amount is deducted from the sending wallet's balance and added to the receiving Vita Wallet user's balance.



Structure

Key	Description
email	Email of the transaction recipient
currency	Currency for the transaction
order	Order number in string format
amount	Amount
transactions_type	Type of transaction
wallet	Origin wallet

Body raw (json)

```
```

```json
{
    "email": "guillermo+pagacel01@vitawallet.io",
    "currency": "clp",
    "order": "0001",
    "amount": 1000,
    "transactions_type": "vita_sent",
    "wallet": "2408444c-d2ed-4dce-982f-462db9be822c"
}
```

POST Create payout

/api/businesses/transactions

Consider the client wishes to withdraw their money from the e-commerce to their personal bank account. For this, Vita Business provides the withdrawal service, which discounts money from the client's wallet and sends it to the bank account.

This method allows you to create a withdrawal type transaction from a wallet, the amount will be reflected negatively in the wallet's balance.

> ℹ️ Keep in mind that the fields required by the endpoint to make a withdrawal to a country are now dynamic, you can see more information in the forms section.

> ℹ️ For security issues, is not possible to create more than one transaction every 5 seconds. You must consider this validation for your integration.

> ℹ️ If your account has the "Final Customers" service activated, you will have to provide additional information about the person or business carrying out the transaction. Required fields are returned in the transfer rules. For more information about Transfer rules please got o the Transactions>Forms section. The structure of the response is the same regardless of whether you have active service or not.





Structure

Key	Description
url_notify	Url to notify
beneficiary_first_name	Beneficiary first name
beneficiary_last_name	Beneficiary last name
beneficiary_email	Beneficiary email
beneficiary_address	Beneficiary address
beneficiary_document_type	Beneficiary document type
beneficiary_document_number	Beneficiary document number
account_type_bank	Bank account type
account_bank	Bank account number
bank_code	Bank code
purpose	Purpose
purpose_comentary	Purpose commentary
country	Country ISO code
currency	Currency

Note:

We have a transaction processing system designed to automatically complete or reject transactions based on the contents of the "purpose_comentary" field. This system is only available in test environments and requires the use of specific keywords detailed below. It is important that these keywords be used accurately and without additional content.

1. COMPLETED: By including the keyword “COMPLETED” in the purpose_comentary, the system will automatically process the transaction as completed.
2. REJECTED: By including the keyword “REJECTED” in the purpose_comentary, the system will automatically process the transaction as rejected.

Important considerations:

- The keywords must be identical to those mentioned (including capitalization) in order for the system to process them correctly.
- Changes in the status of transactions will be automatically reflected in a time range of 0 to 5 minutes.
- This system only affects transactions managed through the Business API.

Body raw (json)

```
.
```

json

```
{
    "url_notify": "https://my_business.com/",
    "beneficiary_first_name": "Gabriela",
    "beneficiary_last_name": "Pazmiño",
    "beneficiary_email": "my_email@vitawallet.io",
    "beneficiary_address": "My address, esquina, 21-64",
    "beneficiary_document_type": "CI",
    "beneficiary_document_number": "132425273",
    "account_type_bank": "Cuenta de ahorros",
    "account_bank": "14125621670",
    "bank_code": 755,
    "purpose": "ISSAVG",
    "purpose_comentary": "This is a test",
    "country": "BO",
    "currency": "clp",
    "amount": 1000,
    "order": "0003a",
    "transactions_type": "withdrawal",
    "wallet": "2408444c-d2ed-4dce-982f-462db9be822c",
    "fc_customer_type": "natural",
    "fc_legal_name":"Nombre completo",
    "fc_document_typ": "dni"
}
```

POST Create exchange

/api/businesses/transactions

Consider the client wishes to exchange cryptocurrency for fiat currency, fiat currency for cryptocurrency, or one cryptocurrency for another. For this, Vita Business provides the crypto exchange service, which allows converting between digital assets and fiat currencies within the client's wallet.

This method allows you to create an exchange type transaction between currencies, converting from one asset to another at current market rates. The source amount will be deducted and the destination amount will be credited to the wallet's balance.

> ℹ️ Keep in mind that crypto exchange must be enabled for your business account. Contact support to activate this feature if not already available.

> ℹ️ All exchange parameters must be included in the signature validation for security purposes, including the transactions_type parameter.

> ℹ️ Fiat to fiat exchanges are not supported. You can only exchange between crypto and fiat or between different cryptocurrencies.

Exchange Process (2 Steps Required):

Step 1: Get Current Prices
Before performing an exchange, you must first consult the current prices using the /crypto_prices endpoint. This ensures you have the most up-to-date exchange rates.

Step 2: Execute Exchange
Once you have valid prices (check the valid_until timestamp), you can proceed with the exchange transaction.

Once you have valid prices (check the valid_until timestamp), you can proceed with the exchange transaction.

Structure

Key	Description
currency_sent	Source currency to exchange from (e.g., "usd", "btc", "usdt")
currency_received	Destination currency to exchange to (e.g., "btc", "usdt", "usd")
amount_sent	Amount to exchange from the source currency (ej., 100, 105.65)
order	Unique order identifier for this exchange transaction
transactions_type	Must be set to "exchange" for crypto exchange transactions

Important Considerations:

Price Validity:

- Exchange rates are obtained from the /crypto_prices endpoint
- Each price has a valid_until timestamp indicating when it expires
- You must check price validity before attempting an exchange
- If prices are expired, you must call /crypto_prices again to refresh them

Rate Calculation:

- The rate in the response reflects the exchange rate used from the most recent price consultation
- Rates are based on real-time market conditions at the time of price retrieval

Supported Exchange Types:

- Fiat to Crypto: USD, CLP, COP, MXN, ARS → BTC, USDT, USDC
- Crypto to Fiat: BTC, USDT, USDC → USD, CLP, COP, MXN, ARS
- Crypto to Crypto: BTC ↔ USDT, USDC, USDT ↔ USDC

❌ Not Supported:

- Fiat to Fiat exchanges (e.g., USD → CLP, COP → MXN, etc.)

Balance Requirements:

- To make an exchange you must have the currencies in question active.
- The source wallet must have sufficient balance for the amount_sent

Processing Time:

- Most exchanges are processed instantly once valid prices are confirmed

Body raw (json)

```json
{
    "currency_sent": "usd",
    "currency_received": "usdt",
    "amount_sent": 10,
    "order": "AAA0008",
    "transactions_type": "exchange"
}
```

GET List transactions

/api/businesses/transactions?page=1&count=10

This method allows you to list all the transactions of a business, supports paging and filters.

PARAMS

page	1 Page number
count	10 Total transactions (20 by default)
sender_wallet	xxx-xxx-xxx Filter transactions by sending wallet UUID
recipient_wallet	xxx-xxx-xxx Filter transactions by recipient wallet UUID
status	completed Filter transactions by status (started,completed, pending, denied, processed)
transactions_type	withdrawal Filter transactions by type
currency	clp Filter transactions by currency (clp, usd, mxn, ars)

GET List all transactions

/api/businesses/transactions/get_all_transactions?page=1&count=10

This method allows you to list all the transactions of a business or web, supports paging and filters such as amounts

This method allows you to list all the transactions of a business or web, supports paging and filters such as amounts and dates.

PARAMS

page	1 Page number
count	10 Total transactions (20 by default)
status	completed Filter transactions by status (started,completed, pending, denied, processed)
transactions_type	withdrawal Filter transactions by type
currency	clp Filter transactions by currency (clp, usd, mxn, ars)
source	business Filter transactions by source (web, business)
sort	desc Filter transactions by sort (desc, asc)
start_date	2025-10-10 Filter transactions by start date
end_date	2025-10-17 Filter transactions by end date
min_amount	100 Filter transactions by min amount
max_amount	10000 Filter transactions by max amount

GET Get Transaction

/api/businesses/transactions/:id

This method allows you to obtain the information of a transaction by its id.

PATH VARIABLES

id	xxx-xxxx-xxxx Id from transaction

Users

Business provides this module to check if there is a registered user on Vita Wallet with a specific email address. Additionally, it allows you to know the status of the user and whether they can receive money or not.

GET Get user

/api/businesses/vita_users?email=my_user@vitawallet.io

This methos allows you to know if a user is registered on Vita Wallet.

PARAMS

email	my_user@vitawallet.io User email

Beneficiaries

Business provides this module to determine if a beneficiary can receive money through a withdrawal to their account in a specific country.

If the endpoint does not find the beneficiary, don't worry; you can attempt to make the withdrawal, and we will create the beneficiary from the information you provide.

The fields "document_number" and "country_iso_code" are mandatory. The field "beneficiary_type" is required only if the country mandates it, such as in the United States. The field "document_type" is always required as long as the country does not require "beneficiary_type" or if the "beneficiary_type" is "Individual".

POST Get beneficiary

/api/businesses/beneficiaries/get_beneficiary

Structure

Key	Description
document_number	Document number
document_type	Document type
country_iso_code	Country ISO code

Body raw (json)

json

```
{
    "document_number": "1111111111",
    "document_type": "RUT",
    "country_iso_code": "CL"
}
```

Deposits

We provide an endpoint to retrieve user deposit methods

GET List deposit methods

/api/businesses/deposits

This method show Vita Business prices, in order to calculate transactions final amount.

Withdrawal prices

Structure

Field	Description
valid_until	Price deadline
business_days_of_payment	Number of business days Vita Wallet Business needs to complete payment on destination bank account
clp_sell	CLP Sell price
fixed_cost	Fixed cost in destination country local
fixed_cost_usd	Fixed cost in USD
[illegible]	[illegible]

min_amount	Minimum amount for withdrawal

The selling price fields correspond to the active balances of the account. For example, if there is an active balance in ARS, there will be an `ars_sell` field.

Vita transfer prices

For prices related to transfers to Vita users, there is a `vita_sent` section.

Structure

Field	Description
valid_until	Price deadline
clp_sell	CLP Sell price
fixed_cost	Fixed cost in destination country local
fixed_cost_usd	Fixed cost in USD

Here the selling price fields correspond to the active balances of the account as well.

Currency sections

You can also obtain `vita_sent` or `withdrawal` prices from each of the currency sections. For example, if you have `clp` active balance, you will also get a `clp` object with its `withdrawal` and `vita_sent` prices object structure.

Final amount

To calculate the final amount, you must multiply the amount to be sent by the CLP or the currency of origin of your account sale price in the destination country, also remember that you must subtract the fixed cost of the destination country.

```javascript
const finalAmount = (amount * withdrawal.prices.attributes["clp_sell"]["co"]) - withdrawal.
```

Sent price

Structure

Field	Description
valid_until	Price deadline
clp_sell	CLP Sell price
fixed_cost	Fixed cost in destination country local

Final amount

To calculate the final amount, you must multiply the amount to be sent by the CLP or the currency of origin of your

account sale price in the destination country, also remember that you must subtract the fixed cost of the destination country.

```javascript
const finalAmount = (amount * vita_send.prices.attributes["clp_sell"]["co"]) - vita_send.pr
```

Multicurrency

Now Vita Business allows you to use all the currencies available in your wallet, to calculate the destination amount you must use the previous formulas, but selecting the corresponding source currency, for example, if you want to use USD as the source currency, you must select the settings prices for endpoint usd /businesses/prices.

To calculate the final amount, you must multiply the amount to be sent by the USD sales price of your account in the destination country, also remember to subtract the fixed cost of the destination country.

```javascript
const finalAmount = (amount * usd.withdrawal.prices.attributes["usd_sell"]["co"]) - usd.wit
```

If you want to use COP, you must use the COP key of the pricing endpoint

To calculate the final amount, you must multiply the amount to be sent by the COP sales price of your account in the destination country, also remember to subtract the fixed cost of the destination country.

```javascript
const finalAmount = (amount * cop.withdrawal.prices.attributes["cop_sell"]["cl"]) - cop.wit
```

Payins prices

currency_destiny
Indicates the ISO currency code in which the **owner of the payment link will receive the funds**.

- If this parameter is sent in the **URL**, it can be used to fetch pay-in prices in the specified destination currency.
- This parameter is **optional**. If omitted, prices will be loaded using the **default destination currency** configured for the payment link owner.
  /api/businesses/prices?currency_destiny=COP

Structure

Field	Description
destination_currency	Currency used to credit payment to the Vita account
source_currency	Local currency of the country
payment_methods	Country payment method

Payment method structure

Field	Description
payment_method	Payment method name
fixed_cost	Fixed cost in the crediting currency
spread	Sell spread
spread_type	Spread type (percentage)
sell_price	Sell price

Final amount

You can get the amount in the credit currency of a payment link using the following equation.

```javascript
const finalAmount = ( amount * sell_price ) - fixed_cost
```

Business Users

With the **Business Users** module, you can manage the complete onboarding cycle of users through your API integration.

Here you can:

- Create new users, whether **natural** or **businesses**.
- Complete the onboarding process, which includes:
  - Initial data registration.
  - Upload of supporting documentation.
  - Identity verification and regulatory compliance (KYC/KYB).
- At any time, check the verification status of created users.
- Receive notifications about changes in users' verification status.

This workflow allows you to have a **secure**, **standardized process** aligned with regulatory requirements for creating and validating users in your application.

User Types

- **Natural User**: a natural person registering as an individual.
- **Business User**: a legal entity registering as an organization or business.

Both types of users go through the corresponding verification flow (KYC/KYB) before being allowed to operate.

User Lifecycle

A user created via the API can be **natural** or **business**, defined in the **category** field.

The identity verification process (KYC/KYB) goes through the following statuses:

- **Initial**: the user has been created, but not all required information was provided.
- **Started**: all required information has been submitted, and the verification process is in progress.
- **Accepted**: verification was approved, and the user is authorized to operate.
- **Rejected**: verification was rejected, and the user is not authorized to operate.

The cycle begins with user creation. If all required information is provided at that moment, verification can be performed immediately.

If information is incomplete, the user will remain in the **initial** status until the missing data is submitted.

Once all required data has been provided, the status moves to **started**, and after review, the final outcome is determined (**accepted** or **rejected**).

At any time, you can check the user's status, verifying whether they were approved, rejected, or what information is missing to complete the process.

Natural user structure

Field	Description
email	User's email address.
first_name	User's first name.
last_name	User's last name.
category	User type (natural in this case).
birthdate	User's date of birth (YYYY-MM-DD).
gender	User's gender.
document_type	Type of identity document (dni, passport, etc.).
document_number	Number of the user's primary document.
secondary_document_number	Number of a secondary document, if applicable.
document_expedition_date	Issuance date of the primary document.
address	User's full address.
zipcode	Postal code of the address.
civil_status	User's civil status (single, married, etc.).
phone	User's phone number including country code

Business user structure

Business user – main fields

Field	Description
email	User's email address.
first_name	User's or business account name.
category	User type (business).
document_type	Type of identity document for the main user.
document_number	Number of the primary document.
address	Main user's address.
zipcode	Main user's postal code.
profile_verification	Profile verification status (initial, started, accepted, rejected).
accept_pep	Indicates if the user accepts PEP verification (true/false).
accept_real_info	Indicates if the user accepts real information validation.
accept_funds	Indicates if the user accepts receiving funds.
business_external_id	Custom ID assigned by the client to the user for tracking or internal reference.

Business object

Represents the legal and commercial information of the company linked to the user.
Includes general company data, its activity, physical address, legal documentation, and information of the legal representative.

Field	Description
operation_countries	Countries where the company operates.
website_url	Company's website.
uuid	Internal company identifier.
trade_name	Company's trade name.
is_financial_company	Indicates if the company is a financial entity.
has_license	Indicates if the company has a license.
same_to_legal_location	Indicates if the physical location matches the legal address.
physical_country	Country of the company's physical location.
physical_state	State/province of the company's physical location.
physical_city	City of the company's physical location.
physical_zipcode	Postal code of the company's physical location.
[illegible]	[illegible]

physical_address	Company's physical address.
lr_first_name	Legal representative's first name.

Business owner object (UBO)

Contains details of the company's ultimate beneficial owners (UBO), i.e., the natural persons who own or control a significant percentage of the company.

Field	Description
ubo_first_name	Ultimate beneficial owner's first name.
ubo_last_name	Ultimate beneficial owner's last name.
ubo_residence_country	Country of the UBO's residence.
ubo_residence_state	State or province of the UBO's residence.
ubo_residence_city	City of the UBO's residence.
ubo_address	UBO's address.
ubo_is_direct	Indicates if the UBO is a direct owner.
ubo_ownership_percentage	Ownership percentage in the company.
ubo_document_type	Type of identification document of the UBO.
ubo_document_number	Number of the UBO's identification document.
ubo_country	Country of birth of the UBO.
ubo_start_date	Date the UBO became an owner.
ubo_document_expedition_date	UBO's document issuance date.
ubo_has_control	Indicates if the UBO has control over the company

Politically exposed person object (PEP)

Describes the information of a Politically Exposed Person (PEP) associated with the user or company. This object should only be included if the **accept_pep** field is **true**, and contains the basic information identifying the person and their relation to relevant public activities.

Field	**Description**
first_name	First name of the politically exposed person.
last_name	Last name of the politically exposed person.
document_number	Identification document of the politically exposed person.
job_title	Job title or public position of the politically exposed person.

Permitted values for specific user fields

The following table lists the allowed values for fields that accept only specific options.
These values must be used when creating or updating users to ensure the data is valid.

Field	Permitted Values
gender	"male", "female", "other"
document_type	"dni", "company_id", "passport", "dni_foreigner", "company_ruc", "special_type"
secondary_document_type	"s_dni", "s_company_id", "s_passport", "s_dni_foreigner", "s_company_ruc", "s_special_type"
civil_status	"single", "married", "divorced", "separated", "widowed"
category	"natural", "business"
lr_document_type	"dni", "company_id", "passport", "dni_foreigner", "company_ruc", "special_type"
lr_gender	"male", "female", "other"
lr_civil_status	"single", "married", "divorced", "separated", "widowed"
expected_monthly_payments_usd	"usd_0_to_40000", "usd_40000_to_500000", "usd_500000_plus"
ubo_document_type	"dni", "company_id", "passport", "dni_foreigner", "company_ruc", "special_type"

User verification status notification

Whenever a user changes their profile verification status (profile_verification), Vita Wallet will send an HTTP POST notification with the status change data to the url_notify_kyc notification URL provided.

Field	Description
business_external_id	Custom ID assigned by the client to the user for tracking or internal reference.
email	User's email address.
profile_verification	Current profile verification status (initial, started, accepted, rejected, etc.).

The merchant must validate the notification by calculating the signature based on the request body and headers (Authorization, X-Date, X-Login, X-Trans-Key).

```
hash = { business_external_id: "ext-v7", email: "example@email.com", profile_verification: "started" }
```

Result: "business_external_idext-v7emailexample@email.comprofile_verificationstarted"

Vita Business will send the notification every 10 minutes for up to 3 days, until a 200 status code is received from the merchant's servers.

Security (Important)

Requests to this module are signed using HMAC-SHA256, in the same way as the general Vita Business API.

Important: Unlike the general API, do not sort or concatenate the request body keys. For this module, the request body must be used **exactly as a JSON string** when generating the HMAC signature. All other aspects of the signature process remain the same (x-login, x-date, API keys, Authorization header format).

Example:

```javascript
const payload = JSON.stringify({
  first_name: "John",
  category: "natural",
  document_number: "123456789",
  ...
});
const signature = CryptoJS
  .HmacSHA256(xLogin + xDate + payload, secretKey)
  .toString(CryptoJS.enc.Hex);
```

> Use the request body exactly as shown above (as a JSON string) when generating the signature. This applies **only to this module and its endpoints**; it is the only part of the API that must be signed this way.

POST Create User

/api/businesses/business_users

This endpoint allows creating a user in Vita Wallet. Depending on the information provided:

- If all required information is included, the user is created and profile verification (profile_verification) is automatically initiated.
- If some information is missing, the user is created in the initial or started state and verification can be completed later by sending the missing data.

The endpoint supports both natural and business users, and returns all the information of the created user along with their relationships (for example, business, business_owners, politically_exposed_person).

Minimum creation (required fields only)

In some cases, a user can be created with only the mandatory information, the required fields are: email, category, country_iso_code, document_number, first_name

The user will be created successfully but will not be verified.

The initial status will be profile_verification: "initial" until the additional data is provided to complete the verification.

Example of minimum request body:

```json
{
```

```
{
  "email": "email@example.com",
  "category": "natural",
  "country_iso_code": "AR",
  "document_number": "123456789",
  "first_name": "John"
}
```

Full creation (all fields provided)

When the request body includes all the required and optional fields, the user is created with a complete profile and the verification process starts automatically.
In this case, the user's profile will have the status profile_verification: "started", since all information necessary to begin the verification has been provided.

Example full request body (Natural User)

```json
{
  "email": "email@example.com",
  "first_name": "John",
  "last_name": "Doe",
  "category": "natural",
  "birthdate": "1985-06-15",
  "document_type": "dni",
  "document_number": "123456789",
  "country_iso_code": "AR",
  "birth_country_iso_code": "AR",
  "address": "123 Fake Street",
```

> Files must be sent encoded in Base64 using the correct MIME type format (e.g., image/jpeg, application/pdf).

Example full request body (Business User)

```json
{
  "email": "email@example.com",
  "first_name": "John",
  "category": "business",
  "document_type": "dni",
  "document_number": "123456789",
  "country_iso_code": "AR",
  "address": "123 Fake Street",
  "state_iso_code": "AR-M",
  "city_name": "Las Heras",
  "zipcode": "1000",
```

> Files must be sent encoded in Base64 using the correct MIME type format (e.g., image/jpeg, application/pdf).

Politically Exposed Person (PEP)

The accept_pep field indicates whether the user declares to be a Politically Exposed Person (PEP).

- If accept_pep = **false**, the politically_exposed_person object **is not required**.
- If accept_pep = **true**, the politically_exposed_person object must be included with the corresponding information:

```json
"politically_exposed_person": {
  "first_name": "Pedro",
  "last_name": "Alvarez",
  "document_number": "45678901",
  "job_title": "Public Official"
}
```

PATCH Complete Verification

/api/businesses/business_users/complete_verification

This endpoint allows completing the verification of a previously created user in Vita Wallet (both natural and business users).

If during the initial creation (create) not all required data was provided, the user will remain in the status profile_verification: "initial".

With this endpoint, the client can submit all the complete and correct information to start the verification process.

If the validation is successful, the user will automatically move to the status profile_verification: "started".

> When using this endpoint, the request body must include all the user's data, not just the missing fields from creation.
> For natural users, the entire natural user object must be sent again, including politically_exposed_person if applicable.
> For business users, the full information must be sent again, including the user object, business object, business_owners (UBOs), and politically_exposed_person if applicable.

Verification (Natural User)

Example request body

```json
{
  "email": "email@example.com",
  "first_name": "John",
  "last_name": "Doe",
  "category": "natural",
  "birthdate": "1985-06-15",
  "document_type": "dni",
  "document_number": "123456789",
  "country_iso_code": "AR",
  "birth_country_iso_code": "AR",
  "address": "123 Fake Street",
```

> Files must be sent encoded in Base64 using the correct MIME type format (e.g., image/jpeg, application/pdf).

Verification (Business User)

Example request body

```
json

{
  "email": "email@example.com",
  "first_name": "John",
  "category": "business",
  "document_type": "dni",
  "document_number": "123456789",
  "country_iso_code": "AR",
  "address": "123 Fake Street",
  "state_iso_code": "AR-M",
  "city_name": "Las Heras",
  "zipcode": "1000",
```

> Files must be sent encoded in Base64 using the correct MIME type format (e.g., image/jpeg, application/pdf).

GET Verification Status

/api/businesses/business_users/verification_status?email=email@example.com

This endpoint allows you to check the verification status of a user based on their email.
The response includes:

- The basic user data and their related objects.
- The profile_verification field, which indicates the current status of the verification process.
- The fields_missing field, which lists the required attributes that have not yet been completed in order to proceed with verification.

This makes it easy to identify which information is missing so the user can reach the started status and continue the validation process.

PARAMS

email	email@example.com