

project_bundle.txt - Part 3 of 3

Created: 2026-05-19 00:04:45

FILE: src/pages/Home/Home.jsx

```
import React from 'react';
import { motion } from 'framer-motion';
import { ArrowRight, Download, Zap, BookOpen, Award, Globe, Cpu, Shield, Star, TrendingUp } from
' lucide-react';

const Home = () => {
  const stats = [
    { value: "50K+", label: "Active Students" },
    { value: "200+", label: "Expert Instructors" },
    { value: "1000+", label: "Video Lessons" },
    { value: "98%", label: "Success Rate" }
  ];

  const features = [
    { icon: Download, title: "Offline First", description: "Download courses and learn anywhere, anytime" },
    { icon: Cpu, title: "AI-Powered", description: "Personalized learning recommendations" },
    { icon: Zap, title: "Smart Sync", description: "Progress syncs when you're online" },
    { icon: Shield, title: "Secure Storage", description: "Your data is always protected" }
  ];

  const testimonials = [
    {
      name: "Alex Thompson",
      role: "Computer Science Student",
      content: "This platform changed how I learn. Offline access is a game-changer!",
      rating: 5
    },
    {
      name: "Maria Garcia",
      role: "Web Developer",
      content: "The AI study assistant is incredibly helpful. Best learning investment ever.",
      rating: 5
    },
    {
      name: "David Kim",
      role: "Data Scientist",
      content: "Finally a platform that understands offline learning needs. The progress sync is flawless.",
      rating: 5
    }
  ];

  return (
    <div className="overflow-hidden">
      { /* Hero Section - Fully Responsive */ }
      <section className="relative min-h-screen flex items-center justify-center pt-16 sm:pt-20">
        <div className="absolute inset-0 bg-gradient-to-br from-blue-600/20 via-purple-600/20 to-pink-600/20
          blur-3xl" />

        <div className="relative max-w-7xl mx-auto px-4 sm:px-6 lg:px-8 text-center">
          <motion.div
            initial={{ opacity: 0, y: 20 }}
            animate={{ opacity: 1, y: 0 }}
            transition={{ duration: 0.8 }}
          >
            { /* Badge - Responsive */ }
            <div className="inline-flex items-center px-2 py-1 sm:px-3 sm:py-1 rounded-full glass mb-4
              sm:mb-6">
              <span className="text-xs sm:text-sm">■ Launching the future of education</span>
            </div>

            { /* Headline - Responsive font sizes */ }
            <h1 className="text-3xl sm:text-5xl md:text-6xl lg:text-7xl font-bold mb-4 sm:mb-6">
              Master Skills{' '}
              <span className="gradient-text">Anytime, Anywhere</span>
              <br className="hidden sm:block" />
              <span className="text-2xl sm:text-3xl md:text-4xl block mt-2 sm:mt-0 sm:inline">Even Without
                Internet</span>
            </h1>

            { /* Description - Responsive */ }
            <p className="text-base sm:text-lg md:text-xl text-gray-300 max-w-2xl mx-auto mb-6 sm:mb-10 px-4">
              Join thousands of students learning offline-first with our smart platform.
              Download, learn, and track progress without internet connection.
            </p>

            { /* CTA Buttons - Responsive: column on mobile, row on desktop */ }
            <div className="flex flex-col sm:flex-row gap-3 sm:gap-4 justify-center mb-12 sm:mb-16">
              <a href="/courses" className="inline-flex items-center justify-center px-6 py-3 sm:px-8 sm:py-4
```

```

    bg-gradient-to-r from-blue-600 to-purple-600 rounded-xl font-semibold hover:shadow-lg
    transition-all text-sm sm:text-base">
      Start Learning Free
      <ArrowRight className="w-4 h-4 sm:w-5 sm:h-5 ml-2" />
    </a>
    <button className="inline-flex items-center justify-center px-6 py-3 sm:px-8 sm:py-4 glass
    rounded-xl font-semibold hover:bg-white/10 transition-all text-sm sm:text-base">
      <Download className="w-4 h-4 sm:w-5 sm:h-5 mr-2" />
      Download App
    </button>
  </div>

  {/ * Stats - Responsive grid: 2x2 on mobile, 4x1 on desktop */}
  <div className="grid grid-cols-2 md:grid-cols-4 gap-4 sm:gap-8 max-w-4xl mx-auto">
    {stats.map((stat, index) => (
      <motion.div
        key={index}
        initial={{ opacity: 0, scale: 0.5 }}
        animate={{ opacity: 1, scale: 1 }}
        transition={{ delay: index * 0.1 }}
        className="text-center"
      >
        <div className="text-2xl sm:text-3xl md:text-4xl font-bold gradient-text mb-1 sm:mb-2">
          {stat.value}
        </div>
        <div className="text-xs sm:text-sm text-gray-400">{stat.label}</div>
      </motion.div>
    ))}
  </div>
</motion.div>
</div>

{/ * Animated background - Hidden on mobile for performance */}
<div className="hidden sm:block absolute inset-0 overflow-hidden pointer-events-none">
  <div className="absolute top-20 left-10 w-48 h-48 sm:w-72 sm:h-72 bg-blue-500 rounded-full
  mix-blend-multiply filter blur-3xl opacity-20 animate-float" />
  <div className="absolute bottom-20 right-10 w-48 h-48 sm:w-72 sm:h-72 bg-purple-500 rounded-full
  mix-blend-multiply filter blur-3xl opacity-20 animate-float" style={{ animationDelay: '2s' }} />
</div>
</section>

{/ * Features Section - Responsive */}
<section className="py-12 sm:py-20">
  <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="text-center mb-8 sm:mb-12">
      <h2 className="text-2xl sm:text-3xl md:text-4xl font-bold mb-3 sm:mb-4">
        Why Choose{' '}
        <span className="gradient-text">SmartLearn?</span>
      </h2>
      <p className="text-sm sm:text-base text-gray-400 max-w-2xl mx-auto">
        Everything you need for a modern learning experience
      </p>
    </div>

    {/ * Features Grid - Responsive: 1x4 on mobile, 2x2 on tablet, 4x1 on desktop */}
    <div className="grid grid-cols-1 sm:grid-cols-2 lg:grid-cols-4 gap-4 sm:gap-6">
      {features.map((feature, index) => (
        <motion.div
          key={index}
          initial={{ opacity: 0, y: 30 }}
          whileInView={{ opacity: 1, y: 0 }}
          transition={{ delay: index * 0.1 }}
          viewport={{ once: true }}
          className="glass rounded-xl sm:rounded-2xl p-4 sm:p-6 text-center"
        >
          <div className="w-12 h-12 sm:w-16 sm:h-16 bg-gradient-to-r from-blue-500 to-purple-500
          rounded-xl sm:rounded-2xl flex items-center justify-center mx-auto mb-3 sm:mb-4">
            <feature.icon className="w-6 h-6 sm:w-8 sm:h-8" />
          </div>
          <h3 className="text-base sm:text-lg md:text-xl font-semibold mb-1
          sm:mb-2">{feature.title}</h3>
          <p className="text-xs sm:text-sm text-gray-400">{feature.description}</p>
        </motion.div>
      ))}
    </div>
  </div>
</section>

{/ * Offline Learning Showcase - Responsive */}
<section className="py-12 sm:py-20 glass">
  <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="grid lg:grid-cols-2 gap-8 lg:gap-12 items-center">
      <div>
        <div className="inline-flex items-center px-2 py-1 sm:px-3 sm:py-1 rounded-full glass mb-3
        sm:mb-4">
          <Download className="w-3 h-3 sm:w-4 sm:h-4 mr-1 sm:mr-2" />
          <span className="text-xs sm:text-sm">Offline First</span>
        </div>

```

```
</div>
<h2 className="text-2xl sm:text-3xl md:text-4xl font-bold mb-3 sm:mb-4">
  Learn Without{' '}
  <span className="gradient-text">Internet</span>
</h2>
<p className="text-sm sm:text-base text-gray-300 mb-4 sm:mb-6">
  Download entire courses, watch videos, read materials, and take quizzes -
  all without an internet connection. Your progress syncs automatically when you're back online.
</p>
<ul className="space-y-2 sm:space-y-3 mb-6 sm:mb-8">
  <li className="flex items-center text-sm sm:text-base">
    <div className="w-5 h-5 sm:w-6 sm:h-6 bg-green-500 rounded-full flex items-center
      justify-center mr-2 sm:mr-3 flex-shrink-0">
      <svg className="w-3 h-3 sm:w-4 sm:h-4" fill="none" stroke="currentColor" viewBox="0 0 24
        24">
        <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M5 13l4 4L19 7" />
      </svg>
    </div>
    <span>Download entire courses with one click</span>
  </li>
  <li className="flex items-center text-sm sm:text-base">
    <div className="w-5 h-5 sm:w-6 sm:h-6 bg-green-500 rounded-full flex items-center
      justify-center mr-2 sm:mr-3 flex-shrink-0">
      <svg className="w-3 h-3 sm:w-4 sm:h-4" fill="none" stroke="currentColor" viewBox="0 0 24
        24">
        <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M5 13l4 4L19 7" />
      </svg>
    </div>
    <span>Track progress offline</span>
  </li>
  <li className="flex items-center text-sm sm:text-base">
    <div className="w-5 h-5 sm:w-6 sm:h-6 bg-green-500 rounded-full flex items-center
      justify-center mr-2 sm:mr-3 flex-shrink-0">
      <svg className="w-3 h-3 sm:w-4 sm:h-4" fill="none" stroke="currentColor" viewBox="0 0 24
        24">
        <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M5 13l4 4L19 7" />
      </svg>
    </div>
    <span>Smart storage management</span>
  </li>
</ul>
<button className="w-full sm:w-auto px-6 py-3 glass rounded-xl font-semibold hover:bg-white/10
  transition-all">
  Learn More About Offline
</button>
</div>

<div className="relative mt-8 lg:mt-0">
  <div className="glass rounded-xl sm:rounded-2xl p-4 sm:p-6">
    <div className="flex items-center justify-between mb-4">
      <div className="flex items-center space-x-1 sm:space-x-2">
        <div className="w-2 h-2 sm:w-3 sm:h-3 bg-red-500 rounded-full" />
        <div className="w-2 h-2 sm:w-3 sm:h-3 bg-yellow-500 rounded-full" />
        <div className="w-2 h-2 sm:w-3 sm:h-3 bg-green-500 rounded-full" />
      </div>
      <span className="text-xs sm:text-sm text-gray-400">Offline Mode</span>
    </div>
    <div className="space-y-3 sm:space-y-4">
      <div className="bg-white/5 rounded-lg p-3 sm:p-4">
        <div className="flex flex-col sm:flex-row sm:items-center justify-between gap-2 mb-2">
          <h4 className="font-semibold text-sm sm:text-base">Machine Learning Course</h4>
          <div className="text-xs sm:text-sm text-green-400">● Downloaded</div>
        </div>
        <div className="w-full bg-white/10 rounded-full h-1.5 sm:h-2">
          <div className="bg-green-500 h-1.5 sm:h-2 rounded-full" style={{ width: '45%' }} />
        </div>
      </div>
      <div className="bg-white/5 rounded-lg p-3 sm:p-4">
        <div className="flex flex-col sm:flex-row sm:items-center justify-between gap-2 mb-2">
          <h4 className="font-semibold text-sm sm:text-base">React Development</h4>
          <div className="text-xs sm:text-sm text-blue-400">● Downloading...</div>
        </div>
        <div className="w-full bg-white/10 rounded-full h-1.5 sm:h-2">
          <div className="bg-blue-500 h-1.5 sm:h-2 rounded-full" style={{ width: '68%' }} />
        </div>
      </div>
    </div>
  </div>
</div>
</div>
</div>
</div>
</section>

{/* Testimonials - Responsive */}
<section className="py-12 sm:py-20">
  <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">
    <div className="text-center mb-8 sm:mb-12">
```

```

    <h2 className="text-2xl sm:text-3xl md:text-4xl font-bold mb-3 sm:mb-4">
      What Our{' '}
      <span className="gradient-text">Students Say</span>
    </h2>
    <p className="text-sm sm:text-base text-gray-400 max-w-2xl mx-auto">
      Join thousands of satisfied learners worldwide
    </p>
  </div>

  { /* Testimonials Grid - Responsive: 1x3 on mobile, 3x1 on desktop */ }
  <div className="grid md:grid-cols-3 gap-4 sm:gap-6">
    {testimonials.map((testimonial, index) => (
      <motion.div
        key={index}
        initial={{ opacity: 0, scale: 0.9 }}
        whileInView={{ opacity: 1, scale: 1 }}
        transition={{ delay: index * 0.1 }}
        viewport={{ once: true }}
        className="glass rounded-xl sm:rounded-2xl p-4 sm:p-6"
      >
        <div className="flex items-center mb-3 sm:mb-4">
          <div className="w-10 h-10 sm:w-12 sm:h-12 bg-gradient-to-r from-blue-500 to-purple-500 rounded-full mr-3 sm:mr-4 flex-shrink-0" />
          <div>
            <h4 className="font-semibold text-sm sm:text-base">{testimonial.name}</h4>
            <p className="text-xs sm:text-sm text-gray-400">{testimonial.role}</p>
          </div>
        </div>
        <p className="text-xs sm:text-sm text-gray-300 mb-3 sm:mb-4">{testimonial.content}</p>
        <div className="flex">
          {[...Array(testimonial.rating)].map( (_, i) => (
            <Star key={i} className="w-3 h-3 sm:w-4 sm:h-4 text-yellow-500 fill-current" />
          ))}
        </div>
      </motion.div>
    ))}
  </div>
</div>
</section>
</div>
);
};

export default Home;

```

FILE: src/pages/NotFound/NotFound.jsx

```

import React from 'react';
import { Link } from 'react-router-dom';
import { Home, ArrowLeft } from 'lucide-react';

const NotFound = () => {
  return (
    <div className="min-h-screen flex items-center justify-center px-4">
      <div className="text-center">
        <div className="text-7xl md:text-8xl font-bold gradient-text mb-4">404</div>
        <h1 className="text-2xl md:text-3xl font-bold mb-3">Page Not Found</h1>
        <p className="text-gray-400 mb-8">The page you're looking for doesn't exist.</p>
        <div className="flex gap-4 justify-center flex-wrap">
          <Link to="/">
            <button className="px-6 py-3 bg-gradient-to-r from-blue-600 to-purple-600 rounded-xl font-semibold">
              <Home className="w-4 h-4 inline mr-2" />
              Go Home
            </button>
          </Link>
          <button onClick={() => window.history.back()} className="px-6 py-3 glass rounded-xl font-semibold">
            <ArrowLeft className="w-4 h-4 inline mr-2" />
            Go Back
          </button>
        </div>
      </div>
    </div>
  );
};

export default NotFound;

```

FILE: src/pages/Offline/Offline.jsx

```

import React, { useState, useEffect } from 'react';
import { motion, AnimatePresence } from 'framer-motion';
import {
  Download, CheckCircle, Wifi, WifiOff, HardDrive,
  Settings, Trash2, AlertCircle, Clock, Film, BookOpen,

```

```

ChevronRight, Database, Battery, Zap
} from 'lucide-react';
import Card from '../../components/ui/Card';
import Button from '../../components/ui/Button';
import { courses } from '../../data/mockData';

const Offline = () => {
  const [isOnline, setIsOnline] = useState(navigator.onLine);
  const [downloadedCourses, setDownloadedCourses] = useState(courses.filter(c => c.isDownloaded));
  const [downloading, setDownloading] = useState(null);
  const [storageUsed, setStorageUsed] = useState(1.2);
  const [storageTotal, setStorageTotal] = useState(4);
  const [dataSaver, setDataSaver] = useState(false);

  useEffect(() => {
    const handleOnline = () => setIsOnline(true);
    const handleOffline = () => setIsOnline(false);

    window.addEventListener('online', handleOnline);
    window.addEventListener('offline', handleOffline);

    return () => {
      window.removeEventListener('online', handleOnline);
      window.removeEventListener('offline', handleOffline);
    };
  }, []);

  const handleDownload = (courseId) => {
    setDownloading(courseId);
    setTimeout(() => {
      const course = courses.find(c => c.id === courseId);
      setDownloadedCourses([...downloadedCourses, course]);
      setDownloading(null);
      setStorageUsed(storageUsed + 1.2);
    }, 3000);
  };

  const handleRemoveDownload = (courseId) => {
    setDownloadedCourses(downloadCourses.filter(c => c.id !== courseId));
    setStorageUsed(storageUsed - 1.2);
  };

  return (
    <div className="min-h-screen pb-20">
      <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8 py-8">

        {/* Header */}
        <motion.div
          initial={{ opacity: 0, y: -20 }}
          animate={{ opacity: 1, y: 0 }}
          className="mb-8"
        >
          <div className="flex justify-between items-start">
            <div>
              <h1 className="text-3xl md:text-4xl font-bold mb-2">
                Offline <span className="gradient-text">Learning</span>
              </h1>
              <p className="text-gray-400">Access your downloaded courses without internet</p>
            </div>
            <div className={`flex items-center space-x-2 px-4 py-2 rounded-xl ${isOnline ? 'bg-green-500/20' : 'bg-red-500/20'}`}>
              {isOnline ? <Wifi className="w-4 h-4 text-green-400" /> : <WifiOff className="w-4 h-4 text-red-400" />}
              <span className={`text-sm ${isOnline ? 'text-green-400' : 'text-red-400'}`}>
                {isOnline ? 'Online' : 'Offline Mode'}
              </span>
            </div>
          </div>
        </motion.div>

        {/* Stats Grid */}
        <motion.div
          initial={{ opacity: 0, y: -10 }}
          animate={{ opacity: 1, y: 0 }}
          transition={{ delay: 0.1 }}
          className="grid grid-cols-1 md:grid-cols-3 gap-6 mb-8"
        >
          <Card className="p-6">
            <div className="flex items-center justify-between mb-4">
              <div className="p-3 bg-blue-500/20 rounded-xl">
                <Download className="w-6 h-6 text-blue-400" />
              </div>
              <span className="text-2xl font-bold">{downloadedCourses.length}</span>
            </div>
            <h3 className="font-semibold mb-1">Downloaded Courses</h3>
            <p className="text-sm text-gray-400">Ready for offline access</p>
          </Card>

```

```

<Card className="p-6">
  <div className="flex items-center justify-between mb-4">
    <div className="p-3 bg-purple-500/20 rounded-xl">
      <HardDrive className="w-6 h-6 text-purple-400" />
    </div>
    <span className="text-2xl font-bold">{storageUsed} GB</span>
  </div>
  <h3 className="font-semibold mb-1">Storage Used</h3>
  <div className="w-full bg-white/10 rounded-full h-2 mt-2">
    <div className="bg-purple-500 h-2 rounded-full" style={{ width: `${(storageUsed / storageTotal) * 100}%` }} />
  </div>
  <p className="text-xs text-gray-400 mt-1">of {storageTotal} GB total</p>
</Card>

<Card className="p-6 bg-gradient-to-r from-blue-600/20 to-purple-600/20">
  <div className="flex items-center justify-between mb-4">
    <div className="p-3 bg-green-500/20 rounded-xl">
      <Battery className="w-6 h-6 text-green-400" />
    </div>
    <div className="flex items-center space-x-2">
      <Zap className="w-4 h-4 text-yellow-400" />
      <span className="text-sm font-semibold">Data Saver {dataSaver ? 'ON' : 'OFF'}</span>
    </div>
  </div>
  <h3 className="font-semibold mb-1">Smart Downloads</h3>
  <p className="text-sm text-gray-400 mb-3">Optimize storage and download quality</p>
  <Button variant="outline" size="sm" onClick={() => setDataSaver(!dataSaver)}>
    {dataSaver ? 'Disable' : 'Enable'} Data Saver
  </Button>
</Card>
</motion.div>

{/* Available for Download */}
<motion.div
  initial={{ opacity: 0 }}
  animate={{ opacity: 1 }}
  transition={{ delay: 0.2 }}
  className="mb-12"
>
  <h2 className="text-xl font-semibold mb-4">Available for Download</h2>
  <div className="grid md:grid-cols-2 lg:grid-cols-3 gap-6">
    {courses.filter(c => !downloadedCourses.find(dc => dc.id === c.id)).map((course, index) => (
      <motion.div
        key={course.id}
        initial={{ opacity: 0, y: 20 }}
        animate={{ opacity: 1, y: 0 }}
        transition={{ delay: index * 0.1 }}
      >
        <Card className="p-4">
          <div className="flex items-center space-x-4">
            <img src={course.thumbnail} alt={course.title} className="w-20 h-20 rounded-lg object-cover" />
            <div className="flex-1">
              <h3 className="font-semibold text-sm mb-1">{course.title}</h3>
              <p className="text-xs text-gray-400 mb-2">{course.duration}</p>
              <div className="flex items-center justify-between">
                <span className="text-xs text-blue-400">1.2 GB</span>
                <div className="flex items-center space-x-2">
                  <div className="animate-spin rounded-full h-4 w-4 border-2 border-blue-500 border-t-transparent" />
                  <span className="text-xs">Downloading...</span>
                </div>
              </div>
              <div>
                <Button size="sm" onClick={() => handleDownload(course.id)}>
                  <Download className="w-3 h-3 mr-1" />
                  Download
                </Button>
              </div>
            </div>
          </div>
        </Card>
      </motion.div>
    ))}
  </div>
</motion.div>

{/* Downloaded Courses */}
<motion.div
  initial={{ opacity: 0 }}
  animate={{ opacity: 1 }}
  transition={{ delay: 0.3 }}
>
  <div className="flex justify-between items-center mb-4">
    <h2 className="text-xl font-semibold">Your Downloads</h2>

```

```

<button className="text-sm text-gray-400 hover:text-white flex items-center">
  <Settings className="w-4 h-4 mr-1" />
  Manage Storage
</button>
</div>

<AnimatePresence>
  {downloadedCourses.length === 0 ? (
    <Card className="p-12 text-center">
      <Download className="w-16 h-16 text-gray-600 mx-auto mb-4" />
      <h3 className="text-xl font-semibold mb-2">No Downloads Yet</h3>
      <p className="text-gray-400">Download courses to learn offline</p>
    </Card>
  ) : (
    <div className="space-y-4">
      {downloadedCourses.map((course, index) => (
        <motion.div
          key={course.id}
          initial={{ opacity: 0, x: -20 }}
          animate={{ opacity: 1, x: 0 }}
          exit={{ opacity: 0, x: 20 }}
          transition={{ delay: index * 0.1 }}
        >
          <Card className="p-4">
            <div className="flex items-center justify-between">
              <div className="flex items-center space-x-4">
                <img src={course.thumbnail} alt={course.title} className="w-16 h-16 rounded-lg object-cover" />
                <div>
                  <h3 className="font-semibold">{course.title}</h3>
                  <div className="flex items-center space-x-3 text-sm text-gray-400">
                    <span>{course.duration}</span>
                    <span>•</span>
                    <span className="flex items-center">
                      <CheckCircle className="w-3 h-3 text-green-400 mr-1" />
                      Downloaded
                    </span>
                  </div>
                </div>
                <div className="flex items-center space-x-2 mt-2">
                  <div className="w-full bg-white/10 rounded-full h-1.5 w-32">
                    <div className="bg-green-500 h-1.5 rounded-full" style={{ width:
                      `${course.progress}%` }} />
                  </div>
                  <span className="text-xs">{course.progress}% complete</span>
                </div>
              </div>
              <div className="flex items-center space-x-2">
                <Button variant="ghost" size="sm">
                  <Film className="w-4 h-4" />
                </Button>
                <Button variant="ghost" size="sm" onClick={() => handleRemoveDownload(course.id)}>
                  <Trash2 className="w-4 h-4 text-red-400" />
                </Button>
              </div>
            </div>
          </Card>
        </motion.div>
      )
    )
  )}
</div>
</AnimatePresence>
</motion.div>

{/* Offline Tips */}
<motion.div
  initial={{ opacity: 0 }}
  animate={{ opacity: 1 }}
  transition={{ delay: 0.4 }}
  className="mt-12"
>
  <Card className="p-6 bg-gradient-to-r from-blue-600/10 to-purple-600/10">
    <div className="flex items-start space-x-4">
      <AlertCircle className="w-6 h-6 text-blue-400 flex-shrink-0" />
      <div>
        <h3 className="font-semibold mb-2">Offline Learning Tips</h3>
        <ul className="space-y-2 text-sm text-gray-300">
          <li className="flex items-center">
            <CheckCircle className="w-4 h-4 text-green-400 mr-2" />
            Download courses before traveling or entering areas with poor connectivity
          </li>
          <li className="flex items-center">
            <CheckCircle className="w-4 h-4 text-green-400 mr-2" />
            Enable Data Saver mode to optimize storage usage
          </li>
          <li className="flex items-center">
            <CheckCircle className="w-4 h-4 text-green-400 mr-2" />

```

```

        Your progress will sync automatically when you're back online
      </li>
    </ul>
  </div>
</div>
</Card>
</motion.div>
</div>
</div>
);
};

export default Offline;

```

FILE: src/pages/Profile/Profile.jsx

```

import React from 'react';
import { motion } from 'framer-motion';
import {
  User, Award, Calendar, BookOpen, Download,
  TrendingUp, Medal, Target, Clock, CheckCircle,
  Share2, Edit2, Settings
} from 'lucide-react';
import Card from '../../components/ui/Card';
import Button from '../../components/ui/Button';

const Profile = () => {
  const achievements = [
    { title: "7 Day Streak", icon: Calendar, date: "Earned 2 days ago", color: "orange" },
    { title: "Course Master", icon: Award, date: "Earned 1 week ago", color: "purple" },
    { title: "Quick Learner", icon: TrendingUp, date: "Earned 2 weeks ago", color: "blue" },
    { title: "Offline Champion", icon: Download, date: "Earned 3 weeks ago", color: "green" }
  ];

  const certificates = [
    { name: "React Development", date: "Dec 2023", credential: "REACT-2023-001" },
    { name: "JavaScript Fundamentals", date: "Nov 2023", credential: "JS-2023-042" }
  ];

  return (
    <div className="min-h-screen pb-20">
      <div className="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8">

        { /* Profile Header */ }
        <motion.div
          initial={{ opacity: 0, y: -20 }}
          animate={{ opacity: 1, y: 0 }}
          className="relative mb-12"
        >
          <div className="glass rounded-2xl p-8">
            <div className="flex flex-col md:flex-row items-center md:items-start gap-6">
              <div className="relative">
                <div className="w-32 h-32 bg-gradient-to-r from-blue-500 to-purple-500 rounded-2xl flex
                  items-center justify-center">
                  <User className="w-16 h-16" />
                </div>
                <button className="absolute bottom-0 right-0 p-2 glass rounded-full">
                  <Edit2 className="w-4 h-4" />
                </button>
              </div>

              <div className="flex-1 text-center md:text-left">
                <h1 className="text-3xl font-bold mb-2">John Doe</h1>
                <p className="text-gray-400 mb-4">john.doe@example.com • Member since Jan 2024</p>
                <div className="flex flex-wrap justify-center md:justify-start gap-4">
                  <div className="flex items-center space-x-2">
                    <Award className="w-5 h-5 text-yellow-500" />
                    <span className="font-semibold">15</span>
                    <span className="text-sm text-gray-400">Achievements</span>
                  </div>
                  <div className="flex items-center space-x-2">
                    <BookOpen className="w-5 h-5 text-blue-400" />
                    <span className="font-semibold">8</span>
                    <span className="text-sm text-gray-400">Courses</span>
                  </div>
                  <div className="flex items-center space-x-2">
                    <Clock className="w-5 h-5 text-green-400" />
                    <span className="font-semibold">127</span>
                    <span className="text-sm text-gray-400">Hours</span>
                  </div>
                </div>
              </div>
            </div>

            <div className="flex space-x-3">
              <Button variant="outline">
                <Share2 className="w-4 h-4 mr-2" />

```



```

        Share
      </Button>
    <Button>
      <Settings className="w-4 h-4 mr-2" />
      Edit Profile
    </Button>
  </div>
</div>
</div>
</motion.div>

<div className="grid lg:grid-cols-3 gap-8">

  {/* Left Column */}
  <div className="space-y-6">
    {/* Learning Stats */}
    <motion.div
      initial={{ opacity: 0, x: -20 }}
      animate={{ opacity: 1, x: 0 }}
      transition={{ delay: 0.1 }}
    >
      <Card className="p-6">
        <h3 className="font-semibold mb-4">Learning Statistics</h3>
        <div className="space-y-4">
          <div>
            <div className="flex justify-between text-sm mb-1">
              <span>Course Completion</span>
              <span>67%</span>
            </div>
            <div className="w-full bg-white/10 rounded-full h-2">
              <div className="bg-blue-500 h-2 rounded-full" style={{ width: '67%' }} />
            </div>
          </div>
          <div>
            <div className="flex justify-between text-sm mb-1">
              <span>Weekly Goal</span>
              <span>8/12 hours</span>
            </div>
            <div className="w-full bg-white/10 rounded-full h-2">
              <div className="bg-purple-500 h-2 rounded-full" style={{ width: '66%' }} />
            </div>
          </div>
          <div>
            <div className="flex justify-between text-sm mb-1">
              <span>Quiz Average</span>
              <span>85%</span>
            </div>
            <div className="w-full bg-white/10 rounded-full h-2">
              <div className="bg-green-500 h-2 rounded-full" style={{ width: '85%' }} />
            </div>
          </div>
        </div>
      </Card>
    </motion.div>

    {/* Certificates */}
    <motion.div
      initial={{ opacity: 0, x: -20 }}
      animate={{ opacity: 1, x: 0 }}
      transition={{ delay: 0.2 }}
    >
      <Card className="p-6">
        <h3 className="font-semibold mb-4">Certificates</h3>
        <div className="space-y-3">
          {certificates.map((cert, index) => (
            <div key={index} className="flex items-center justify-between p-3 glass rounded-xl">
              <div>
                <div className="font-semibold text-sm">{cert.name}</div>
                <div className="text-xs text-gray-400">{cert.date}</div>
              </div>
              <Button variant="ghost" size="sm">View</Button>
            </div>
          ))}
        </div>
      </Card>
    </motion.div>
  </div>

  {/* Right Column */}
  <div className="lg:col-span-2 space-y-6">
    {/* Achievements */}
    <motion.div
      initial={{ opacity: 0, y: 20 }}
      animate={{ opacity: 1, y: 0 }}
      transition={{ delay: 0.1 }}
    >
      <h2 className="text-xl font-semibold mb-4">Achievements</h2>

```

```

    <div className="grid sm:grid-cols-2 gap-4">
      {achievements.map((achievement, index) => (
        <Card key={index} className="p-4">
          <div className="flex items-center space-x-3">
            <div className={`p-2 bg-${achievement.color}-500/20 rounded-lg`} >
              <achievement.icon className={`w-5 h-5 text-${achievement.color}-400`} />
            </div>
            <div>
              <div className="font-semibold">{achievement.title}</div>
              <div className="text-xs text-gray-400">{achievement.date}</div>
            </div>
          </div>
        </Card>
      ))}
    </div>
  </motion.div>

  {/ * Activity Timeline */}
  <motion.div
    initial={{ opacity: 0, y: 20 }}
    animate={{ opacity: 1, y: 0 }}
    transition={{ delay: 0.2 }}
  >
    <h2 className="text-xl font-semibold mb-4">Activity Timeline</h2>
    <Card className="p-6">
      <div className="space-y-4">
        {[1, 2, 3, 4].map((_, index) => (
          <div key={index} className="flex items-start space-x-3 pb-4 border-b border-white/10 last:border-0">
            <div className="w-8 h-8 bg-blue-500/20 rounded-full flex items-center justify-center flex-shrink-0">
              <CheckCircle className="w-4 h-4 text-blue-400" />
            </div>
            <div>
              <div className="font-semibold text-sm">Completed lesson: Advanced React Hooks</div>
              <div className="text-xs text-gray-400">2 hours ago</div>
            </div>
          </div>
        ))}
      </div>
    </Card>
  </motion.div>
</div>
</div>
</div>
</div>
);
};

export default Profile;

```

FILE: src/pages/Settings/Settings.jsx

```

import React, { useState } from 'react';
import { Sun, Moon, Bell, Globe, Database, Download, Shield, Monitor, Save, Languages, Wifi, Volume2 } from 'lucide-react';

const Settings = () => {
  const [darkMode, setDarkMode] = useState(true);
  const [notifications, setNotifications] = useState(true);
  const [emailNotifications, setEmailNotifications] = useState(true);
  const [language, setLanguage] = useState('english');
  const [dataSaver, setDataSaver] = useState(false);
  const [downloadQuality, setDownloadQuality] = useState('high');

  return (
    <div className="min-h-screen pb-20">
      <div className="max-w-4xl mx-auto px-4 sm:px-6 lg:px-8 py-8">
        {/ * Header */}
        <div className="mb-8">
          <h1 className="text-3xl md:text-4xl font-bold mb-2">
            <span className="gradient-text">Settings</span>
          </h1>
          <p className="text-gray-400">Customize your learning experience</p>
        </div>

        <div className="space-y-6">
          {/ * Appearance Settings */}
          <div className="glass rounded-2xl p-6">
            <h2 className="text-xl font-semibold mb-4 flex items-center">
              <Monitor className="w-5 h-5 mr-2 text-blue-400" />
              Appearance
            </h2>
            <div className="space-y-4">
              <div className="flex items-center justify-between">

```

```

<div className="flex items-center space-x-3">
  {darkMode ? <Moon className="w-5 h-5" /> : <Sun className="w-5 h-5" />}
  <div>
    <div className="font-medium">Dark Mode</div>
    <div className="text-sm text-gray-400">Switch between light and dark theme</div>
  </div>
</div>
<button
  onClick={() => setDarkMode(!darkMode)}
  className={`relative inline-flex h-6 w-11 items-center rounded-full transition-colors ${
    darkMode ? 'bg-blue-600' : 'bg-gray-600'
  }}`
>
  <span className={`inline-block h-4 w-4 transform rounded-full bg-white transition-transform
    ${
      darkMode ? 'translate-x-6' : 'translate-x-1'
    }`} />
</button>
</div>
</div>
</div>

{/* Notification Settings */}
<div className="glass rounded-2xl p-6">
  <h2 className="text-xl font-semibold mb-4 flex items-center">
    <Bell className="w-5 h-5 mr-2 text-purple-400" />
    Notifications
  </h2>
  <div className="space-y-4">
    <div className="flex items-center justify-between">
      <div>
        <div className="font-medium">Push Notifications</div>
        <div className="text-sm text-gray-400">Get reminders about your learning progress</div>
      </div>
      <button
        onClick={() => setNotifications(!notifications)}
        className={`relative inline-flex h-6 w-11 items-center rounded-full transition-colors ${
          notifications ? 'bg-blue-600' : 'bg-gray-600'
        }`}
      >
        <span className={`inline-block h-4 w-4 transform rounded-full bg-white transition-transform
          ${
            notifications ? 'translate-x-6' : 'translate-x-1'
          }`} />
      </button>
    </div>
    </div>

    <div className="flex items-center justify-between">
      <div>
        <div className="font-medium">Email Notifications</div>
        <div className="text-sm text-gray-400">Receive weekly progress reports</div>
      </div>
      <button
        onClick={() => setEmailNotifications(!emailNotifications)}
        className={`relative inline-flex h-6 w-11 items-center rounded-full transition-colors ${
          emailNotifications ? 'bg-blue-600' : 'bg-gray-600'
        }`}
      >
        <span className={`inline-block h-4 w-4 transform rounded-full bg-white transition-transform
          ${
            emailNotifications ? 'translate-x-6' : 'translate-x-1'
          }`} />
      </button>
    </div>
  </div>
</div>

{/* Download & Storage */}
<div className="glass rounded-2xl p-6">
  <h2 className="text-xl font-semibold mb-4 flex items-center">
    <Download className="w-5 h-5 mr-2 text-orange-400" />
    Download & Storage
  </h2>
  <div className="space-y-4">
    <div className="flex items-center justify-between">
      <div>
        <div className="font-medium">Data Saver Mode</div>
        <div className="text-sm text-gray-400">Reduce data usage and storage</div>
      </div>
      <button
        onClick={() => setDataSaver(!dataSaver)}
        className={`relative inline-flex h-6 w-11 items-center rounded-full transition-colors ${
          dataSaver ? 'bg-blue-600' : 'bg-gray-600'
        }`}
      >
        <span className={`inline-block h-4 w-4 transform rounded-full bg-white transition-transform
          ${

```

```

        dataSaver ? 'translate-x-6' : 'translate-x-1'
      `}` />
    </button>
  </div>

  <div>
    <label className="block text-sm font-medium mb-2">Download Quality</label>
    <select
      value={downloadQuality}
      onChange={(e) => setDownloadQuality(e.target.value)}
      className="w-full glass rounded-xl px-4 py-2 focus:outline-none focus:ring-2 focus:ring-blue-500"
    >
      <option value="high">High (1080p) - More storage</option>
      <option value="medium">Medium (720p) - Balanced</option>
      <option value="low">Low (480p) - Save space</option>
    </select>
  </div>
</div>
</div>

  { /* Save Button */ }
  <div className="flex justify-end">
    <button className="px-6 py-3 bg-gradient-to-r from-blue-600 to-purple-600 rounded-xl font-semibold hover:shadow-lg transition-all">
      <Save className="w-4 h-4 inline mr-2" />
      Save All Settings
    </button>
  </div>
</div>
</div>
</div>
</div>
);
};

export default Settings;

```

FILE: src/routes/AppRoutes.jsx

```

import React from 'react';
import { Routes, Route } from 'react-router-dom';
import Navbar from '../components/layout/Navbar';
import Footer from '../components/layout/Footer';
import Home from '../pages/Home/Home';
import Dashboard from '../pages/Dashboard/Dashboard';
import Courses from '../pages/Courses/Courses';
import CourseDetails from '../pages/CourseDetails/CourseDetails';
import Offline from '../pages/Offline/Offline';
import AIAssistant from '../pages/AI/AIAssistant';
import Login from '../pages/Auth/Login';
import Register from '../pages/Auth/Register';
import Profile from '../pages/Profile/Profile';
import Settings from '../pages/Settings/Settings';
import About from '../pages/About/About';
import NotFound from '../pages/NotFound/NotFound';

const AppRoutes = () => {
  return (
    <div className="min-h-screen flex flex-col">
      <Navbar />
      <main className="flex-grow pt-16">
        <Routes>
          <Route path="/" element={ <Home /> } />
          <Route path="/dashboard" element={ <Dashboard /> } />
          <Route path="/courses" element={ <Courses /> } />
          <Route path="/course/:id" element={ <CourseDetails /> } />
          <Route path="/offline" element={ <Offline /> } />
          <Route path="/ai-assistant" element={ <AIAssistant /> } />
          <Route path="/login" element={ <Login /> } />
          <Route path="/register" element={ <Register /> } />
          <Route path="/profile" element={ <Profile /> } />
          <Route path="/settings" element={ <Settings /> } />
          <Route path="/about" element={ <About /> } />
          <Route path="*" element={ <NotFound /> } />
        </Routes>
      </main>
      <Footer />
    </div>
  );
};

export default AppRoutes;

```

FILE: src/styles/globals.css

```

@import url('https://fonts.googleapis.com/css2?family=Inter:opsz,wght@14..32,100;14..32,200;14..32,300;14..32,400;14..32,500;14..32,600;14..32,700;14..32,800;14..32,900&display=swap');

@tailwind base;
@tailwind components;
@tailwind utilities;

@layer base {
  * {
    @apply border-gray-800;
  }

  body {
    @apply bg-black text-white antialiased;
    font-family: 'Inter', sans-serif;
  }

  html {
    scroll-behavior: smooth;
  }
}

@layer components {
  .glass {
    @apply bg-white/5 backdrop-blur-lg border border-white/10;
  }

  .glass-dark {
    @apply bg-black/50 backdrop-blur-lg border border-white/10;
  }

  .glass-light {
    @apply bg-white/10 backdrop-blur-lg border border-white/20;
  }

  .gradient-text {
    @apply bg-gradient-to-r from-blue-500 via-purple-500 to-pink-500 bg-clip-text text-transparent;
  }

  .gradient-bg {
    @apply bg-gradient-to-r from-blue-600 via-purple-600 to-pink-600;
  }

  .hover-glow {
    @apply transition-all duration-300 hover:shadow-[0_0_20px_rgba(59,130,246,0.5)];
  }

  .card-hover {
    @apply transition-all duration-300 hover:scale-105 hover:shadow-xl;
  }
}

/* Custom scrollbar */
::-webkit-scrollbar {
  width: 8px;
  height: 8px;
}

::-webkit-scrollbar-track {
  background: #1a1a1a;
}

::-webkit-scrollbar-thumb {
  background: #4a4a4a;
  border-radius: 9999px;
}

::-webkit-scrollbar-thumb:hover {
  background: #6a6a6a;
}

/* Selection color */
::selection {
  background: #a855f7;
  color: white;
}

/* Loading animation */
@keyframes shimmer {
  0% {
    background-position: -1000px 0;
  }
  100% {
    background-position: 1000px 0;
  }
}
.shimmer {

```

```

    animation: shimmer 2s infinite linear;
    background: linear-gradient(to right, #1a1a1a 4%, #2a2a2a 25%, #1a1a1a 36%);
    background-size: 1000px 100%;
}

/* Utility classes */
.animate-float {
    animation: float 6s ease-in-out infinite;
}

@keyframes float {
    0%, 100% {
        transform: translateY(0px);
    }
    50% {
        transform: translateY(-20px);
    }
}

.animate-pulse-slow {
    animation: pulseSlow 3s ease-in-out infinite;
}

@keyframes pulseSlow {
    0%, 100% {
        opacity: 1;
    }
    50% {
        opacity: 0.5;
    }
}

/* Responsive Utilities */
@layer utilities {
    /* Container queries for responsive design */
    .container-responsive {
        width: 100%;
        margin-left: auto;
        margin-right: auto;
        padding-left: 1rem;
        padding-right: 1rem;
    }

    @media (min-width: 640px) {
        .container-responsive {
            padding-left: 1.5rem;
            padding-right: 1.5rem;
        }
    }

    @media (min-width: 1024px) {
        .container-responsive {
            padding-left: 2rem;
            padding-right: 2rem;
        }
    }

    /* Touch-friendly tap targets */
    .tap-target {
        min-height: 44px;
        min-width: 44px;
    }

    /* Responsive text truncation */
    .line-clamp-2 {
        display: -webkit-box;
        -webkit-line-clamp: 2;
        -webkit-box-orient: vertical;
        overflow: hidden;
    }

    .line-clamp-3 {
        display: -webkit-box;
        -webkit-line-clamp: 3;
        -webkit-box-orient: vertical;
        overflow: hidden;
    }
}

/* Mobile optimizations */
@media (max-width: 640px) {
    .glass {
        backdrop-filter: blur(8px);
    }

    button,
    [role="button"],
    a {

```

```

        cursor: default;
    }
}

/* Tablet optimizations */
@media (min-width: 641px) and (max-width: 1024px) {
    .glass {
        backdrop-filter: blur(10px);
    }
}

/* Desktop optimizations */
@media (min-width: 1025px) {
    .glass {
        backdrop-filter: blur(12px);
    }

    button:hover {
        cursor: pointer;
    }
}

/* Safe area insets for notched phones */
@supports (padding: max(0px)) {
    .safe-top {
        padding-top: max(1rem, env(safe-area-inset-top));
    }

    .safe-bottom {
        padding-bottom: max(1rem, env(safe-area-inset-bottom));
    }
}

```

FILE: src/units/helpers.js

```

export const formatDate = (date) => {
    return new Date(date).toLocaleDateString('en-US', {
        year: 'numeric',
        month: 'long',
        day: 'numeric'
    });
};

export const formatTimeAgo = (date) => {
    const seconds = Math.floor((new Date() - new Date(date)) / 1000);

    if (seconds < 60) return 'just now';

    const intervals = {
        year: 31536000,
        month: 2592000,
        week: 604800,
        day: 86400,
        hour: 3600,
        minute: 60
    };

    for (const [unit, secondsInUnit] of Object.entries(intervals)) {
        const interval = Math.floor(seconds / secondsInUnit);
        if (interval >= 1) {
            return `${interval} ${unit}${interval === 1 ? '' : 's'} ago`;
        }
    }
    return 'just now';
};

export const formatBytes = (bytes, decimals = 2) => {
    if (bytes === 0) return '0 Bytes';
    const k = 1024;
    const dm = decimals < 0 ? 0 : decimals;
    const sizes = ['Bytes', 'KB', 'MB', 'GB', 'TB'];
    const i = Math.floor(Math.log(bytes) / Math.log(k));
    return parseFloat((bytes / Math.pow(k, i)).toFixed(dm)) + ' ' + sizes[i];
};

export const generateId = () => {
    return Date.now().toString(36) + Math.random().toString(36).substr(2);
};

export const truncateText = (text, length = 100) => {
    if (text.length <= length) return text;
    return text.substr(0, length) + '...';
};

export const getProgressColor = (progress) => {
    if (progress >= 80) return 'green';

```

```

    if (progress >= 50) return 'blue';
    if (progress >= 20) return 'orange';
    return 'red';
  };

export const shuffleArray = (array) => {
  const newArray = [...array];
  for (let i = newArray.length - 1; i > 0; i--) {
    const j = Math.floor(Math.random() * (i + 1));
    [newArray[i], newArray[j]] = [newArray[j], newArray[i]];
  }
  return newArray;
};

export const getInitials = (name) => {
  return name
    .split(' ')
    .map(word => word[0])
    .join('')
    .toUpperCase()
    .slice(0, 2);
};

export const validateEmail = (email) => {
  const re = /^[^\s@]+@[^\s@]+\.[^\s@]+$/;
  return re.test(email);
};

export const validatePassword = (password) => {
  return password.length >= 6;
};

```