



HOW TO ADD RPC TO METAMASK

AUTHOR(S) : Alvey Chain Team
DOCUMENT NUMBER : ALV-CG-1003
VERSION : 1.0
STATUS : Final
DOCUMENT DATE : 04th July 2023
NUMBER OF PAGES : 11

Role	Name	Signature	Date
Reviewer 1			
Reviewer 2			
Quality Assurance Function			
Document Owner			

Error! AutoText entry not defined.

Error! Unknown document property name.: 1.0**Error! Unknown document property name.**

Error! Unknown document property name.

Error! Unknown document property name.: ALV-CG-1003

Contents

1 Introduction	4
1.1 Overview.....	4
2 How to bridge from BSC/ETH to ALV	5
2.1 Open your browser	5
2.2 Connect your wallet	5
2.3 Connect your wallet	6
2.4 Bridge your tokens	7
2.5 Bridge from ALV to BSC/ETH.....	7

Error! Unknown document property name.: 1.0

Error! Unknown document property name.

Error! Unknown document property name.: ALV-CG-1003

List of changes

Version	Date	Description	Author(s)
1.0a	04/07/2023	Initial version	Alvey Chain Team
1.0	04/07/2023	Final	Alvey Chain Team

1 Introduction

1.1 Overview

This guide will cover the processes required to manually add the Alvey Chain RPC into metamask. This is required to view your ALV and other tokens built on Alvey Chain.

Although screenshots and processes covered in this guide are shown on PC, the processes remain the same on mobile. Please follow the guidance in you MetaMask or TrustWallet browser.

1.1.1 Role and Responsibilities

It is a users responsibility to do your own research (DYOR). Please do not invest more than you are willing to lose.

2 How to add Alvey Chain RPC to MetaMask

2.1 Open your browser

Open your browser and connect to your metamask extension. At the top left of the screen, you will see a drop down list of blockchains to connect to. At the bottom of the list is the option to "Add Network", the user must select this.




Figure 1: Add Network












2.2 Add Alvey Chain RPC

Once the user has selected "Add Network" they will be taken to a MetaMask webpage, this will provide the user with a list of additional networks to add to their metamask account. At the bottom of this list is the option to "add a network manually".

Networks > **Add a network**

Add from a list of popular networks or add a network manually. Only interact with the entities you trust.

Popular custom networks

 Arbitrum One	Add
 Aurora Mainnet	Add
 Avalanche Network C-Chain	Add
 Celo Mainnet	Add
 Fantom Opera	 Add
 Harmony Mainnet Shard 0	 Add
 Optimism	Add
 Palm	Add
 Polygon Mainnet	Add

[Add a network manually](#)

Figure 2: Add a network manually

Once the user has selected to add a network manually, they should input the following information.

Network Name: AlveyChain
RPC URL: <https://rpc.alveycoin.com/rpc>
Chain ID: 3793
Currency: ALV
Block Explorer: <https://alveyscan.com/>

Networks > Add a network > Add a network manually

i A malicious network provider can lie about the state of the blockchain and record your network activity. Only add custom networks you trust.

Network name

AlveyChain

New RPC URL

https://rpc.alveycoin.com/rpc

This URL is currently used by the AlveyChain network.

Chain ID **i**

3797

This Chain ID is currently used by the AlveyChain network.

Currency symbol

ALV

Block explorer URL (Optional)

https://alveyscan.com/

Cancel

Save

Figure 3: Add RPC Information

Once the user has added the RPC information, they must then select save. This will then add the Alvey Chain Network to their MetaMask.