


Penanggung jawab Laboratorium COVID-19 : dr. Harjo Mulyono, SpPK (K)
 (Physician for Covid-19 Laboratory) dr. Anne Andia, MSc (MGM), SpPK

No. ID / Reg : DB044455 / B1619274677
 Nama Pasien : Muhammad Alvian Rizky- Kewarganegaraan: Indonesia
 (Patient's Name) (Nationality)
 Tanggal Lahir : 15 Juni 1998 ID Card No : 6201061506980001
 (D.O.B)
 Umur / Sex : 22 Tahun 10 Bulan / Laki-laki No Telp /Hp : 082157699833
 (Age / Sex) 22 Years 10 Month / Male (Phone Number)
 Alamat : Yogyakarta Pengambilan : 30-April 2021 10:00
 (Address) Sampel (Collection Date)

PEMERIKSAAN	HASIL	NILAI RUJUKAN
PCR SARS-Cov-2 (COVID-19)	NEGATIF	NEGATIF Ct > 40 atau No Ct
METODE		
BAHAN		
KESAN		
TEST	RESULT	REFERENCE RANGE
PCR SARS-Cov-2 (COVID-19)	NEGATIVE	NEGATIVE Ct > 40 or No Ct
METHOD	Real Time PCR	
SPECIMEN/SOURCE	Nasopharyngeal & Oropharyngeal Swab	
REMARKS	- A NEGATIVE test result for this test means that SARS CoV-2 RNA was not present in the specimen above - Real Time PCR test detects the presence of generic material in the virus and it cannot distinguish between dead and live virus.	

* Terima kasih atas kepercayaan terhadap Hi-Lab
 * Thank you for trusting and choosing Hi-Lab Diagnostic Center
 Divalidasi tanggal : 30 April 2021 14:35:57
 (Validated Date)



Scan untuk memeriksa keaslian test
 Scan to check test result originality

Validasi hasil,



dr. Harjo Mulyono, SpPK (K)