



ALVIN B 2024-CSE ▾

A2

Started on	Monday, 25 August 2025, 1:31 PM
State	Finished
Completed on	Monday, 25 August 2025, 2:02 PM
Time taken	30 mins 42 secs
Marks	1.00/1.00
Grade	10.00 out of 10.00 (100%)

Question 1 | Correct | Mark 1.00 out of 1.00

Convert the following algorithm into a program and find its time complexity using the counter method.

```
void function (int n)
```

```
{
```

```
    int i= 1;
```

```
    int s =1;
```

```
    while(s <= n)
```

```
    {
```

```
        i++;
```

```
        s += i;
```

```
    }
```

```
}
```

Note: No need of counter increment for declarations and scanf() and count variable printf() statements.

Input:

A positive Integer n

Output:

Print the value of the counter variable

For example:

Input	Result
9	12

Answer: (penalty regime: 0 %)

```

1  #include <stdio.h>
2
3  void counter(int n) {
4      int c=1;
5      int i = 1;
6      int s = 1;
7
8
9
10     while (s <= n) {
11         i++;
12         s += i;
13         c+=3;
14     }
15     c+=2;
16     printf("%d\n", c);
17 }
18
19 int main() {
20     int n;
21     scanf("%d", &n);
22     counter(n);
23     return 0;
24 }
25
```

	Input	Expected	Got	
✓	9	12	12	✓
✓	4	9	9	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

[Back to Course](#)



ALVIN B 2024-CSE ▾

A2

Started on	Monday, 25 August 2025, 1:51 PM
State	Finished
Completed on	Monday, 25 August 2025, 2:15 PM
Time taken	23 mins 34 secs
Marks	1.00/1.00
Grade	10.00 out of 10.00 (100%)

Question 1 | Correct | Mark 1.00 out of 1.00

Convert the following algorithm into a program and find its time complexity using the counter method.

```
void func(int n)
{
    if(n==1)
    {
        printf("*");
    }
    else
    {
        for(int i=1; i<=n; i++)
        {
            for(int j=1; j<=n; j++)
            {
                printf("*");
                printf("*");
                break;
            }
        }
    }
}
```

Note: No need of counter increment for declarations and scanf() and count variable printf() statements.

Input:

A positive Integer n

Output:

Print the value of the counter variable

Answer: (penalty regime: 0 %)

```
1  #include <stdio.h>
2  void func(int n)
3  {
4      int count = 2;
5      if (n == 1) {
6          count++;
7      } else {
8          for (int i = 1; i <= n; i++) {
9              count++;
10             for (int j = 1; j <= n; j++) {
11                 count+=4;
12                 break;
13             }
14         }
15     }
16
17     printf("%d", count);
18
19 }
20
21 int main() {
22     int n;
23     scanf("%d", &n);
24     func(n);
25 }
26
27
```

	Input	Expected	Got	
✓	2	12	12	✓
✓	1000	5002	5002	✓
✓	143	717	717	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

[Back to Course](#)



ALVIN B 2024-CSE ▾

A2

Started on	Monday, 25 August 2025, 2:15 PM
State	Finished
Completed on	Monday, 25 August 2025, 2:24 PM
Time taken	8 mins 11 secs
Marks	1.00/1.00
Grade	10.00 out of 10.00 (100%)

Question 1 | Correct | Mark 1.00 out of 1.00

Convert the following algorithm into a program and find its time complexity using counter method.

```
Factor(num) {
{
    for (i = 1; i <= num; ++i)
    {
        if (num % i == 0)
        {
            printf("%d ", i);
        }
    }
}
```

Note: No need of counter increment for declarations and scanf() and counter variable printf() statement.

Input:

A positive Integer n

Output:

Print the value of the counter variable

Answer:

```
1  #include <stdio.h>
2
3  void Factor(int num) {
4      int c=1;
5      for (int i = 1; i <= num; ++i) {
6          c+=2;
7          if (num % i == 0) {
8              c++;
9          }
10     }
11     printf("%d",c);
12 }
13
14
15 int main() {
16     int num;
17     scanf("%d", &num);
18     Factor(num);
19     return 0;
20 }
21
```

	Input	Expected	Got	
✓	12	31	31	✓
✓	25	54	54	✓
✓	4	12	12	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

[Back to Course](#)



ALVIN B 2024-CSE ▾

A2

Started on	Monday, 25 August 2025, 2:24 PM
State	Finished
Completed on	Monday, 25 August 2025, 2:28 PM
Time taken	3 mins 41 secs
Marks	1.00/1.00
Grade	10.00 out of 10.00 (100%)

Question 1 | Correct | Mark 1.00 out of 1.00

Convert the following algorithm into a program and find its time

complexity using counter method.

```
void function(int n)
{
    int c = 0;
    for(int i=n/2; i<n; i++)
        for(int j=1; j<n; j = 2 * j)
            for(int k=1; k<n; k = k * 2)
                c++;
}
```

Note: No need of counter increment for declarations and scanf() and count variable printf() statements.

Input:

A positive Integer n

Output:

Print the value of the counter variable

Answer:

```
1  #include <stdio.h>
2
3  void function(int n) {
4      int c = 2;
5
6      for (int i = n / 2; i < n; i++) {
7          c+=2;
8          for (int j = 1; j < n; j = 2 * j) {
9              c+=2;
10             for (int k = 1; k < n; k = k * 2) {
11                 c+=2;
12             }
13         }
14     }
15     printf("%d\n", c);
16 }
17
18 int main() {
19     int n;
20     scanf("%d", &n);
21     function(n);
22     return 0;
23 }
24
```

	Input	Expected	Got	
✓	4	30	30	✓
✓	10	212	212	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

[Back to Course](#)



ALVIN B 2024-CSE ▾

A2

Started on	Monday, 25 August 2025, 2:28 PM
State	Finished
Completed on	Monday, 25 August 2025, 2:41 PM
Time taken	12 mins 39 secs
Marks	1.00/1.00
Grade	10.00 out of 10.00 (100%)

Question 1 | Correct Mark 1.00 out of 1.00

Convert the following algorithm into a program and find its time complexity using counter method.

```
void reverse(int n)
{
    int rev = 0, remainder;
    while (n != 0)
    {
        remainder = n % 10;
        rev = rev * 10 + remainder;
        n /= 10;
    }
    print(rev);
}
```

Note: No need of counter increment for declarations and scanf() and count variable printf() statements.

Input:

A positive Integer n

Output:

Print the value of the counter variable

Answer:

```
1  #include <stdio.h>
2
3  void reverse(int n) {
4      int rev = 0, remainder;
5      int c=1;
6      c++;
7      c++;
8      while (n != 0) {
9          remainder = n % 10;
10         rev = rev * 10 + remainder;
11         n /= 10;
12         c+=4;
13     }
14     printf("%d\n", c);
15 }
16
17
18 int main() {
19     int n;
20     scanf("%d", &n);
21     reverse(n);
22     return 0;
23 }
24
```

	Input	Expected	Got	
✓	12	11	11	✓
✓	1234	19	19	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

[Back to Course](#)