EXPERIMENT 9

ROLL NO: 240701034

NAME: ALVIN.B

USER INTERFACE DESIGN

Aim

To design input forms that validate data such as email and phone number and display error messages using HTML, CSS, and JavaScript.

Step 1:

Creating HTML Structure:
To create an input form using HTML that contains two input boxes, email and phone number. One button, that is, the submit Button.

Code:

```html
<!DOCTYPE html>
<html>
<head>
    <title>Form Validation</title>
</head>
<body>

<h2>Registration Form</h2>

<form>
    Email:<br>
    <input type="text"><br><br>

    Phone Number:<br>
    <input type="text"><br><br>

    <button>Submit</button>
</form>

</body>
</html>
```

Output:

Registration Form

Email:

Phone Number:

Submit

Step 2:

Creating the CSS Styling:

Now to style the two input boxes and the submit button to look better using CSS.

Code:

```
<style>
body {
    font-family: Arial;
    background: #f2f2f2;
    text-align: center;
}

form {
    background: white;
    padding: 20px;
    margin: auto;
    width: 300px;
    border-radius: 10px;
}

input {
    width: 90%;
    padding: 8px;
    margin: 5px;
}

button {
    background: blue;
    color: white;
    padding: 10px;
    border: none;
    cursor: pointer;
}
```

```
<style>
input {
    margin: 5px;
}

button {
    background: blue;
    color: white;
    padding: 10px;
    border: none;
    cursor: pointer;
}
</style>
```

Output:



Step 3:

Validating the given inputs after clicking the submit button. Whether the given input is a valid mail id and valid phone number using Validator.js

Code:

```
<script>

document.getElementById("myForm").addEventListener("submit", function(e) {

    e.preventDefault();

    let email = document.getElementById("email").value;
    let phone = document.getElementById("phone").value;

    let emailError = document.getElementById("emailError");
    let phoneError = document.getElementById("phoneError");
    let emailError: HTMLElement | null
    emailError.textContent = "";
    phoneError.textContent = "";

    // Email validation
    if (!validator.isEmail(email)) {
        emailError.textContent = "Invalid Email Address";
    }

    // Phone validation (Indian mobile)
    if (!validator.isMobilePhone(phone, 'en-IN')) {
        phoneError.textContent = "Invalid Phone Number";
    }

    // If both valid
    if (validator.isEmail(email) && validator.isMobilePhone(phone, 'en-IN')) {
        alert("Form submitted successfully!");
```


```
    // If both valid
    if (validator.isEmail(email) && validator.isMobilePhone(phone, 'en-IN')) {
        alert("Form submitted successfully!");
    }
```


```
    }

});

</script>
```

Output:


127.0.0.1:5500 says
Form submitted
OK
Register
abc@gmail.com
8610361541
Submit


Register
agmsdkd
Invalid email
8403
Invalid phone
Submit

CONCLUSION:

A simple Input form is created using HTML and CSS for better styling of the Form and the inputs are validated using the Validator.js library in JavaScript.

Those output are should above with the source code.