



CARDIOVASCULAR FLASHLIGHT

doi:10.1093/eurheartj/ehab477

Online publish-ahead-of-print 9 August 2021

Traumatic coronary artery dissection with total occlusion of left descending coronary artery: to stent or not to stent

Maria Abellas-Sequeiros , Ana Pardo Sanz , Angel Sanchez-Recalde, and Marcelo Sanmartin-Fernandez *

Servicio de Cardiología, Hospital Universitario Ramon y Cajal, Carretera de Colmenar Viejo, 9100, CP 28034, Madrid, Spain

*Corresponding author. Tel: (+34) 913368957, Email: msanfer@me.com

A 21-year-old man was admitted at the Emergency Department after a motorcycle accident with frontal crash into a tree. A computerized tomography scan confirmed Le Fort III fracture, hepatic laceration, and haemoperitoneum. An electrocardiogram was performed as part of the initial evaluation, showing ST-segment elevation in leads I, aVL, V1, and V2, with ST depression in inferior leads (Panel A). The patient denied chest pain. Transthoracic echocardiogram showed septal hypokinesia, with preserved ejection fraction. Troponin was positive (Tn I 20.2 ng/mL). Coronary angiography was performed, showing ostial left anterior descending artery occlusion (Panel B and [Supplementary material Online, Video S1](#)), with Rentrop 2 coronary collaterals. Intravascular ultrasound (IVUS) interrogation revealed an occlusive coronary dissection with thrombosis of the false lumen (Panel C and [Supplementary material Online, Video S2](#)). Considering the mechanism of the occlusion, the total length of the occluded segment and the potential bleeding risk associated to the fractures and liver laceration, a free-stent strategy was chosen, in order to avoid dual antiplatelet therapy. Accordingly, a cutting balloon 3 × 10 mm was advanced through the occlusion and several inflations at 6–8 atm were performed, restoring TIMI III flow (Panel D and [Supplementary material Online, Video S3](#)). The proximal vessel was treated with an AngioSculpt balloon 3.5 × 15 mm. Post-IVUS pullback showed good luminal area of the true lumen (Panel E and [Supplementary material Online, Video S4](#)).

[Supplementary material](#) is available at *European Heart Journal* online.

Conflict of interest: The authors have submitted their declaration which can be found in the article [Supplementary Material](#) online.

Published on behalf of the European Society of Cardiology. All rights reserved. © The Author(s) 2021. For permissions, please email: journals.permissions@oup.com.

