

Flood Risk PC Coeff Results

Alvin Sheng

```
library(here)

## Warning in readLines(f, n): line 1 appears to contain an embedded nul
## Warning in readLines(f, n): incomplete final line found on '/Volumes/
## ALVINDRIVE2/flood-risk-health-effects/._flood-risk-health-effects.Rproj'
## here() starts at /Volumes/ALVINDRIVE2/flood-risk-health-effects

library(tidyverse)

## -- Attaching packages ----- tidyverse 1.3.1 --
## v ggplot2 3.4.0      v purrr   0.3.4
## v tibble  3.1.8      v dplyr  1.0.10
## v tidyr   1.2.1      v stringr 1.4.0
## v readr   2.1.1      v forcats 0.5.1

## -- Conflicts ----- tidyverse_conflicts() --
## x dplyr::filter() masks stats::filter()
## x dplyr::lag()     masks stats::lag()
```

For each health outcome, read in the results for the six strata, extract the flood risk PC coefficients, and stack them

Helper Functions

```
# first, process the beta_inference matrix in a form ggplot can understand
beta_inf2data_frame <- function(beta_inference) {

  beta_inference_df <- as.data.frame(beta_inference)
  beta_inference_df <- rename(beta_inference_df,
                              post_median = `50%`,
                              post_2.5 = `2.5%`,
                              post_97.5 = `97.5%`)
  beta_inference_df$strat <- factor(c(rep("Low SV", (nrow(beta_inference_df)/2)),
                                     rep("High SV", (nrow(beta_inference_df)/2))),
                                   levels = c("Low SV", "High SV"))

  return(beta_inference_df)
}
```

```
# extract the flood risk PC coefficients and stack them
# pc_idx is the vector of indices of the flood risk PC coefficients, after splitting data frame by strata
beta_data_frames_stack <- function(beta_df_list, pc_idx) {
```

```

beta_pcs_strat0_list <- list()

beta_pcs_strat1_list <- list()

for (i in 1:length(beta_df_list)) {

  beta_inference_df <- beta_df_list[[i]]

  beta_inference_df_strat0 <- beta_inference_df[1:(nrow(beta_inference_df)/2),]

  beta_inference_df_strat1 <- beta_inference_df[(nrow(beta_inference_df)/2 + 1):nrow(beta_inference_d

  beta_pcs_strat0_list[[i]] <- beta_inference_df_strat0[pc_idx, ]

  beta_pcs_strat1_list[[i]] <- beta_inference_df_strat1[pc_idx, ]

}

beta_pcs_strat0 <- do.call("rbind", beta_pcs_strat0_list)
beta_pcs_strat1 <- do.call("rbind", beta_pcs_strat1_list)

beta_pcs_strat0 <- mutate(beta_pcs_strat0, var_idx = factor(1:nrow(beta_pcs_strat0)))
beta_pcs_strat1 <- mutate(beta_pcs_strat1, var_idx = factor(1:nrow(beta_pcs_strat1)))

return(list(beta_pcs_strat0 = beta_pcs_strat0, beta_pcs_strat1 = beta_pcs_strat1))

}

```

CHD

```

beta_inf_poverty <- readRDS(here("modeling_files/stratified_analysis/beta_inference_files/CHD_poverty.rds"))
beta_inf_rpl1 <- readRDS(here("modeling_files/stratified_analysis/beta_inference_files/CHD_rpl1.rds"))
beta_inf_rpl2 <- readRDS(here("modeling_files/stratified_analysis/beta_inference_files/CHD_rpl2.rds"))
beta_inf_rpl3 <- readRDS(here("modeling_files/stratified_analysis/beta_inference_files/CHD_rpl3.rds"))
beta_inf_rpl4 <- readRDS(here("modeling_files/stratified_analysis/beta_inference_files/CHD_rpl4.rds"))
beta_inf_rpls <- readRDS(here("modeling_files/stratified_analysis/beta_inference_files/CHD_rpls.rds"))

beta_inf_poverty_df <- beta_inf2data_frame(beta_inf_poverty)

beta_inf_rpl1_df <- beta_inf2data_frame(beta_inf_rpl1)

beta_inf_rpl2_df <- beta_inf2data_frame(beta_inf_rpl2)

beta_inf_rpl3_df <- beta_inf2data_frame(beta_inf_rpl3)

beta_inf_rpl4_df <- beta_inf2data_frame(beta_inf_rpl4)

```

```

beta_inf_rpls_df <- beta_inf2data_frame(beta_inf_rpls)

beta_df_list <- list(beta_inf_poverty_df, beta_inf_rpl1_df, beta_inf_rpl2_df,
                     beta_inf_rpl3_df, beta_inf_rpl4_df, beta_inf_rpls_df)


pc_idx <- 2:6

beta_CHD_pcs <- beta_data_frames_stack(beta_df_list, pc_idx)

p <- ggplot(beta_CHD_pcs$beta_pcs_strat0, aes(x = var_idx, y = post_median, color = strat)) +
  geom_point() +
  ylim(c(-0.04, 0.13)) +
  theme(axis.text.x = element_text(angle = 45, vjust = 1, hjust=1), axis.title.x = element_blank(), axis
        axis.text=element_text(size=12),
        plot.margin = margin(5.5, 5.5, 5.5, 25)) +
  geom_errorbar(aes(ymin = post_2.5, ymax = post_97.5, width = 0.4), col = "#F8766D") +
  geom_vline(xintercept = 5 * c(1:5) + 0.5, col = "blue") +
  geom_hline(yintercept = 0, col = "red") +
  annotate(geom = "text", x = 3, y = 0.12, label = "Poverty\nStrata",
          col = "blue", size = 4.5) +
  annotate(geom = "text", x = 8, y = 0.12, label = "Theme 1\nStrata",
          col = "blue", size = 4.5) +
  annotate(geom = "text", x = 13, y = 0.12, label = "Theme 2\nStrata",
          col = "blue", size = 4.5) +
  annotate(geom = "text", x = 18, y = 0.12, label = "Theme 3\nStrata",
          col = "blue", size = 4.5) +
  annotate(geom = "text", x = 23, y = 0.12, label = "Theme 4\nStrata",
          col = "blue", size = 4.5) +
  annotate(geom = "text", x = 28, y = 0.12, label = "All Theme\nStrata",
          col = "blue", size = 4.5) +
  scale_x_discrete(labels = rep(c("PC 1", "PC 2", "PC 3", "PC 4", "PC 5"), 6)) + ggtitle("95% Credible I
  geom_point(data = beta_CHD_pcs$beta_pcs_strat1, col = "#00BFC4") + # strat 1
  geom_errorbar(data = beta_CHD_pcs$beta_pcs_strat1, aes(ymin = post_2.5, ymax = post_97.5, width = 0.4
  scale_color_manual(name = "Strata",
                     values = c("#F8766D", "#00BFC4"),
                     drop = FALSE)
p

```

95% Credible Intervals for Flood Risk PCs, Coronary Heart Disease



```
ggsave(here("figures/final_figures/stratified_analysis_fr_only/CHD_fr_only.pdf"),
       plot = p, device = "pdf",
       width = 8, height = 6, units = "in")
```

Make a summary of significant coefficients and their signs, for each strata

```
signif_summ <- matrix(NA, nrow = 2, ncol = 5 * 6)

row.names(signif_summ) <- c("Low SV", "High SV")
colnames(signif_summ) <- paste(rep(c("Poverty Strata PC", "Theme 1 Strata PC", "Theme 2 Strata PC",
                                     "Theme 3 Strata PC", "Theme 4 Strata PC", "All Theme Strata PC"),
                                rep(1:5, times = 6))
```

```
for (j in 1:ncol(signif_summ)) {

  if(beta_CHD_pcs$beta_pcs_strat0$post_2.5[j] < 0 &
     beta_CHD_pcs$beta_pcs_strat0$post_97.5[j] < 0) {
    signif_summ[1, j] <- "-"
  } else if (beta_CHD_pcs$beta_pcs_strat0$post_2.5[j] > 0 &
             beta_CHD_pcs$beta_pcs_strat0$post_97.5[j] > 0) {
    signif_summ[1, j] <- "+"
  }

  if(beta_CHD_pcs$beta_pcs_strat1$post_2.5[j] < 0 &
     beta_CHD_pcs$beta_pcs_strat1$post_97.5[j] < 0) {
    signif_summ[2, j] <- "-"
  } else if (beta_CHD_pcs$beta_pcs_strat1$post_2.5[j] > 0 &
             beta_CHD_pcs$beta_pcs_strat1$post_97.5[j] > 0) {
```

```

    signif_summ[2, j] <- "+"
  }
}

```

```

t(signif_summ)

```

```

##           Low SV High SV
## Poverty Strata PC 1    NA    "+"
## Poverty Strata PC 2    NA    NA
## Poverty Strata PC 3    NA    NA
## Poverty Strata PC 4    NA    NA
## Poverty Strata PC 5    NA    NA
## Theme 1 Strata PC 1    NA    "+"
## Theme 1 Strata PC 2    "+"   NA
## Theme 1 Strata PC 3    NA    NA
## Theme 1 Strata PC 4    NA    NA
## Theme 1 Strata PC 5    NA    NA
## Theme 2 Strata PC 1    "+"   "+"
## Theme 2 Strata PC 2    "+"   NA
## Theme 2 Strata PC 3    "+"   NA
## Theme 2 Strata PC 4    "-"   NA
## Theme 2 Strata PC 5    "+"   "+"
## Theme 3 Strata PC 1    "+"   "+"
## Theme 3 Strata PC 2    NA    NA
## Theme 3 Strata PC 3    "-"   NA
## Theme 3 Strata PC 4    "-"   NA
## Theme 3 Strata PC 5    NA    NA
## Theme 4 Strata PC 1    NA    "+"
## Theme 4 Strata PC 2    "+"   NA
## Theme 4 Strata PC 3    NA    NA
## Theme 4 Strata PC 4    NA    NA
## Theme 4 Strata PC 5    NA    NA
## All Theme Strata PC 1 "+"   "+"
## All Theme Strata PC 2 "+"   NA
## All Theme Strata PC 3 "+"   "+"
## All Theme Strata PC 4 NA    NA
## All Theme Strata PC 5 "+"   NA

```

BPHIGH

```

beta_inf_poverty <- readRDS(here("modeling_files/stratified_analysis/beta_inference_files/BPHIGH_poverty.rds"))
beta_inf_rpl1 <- readRDS(here("modeling_files/stratified_analysis/beta_inference_files/BPHIGH_rpl1.rds"))
beta_inf_rpl2 <- readRDS(here("modeling_files/stratified_analysis/beta_inference_files/BPHIGH_rpl2.rds"))
beta_inf_rpl3 <- readRDS(here("modeling_files/stratified_analysis/beta_inference_files/BPHIGH_rpl3.rds"))
beta_inf_rpl4 <- readRDS(here("modeling_files/stratified_analysis/beta_inference_files/BPHIGH_rpl4.rds"))
beta_inf_rpls <- readRDS(here("modeling_files/stratified_analysis/beta_inference_files/BPHIGH_rpls.rds"))

```

```

beta_inf_poverty_df <- beta_inf2data_frame(beta_inf_poverty)

beta_inf_rpl1_df <- beta_inf2data_frame(beta_inf_rpl1)

beta_inf_rpl2_df <- beta_inf2data_frame(beta_inf_rpl2)

beta_inf_rpl3_df <- beta_inf2data_frame(beta_inf_rpl3)

beta_inf_rpl4_df <- beta_inf2data_frame(beta_inf_rpl4)

beta_inf_rpls_df <- beta_inf2data_frame(beta_inf_rpls)


beta_df_list <- list(beta_inf_poverty_df, beta_inf_rpl1_df, beta_inf_rpl2_df,
                     beta_inf_rpl3_df, beta_inf_rpl4_df, beta_inf_rpls_df)



pc_idx <- 2:6

beta_BPHIGH_pcs <- beta_data_frames_stack(beta_df_list, pc_idx)


p <- ggplot(beta_BPHIGH_pcs$beta_pcs_strat0, aes(x = var_idx, y = post_median, color = strat)) +
  geom_point() +
  ylim(c(-0.23, 0.28)) +
  theme(axis.text.x = element_text(angle = 45, vjust = 1, hjust=1), axis.title.x = element_blank(), axis.title.y = element_text(size=12),
        plot.margin = margin(5.5, 5.5, 5.5, 25)) +
  geom_errorbar(aes(ymin = post_2.5, ymax = post_97.5, width = 0.4), col = "#F8766D") +
  geom_vline(xintercept = 5 * c(1:5) + 0.5, col = "blue") +
  geom_hline(yintercept = 0, col = "red") +
  annotate(geom = "text", x = 3, y = 0.27, label = "Poverty\nStrata",
          col = "blue", size = 4.5) +
  annotate(geom = "text", x = 8, y = 0.27, label = "Theme 1\nStrata",
          col = "blue", size = 4.5) +
  annotate(geom = "text", x = 13, y = 0.27, label = "Theme 2\nStrata",
          col = "blue", size = 4.5) +
  annotate(geom = "text", x = 18, y = 0.27, label = "Theme 3\nStrata",
          col = "blue", size = 4.5) +
  annotate(geom = "text", x = 23, y = 0.27, label = "Theme 4\nStrata",
          col = "blue", size = 4.5) +
  annotate(geom = "text", x = 28, y = 0.27, label = "All Theme\nStrata",
          col = "blue", size = 4.5) +
  scale_x_discrete(labels = rep(c("PC 1", "PC 2", "PC 3", "PC 4", "PC 5"), 6)) + ggtitle("95% Credible Intervals")
  geom_point(data = beta_BPHIGH_pcs$beta_pcs_strat1, col = "#00BFC4") + # strat 1
  geom_errorbar(data = beta_BPHIGH_pcs$beta_pcs_strat1, aes(ymin = post_2.5, ymax = post_97.5, width = 0.4), col = "#F8766D") +
  scale_color_manual(name = "Strata",
                     values = c("#F8766D", "#00BFC4"),
                     drop = FALSE)

```

p



```
ggsave(here("figures/final_figures/stratified_analysis_fr_only/BPHIGH_fr_only.pdf"),
       plot = p, device = "pdf",
       width = 8, height = 6, units = "in")
```

Make a summary of significant coefficients and their signs, for each strata

```
signif_summ <- matrix(NA, nrow = 2, ncol = 5 * 6)

row.names(signif_summ) <- c("Low SV", "High SV")
colnames(signif_summ) <- paste(rep(c("Poverty Strata PC", "Theme 1 Strata PC", "Theme 2 Strata PC",
                                     "Theme 3 Strata PC", "Theme 4 Strata PC", "All Theme Strata PC"),
                                rep(1:5, times = 6))
```

```
for (j in 1:ncol(signif_summ)) {

  if(beta_BPHIGH_pcs$beta_pcs_strat0$post_2.5[j] < 0 &
     beta_BPHIGH_pcs$beta_pcs_strat0$post_97.5[j] < 0) {
    signif_summ[1, j] <- "-"
  } else if (beta_BPHIGH_pcs$beta_pcs_strat0$post_2.5[j] > 0 &
            beta_BPHIGH_pcs$beta_pcs_strat0$post_97.5[j] > 0) {
    signif_summ[1, j] <- "+"
  }

  if(beta_BPHIGH_pcs$beta_pcs_strat1$post_2.5[j] < 0 &
     beta_BPHIGH_pcs$beta_pcs_strat1$post_97.5[j] < 0) {
    signif_summ[2, j] <- "-"
  } else if (beta_BPHIGH_pcs$beta_pcs_strat1$post_2.5[j] > 0 &
            beta_BPHIGH_pcs$beta_pcs_strat1$post_97.5[j] > 0) {
```

```

    signif_summ[2, j] <- "+"
  }
}

```

```

t(signif_summ)

```

```

##           Low SV High SV
## Poverty Strata PC 1    NA    "+"
## Poverty Strata PC 2    "+"    "+"
## Poverty Strata PC 3    NA    "-"
## Poverty Strata PC 4    "-"    "-"
## Poverty Strata PC 5    NA    NA
## Theme 1 Strata PC 1    NA    "+"
## Theme 1 Strata PC 2    "+"    "+"
## Theme 1 Strata PC 3    NA    "-"
## Theme 1 Strata PC 4    "-"    "-"
## Theme 1 Strata PC 5    NA    NA
## Theme 2 Strata PC 1    "+"    "+"
## Theme 2 Strata PC 2    "+"    NA
## Theme 2 Strata PC 3    "+"    NA
## Theme 2 Strata PC 4    "-"    "-"
## Theme 2 Strata PC 5    "+"    NA
## Theme 3 Strata PC 1    NA    NA
## Theme 3 Strata PC 2    "+"    NA
## Theme 3 Strata PC 3    "-"    NA
## Theme 3 Strata PC 4    "-"    NA
## Theme 3 Strata PC 5    NA    NA
## Theme 4 Strata PC 1    "-"    NA
## Theme 4 Strata PC 2    NA    NA
## Theme 4 Strata PC 3    "-"    "-"
## Theme 4 Strata PC 4    "-"    NA
## Theme 4 Strata PC 5    NA    NA
## All Theme Strata PC 1 "+"    NA
## All Theme Strata PC 2 "+"    "-"
## All Theme Strata PC 3 "+"    NA
## All Theme Strata PC 4 "-"    NA
## All Theme Strata PC 5 "+"    "+"

```

CASTHMA

```

beta_inf_poverty <- readRDS(here("modeling_files/stratified_analysis/beta_inference_files/CASTHMA_poverty.rds"))
beta_inf_rpl1 <- readRDS(here("modeling_files/stratified_analysis/beta_inference_files/CASTHMA_rpl1.rds"))
beta_inf_rpl2 <- readRDS(here("modeling_files/stratified_analysis/beta_inference_files/CASTHMA_rpl2.rds"))
beta_inf_rpl3 <- readRDS(here("modeling_files/stratified_analysis/beta_inference_files/CASTHMA_rpl3.rds"))
beta_inf_rpl4 <- readRDS(here("modeling_files/stratified_analysis/beta_inference_files/CASTHMA_rpl4.rds"))
beta_inf_rpls <- readRDS(here("modeling_files/stratified_analysis/beta_inference_files/CASTHMA_rpls.rds"))

```



```

beta_inf_poverty_df <- beta_inf2data_frame(beta_inf_poverty)

beta_inf_rpl1_df <- beta_inf2data_frame(beta_inf_rpl1)

beta_inf_rpl2_df <- beta_inf2data_frame(beta_inf_rpl2)

beta_inf_rpl3_df <- beta_inf2data_frame(beta_inf_rpl3)

beta_inf_rpl4_df <- beta_inf2data_frame(beta_inf_rpl4)

beta_inf_rpls_df <- beta_inf2data_frame(beta_inf_rpls)


beta_df_list <- list(beta_inf_poverty_df, beta_inf_rpl1_df, beta_inf_rpl2_df,
                     beta_inf_rpl3_df, beta_inf_rpl4_df, beta_inf_rpls_df)

pc_idx <- 2:6


beta_CASTHMA_pcs <- beta_data_frames_stack(beta_df_list, pc_idx)

p <- ggplot(beta_CASTHMA_pcs$beta_pcs_strat0, aes(x = var_idx, y = post_median, color = strat)) +
  geom_point() +
  ylim(c(-0.035, 0.0285)) +
  theme(axis.text.x = element_text(angle = 45, vjust = 1, hjust=1), axis.title.x = element_blank(), axis.
        axis.text=element_text(size=12),
        plot.margin = margin(5.5, 5.5, 5.5, 25)) +
  geom_errorbar(aes(ymin = post_2.5, ymax = post_97.5, width = 0.4), col = "#F8766D") +
  geom_vline(xintercept = 5 * c(1:5) + 0.5, col = "blue") +
  geom_hline(yintercept = 0, col = "red") +
  annotate(geom = "text", x = 3, y = 0.027, label = "Poverty\nStrata",
          col = "blue", size = 4.5) +
  annotate(geom = "text", x = 8, y = 0.027, label = "Theme 1\nStrata",
          col = "blue", size = 4.5) +
  annotate(geom = "text", x = 13, y = 0.027, label = "Theme 2\nStrata",
          col = "blue", size = 4.5) +
  annotate(geom = "text", x = 18, y = 0.027, label = "Theme 3\nStrata",
          col = "blue", size = 4.5) +
  annotate(geom = "text", x = 23, y = 0.027, label = "Theme 4\nStrata",
          col = "blue", size = 4.5) +
  annotate(geom = "text", x = 28, y = 0.027, label = "All Theme\nStrata",
          col = "blue", size = 4.5) +
  scale_x_discrete(labels = rep(c("PC 1", "PC 2", "PC 3", "PC 4", "PC 5"), 6)) + ggtitle("95% Credible I
  geom_point(data = beta_CASTHMA_pcs$beta_pcs_strat1, col = "#00BFC4") + # strat 1
  geom_errorbar(data = beta_CASTHMA_pcs$beta_pcs_strat1, aes(ymin = post_2.5, ymax = post_97.5, width =
  scale_color_manual(name = "Strata",
                     values = c("#F8766D", "#00BFC4"),
                     drop = FALSE)

```

p

95% Credible Intervals for Flood Risk PCs, Asthma



```
ggsave(here("figures/final_figures/stratified_analysis_fr_only/CASTHMA_fr_only.pdf"),
       plot = p, device = "pdf",
       width = 8, height = 6, units = "in")
```

Make a summary of significant coefficients and their signs, for each strata

```
signif_summ <- matrix(NA, nrow = 2, ncol = 5 * 6)

row.names(signif_summ) <- c("Low SV", "High SV")
colnames(signif_summ) <- paste(rep(c("Poverty Strata PC", "Theme 1 Strata PC", "Theme 2 Strata PC",
                                     "Theme 3 Strata PC", "Theme 4 Strata PC", "All Theme Strata PC"),
                                rep(1:5, times = 6))
```

```
for (j in 1:ncol(signif_summ)) {

  if(beta_CASTHMA_pcs$beta_pcs_strat0$post_2.5[j] < 0 &
     beta_CASTHMA_pcs$beta_pcs_strat0$post_97.5[j] < 0) {
    signif_summ[1, j] <- "-"
  } else if (beta_CASTHMA_pcs$beta_pcs_strat0$post_2.5[j] > 0 &
            beta_CASTHMA_pcs$beta_pcs_strat0$post_97.5[j] > 0) {
    signif_summ[1, j] <- "+"
  }

  if(beta_CASTHMA_pcs$beta_pcs_strat1$post_2.5[j] < 0 &
     beta_CASTHMA_pcs$beta_pcs_strat1$post_97.5[j] < 0) {
    signif_summ[2, j] <- "-"
  } else if (beta_CASTHMA_pcs$beta_pcs_strat1$post_2.5[j] > 0 &
            beta_CASTHMA_pcs$beta_pcs_strat1$post_97.5[j] > 0) {
```

```

    signif_summ[2, j] <- "+"
  }
}

```

```

t(signif_summ)

```

```

##           Low SV High SV
## Poverty Strata PC 1  "-"  NA
## Poverty Strata PC 2  NA    NA
## Poverty Strata PC 3  NA    NA
## Poverty Strata PC 4  "+"  "+"
## Poverty Strata PC 5  NA    NA
## Theme 1 Strata PC 1  "-"  NA
## Theme 1 Strata PC 2  NA    NA
## Theme 1 Strata PC 3  NA    NA
## Theme 1 Strata PC 4  "+"  NA
## Theme 1 Strata PC 5  NA    NA
## Theme 2 Strata PC 1  "-"  NA
## Theme 2 Strata PC 2  "-"  "+"
## Theme 2 Strata PC 3  "+"  "-"
## Theme 2 Strata PC 4  "+"  NA
## Theme 2 Strata PC 5  NA    NA
## Theme 3 Strata PC 1  "-"  "-"
## Theme 3 Strata PC 2  "-"  NA
## Theme 3 Strata PC 3  "+"  NA
## Theme 3 Strata PC 4  NA    "+"
## Theme 3 Strata PC 5  NA    NA
## Theme 4 Strata PC 1  "-"  NA
## Theme 4 Strata PC 2  "-"  NA
## Theme 4 Strata PC 3  NA    NA
## Theme 4 Strata PC 4  "+"  "+"
## Theme 4 Strata PC 5  NA    NA
## All Theme Strata PC 1 NA    "-"
## All Theme Strata PC 2 "+"  "-"
## All Theme Strata PC 3 NA    "+"
## All Theme Strata PC 4 "+"  "+"
## All Theme Strata PC 5 NA    NA

```

MHLTH

```

beta_inf_poverty <- readRDS(here("modeling_files/stratified_analysis/beta_inference_files/MHLTH_poverty.rds"))
beta_inf_rpl1 <- readRDS(here("modeling_files/stratified_analysis/beta_inference_files/MHLTH_rpl1.rds"))
beta_inf_rpl2 <- readRDS(here("modeling_files/stratified_analysis/beta_inference_files/MHLTH_rpl2.rds"))
beta_inf_rpl3 <- readRDS(here("modeling_files/stratified_analysis/beta_inference_files/MHLTH_rpl3.rds"))
beta_inf_rpl4 <- readRDS(here("modeling_files/stratified_analysis/beta_inference_files/MHLTH_rpl4.rds"))
beta_inf_rpls <- readRDS(here("modeling_files/stratified_analysis/beta_inference_files/MHLTH_rpls.rds"))

```

```

beta_inf_poverty_df <- beta_inf2data_frame(beta_inf_poverty)

beta_inf_rpl1_df <- beta_inf2data_frame(beta_inf_rpl1)

beta_inf_rpl2_df <- beta_inf2data_frame(beta_inf_rpl2)

beta_inf_rpl3_df <- beta_inf2data_frame(beta_inf_rpl3)

beta_inf_rpl4_df <- beta_inf2data_frame(beta_inf_rpl4)

beta_inf_rpls_df <- beta_inf2data_frame(beta_inf_rpls)


beta_df_list <- list(beta_inf_poverty_df, beta_inf_rpl1_df, beta_inf_rpl2_df,
                     beta_inf_rpl3_df, beta_inf_rpl4_df, beta_inf_rpls_df)

pc_idx <- 2:6


beta_MHLTH_pcs <- beta_data_frames_stack(beta_df_list, pc_idx)

p <- ggplot(beta_MHLTH_pcs$beta_pcs_strat0, aes(x = var_idx, y = post_median, color = strat)) +
  geom_point() +
  ylim(c(-0.043, 0.055)) +
  theme(axis.text.x = element_text(angle = 45, vjust = 1, hjust=1), axis.title.x = element_blank(), axis
        axis.text=element_text(size=12),
        plot.margin = margin(5.5, 5.5, 5.5, 25)) +
  geom_errorbar(aes(ymin = post_2.5, ymax = post_97.5, width = 0.4), col = "#F8766D") +
  geom_vline(xintercept = 5 * c(1:5) + 0.5, col = "blue") +
  geom_hline(yintercept = 0, col = "red") +
  annotate(geom = "text", x = 3, y = 0.05, label = "Poverty\nStrata",
          col = "blue", size = 4.5) +
  annotate(geom = "text", x = 8, y = 0.05, label = "Theme 1\nStrata",
          col = "blue", size = 4.5) +
  annotate(geom = "text", x = 13, y = 0.05, label = "Theme 2\nStrata",
          col = "blue", size = 4.5) +
  annotate(geom = "text", x = 18, y = 0.05, label = "Theme 3\nStrata",
          col = "blue", size = 4.5) +
  annotate(geom = "text", x = 23, y = 0.05, label = "Theme 4\nStrata",
          col = "blue", size = 4.5) +
  annotate(geom = "text", x = 28, y = 0.05, label = "All Theme\nStrata",
          col = "blue", size = 4.5) +
  scale_x_discrete(labels = rep(c("PC 1", "PC 2", "PC 3", "PC 4", "PC 5"), 6)) + ggtitle("95% Credible I
  geom_point(data = beta_MHLTH_pcs$beta_pcs_strat1, col = "#00BFC4") + # strat 1
  geom_errorbar(data = beta_MHLTH_pcs$beta_pcs_strat1, aes(ymin = post_2.5, ymax = post_97.5, width = 0
  scale_color_manual(name = "Strata",
                     values = c("#F8766D", "#00BFC4"),
                     drop = FALSE)

p

```

95% Credible Intervals for Flood Risk PCs, Poor Mental Health



```
ggsave(here("figures/final_figures/stratified_analysis_fr_only/MHLTH_fr_only.pdf"),
       plot = p, device = "pdf",
       width = 8, height = 6, units = "in")
```

Make a summary of significant coefficients and their signs, for each strata

```
signif_summ <- matrix(NA, nrow = 2, ncol = 5 * 6)

row.names(signif_summ) <- c("Low SV", "High SV")
colnames(signif_summ) <- paste(rep(c("Poverty Strata PC", "Theme 1 Strata PC", "Theme 2 Strata PC",
                                     "Theme 3 Strata PC", "Theme 4 Strata PC", "All Theme Strata PC"),
                                rep(1:5, times = 6))
```

```
for (j in 1:ncol(signif_summ)) {

  if(beta_MHLTH_pcs$beta_pcs_strat0$post_2.5[j] < 0 &
     beta_MHLTH_pcs$beta_pcs_strat0$post_97.5[j] < 0) {
    signif_summ[1, j] <- "-"
  } else if (beta_MHLTH_pcs$beta_pcs_strat0$post_2.5[j] > 0 &
            beta_MHLTH_pcs$beta_pcs_strat0$post_97.5[j] > 0) {
    signif_summ[1, j] <- "+"
  }

  if(beta_MHLTH_pcs$beta_pcs_strat1$post_2.5[j] < 0 &
     beta_MHLTH_pcs$beta_pcs_strat1$post_97.5[j] < 0) {
    signif_summ[2, j] <- "-"
  } else if (beta_MHLTH_pcs$beta_pcs_strat1$post_2.5[j] > 0 &
            beta_MHLTH_pcs$beta_pcs_strat1$post_97.5[j] > 0) {
    signif_summ[2, j] <- "+"
  }
}
```

```

    signif_summ[2, j] <- "+"
  }
}

```

```

t(signif_summ)

```

```

##                               Low SV High SV
## Poverty Strata PC 1         NA      NA
## Poverty Strata PC 2         NA      NA
## Poverty Strata PC 3         NA      "+"
## Poverty Strata PC 4         NA      "+"
## Poverty Strata PC 5         NA      NA
## Theme 1 Strata PC 1         NA      NA
## Theme 1 Strata PC 2         NA      "-"
## Theme 1 Strata PC 3         NA      "+"
## Theme 1 Strata PC 4      "+"      "+"
## Theme 1 Strata PC 5         NA      NA
## Theme 2 Strata PC 1      "-"      "-"
## Theme 2 Strata PC 2         NA      NA
## Theme 2 Strata PC 3         NA      NA
## Theme 2 Strata PC 4      "+"      NA
## Theme 2 Strata PC 5         NA      NA
## Theme 3 Strata PC 1         NA      NA
## Theme 3 Strata PC 2         NA      NA
## Theme 3 Strata PC 3      "+"      NA
## Theme 3 Strata PC 4      "+"      NA
## Theme 3 Strata PC 5         NA      NA
## Theme 4 Strata PC 1         NA      NA
## Theme 4 Strata PC 2      "+"      NA
## Theme 4 Strata PC 3         NA      NA
## Theme 4 Strata PC 4      "+"      NA
## Theme 4 Strata PC 5         NA      NA
## All Theme Strata PC 1      NA      NA
## All Theme Strata PC 2      "+"      NA
## All Theme Strata PC 3      "-"      NA
## All Theme Strata PC 4      "+"      NA
## All Theme Strata PC 5      "-"      NA

```