

Stratified Analysis

Alvin Sheng

Contents

CHD Stratified Analysis	2
CAR model results, Coronary Heart Disease Stratified on Poverty	2
CAR model results, Coronary Heart Disease Stratified on RPL_THEME1	8
CAR model results, Coronary Heart Disease Stratified on RPL_THEME2	12
CAR model results, Coronary Heart Disease Stratified on RPL_THEME3	16
CAR model results, Coronary Heart Disease Stratified on RPL_THEME4	19
CAR model results, Coronary Heart Disease Stratified on RPL_THEMES	23
BPHIGH Stratified Analysis	25
Stratified on Poverty	26
Stratified on RPL_THEME1	29
Stratified on RPL_THEME2	33
Stratified on RPL_THEME3	36
Stratified on RPL_THEME4	40
Stratified on RPL_THEMES	43
CASTHMA Stratified Analysis	46
Stratified on Poverty	46
Stratified on RPL_THEME1	50
Stratified on RPL_THEME2	53
Stratified on RPL_THEME3	57
Stratified on RPL_THEME4	61
Stratified on RPL_THEMES	65
MHLTH Stratified Analysis	67
Stratified on Poverty	67
Stratified on RPL_THEME1	71
Stratified on RPL_THEME2	74
Stratified on RPL_THEME3	78
Stratified on RPL_THEME4	82
Stratified on RPL_THEMES	85

```

library(here)

## Warning in readLines(f, n): line 1 appears to contain an embedded nul
## Warning in readLines(f, n): incomplete final line found on '/Volumes/
## ALVINDRIVE2/flood-risk-health-effects/._flood-risk-health-effects.Rproj'
## here() starts at /Volumes/ALVINDRIVE2/flood-risk-health-effects

library(coda)
library(CARBayes)

## Loading required package: MASS
## Loading required package: Rcpp
## Registered S3 method overwritten by 'GGally':
##   method from
##   +.gg      ggplot2

library(ggplot2)
library(tidyverse)

## -- Attaching packages ----- tidyverse 1.3.1 --
## v tibble  3.1.6      v dplyr    1.0.7
## v tidyr   1.1.4      v stringr 1.4.0
## v readr   2.1.1      v forcats 0.5.1
## v purrr   0.3.4

## -- Conflicts ----- tidyverse_conflicts() --
## x dplyr::filter() masks stats::filter()
## x dplyr::lag()     masks stats::lag()
## x dplyr::select() masks MASS::select()

fhs_model_df <- readRDS(here("intermediary_data/fhs_model_df_all_census_tract_pc.rds"))

```

CHD Stratified Analysis

CAR model results, Coronary Heart Disease Stratified on Poverty

Inference is based on 3 markov chains, each of which has been run for 110000 samples, the first 10000 of which has been removed for burn-in. The remaining 100000 samples are thinned by 2, resulting in 150000 samples for inference across the 3 Markov chains.

```
load(here("modeling_files/stratified_analysis/model_stratif_poverty.RData"))
```

Beta samples

```
beta_samples <- mcmc.list(chain1$samples$beta, chain2$samples$beta,
                          chain3$samples$beta)
```

```
effectiveSize(beta_samples)
```

```
##      var1      var2      var3      var4      var5      var6      var7
## 68447.2046 36382.4841 37761.1319 53281.5366 68914.2531 78405.5864 87890.6361
```

```
##      var8      var9      var10      var11      var12      var13      var14
## 41973.9980 61353.3136 50147.4980 60253.3373 74957.3127 89787.3447 35155.2520
##      var15      var16      var17      var18      var19      var20      var21
## 63037.1789 62136.1468 70022.6252 73724.5058 32342.7837 88478.5492 57534.7711
##      var22      var23      var24      var25      var26      var27      var28
## 10909.7609 6229.8757 323.8625 4500.4463 2003.7053 2883.0879 996.6574
##      var29      var30      var31      var32      var33      var34      var35
## 161.4431 672.4907 1167.2441 28855.9245 78428.6550 39030.9892 34364.0083
##      var36      var37      var38      var39      var40      var41      var42
## 52293.7785 66509.7765 69269.6952 76671.2019 56050.2334 50185.4620 50495.6724
##      var43      var44      var45      var46      var47      var48      var49
## 60423.8387 60221.4781 80050.1425 28753.4787 41256.5990 55529.6434 37611.9176
##      var50      var51      var52      var53      var54      var55      var56
## 63008.8724 35946.8002 79938.2627 47002.3867 8686.7542 6769.6085 325.5017
##      var57      var58      var59      var60      var61      var62      var63
## 3937.8319 2135.7717 2707.4575 1039.3790 163.8511 680.0737 1232.0642
##      var64
## 28006.0742
```

Examining sigma2, nu2, rho

```
sigma2_samples <- mcmc.list(chain1$samples$sigma2, chain2$samples$sigma2,
                           chain3$samples$sigma2)
```

```
nu2_samples <- mcmc.list(chain1$samples$nu2, chain2$samples$nu2,
                        chain3$samples$nu2)
```

```
effectiveSize(sigma2_samples)
```

```
##      var1
## 6808.768
```

```
effectiveSize(nu2_samples)
```

```
##      var1
## 9364.658
```

Examining a sample of the 3108 phi parameters

```
phi_samples <- mcmc.list(chain1$samples$phi, chain2$samples$phi, chain3$samples$phi)
```

```
set.seed(1157, kind = "Mersenne-Twister", normal.kind = "Inversion", sample.kind = "Rejection")
```

```
phi_subset_idx <- sample(1:ncol(phi_samples[[1]]), size = 10)
```

```
phi_samples_subset <- phi_samples[, phi_subset_idx]
```

```
effectiveSize(phi_samples_subset)
```

```
##      var1      var2      var3      var4      var5      var6      var7      var8
## 37202.660 4572.161 6806.516 20135.793 93307.470 39089.413 33554.743 40535.330
##      var9      var10
## 70212.189 4821.368
```

Inference

```
beta_samples_matrix <- rbind(chain1$samples$beta, chain2$samples$beta, chain3$samples$beta)

colnames(beta_samples_matrix) <- var_names

(beta_inference <- round(t(apply(beta_samples_matrix, 2, quantile, c(0.5, 0.025, 0.975)))),5))
```

##	50%	2.5%	97.5%
## strat0	6.43057	6.41684	6.44428
## strat0:flood_risk_pc1	-0.01479	-0.02603	-0.00362
## strat0:flood_risk_pc2	0.00961	-0.00341	0.02245
## strat0:flood_risk_pc3	-0.00201	-0.01169	0.00766
## strat0:flood_risk_pc4	0.00792	-0.00135	0.01719
## strat0:flood_risk_pc5	0.00190	-0.00692	0.01075
## strat0:EP_UNEMP	0.05020	0.03500	0.06527
## strat0:EP_PCI	-0.04941	-0.06333	-0.03545
## strat0:EP_NOHSDP	0.23345	0.20579	0.26097
## strat0:EP_AGE65	1.23105	1.21750	1.24458
## strat0:EP_AGE17	0.15970	0.14417	0.17523
## strat0:EP_DISABL	0.22445	0.20776	0.24128
## strat0:EP_SNGPNT	0.01504	-0.00063	0.03067
## strat0:EP_MINRTY	-0.17432	-0.19679	-0.15201
## strat0:EP_LIMENG	-0.02997	-0.05533	-0.00480
## strat0:EP_MUNIT	-0.05975	-0.07265	-0.04682
## strat0:EP_MOBILE	0.07762	0.06456	0.09065
## strat0:EP_CROWD	0.01336	-0.00717	0.03394
## strat0:EP_NOVEH	0.08992	0.06770	0.11209
## strat0:EP_GROUPQ	-0.09386	-0.10680	-0.08081
## strat0:EP_UNINSUR	0.13585	0.11884	0.15277
## strat0:co	-0.11942	-0.15848	-0.07998
## strat0:no2	0.01534	-0.03633	0.06636
## strat0:o3	-0.14595	-0.21856	-0.07619
## strat0:pm10	-0.19961	-0.23314	-0.16712
## strat0:pm25	0.43798	0.39060	0.48763
## strat0:so2	0.05621	0.02290	0.09022
## strat0:summer_tmmx	0.13280	0.08339	0.18615
## strat0:winter_tmmx	-0.31593	-0.47846	-0.18847
## strat0:summer_rmax	0.00254	-0.06569	0.07049
## strat0:winter_rmax	0.05320	0.00389	0.10322
## strat0:Data_Value_CSMOKING	0.70817	0.67899	0.73708
## strat1	6.74754	6.73568	6.75929
## strat1:flood_risk_pc1	-0.01268	-0.02315	-0.00227
## strat1:flood_risk_pc2	0.00658	-0.00523	0.01846
## strat1:flood_risk_pc3	0.00569	-0.00365	0.01504
## strat1:flood_risk_pc4	-0.00259	-0.01103	0.00583
## strat1:flood_risk_pc5	0.00154	-0.00691	0.00993
## strat1:EP_UNEMP	0.05283	0.04390	0.06177
## strat1:EP_PCI	-0.08201	-0.10645	-0.05750
## strat1:EP_NOHSDP	0.14347	0.12630	0.16066
## strat1:EP_AGE65	1.63400	1.61986	1.64827
## strat1:EP_AGE17	0.30099	0.28704	0.31510
## strat1:EP_DISABL	0.22420	0.21232	0.23611
## strat1:EP_SNGPNT	-0.05794	-0.06914	-0.04666

```
## strat1:EP_MINRTY      0.01348 -0.00424  0.03122
## strat1:EP_LIMENG      -0.04214 -0.05721 -0.02698
## strat1:EP_MUNIT       -0.00647 -0.01763  0.00469
## strat1:EP_MOBILE      0.05158  0.04197  0.06119
## strat1:EP_CROWD       -0.02294 -0.03467 -0.01119
## strat1:EP_NOVEH       0.19940  0.18479  0.21408
## strat1:EP_GROUPQ      -0.05314 -0.06171 -0.04457
## strat1:EP_UNINSUR     0.08819  0.07621  0.10005
## strat1:co             -0.14840 -0.19083 -0.10638
## strat1:no2            -0.02954 -0.08115  0.02160
## strat1:o3             -0.15649 -0.22953 -0.08649
## strat1:pm10           -0.14592 -0.18058 -0.11255
## strat1:pm25           0.45173  0.40449  0.50151
## strat1:so2            0.01675 -0.01555  0.04973
## strat1:summer_tmmx    0.04595 -0.00426  0.09936
## strat1:winter_tmmx   -0.16618 -0.32870 -0.03905
## strat1:summer_rmax    -0.07471 -0.14382 -0.00705
## strat1:winter_rmax    0.04073 -0.00820  0.09070
## strat1:Data_Value_CSMOKING 1.03745  1.01707  1.05807
```

List of significant beta coefficients:

```
colnames(beta_samples_matrix)[sign(beta_inference[, 2]) == sign(beta_inference[, 3])]
```

```
## [1] "strat0" "strat0:flood_risk_pc1"
## [3] "strat0:EP_UNEMP" "strat0:EP_PCI"
## [5] "strat0:EP_NOHSDP" "strat0:EP_AGE65"
## [7] "strat0:EP_AGE17" "strat0:EP_DISABL"
## [9] "strat0:EP_MINRTY" "strat0:EP_LIMENG"
## [11] "strat0:EP_MUNIT" "strat0:EP_MOBILE"
## [13] "strat0:EP_NOVEH" "strat0:EP_GROUPQ"
## [15] "strat0:EP_UNINSUR" "strat0:co"
## [17] "strat0:o3" "strat0:pm10"
## [19] "strat0:pm25" "strat0:so2"
## [21] "strat0:summer_tmmx" "strat0:winter_tmmx"
## [23] "strat0:winter_rmax" "strat0:Data_Value_CSMOKING"
## [25] "strat1" "strat1:flood_risk_pc1"
## [27] "strat1:EP_UNEMP" "strat1:EP_PCI"
## [29] "strat1:EP_NOHSDP" "strat1:EP_AGE65"
## [31] "strat1:EP_AGE17" "strat1:EP_DISABL"
## [33] "strat1:EP_SNGPNT" "strat1:EP_LIMENG"
## [35] "strat1:EP_MOBILE" "strat1:EP_CROWD"
## [37] "strat1:EP_NOVEH" "strat1:EP_GROUPQ"
## [39] "strat1:EP_UNINSUR" "strat1:co"
## [41] "strat1:o3" "strat1:pm10"
## [43] "strat1:pm25" "strat1:winter_tmmx"
## [45] "strat1:summer_rmax" "strat1:Data_Value_CSMOKING"
```

Credible Interval plots for the coefficients, in ggplot

```
# first, process the beta_inference matrix in a form ggplot can understand
```

```
beta_inference_df <- as.data.frame(beta_inference)
```

```

beta_inference_df <- mutate(beta_inference_df, var_name = row.names(beta_inference_df))

beta_inference_df <- rename(beta_inference_df,
                             post_median = `50%`,
                             post_2.5 = `2.5%`,
                             post_97.5 = `97.5%`)

beta_inference_df$var_name <- substring(beta_inference_df$var_name, first = 8)
beta_inference_df$var_name <- factor(beta_inference_df$var_name,
                                     levels = unique(beta_inference_df$var_name))

beta_inference_df$strat <- as.factor(c(rep("Lower", (nrow(beta_inference_df)/2)),
                                       rep("Upper", (nrow(beta_inference_df)/2))))

```

Splitting up the beta coefficients for each strata

```

beta_inference_df_strat0 <- beta_inference_df[1:(nrow(beta_inference_df)/2),]

beta_inference_df_strat1 <- beta_inference_df[(nrow(beta_inference_df)/2 + 1):nrow(beta_inference_df),]

```

Note: The intercept for both strata is not included.


```

p <- ggplot(beta_inference_df_strat0[-1, ], aes(x = var_name, y = post_median, color = strat)) +
  geom_point() +
  ylim(c(-1, 2)) +
  theme(axis.text.x = element_text(angle = 45, vjust = 1, hjust=1), axis.title.x = element_blank(), axis.title.y = element_text(size=12),
        plot.margin = margin(5.5, 5.5, 5.5, 10)) +
  geom_errorbar(aes(ymin = post_2.5, ymax = post_97.5, width = 0.4), col = "#F8766D") +
  geom_vline(xintercept = c(5.5, 20.5, 26.5, 30.5), col = "blue") +
  geom_hline(yintercept = 0, col = "red") +
  annotate(geom = "text", x = 3, y = 1.45, label = "Flood\nRisk",
          col = "blue", size = 4.5) +
  annotate(geom = "text", x = 12.5, y = 1.5, label = "Social Vulnerability Index",
          col = "blue", size = 4.5) +
  annotate(geom = "text", x = 23.5, y = 1.5, label = "Air Pollution",
          col = "blue", size = 4.5) +
  annotate(geom = "text", x = 28.5, y = 1.5, label = "GRIDMET",
          col = "blue", size = 4.5) +
  scale_x_discrete(labels = c("PC 1", "PC 2", "PC 3", "PC 4", "PC 5",
                             "Unemployed", "Per Capita Income", "No High School",
                             "65 or Over", "17 or Under", "Disability",
                             "Single-Parent", "Minority", "Poor English",
                             "Multi-Unit", "Mobile", "Crowded",
                             "No Vehicle", "Group Quarters", "Uninsured",
                             "CO", "NO2", "O3", "PM10", "PM2.5", "SO2",
                             "Summer Temperature", "Winter Temperature", "Summer Humidity", "Winter Humidity",
                             "Smoking")) + ggtitle("95% Credible Intervals, Coronary Heart Disease, Stroke")
p <- p +
  geom_point(data = beta_inference_df_strat1[-1, ], col = "#00BFC4") + # strat 1
  geom_errorbar(data = beta_inference_df_strat1[-1, ], aes(ymin = post_2.5, ymax = post_97.5, width = 0.4), col = "#00BFC4") +
  scale_color_manual(name = "Strata",
                    values = c("#F8766D", "#00BFC4"),
                    drop = FALSE)

```

p

95% Credible Intervals, Coronary Heart Disease, Stratified on Poverty



```
ggsave(here("figures/final_figures/stratified_analysis/CHD_CI_poverty.pdf"),
  plot = p, device = "pdf",
  width = 8, height = 6, units = "in")
```

Below is my best attempt to use both color and shape to indicate the strata. The only problem is the legend.


```
p <- ggplot(beta_inference_df_strat0[-1, ], aes(x = var_name, y = post_median, color = strat, shape = s
  geom_point() +
  theme(axis.text.x = element_text(angle = 45, vjust = 1, hjust=1), axis.title.x = element_blank(), axis
    axis.text=element_text(size=12),
    plot.margin = margin(5.5, 5.5, 5.5, 10)) +
  geom_errorbar(aes(ymin = post_2.5, ymax = post_97.5, width = 0.4), col = "#F8766D") +
  geom_vline(xintercept = c(5.5, 20.5, 26.5, 30.5), col = "blue") +
  geom_hline(yintercept = 0, col = "red") +
  annotate(geom = "text", x = 3, y = 1.45, label = "Flood\nRisk",
    col = "blue", size = 4.5) +
  annotate(geom = "text", x = 12.5, y = 1.5, label = "Social Vulnerability Index",
    col = "blue", size = 4.5) +
  annotate(geom = "text", x = 23.5, y = 1.5, label = "Air Pollution",
    col = "blue", size = 4.5) +
  annotate(geom = "text", x = 28.5, y = 1.5, label = "GRIDMET",
    col = "blue", size = 4.5) +
  scale_x_discrete(labels = c("PC 1", "PC 2", "PC 3", "PC 4", "PC 5",
    "Unemployed", "Per Capita Income", "No High School",
    "65 or Over", "17 or Under", "Disability",
    "Single-Parent", "Minority", "Poor English",
    "Multi-Unit", "Mobile", "Crowded",
    "No Vehicle", "Group Quarters", "Uninsured",
```

```

      "CO", "NO2", "O3", "PM10", "PM2.5", "SO2",
      "Summer Temperature", "Winter Temperature", "Summer Humidity", "Winter Humidity",
      "Smoking")) + ggtitle("95% Credible Intervals, Coronary Heart Disease, Stratified on Poverty")
geom_point(data = beta_inference_df_strat1[-1, ], col = "#00BFC4") + # strat 1
geom_errorbar(data = beta_inference_df_strat1[-1, ], aes(ymin = post_2.5, ymax = post_97.5, width = 0.5))
scale_shape_manual(name = "Strata",
  values = c(19, 17),
  drop = FALSE) +
scale_color_manual(name = "Strata",
  values = c("#F8766D", "#00BFC4"),
  drop = FALSE)

```

p



CAR model results, Coronary Heart Disease Stratified on RPL_THEME1

```

load(here("modeling_files/stratified_analysis/model_stratif_rpl1.RData"))

beta_samples_matrix <- rbind(chain1$samples$beta, chain2$samples$beta, chain3$samples$beta)

colnames(beta_samples_matrix) <- var_names

(beta_inference <- round(t(apply(beta_samples_matrix, 2, quantile, c(0.5, 0.025, 0.975))),5))

```

```

##              50%      2.5%      97.5%
## strat0      6.45402  6.43867  6.46944

```


## strat0:flood_risk_pc1	-0.01373	-0.02504	-0.00250
## strat0:flood_risk_pc2	0.01940	0.00628	0.03251
## strat0:flood_risk_pc3	-0.00281	-0.01244	0.00678
## strat0:flood_risk_pc4	0.01097	0.00171	0.02027
## strat0:flood_risk_pc5	-0.00040	-0.00931	0.00847
## strat0:EP_AGE65	1.25700	1.24396	1.27002
## strat0:EP_AGE17	0.19428	0.17933	0.20931
## strat0:EP_DISABL	0.23010	0.21400	0.24622
## strat0:EP_SNGPNT	0.00391	-0.01205	0.01993
## strat0:EP_MINRTY	-0.13127	-0.15406	-0.10848
## strat0:EP_LIMENG	0.05495	0.02828	0.08153
## strat0:EP_MUNIT	-0.05162	-0.06380	-0.03945
## strat0:EP_MOBILE	0.08315	0.06849	0.09783
## strat0:EP_CROWD	0.03774	0.01391	0.06135
## strat0:EP_NOVEH	0.11075	0.08929	0.13216
## strat0:EP_GROUPQ	-0.05570	-0.06636	-0.04511
## strat0:EP_UNINSUR	0.15819	0.14010	0.17630
## strat0:co	-0.10803	-0.14862	-0.06744
## strat0:no2	0.01240	-0.04062	0.06543
## strat0:o3	-0.18017	-0.25288	-0.10678
## strat0:pm10	-0.22289	-0.25677	-0.18884
## strat0:pm25	0.49051	0.44084	0.53994
## strat0:so2	0.05745	0.02305	0.09116
## strat0:summer_tmmx	0.12253	0.07118	0.17360
## strat0:winter_tmmx	-0.31262	-0.43899	-0.17723
## strat0:summer_rmax	-0.00054	-0.06838	0.06803
## strat0:winter_rmax	0.05775	0.00683	0.10815
## strat0:Data_Value_CSMOKING	0.89818	0.87352	0.92311
## strat1	6.68605	6.67465	6.69750
## strat1:flood_risk_pc1	-0.01704	-0.02776	-0.00619
## strat1:flood_risk_pc2	0.00178	-0.01015	0.01371
## strat1:flood_risk_pc3	0.00354	-0.00636	0.01337
## strat1:flood_risk_pc4	-0.00033	-0.00887	0.00824
## strat1:flood_risk_pc5	0.00002	-0.00852	0.00859
## strat1:EP_AGE65	1.70414	1.68925	1.71910
## strat1:EP_AGE17	0.28821	0.27392	0.30257
## strat1:EP_DISABL	0.24440	0.23236	0.25646
## strat1:EP_SNGPNT	-0.02580	-0.03688	-0.01474
## strat1:EP_MINRTY	0.06665	0.04966	0.08361
## strat1:EP_LIMENG	0.02108	0.00815	0.03399
## strat1:EP_MUNIT	-0.01386	-0.02566	-0.00205
## strat1:EP_MOBILE	0.05589	0.04646	0.06526
## strat1:EP_CROWD	0.00304	-0.00842	0.01452
## strat1:EP_NOVEH	0.21061	0.19575	0.22548
## strat1:EP_GROUPQ	-0.02986	-0.03868	-0.02099
## strat1:EP_UNINSUR	0.11241	0.10070	0.12410
## strat1:co	-0.15616	-0.19852	-0.11415
## strat1:no2	-0.02130	-0.07389	0.03080
## strat1:o3	-0.17981	-0.25226	-0.10658
## strat1:pm10	-0.13845	-0.17356	-0.10333
## strat1:pm25	0.49868	0.44917	0.54790
## strat1:so2	0.02675	-0.00619	0.05901
## strat1:summer_tmmx	0.02545	-0.02723	0.07781
## strat1:winter_tmmx	-0.15659	-0.28254	-0.02076

```
## strat1:summer_rmax      -0.08239 -0.15016 -0.01307
## strat1:winter_rmax      0.06055  0.00976  0.11082
## strat1:Data_Value_CSMOKING 1.19512  1.17709  1.21304
```

List of significant beta coefficients:

```
colnames(beta_samples_matrix)[sign(beta_inference[, 2]) == sign(beta_inference[, 3])]
```

```
## [1] "strat0" "strat0:flood_risk_pc1"
## [3] "strat0:flood_risk_pc2" "strat0:flood_risk_pc4"
## [5] "strat0:EP_AGE65" "strat0:EP_AGE17"
## [7] "strat0:EP_DISABL" "strat0:EP_MINRTY"
## [9] "strat0:EP_LIMENG" "strat0:EP_MUNIT"
## [11] "strat0:EP_MOBILE" "strat0:EP_CROWD"
## [13] "strat0:EP_NOVEH" "strat0:EP_GROUPQ"
## [15] "strat0:EP_UNINSUR" "strat0:co"
## [17] "strat0:o3" "strat0:pm10"
## [19] "strat0:pm25" "strat0:so2"
## [21] "strat0:summer_tmmx" "strat0:winter_tmmx"
## [23] "strat0:winter_rmax" "strat0:Data_Value_CSMOKING"
## [25] "strat1" "strat1:flood_risk_pc1"
## [27] "strat1:EP_AGE65" "strat1:EP_AGE17"
## [29] "strat1:EP_DISABL" "strat1:EP_SNGPNT"
## [31] "strat1:EP_MINRTY" "strat1:EP_LIMENG"
## [33] "strat1:EP_MUNIT" "strat1:EP_MOBILE"
## [35] "strat1:EP_NOVEH" "strat1:EP_GROUPQ"
## [37] "strat1:EP_UNINSUR" "strat1:co"
## [39] "strat1:o3" "strat1:pm10"
## [41] "strat1:pm25" "strat1:winter_tmmx"
## [43] "strat1:summer_rmax" "strat1:winter_rmax"
## [45] "strat1:Data_Value_CSMOKING"
```

Credible Interval plots for the coefficients, in ggplot

```
# first, process the beta_inference matrix in a form ggplot can understand
beta_inference_df <- as.data.frame(beta_inference)
beta_inference_df <- mutate(beta_inference_df, var_name = row.names(beta_inference_df))
beta_inference_df <- rename(beta_inference_df,
                             post_median = `50%`,
                             post_2.5 = `2.5%`,
                             post_97.5 = `97.5%`)
beta_inference_df$var_name <- substring(beta_inference_df$var_name, first = 8)
beta_inference_df$var_name <- factor(beta_inference_df$var_name,
                                     levels = unique(beta_inference_df$var_name))
beta_inference_df$strat <- as.factor(c(rep("Lower", (nrow(beta_inference_df)/2)),
                                     rep("Upper", (nrow(beta_inference_df)/2))))
```

Splitting up the beta coefficients for each strata

```
beta_inference_df_strat0 <- beta_inference_df[1:(nrow(beta_inference_df)/2),]

beta_inference_df_strat1 <- beta_inference_df[(nrow(beta_inference_df)/2 + 1):nrow(beta_inference_df),]
```

Note: The intercept for both strata is not included.


```

p <- ggplot(beta_inference_df_strat0[-1, ], aes(x = var_name, y = post_median, color = strat)) +
  geom_point() +
  ylim(c(-1, 2)) +
  theme(axis.text.x = element_text(angle = 45, vjust = 1, hjust=1), axis.title.x = element_blank(), axis.
        axis.text=element_text(size=12),
        plot.margin = margin(5.5, 5.5, 5.5, 10)) +
  geom_errorbar(aes(ymin = post_2.5, ymax = post_97.5, width = 0.4), col = "#F8766D") +
  geom_vline(xintercept = c(5.5, 17.5, 23.5, 27.5), col = "blue") +
  geom_hline(yintercept = 0, col = "red") +
  annotate(geom = "text", x = 3, y = 1.45, label = "Flood\nRisk",
          col = "blue", size = 4.5) +
  annotate(geom = "text", x = 11.5, y = 1.5, label = "Social Vulnerability Index",
          col = "blue", size = 4.5) +
  annotate(geom = "text", x = 20.5, y = 1.5, label = "Air Pollution",
          col = "blue", size = 4.5) +
  annotate(geom = "text", x = 25.5, y = 1.5, label = "GRIDMET",
          col = "blue", size = 4.5) +
  scale_x_discrete(labels = c("PC 1", "PC 2", "PC 3", "PC 4", "PC 5",
                              "65 or Over", "17 or Under", "Disability",
                              "Single-Parent", "Minority", "Poor English",
                              "Multi-Unit", "Mobile", "Crowded",
                              "No Vehicle", "Group Quarters", "Uninsured",
                              "CO", "NO2", "O3", "PM10", "PM2.5", "SO2",
                              "Summer Temperature", "Winter Temperature", "Summer Humidity", "Winter Humidity",
                              "Smoking")) + ggtitle("95% Credible Intervals, Coronary Heart Disease, Stroke, and Diabetes")
  geom_point(data = beta_inference_df_strat1[-1, ], col = "#00BFC4") + # strat 1
  geom_errorbar(data = beta_inference_df_strat1[-1, ], aes(ymin = post_2.5, ymax = post_97.5, width = 0.4), col = "#F8766D") +
  scale_color_manual(name = "Strata",
                    values = c("#F8766D", "#00BFC4"),
                    drop = FALSE)

```

p

95% Credible Intervals, Coronary Heart Disease, Stratified on RPL Theme 1



```
ggsave(here("figures/final_figures/stratified_analysis/CHD_CI_rpl1.pdf"),
       plot = p, device = "pdf",
       width = 8, height = 6, units = "in")
```

CAR model results, Coronary Heart Disease Stratified on RPL_THEME2

```
load(here("modeling_files/stratified_analysis/model_stratif_rpl2.RData"))

beta_samples_matrix <- rbind(chain1$samples$beta, chain2$samples$beta, chain3$samples$beta)

colnames(beta_samples_matrix) <- var_names

(beta_inference <- round(t(apply(beta_samples_matrix, 2, quantile, c(0.5, 0.025, 0.975))),5))
```

	50%	2.5%	97.5%
## strat0	6.30423	6.28996	6.31858
## strat0:flood_risk_pc1	-0.06673	-0.08370	-0.04983
## strat0:flood_risk_pc2	0.03380	0.01456	0.05310
## strat0:flood_risk_pc3	-0.02927	-0.04362	-0.01490
## strat0:flood_risk_pc4	0.01555	0.00232	0.02886
## strat0:flood_risk_pc5	-0.01854	-0.03140	-0.00567
## strat0:EP_POV	0.17521	0.15077	0.19948
## strat0:EP_UNEMP	0.14020	0.12108	0.15921
## strat0:EP_PCI	0.05835	0.03835	0.07856
## strat0:EP_NOHSDP	0.84768	0.81526	0.88063
## strat0:EP_MINRTH	-0.69547	-0.72610	-0.66503

```

## strat0:EP_LIMENG      -0.02521 -0.05299  0.00254
## strat0:EP_MUNIT      -0.07892 -0.09462 -0.06322
## strat0:EP_MOBILE      0.26763  0.24778  0.28737
## strat0:EP_CROWD      -0.25308 -0.27413 -0.23196
## strat0:EP_NOVEH       0.50768  0.48130  0.53391
## strat0:EP_GROUPQ     -0.29208 -0.30253 -0.28167
## strat0:EP_UNINSUR     -0.06808 -0.08957 -0.04657
## strat0:co            -0.26079 -0.32410 -0.19767
## strat0:no2            0.00479 -0.08237  0.09049
## strat0:o3             0.03266 -0.10392  0.16851
## strat0:pm10          -0.52101 -0.57945 -0.46236
## strat0:pm25           0.53864  0.45407  0.62318
## strat0:so2           -0.06112 -0.11984 -0.00350
## strat0:summer_tmmx   -0.00153 -0.09792  0.09139
## strat0:winter_tmmx   -0.25447 -0.48549  0.01561
## strat0:summer_rmax    0.00042 -0.12539  0.12497
## strat0:winter_rmax    0.01963 -0.07374  0.11369
## strat0:Data_Value_CSMOKING -0.04856 -0.08570 -0.01111
## strat1               7.02421  7.00937  7.03925
## strat1:flood_risk_pc1 -0.05120 -0.06865 -0.03360
## strat1:flood_risk_pc2 -0.00071 -0.01997  0.01843
## strat1:flood_risk_pc3 -0.00739 -0.02342  0.00851
## strat1:flood_risk_pc4  0.01246 -0.00160  0.02677
## strat1:flood_risk_pc5 -0.01306 -0.02721  0.00109
## strat1:EP_POV         0.65182  0.62551  0.67798
## strat1:EP_UNEMP        0.07042  0.05548  0.08540
## strat1:EP_PCI         -0.03986 -0.07767 -0.00180
## strat1:EP_NOHSDP      0.60882  0.57970  0.63782
## strat1:EP_MINRTY      -0.54699 -0.57551 -0.51871
## strat1:EP_LIMENG      -0.17493 -0.20235 -0.14773
## strat1:EP_MUNIT       0.07210  0.04990  0.09420
## strat1:EP_MOBILE      0.20244  0.18781  0.21696
## strat1:EP_CROWD      -0.23715 -0.25767 -0.21643
## strat1:EP_NOVEH       0.54499  0.51862  0.57143
## strat1:EP_GROUPQ      0.12809  0.09979  0.15653
## strat1:EP_UNINSUR     -0.04980 -0.06976 -0.02978
## strat1:co            -0.30915 -0.38079 -0.23805
## strat1:no2            -0.19977 -0.29126 -0.10965
## strat1:o3             0.06285 -0.07316  0.19868
## strat1:pm10          -0.45389 -0.51216 -0.39624
## strat1:pm25           0.61054  0.52651  0.69397
## strat1:so2           -0.03964 -0.09686  0.01733
## strat1:summer_tmmx    0.01070 -0.08642  0.10425
## strat1:winter_tmmx   -0.28525 -0.51747 -0.01566
## strat1:summer_rmax    0.02450 -0.10133  0.14917
## strat1:winter_rmax    0.03539 -0.05743  0.12851
## strat1:Data_Value_CSMOKING -0.21323 -0.24947 -0.17705

```

List of significant beta coefficients:

```
colnames(beta_samples_matrix)[sign(beta_inference[, 2]) == sign(beta_inference[, 3])]
```

```

## [1] "strat0"                "strat0:flood_risk_pc1"
## [3] "strat0:flood_risk_pc2" "strat0:flood_risk_pc3"
## [5] "strat0:flood_risk_pc4" "strat0:flood_risk_pc5"

```

```
## [7] "strat0:EP_POV" "strat0:EP_UNEMP"
## [9] "strat0:EP_PCI" "strat0:EP_NOHSDP"
## [11] "strat0:EP_MINRTY" "strat0:EP_MUNIT"
## [13] "strat0:EP_MOBILE" "strat0:EP_CROWD"
## [15] "strat0:EP_NOVEH" "strat0:EP_GROUPQ"
## [17] "strat0:EP_UNINSUR" "strat0:co"
## [19] "strat0:pm10" "strat0:pm25"
## [21] "strat0:so2" "strat0:Data_Value_CSMOKING"
## [23] "strat1" "strat1:flood_risk_pc1"
## [25] "strat1:EP_POV" "strat1:EP_UNEMP"
## [27] "strat1:EP_PCI" "strat1:EP_NOHSDP"
## [29] "strat1:EP_MINRTY" "strat1:EP_LIMENG"
## [31] "strat1:EP_MUNIT" "strat1:EP_MOBILE"
## [33] "strat1:EP_CROWD" "strat1:EP_NOVEH"
## [35] "strat1:EP_GROUPQ" "strat1:EP_UNINSUR"
## [37] "strat1:co" "strat1:no2"
## [39] "strat1:pm10" "strat1:pm25"
## [41] "strat1:winter_tmmx" "strat1:Data_Value_CSMOKING"
```

Credible Interval plots for the coefficients, in ggplot

```
# first, process the beta_inference matrix in a form ggplot can understand
beta_inference_df <- as.data.frame(beta_inference)
beta_inference_df <- mutate(beta_inference_df, var_name = row.names(beta_inference_df))
beta_inference_df <- rename(beta_inference_df,
                             post_median = `50%`,
                             post_2.5 = `2.5%`,
                             post_97.5 = `97.5%`)
beta_inference_df$var_name <- substring(beta_inference_df$var_name, first = 8)
beta_inference_df$var_name <- factor(beta_inference_df$var_name,
                                     levels = unique(beta_inference_df$var_name))
beta_inference_df$strat <- as.factor(c(rep("Lower", (nrow(beta_inference_df)/2)),
                                       rep("Upper", (nrow(beta_inference_df)/2))))
```

Splitting up the beta coefficients for each strata

```
beta_inference_df_strat0 <- beta_inference_df[1:(nrow(beta_inference_df)/2),]
beta_inference_df_strat1 <- beta_inference_df[(nrow(beta_inference_df)/2 + 1):nrow(beta_inference_df),]
```

Note: The intercept for both strata is not included.

```
p <- ggplot(beta_inference_df_strat0[-1, ], aes(x = var_name, y = post_median, color = strat)) +
  geom_point() +
  ylim(c(-1, 2)) +
  theme(axis.text.x = element_text(angle = 45, vjust = 1, hjust=1), axis.title.x = element_blank(), axis.title.y = element_text(size=12),
        plot.margin = margin(5.5, 5.5, 5.5, 10)) +
  geom_errorbar(aes(ymin = post_2.5, ymax = post_97.5, width = 0.4), col = "#F8766D") +
  geom_vline(xintercept = c(5.5, 17.5, 23.5, 27.5), col = "blue") +
  geom_hline(yintercept = 0, col = "red") +
  annotate(geom = "text", x = 3, y = 1.45, label = "Flood\nRisk",
          col = "blue", size = 4.5) +
  annotate(geom = "text", x = 11.5, y = 1.5, label = "Social Vulnerability Index",
```


```

    col = "blue", size = 4.5) +
  annotate(geom = "text", x = 20.5, y = 1.5, label = "Air Pollution",
    col = "blue", size = 4.5) +
  annotate(geom = "text", x = 25.5, y = 1.5, label = "GRIDMET",
    col = "blue", size = 4.5) +
  scale_x_discrete(labels = c("PC 1", "PC 2", "PC 3", "PC 4", "PC 5",
    "Poverty", "Unemployed", "Per Capita Income", "No High School",
    "Minority", "Poor English",
    "Multi-Unit", "Mobile", "Crowded",
    "No Vehicle", "Group Quarters", "Uninsured",
    "CO", "NO2", "O3", "PM10", "PM2.5", "SO2",
    "Summer Temperature", "Winter Temperature", "Summer Humidity", "Winter Humidity",
    "Smoking")) + ggtitle("95% Credible Intervals, Coronary Heart Disease, St.
  geom_point(data = beta_inference_df_strat1[-1, ], col = "#00BFC4") + # strat 1
  geom_errorbar(data = beta_inference_df_strat1[-1, ], aes(ymin = post_2.5, ymax = post_97.5, width = 0
  scale_color_manual(name = "Strata",
    values = c("#F8766D", "#00BFC4"),
    drop = FALSE)

```

p

95% Credible Intervals, Coronary Heart Disease, Stratified on RPL Theme 2



```

ggsave(here("figures/final_figures/stratified_analysis/CHD_CI_rpl2.pdf"),
  plot = p, device = "pdf",
  width = 8, height = 6, units = "in")

```

CAR model results, Coronary Heart Disease Stratified on RPL_THEME3

Inference is based on 3 markov chains, each of which has been run for 110000 samples, the first 10000 of which has been removed for burn-in. The remaining 100000 samples are thinned by 2, resulting in 150000 samples for inference across the 3 Markov chains.

```
load(here("modeling_files/stratified_analysis/model_stratif_rpl3.RData"))

beta_samples_matrix <- rbind(chain1$samples$beta, chain2$samples$beta, chain3$samples$beta)

colnames(beta_samples_matrix) <- var_names

(beta_inference <- round(t(apply(beta_samples_matrix, 2, quantile, c(0.5, 0.025, 0.975))),5))
```

##	50%	2.5%	97.5%
## strat0	6.76501	6.74767	6.78232
## strat0:flood_risk_pc1	-0.01483	-0.02636	-0.00329
## strat0:flood_risk_pc2	0.01941	0.00585	0.03304
## strat0:flood_risk_pc3	0.01204	0.00166	0.02237
## strat0:flood_risk_pc4	0.01696	0.00631	0.02751
## strat0:flood_risk_pc5	0.00355	-0.00677	0.01390
## strat0:EP_POV	0.31113	0.29337	0.32879
## strat0:EP_UNEMP	0.03773	0.02563	0.04977
## strat0:EP_PCI	-0.02874	-0.04289	-0.01464
## strat0:EP_NOHSDP	0.27300	0.24645	0.29950
## strat0:EP_AGE65	1.30345	1.29075	1.31612
## strat0:EP_AGE17	0.29597	0.28110	0.31068
## strat0:EP_DISABL	0.26693	0.25282	0.28102
## strat0:EP_SNGPNT	-0.01633	-0.03074	-0.00193
## strat0:EP_MUNIT	-0.05652	-0.07218	-0.04082
## strat0:EP_MOBILE	0.06397	0.05291	0.07506
## strat0:EP_CROWD	-0.00750	-0.03182	0.01660
## strat0:EP_NOVEH	0.13557	0.11469	0.15648
## strat0:EP_GROUPQ	-0.12827	-0.13845	-0.11820
## strat0:EP_UNINSUR	0.10768	0.09121	0.12411
## strat0:co	-0.12087	-0.16222	-0.07935
## strat0:no2	-0.04947	-0.10435	0.00505
## strat0:o3	-0.15967	-0.23060	-0.07892
## strat0:pm10	-0.14755	-0.18179	-0.11344
## strat0:pm25	0.39031	0.33941	0.44041
## strat0:so2	0.04042	0.00561	0.07503
## strat0:summer_tmmx	0.07608	0.02380	0.12765
## strat0:winter_tmmx	-0.27667	-0.40808	-0.15117
## strat0:summer_rmax	-0.01973	-0.08950	0.04666
## strat0:winter_rmax	0.07179	0.01947	0.12320
## strat0:Data_Value_CSMOKING	0.69089	0.66326	0.71846
## strat1	6.70294	6.69188	6.71406
## strat1:flood_risk_pc1	-0.02118	-0.03244	-0.00987
## strat1:flood_risk_pc2	0.00852	-0.00349	0.02045
## strat1:flood_risk_pc3	-0.00779	-0.01750	0.00194
## strat1:flood_risk_pc4	-0.00117	-0.00917	0.00686
## strat1:flood_risk_pc5	0.00156	-0.00624	0.00930
## strat1:EP_POV	0.32643	0.31130	0.34164
## strat1:EP_UNEMP	0.02950	0.01973	0.03931
## strat1:EP_PCI	-0.03701	-0.05396	-0.02003


```
## strat1:EP_NOHSDP      0.13020  0.11521  0.14521
## strat1:EP_AGE65       1.55164  1.53707  1.56633
## strat1:EP_AGE17       0.24312  0.22915  0.25720
## strat1:EP_DISABL      0.24637  0.23310  0.25961
## strat1:EP_SNGPNT     -0.06454 -0.07580 -0.05327
## strat1:EP_MUNIT      -0.06197 -0.07234 -0.05155
## strat1:EP_MOBILE      0.09291  0.08235  0.10348
## strat1:EP_CROWD      -0.02666 -0.03815 -0.01518
## strat1:EP_NOVEH       0.09375  0.07817  0.10935
## strat1:EP_GROUPQ     -0.06692 -0.07650 -0.05736
## strat1:EP_UNINSUR     0.08772  0.07555  0.09989
## strat1:co            -0.12116 -0.16478 -0.07813
## strat1:no2           -0.05278 -0.10570  0.00006
## strat1:o3            -0.15822 -0.22952 -0.07679
## strat1:pm10          -0.16850 -0.20472 -0.13198
## strat1:pm25           0.44519  0.39367  0.49574
## strat1:so2           0.02409 -0.01298  0.06035
## strat1:summer_tmmx    0.04815 -0.00518  0.10083
## strat1:winter_tmmx   -0.21012 -0.34171 -0.08545
## strat1:summer_rmax   -0.07801 -0.14827 -0.01132
## strat1:winter_rmax    0.04087 -0.01191  0.09299
## strat1:Data_Value_CSMOKING 0.84659  0.82323  0.86998
```

List of significant beta coefficients:

```
colnames(beta_samples_matrix)[sign(beta_inference[, 2]) == sign(beta_inference[, 3])]
```

```
## [1] "strat0" "strat0:flood_risk_pc1"
## [3] "strat0:flood_risk_pc2" "strat0:flood_risk_pc3"
## [5] "strat0:flood_risk_pc4" "strat0:EP_POV"
## [7] "strat0:EP_UNEMP" "strat0:EP_PCI"
## [9] "strat0:EP_NOHSDP" "strat0:EP_AGE65"
## [11] "strat0:EP_AGE17" "strat0:EP_DISABL"
## [13] "strat0:EP_SNGPNT" "strat0:EP_MUNIT"
## [15] "strat0:EP_MOBILE" "strat0:EP_NOVEH"
## [17] "strat0:EP_GROUPQ" "strat0:EP_UNINSUR"
## [19] "strat0:co" "strat0:o3"
## [21] "strat0:pm10" "strat0:pm25"
## [23] "strat0:so2" "strat0:summer_tmmx"
## [25] "strat0:winter_tmmx" "strat0:winter_rmax"
## [27] "strat0:Data_Value_CSMOKING" "strat1"
## [29] "strat1:flood_risk_pc1" "strat1:EP_POV"
## [31] "strat1:EP_UNEMP" "strat1:EP_PCI"
## [33] "strat1:EP_NOHSDP" "strat1:EP_AGE65"
## [35] "strat1:EP_AGE17" "strat1:EP_DISABL"
## [37] "strat1:EP_SNGPNT" "strat1:EP_MUNIT"
## [39] "strat1:EP_MOBILE" "strat1:EP_CROWD"
## [41] "strat1:EP_NOVEH" "strat1:EP_GROUPQ"
## [43] "strat1:EP_UNINSUR" "strat1:co"
## [45] "strat1:o3" "strat1:pm10"
## [47] "strat1:pm25" "strat1:winter_tmmx"
## [49] "strat1:summer_rmax" "strat1:Data_Value_CSMOKING"
```

Credible Interval plots for the coefficients, in ggplot


```
# first, process the beta_inference matrix in a form ggplot can understand
beta_inference_df <- as.data.frame(beta_inference)
beta_inference_df <- mutate(beta_inference_df, var_name = row.names(beta_inference_df))
beta_inference_df <- rename(beta_inference_df,
                             post_median = `50%`,
                             post_2.5 = `2.5%`,
                             post_97.5 = `97.5%`)
beta_inference_df$var_name <- substring(beta_inference_df$var_name, first = 8)
beta_inference_df$var_name <- factor(beta_inference_df$var_name,
                                     levels = unique(beta_inference_df$var_name))
beta_inference_df$strat <- as.factor(c(rep("Lower", (nrow(beta_inference_df)/2)),
                                     rep("Upper", (nrow(beta_inference_df)/2))))
```

Splitting up the beta coefficients for each strata

```
beta_inference_df_strat0 <- beta_inference_df[1:(nrow(beta_inference_df)/2),]
beta_inference_df_strat1 <- beta_inference_df[(nrow(beta_inference_df)/2 + 1):nrow(beta_inference_df),]
```

Note: The intercept for both strata is not included.

```
p <- ggplot(beta_inference_df_strat0[-1, ], aes(x = var_name, y = post_median, color = strat)) +
  geom_point() +
  ylim(c(-1, 2)) +
  theme(axis.text.x = element_text(angle = 45, vjust = 1, hjust=1), axis.title.x = element_blank(), axis.title.y = element_blank(),
        axis.text=element_text(size=12),
        plot.margin = margin(5.5, 5.5, 5.5, 10)) +
  geom_errorbar(aes(ymin = post_2.5, ymax = post_97.5, width = 0.4), col = "#F8766D") +
  geom_vline(xintercept = c(5.5, 19.5, 25.5, 29.5), col = "blue") +
  geom_hline(yintercept = 0, col = "red") +
  annotate(geom = "text", x = 3, y = 1.45, label = "Flood\nRisk",
          col = "blue", size = 4.5) +
  annotate(geom = "text", x = 12.5, y = 1.5, label = "Social Vulnerability Index",
          col = "blue", size = 4.5) +
  annotate(geom = "text", x = 22.5, y = 1.5, label = "Air Pollution",
          col = "blue", size = 4.5) +
  annotate(geom = "text", x = 27.5, y = 1.5, label = "GRIDMET",
          col = "blue", size = 4.5) +
  scale_x_discrete(labels = c("PC 1", "PC 2", "PC 3", "PC 4", "PC 5",
                              "Poverty", "Unemployed", "Per Capita Income", "No High School",
                              "65 or Over", "17 or Under", "Disability",
                              "Single-Parent",
                              "Multi-Unit", "Mobile", "Crowded",
                              "No Vehicle", "Group Quarters", "Uninsured",
                              "CO", "NO2", "O3", "PM10", "PM2.5", "SO2",
                              "Summer Temperature", "Winter Temperature", "Summer Humidity", "Winter Humidity",
                              "Smoking")) + ggtitle("95% Credible Intervals, Coronary Heart Disease, Stroke")
p <- p +
  geom_point(data = beta_inference_df_strat1[-1, ], col = "#00BFC4") + # strat 1
  geom_errorbar(data = beta_inference_df_strat1[-1, ], aes(ymin = post_2.5, ymax = post_97.5, width = 0.4), col = "#00BFC4") +
  scale_color_manual(name = "Strata",
                    values = c("#F8766D", "#00BFC4"),
                    drop = FALSE)
```



```
ggsave(here("figures/final_figures/stratified_analysis/CHD_CI_rpl3.pdf"),
  plot = p, device = "pdf",
  width = 8, height = 6, units = "in")
```

CAR model results, Coronary Heart Disease Stratified on RPL_THEME4

Inference is based on 3 markov chains, each of which has been run for 110000 samples, the first 10000 of which has been removed for burn-in. The remaining 100000 samples are thinned by 2, resulting in 150000 samples for inference across the 3 Markov chains.

```
load(here("modeling_files/stratified_analysis/model_stratif_rpl4.RData"))

beta_samples_matrix <- rbind(chain1$samples$beta, chain2$samples$beta, chain3$samples$beta)

colnames(beta_samples_matrix) <- var_names

(beta_inference <- round(t(apply(beta_samples_matrix, 2, quantile, c(0.5, 0.025, 0.975))),5))
```

	50%	2.5%	97.5%
## strat0	6.63735	6.62864	6.64598
## strat0:flood_risk_pc1	-0.00364	-0.01457	0.00737
## strat0:flood_risk_pc2	0.02375	0.01129	0.03624
## strat0:flood_risk_pc3	0.00200	-0.00753	0.01157
## strat0:flood_risk_pc4	0.00945	0.00023	0.01875
## strat0:flood_risk_pc5	0.00102	-0.00800	0.01002

## strat0:EP_POV	0.35369	0.33530	0.37222
## strat0:EP_UNEMP	0.02864	0.01693	0.04041
## strat0:EP_PCI	0.00055	-0.01324	0.01443
## strat0:EP_NOHSDP	0.25463	0.23257	0.27695
## strat0:EP_AGE65	1.31732	1.30509	1.32956
## strat0:EP_AGE17	0.28532	0.27281	0.29780
## strat0:EP_DISABL	0.24523	0.23103	0.25938
## strat0:EP_SNGPNT	-0.05462	-0.06811	-0.04103
## strat0:EP_MINRTY	-0.11497	-0.13396	-0.09593
## strat0:EP_LIMENG	-0.10944	-0.13225	-0.08678
## strat0:EP_UNINSUR	0.15000	0.13483	0.16519
## strat0:co	-0.14266	-0.18588	-0.09948
## strat0:no2	-0.01346	-0.06727	0.04026
## strat0:o3	-0.18840	-0.25888	-0.11536
## strat0:pm10	-0.18489	-0.21851	-0.15140
## strat0:pm25	0.39730	0.34927	0.44605
## strat0:so2	0.04539	0.01126	0.07893
## strat0:summer_tmmx	0.11469	0.06126	0.16597
## strat0:winter_tmmx	-0.27003	-0.39622	-0.11920
## strat0:summer_rmax	-0.03065	-0.09464	0.03626
## strat0:winter_rmax	0.06184	0.01007	0.11092
## strat0:Data_Value_CSMOKING	0.76785	0.74208	0.79377
## strat1	6.69248	6.68424	6.70077
## strat1:flood_risk_pc1	-0.01305	-0.02363	-0.00250
## strat1:flood_risk_pc2	-0.00001	-0.01185	0.01190
## strat1:flood_risk_pc3	0.00253	-0.00697	0.01204
## strat1:flood_risk_pc4	0.00372	-0.00465	0.01210
## strat1:flood_risk_pc5	0.00187	-0.00655	0.01020
## strat1:EP_POV	0.27532	0.26177	0.28878
## strat1:EP_UNEMP	0.02950	0.01933	0.03962
## strat1:EP_PCI	-0.02088	-0.03821	-0.00346
## strat1:EP_NOHSDP	0.12811	0.11050	0.14567
## strat1:EP_AGE65	1.58104	1.56781	1.59430
## strat1:EP_AGE17	0.36873	0.35667	0.38077
## strat1:EP_DISABL	0.29361	0.28102	0.30624
## strat1:EP_SNGPNT	-0.08524	-0.09724	-0.07322
## strat1:EP_MINRTY	-0.00064	-0.01896	0.01768
## strat1:EP_LIMENG	-0.03896	-0.05410	-0.02382
## strat1:EP_UNINSUR	0.10881	0.09672	0.12092
## strat1:co	-0.13901	-0.17730	-0.10084
## strat1:no2	-0.06750	-0.11743	-0.01767
## strat1:o3	-0.20967	-0.28003	-0.13643
## strat1:pm10	-0.13527	-0.16996	-0.10129
## strat1:pm25	0.40482	0.35736	0.45303
## strat1:so2	0.04802	0.01488	0.08091
## strat1:summer_tmmx	0.08015	0.02752	0.13014
## strat1:winter_tmmx	-0.20823	-0.33365	-0.05768
## strat1:summer_rmax	-0.06400	-0.12763	0.00301
## strat1:winter_rmax	0.05103	-0.00009	0.09987
## strat1:Data_Value_CSMOKING	0.92192	0.89936	0.94454

List of significant beta coefficients:

```
colnames(beta_samples_matrix)[sign(beta_inference[, 2]) == sign(beta_inference[, 3])]
```

```
## [1] "strat0" "strat0:flood_risk_pc2"
## [3] "strat0:flood_risk_pc4" "strat0:EP_POV"
## [5] "strat0:EP_UNEMP" "strat0:EP_NOHSDP"
## [7] "strat0:EP_AGE65" "strat0:EP_AGE17"
## [9] "strat0:EP_DISABL" "strat0:EP_SNGPNT"
## [11] "strat0:EP_MINRTY" "strat0:EP_LIMENG"
## [13] "strat0:EP_UNINSUR" "strat0:co"
## [15] "strat0:o3" "strat0:pm10"
## [17] "strat0:pm25" "strat0:so2"
## [19] "strat0:summer_tmmx" "strat0:winter_tmmx"
## [21] "strat0:winter_rmax" "strat0:Data_Value_CSMOKING"
## [23] "strat1" "strat1:flood_risk_pc1"
## [25] "strat1:EP_POV" "strat1:EP_UNEMP"
## [27] "strat1:EP_PCI" "strat1:EP_NOHSDP"
## [29] "strat1:EP_AGE65" "strat1:EP_AGE17"
## [31] "strat1:EP_DISABL" "strat1:EP_SNGPNT"
## [33] "strat1:EP_LIMENG" "strat1:EP_UNINSUR"
## [35] "strat1:co" "strat1:no2"
## [37] "strat1:o3" "strat1:pm10"
## [39] "strat1:pm25" "strat1:so2"
## [41] "strat1:summer_tmmx" "strat1:winter_tmmx"
## [43] "strat1:Data_Value_CSMOKING"
```

Credible Interval plots for the coefficients, in ggplot

```
# first, process the beta_inference matrix in a form ggplot can understand
beta_inference_df <- as.data.frame(beta_inference)
beta_inference_df <- mutate(beta_inference_df, var_name = row.names(beta_inference_df))
beta_inference_df <- rename(beta_inference_df,
                             post_median = `50%`,
                             post_2.5 = `2.5%`,
                             post_97.5 = `97.5%`)
beta_inference_df$var_name <- substring(beta_inference_df$var_name, first = 8)
beta_inference_df$var_name <- factor(beta_inference_df$var_name,
                                     levels = unique(beta_inference_df$var_name))
beta_inference_df$strat <- as.factor(c(rep("Lower", (nrow(beta_inference_df)/2)),
                                     rep("Upper", (nrow(beta_inference_df)/2))))
```

Splitting up the beta coefficients for each strata

```
beta_inference_df_strat0 <- beta_inference_df[1:(nrow(beta_inference_df)/2),]
beta_inference_df_strat1 <- beta_inference_df[(nrow(beta_inference_df)/2 + 1):nrow(beta_inference_df),]
```

Note: The intercept for both strata is not included.

```
p <- ggplot(beta_inference_df_strat0[-1, ], aes(x = var_name, y = post_median, color = strat)) +
  geom_point() +
  ylim(c(-1, 2)) +
  theme(axis.text.x = element_text(angle = 45, vjust = 1, hjust=1), axis.title.x = element_blank(), axis.title.y = element_text(size=12),
        plot.margin = margin(5.5, 5.5, 5.5, 10)) +
```


```

geom_errorbar(aes(ymin = post_2.5, ymax = post_97.5, width = 0.4), col = "#F8766D") +
geom_vline(xintercept = c(5.5, 16.5, 22.5, 26.5), col = "blue") +
geom_hline(yintercept = 0, col = "red") +
annotate(geom = "text", x = 3, y = 1.45, label = "Flood\nRisk",
  col = "blue", size = 4.5) +
annotate(geom = "text", x = 11, y = 1.5, label = "Social Vulnerability Index",
  col = "blue", size = 4.5) +
annotate(geom = "text", x = 19.5, y = 1.5, label = "Air Pollution",
  col = "blue", size = 4.5) +
annotate(geom = "text", x = 24.5, y = 1.5, label = "GRIDMET",
  col = "blue", size = 4.5) +
scale_x_discrete(labels = c("PC 1", "PC 2", "PC 3", "PC 4", "PC 5",
  "Poverty", "Unemployed", "Per Capita Income", "No High School",
  "65 or Over", "17 or Under", "Disability",
  "Single-Parent",
  "Minority", "Poor English",
  "Uninsured",
  "CO", "NO2", "O3", "PM10", "PM2.5", "SO2",
  "Summer Temperature", "Winter Temperature", "Summer Humidity", "Winter Humidity",
  "Smoking")) + ggtitle("95% Credible Intervals, Coronary Heart Disease, St.
geom_point(data = beta_inference_df_strat1[-1, ], col = "#00BFC4") + # strat 1
geom_errorbar(data = beta_inference_df_strat1[-1, ], aes(ymin = post_2.5, ymax = post_97.5, width = 0
scale_color_manual(name = "Strata",
  values = c("#F8766D", "#00BFC4"),
  drop = FALSE)

```

p

95% Credible Intervals, Coronary Heart Disease, Stratified on RPL Theme 4



```
ggsave(here("figures/final_figures/stratified_analysis/CHD_CI_rpl4.pdf"),
       plot = p, device = "pdf",
       width = 8, height = 6, units = "in")
```

CAR model results, Coronary Heart Disease Stratified on RPL_THEMES

Inference is based on 3 markov chains, each of which has been run for 110000 samples, the first 10000 of which has been removed for burn-in. The remaining 100000 samples are thinned by 2, resulting in 150000 samples for inference across the 3 Markov chains.

```
load(here("modeling_files/stratified_analysis/model_stratif_rpls.RData"))
```

```
beta_samples_matrix <- rbind(chain1$samples$beta, chain2$samples$beta, chain3$samples$beta)
```

```
colnames(beta_samples_matrix) <- var_names
```

```
(beta_inference <- round(t(apply(beta_samples_matrix, 2, quantile, c(0.5, 0.025, 0.975))),5))
```

##	50%	2.5%	97.5%
## strat0	6.22923	6.20960	6.24873
## strat0:flood_risk_pc1	-0.09529	-0.11554	-0.07482
## strat0:flood_risk_pc2	0.02648	0.00304	0.04975
## strat0:flood_risk_pc3	-0.03070	-0.04791	-0.01340
## strat0:flood_risk_pc4	0.01623	-0.00086	0.03324
## strat0:flood_risk_pc5	-0.03153	-0.04782	-0.01522
## strat0:EP_UNINSUR	-0.00946	-0.03789	0.01914
## strat0:co	-0.31590	-0.39066	-0.24136
## strat0:no2	-0.34359	-0.44004	-0.24469
## strat0:o3	-0.41323	-0.57595	-0.26473
## strat0:pm10	-0.69297	-0.76084	-0.62591
## strat0:pm25	0.81704	0.72026	0.91460
## strat0:so2	0.02995	-0.03554	0.09841
## strat0:summer_tmmx	0.08278	-0.03023	0.20197
## strat0:winter_tmmx	-0.46540	-0.80970	-0.12863
## strat0:summer_rmax	-0.02028	-0.15795	0.12244
## strat0:winter_rmax	0.12838	0.02425	0.23107
## strat0:Data_Value_CSMOKING	0.36589	0.33407	0.39785
## strat1	6.86194	6.84507	6.87874
## strat1:flood_risk_pc1	-0.06508	-0.08469	-0.04536
## strat1:flood_risk_pc2	0.03272	0.01137	0.05412
## strat1:flood_risk_pc3	-0.02048	-0.03820	-0.00300
## strat1:flood_risk_pc4	0.01250	-0.00257	0.02757
## strat1:flood_risk_pc5	-0.00153	-0.01654	0.01355
## strat1:EP_UNINSUR	-0.13812	-0.15672	-0.11934
## strat1:co	-0.49377	-0.57383	-0.41376
## strat1:no2	-0.04214	-0.14042	0.05686
## strat1:o3	-0.52150	-0.68436	-0.37188
## strat1:pm10	-0.62719	-0.69743	-0.55768
## strat1:pm25	0.82231	0.72475	0.91947
## strat1:so2	0.03199	-0.03275	0.09900
## strat1:summer_tmmx	0.00419	-0.10952	0.12432
## strat1:winter_tmmx	-0.25761	-0.59916	0.07707
## strat1:summer_rmax	-0.07899	-0.21757	0.06513
## strat1:winter_rmax	0.10485	0.00059	0.20788

```
## strat1:Data_Value_CSMOKING 0.86591 0.84219 0.88957
```

List of significant beta coefficients:

```
colnames(beta_samples_matrix)[sign(beta_inference[, 2]) == sign(beta_inference[, 3])]
```

```
## [1] "strat0" "strat0:flood_risk_pc1"
## [3] "strat0:flood_risk_pc2" "strat0:flood_risk_pc3"
## [5] "strat0:flood_risk_pc5" "strat0:co"
## [7] "strat0:no2" "strat0:o3"
## [9] "strat0:pm10" "strat0:pm25"
## [11] "strat0:winter_tmmx" "strat0:winter_rmax"
## [13] "strat0:Data_Value_CSMOKING" "strat1"
## [15] "strat1:flood_risk_pc1" "strat1:flood_risk_pc2"
## [17] "strat1:flood_risk_pc3" "strat1:EP_UNINSUR"
## [19] "strat1:co" "strat1:o3"
## [21] "strat1:pm10" "strat1:pm25"
## [23] "strat1:winter_rmax" "strat1:Data_Value_CSMOKING"
```

Credible Interval plots for the coefficients, in ggplot

```
# first, process the beta_inference matrix in a form ggplot can understand
beta_inference_df <- as.data.frame(beta_inference)
beta_inference_df <- mutate(beta_inference_df, var_name = row.names(beta_inference_df))
beta_inference_df <- rename(beta_inference_df,
                             post_median = `50%`,
                             post_2.5 = `2.5%`,
                             post_97.5 = `97.5%`)
beta_inference_df$var_name <- substring(beta_inference_df$var_name, first = 8)
beta_inference_df$var_name <- factor(beta_inference_df$var_name,
                                     levels = unique(beta_inference_df$var_name))
beta_inference_df$strat <- as.factor(c(rep("Lower", (nrow(beta_inference_df)/2)),
                                     rep("Upper", (nrow(beta_inference_df)/2))))
```

Splitting up the beta coefficients for each strata

```
beta_inference_df_strat0 <- beta_inference_df[1:(nrow(beta_inference_df)/2),]
```

```
beta_inference_df_strat1 <- beta_inference_df[(nrow(beta_inference_df)/2 + 1):nrow(beta_inference_df),]
```

Note: The intercept for both strata is not included.

```
p <- ggplot(beta_inference_df_strat0[-1, ], aes(x = var_name, y = post_median, color = strat)) +
  geom_point() +
  ylim(c(-1, 2)) +
  theme(axis.text.x = element_text(angle = 45, vjust = 1, hjust=1), axis.title.x = element_blank(), axis.title.y = element_text(size=12),
        plot.margin = margin(5.5, 5.5, 5.5, 10)) +
  geom_errorbar(aes(ymin = post_2.5, ymax = post_97.5, width = 0.4), col = "#F8766D") +
  geom_vline(xintercept = c(5.5, 6.5, 12.5, 16.5), col = "blue") +
  geom_hline(yintercept = 0, col = "red") +
  annotate(geom = "text", x = 3, y = 1.45, label = "Flood\nRisk",
          col = "blue", size = 4.5) +
  annotate(geom = "text", x = 9.5, y = 1.5, label = "Air Pollution",
          col = "blue", size = 4.5) +
```




```

annotate(geom = "text", x = 14.5, y = 1.5, label = "GRIDMET",
        col = "blue", size = 4.5) +
scale_x_discrete(labels = c("PC 1", "PC 2", "PC 3", "PC 4", "PC 5",
                            "Uninsured",
                            "CO", "NO2", "O3", "PM10", "PM2.5", "SO2",
                            "Summer Temperature", "Winter Temperature", "Summer Humidity", "Winter Humidity",
                            "Smoking")) + ggtitle("95% Credible Intervals, Coronary Heart Disease, Stratified on All RPL Themes")
geom_point(data = beta_inference_df_strat1[-1, ], col = "#00BFC4") + # strat 1
geom_errorbar(data = beta_inference_df_strat1[-1, ], aes(ymin = post_2.5, ymax = post_97.5, width = 0.5))
scale_color_manual(name = "Strata",
                  values = c("#F8766D", "#00BFC4"),
                  drop = FALSE)

```

p

95% Credible Intervals, Coronary Heart Disease, Stratified on All RPL Themes



```

ggsave(here("figures/final_figures/stratified_analysis/CHD_CI_rpls.pdf"),
       plot = p, device = "pdf",
       width = 8, height = 6, units = "in")

```

BPHIGH Stratified Analysis

Repeating the stratified analysis in the last section, this time just doing the plots

Stratified on Poverty

```
load(here("modeling_files/stratified_analysis/model_stratif_poverty_BPHIGH.RData"))

beta_samples_matrix <- rbind(chain1$samples$beta, chain2$samples$beta, chain3$samples$beta)

colnames(beta_samples_matrix) <- var_names

(beta_inference <- round(t(apply(beta_samples_matrix, 2, quantile, c(0.5, 0.025, 0.975))),5))

##           50%      2.5%      97.5%
## strat0      31.81072 31.76808 31.85316
## strat0:flood_risk_pc1    0.00942 -0.02697 0.04548
## strat0:flood_risk_pc2    0.05889 0.01730 0.10010
## strat0:flood_risk_pc3    0.01296 -0.01790 0.04395
## strat0:flood_risk_pc4    0.04486 0.01528 0.07444
## strat0:flood_risk_pc5    0.01254 -0.01536 0.04061
## strat0:EP_UNEMP    0.10481 0.05762 0.15164
## strat0:EP_PCI    0.10979 0.06522 0.15466
## strat0:EP_NOHSDP    0.26285 0.17595 0.34920
## strat0:EP_AGE65    3.69131 3.64823 3.73430
## strat0:EP_AGE17    0.26898 0.21980 0.31812
## strat0:EP_DISABL    0.64584 0.59379 0.69845
## strat0:EP_SNGPNT    0.05582 0.00695 0.10473
## strat0:EP_MINRTY    1.78954 1.71692 1.86169
## strat0:EP_LIMENG   -0.84896 -0.92822 -0.77018
## strat0:EP_MUNIT   -0.70297 -0.74363 -0.66217
## strat0:EP_MOBILE    0.18471 0.14378 0.22560
## strat0:EP_CROWD   -0.01549 -0.07955 0.04878
## strat0:EP_NOVEH    0.25038 0.17968 0.32075
## strat0:EP_GROUPQ   -0.71909 -0.75996 -0.67807
## strat0:EP_UNINSUR    0.38212 0.32853 0.43530
## strat0:co   -0.52543 -0.65490 -0.39521
## strat0:no2   -0.59173 -0.76546 -0.41967
## strat0:o3   -0.48358 -0.74541 -0.22200
## strat0:pm10  -0.51405 -0.62941 -0.40235
## strat0:pm25    1.07335 0.91211 1.24476
## strat0:so2    0.15815 0.04247 0.27580
## strat0:summer_tmmx    0.28587 0.10736 0.47950
## strat0:winter_tmmx   -0.89791 -1.49153 -0.43034
## strat0:summer_rmax   -0.15934 -0.40798 0.09149
## strat0:winter_rmax    0.24545 0.06530 0.42711
## strat0:Data_Value_CSMOKING 1.83412 1.74082 1.92630
## strat1      32.31804 32.28175 32.35408
## strat1:flood_risk_pc1   -0.02892 -0.06274 0.00486
## strat1:flood_risk_pc2    0.08176 0.04389 0.11985
## strat1:flood_risk_pc3    0.06746 0.03762 0.09730
## strat1:flood_risk_pc4    0.02925 0.00222 0.05602
## strat1:flood_risk_pc5    0.00818 -0.01859 0.03488
## strat1:EP_UNEMP    0.09299 0.06486 0.12128
## strat1:EP_PCI    0.43201 0.35438 0.50905
## strat1:EP_NOHSDP   -0.14034 -0.19509 -0.08587
## strat1:EP_AGE65    4.42987 4.38491 4.47519
## strat1:EP_AGE17    0.72096 0.67688 0.76560
```

```
## strat1:EP_DISABL      0.75897  0.72140  0.79667
## strat1:EP_SNGPNT     -0.10875 -0.14398 -0.07336
## strat1:EP_MINRTY      3.08881  3.03057  3.14727
## strat1:EP_LIMENG     -0.88186 -0.93034 -0.83323
## strat1:EP_MUNIT      -0.50383 -0.53926 -0.46831
## strat1:EP_MOBILE      0.11469  0.08422  0.14508
## strat1:EP_CROWD      -0.14332 -0.18035 -0.10618
## strat1:EP_NOVEH       0.57222  0.52562  0.61891
## strat1:EP_GROUPQ     -0.49463 -0.52152 -0.46768
## strat1:EP_UNINSUR      0.19596  0.15789  0.23357
## strat1:co            -0.80327 -0.94502 -0.66230
## strat1:no2           -0.55613 -0.73215 -0.38318
## strat1:o3            -0.55544 -0.81800 -0.29313
## strat1:pm10          -0.46440 -0.58334 -0.34982
## strat1:pm25           1.31189  1.15016  1.48344
## strat1:so2           -0.02503 -0.13820  0.09058
## strat1:summer_tmmx    0.01667 -0.16454  0.21049
## strat1:winter_tmmx   -0.47474 -1.06863 -0.00922
## strat1:summer_rmax   -0.29181 -0.54163 -0.04171
## strat1:winter_rmax    0.13001 -0.04799  0.31213
## strat1:Data_Value_CSMOKING 2.74937  2.68355  2.81552
```

List of significant beta coefficients:

```
colnames(beta_samples_matrix)[sign(beta_inference[, 2]) == sign(beta_inference[, 3])]
```

```
## [1] "strat0" "strat0:flood_risk_pc2"
## [3] "strat0:flood_risk_pc4" "strat0:EP_UNEMP"
## [5] "strat0:EP_PCI" "strat0:EP_NOHSDP"
## [7] "strat0:EP_AGE65" "strat0:EP_AGE17"
## [9] "strat0:EP_DISABL" "strat0:EP_SNGPNT"
## [11] "strat0:EP_MINRTY" "strat0:EP_LIMENG"
## [13] "strat0:EP_MUNIT" "strat0:EP_MOBILE"
## [15] "strat0:EP_NOVEH" "strat0:EP_GROUPQ"
## [17] "strat0:EP_UNINSUR" "strat0:co"
## [19] "strat0:no2" "strat0:o3"
## [21] "strat0:pm10" "strat0:pm25"
## [23] "strat0:so2" "strat0:summer_tmmx"
## [25] "strat0:winter_tmmx" "strat0:winter_rmax"
## [27] "strat0:Data_Value_CSMOKING" "strat1"
## [29] "strat1:flood_risk_pc2" "strat1:flood_risk_pc3"
## [31] "strat1:flood_risk_pc4" "strat1:EP_UNEMP"
## [33] "strat1:EP_PCI" "strat1:EP_NOHSDP"
## [35] "strat1:EP_AGE65" "strat1:EP_AGE17"
## [37] "strat1:EP_DISABL" "strat1:EP_SNGPNT"
## [39] "strat1:EP_MINRTY" "strat1:EP_LIMENG"
## [41] "strat1:EP_MUNIT" "strat1:EP_MOBILE"
## [43] "strat1:EP_CROWD" "strat1:EP_NOVEH"
## [45] "strat1:EP_GROUPQ" "strat1:EP_UNINSUR"
## [47] "strat1:co" "strat1:no2"
## [49] "strat1:o3" "strat1:pm10"
## [51] "strat1:pm25" "strat1:winter_tmmx"
## [53] "strat1:summer_rmax" "strat1:Data_Value_CSMOKING"
```

Credible Interval plots for the coefficients, in ggplot

```
# first, process the beta_inference matrix in a form ggplot can understand
beta_inference_df <- as.data.frame(beta_inference)
beta_inference_df <- mutate(beta_inference_df, var_name = row.names(beta_inference_df))
beta_inference_df <- rename(beta_inference_df,
                             post_median = `50%`,
                             post_2.5 = `2.5%`,
                             post_97.5 = `97.5%`)
beta_inference_df$var_name <- substring(beta_inference_df$var_name, first = 8)
beta_inference_df$var_name <- factor(beta_inference_df$var_name,
                                     levels = unique(beta_inference_df$var_name))
beta_inference_df$strat <- as.factor(c(rep("Lower", (nrow(beta_inference_df)/2)),
                                     rep("Upper", (nrow(beta_inference_df)/2))))
```


Splitting up the beta coefficients for each strata

```
beta_inference_df_strat0 <- beta_inference_df[1:(nrow(beta_inference_df)/2),]
beta_inference_df_strat1 <- beta_inference_df[(nrow(beta_inference_df)/2 + 1):nrow(beta_inference_df),]
```

Note: The intercept for both strata is not included.

```
p <- ggplot(beta_inference_df_strat0[-1, ], aes(x = var_name, y = post_median, color = strat)) +
  geom_point() +
  ylim(c(-3, 5)) +
  theme(axis.text.x = element_text(angle = 45, vjust = 1, hjust=1), axis.title.x = element_blank(), axis.title.y = element_text(size=12),
        plot.margin = margin(5.5, 5.5, 5.5, 10)) +
  geom_errorbar(aes(ymin = post_2.5, ymax = post_97.5, width = 0.4), col = "#F8766D") +
  geom_vline(xintercept = c(5.5, 20.5, 26.5, 30.5), col = "blue") +
  geom_hline(yintercept = 0, col = "red") +
  annotate(geom = "text", x = 3, y = 3.95, label = "Flood\nRisk",
          col = "blue", size = 4.5) +
  annotate(geom = "text", x = 12.5, y = 4, label = "Social Vulnerability Index",
          col = "blue", size = 4.5) +
  annotate(geom = "text", x = 23.5, y = 4, label = "Air Pollution",
          col = "blue", size = 4.5) +
  annotate(geom = "text", x = 28.5, y = 4, label = "GRIDMET",
          col = "blue", size = 4.5) +
  scale_x_discrete(labels = c("PC 1", "PC 2", "PC 3", "PC 4", "PC 5",
                              "Unemployed", "Per Capita Income", "No High School",
                              "65 or Over", "17 or Under", "Disability",
                              "Single-Parent", "Minority", "Poor English",
                              "Multi-Unit", "Mobile", "Crowded",
                              "No Vehicle", "Group Quarters", "Uninsured",
                              "CO", "NO2", "O3", "PM10", "PM2.5", "SO2",
                              "Summer Temperature", "Winter Temperature", "Summer Humidity", "Winter Humidity",
                              "Smoking")) + ggtitle("95% Credible Intervals, High Blood Pressure, Strat")
p <- p +
  geom_point(data = beta_inference_df_strat1[-1, ], col = "#00BFC4") + # strat 1
  geom_errorbar(data = beta_inference_df_strat1[-1, ], aes(ymin = post_2.5, ymax = post_97.5, width = 0.4), col = "#00BFC4") +
  scale_color_manual(name = "Strata",
                    values = c("#F8766D", "#00BFC4"),
                    drop = FALSE)
```

p



```
ggsave(here("figures/final_figures/stratified_analysis/BPHIGH_CI_poverty.pdf"),
  plot = p, device = "pdf",
  width = 8, height = 6, units = "in")
```

Stratified on RPL_THEME1

```
load(here("modeling_files/stratified_analysis/model_stratif_rpl1_BPHIGH.RData"))

beta_samples_matrix <- rbind(chain1$samples$beta, chain2$samples$beta, chain3$samples$beta)

colnames(beta_samples_matrix) <- var_names

(beta_inference <- round(t(apply(beta_samples_matrix, 2, quantile, c(0.5, 0.025, 0.975))),5))
```

```
##           50%    2.5%    97.5%
## strat0      31.75099 31.70342 31.79852
## strat0:flood_risk_pc1  0.00235 -0.03414 0.03842
## strat0:flood_risk_pc2  0.10135  0.05966 0.14310
## strat0:flood_risk_pc3  0.01665 -0.01398 0.04732
## strat0:flood_risk_pc4  0.04505  0.01570 0.07450
## strat0:flood_risk_pc5  0.01600 -0.01201 0.04409
## strat0:EP_AGE65      3.78311  3.74198 3.82395
## strat0:EP_AGE17      0.47906  0.43214 0.52616
## strat0:EP_DISABL     0.63102  0.58084 0.68107
```

## strat0:EP_SNGPNT	-0.07256	-0.12214	-0.02288
## strat0:EP_MINRTY	1.67401	1.60131	1.74694
## strat0:EP_LIMENG	-0.67208	-0.75482	-0.58976
## strat0:EP_MUNIT	-0.65183	-0.69018	-0.61333
## strat0:EP_MOBILE	0.19232	0.14667	0.23816
## strat0:EP_CROWD	-0.07846	-0.15196	-0.00524
## strat0:EP_NOVEH	0.22505	0.15718	0.29284
## strat0:EP_GROUPQ	-0.59108	-0.62483	-0.55739
## strat0:EP_UNINSUR	0.41334	0.35717	0.46994
## strat0:co	-0.49746	-0.63013	-0.36529
## strat0:no2	-0.55779	-0.73639	-0.37994
## strat0:o3	-0.53962	-0.80646	-0.27464
## strat0:pm10	-0.52247	-0.63757	-0.40611
## strat0:pm25	1.04560	0.87661	1.21440
## strat0:so2	0.13944	0.02163	0.25470
## strat0:summer_tmmx	0.26548	0.07906	0.44780
## strat0:winter_tmmx	-0.85863	-1.31658	-0.34198
## strat0:summer_rmax	-0.20968	-0.45496	0.03449
## strat0:winter_rmax	0.21920	0.03709	0.40092
## strat0:Data_Value_CSMOKING	2.05272	1.97409	2.13205
## strat1	32.04895	32.01390	32.08427
## strat1:flood_risk_pc1	-0.04157	-0.07595	-0.00676
## strat1:flood_risk_pc2	0.05277	0.01470	0.09086
## strat1:flood_risk_pc3	0.06164	0.03023	0.09268
## strat1:flood_risk_pc4	0.03777	0.01066	0.06494
## strat1:flood_risk_pc5	-0.00299	-0.03005	0.02420
## strat1:EP_AGE65	4.49072	4.44376	4.53788
## strat1:EP_AGE17	0.55995	0.51526	0.60498
## strat1:EP_DISABL	0.77355	0.73582	0.81155
## strat1:EP_SNGPNT	-0.01326	-0.04790	0.02131
## strat1:EP_MINRTY	3.06203	3.00626	3.11747
## strat1:EP_LIMENG	-1.01014	-1.05192	-0.96862
## strat1:EP_MUNIT	-0.42028	-0.45755	-0.38309
## strat1:EP_MOBILE	0.12143	0.09177	0.15094
## strat1:EP_CROWD	-0.11758	-0.15370	-0.08131
## strat1:EP_NOVEH	0.53785	0.49070	0.58485
## strat1:EP_GROUPQ	-0.57288	-0.60034	-0.54534
## strat1:EP_UNINSUR	0.21087	0.17394	0.24765
## strat1:co	-0.80996	-0.95135	-0.66940
## strat1:no2	-0.58030	-0.75933	-0.40401
## strat1:o3	-0.58185	-0.84861	-0.31803
## strat1:pm10	-0.49926	-0.61924	-0.37969
## strat1:pm25	1.32042	1.15090	1.48843
## strat1:so2	0.04465	-0.06941	0.15670
## strat1:summer_tmmx	0.05546	-0.13527	0.24183
## strat1:winter_tmmx	-0.49115	-0.95010	0.02275
## strat1:summer_rmax	-0.30221	-0.54817	-0.05525
## strat1:winter_rmax	0.15729	-0.02456	0.33965
## strat1:Data_Value_CSMOKING	2.68359	2.62601	2.74077

List of significant beta coefficients:

```
colnames(beta_samples_matrix)[sign(beta_inference[, 2]) == sign(beta_inference[, 3])]
```

```
## [1] "strat0" "strat0:flood_risk_pc2"
```

```
## [3] "strat0:flood_risk_pc4"      "strat0:EP_AGE65"
## [5] "strat0:EP_AGE17"           "strat0:EP_DISABL"
## [7] "strat0:EP_SNGPNT"          "strat0:EP_MINRTY"
## [9] "strat0:EP_LIMENG"          "strat0:EP_MUNIT"
## [11] "strat0:EP_MOBILE"          "strat0:EP_CROWD"
## [13] "strat0:EP_NOVEH"           "strat0:EP_GROUPQ"
## [15] "strat0:EP_UNINSUR"         "strat0:co"
## [17] "strat0:no2"                 "strat0:o3"
## [19] "strat0:pm10"               "strat0:pm25"
## [21] "strat0:so2"                "strat0:summer_tmmx"
## [23] "strat0:winter_tmmx"        "strat0:winter_rmax"
## [25] "strat0:Data_Value_CSMOKING" "strat1"
## [27] "strat1:flood_risk_pc1"      "strat1:flood_risk_pc2"
## [29] "strat1:flood_risk_pc3"      "strat1:flood_risk_pc4"
## [31] "strat1:EP_AGE65"           "strat1:EP_AGE17"
## [33] "strat1:EP_DISABL"          "strat1:EP_MINRTY"
## [35] "strat1:EP_LIMENG"          "strat1:EP_MUNIT"
## [37] "strat1:EP_MOBILE"          "strat1:EP_CROWD"
## [39] "strat1:EP_NOVEH"           "strat1:EP_GROUPQ"
## [41] "strat1:EP_UNINSUR"         "strat1:co"
## [43] "strat1:no2"                 "strat1:o3"
## [45] "strat1:pm10"               "strat1:pm25"
## [47] "strat1:summer_rmax"         "strat1:Data_Value_CSMOKING"
```

Credible Interval plots for the coefficients, in ggplot

```
# first, process the beta_inference matrix in a form ggplot can understand
beta_inference_df <- as.data.frame(beta_inference)
beta_inference_df <- mutate(beta_inference_df, var_name = row.names(beta_inference_df))
beta_inference_df <- rename(beta_inference_df,
                             post_median = `50%`,
                             post_2.5 = `2.5%`,
                             post_97.5 = `97.5%`)
beta_inference_df$var_name <- substring(beta_inference_df$var_name, first = 8)
beta_inference_df$var_name <- factor(beta_inference_df$var_name,
                                     levels = unique(beta_inference_df$var_name))
beta_inference_df$strat <- as.factor(c(rep("Lower", (nrow(beta_inference_df)/2)),
                                       rep("Upper", (nrow(beta_inference_df)/2))))
```

Splitting up the beta coefficients for each strata

```
beta_inference_df_strat0 <- beta_inference_df[1:(nrow(beta_inference_df)/2),]
beta_inference_df_strat1 <- beta_inference_df[(nrow(beta_inference_df)/2 + 1):nrow(beta_inference_df),]
```

Note: The intercept for both strata is not included.

```
p <- ggplot(beta_inference_df_strat0[-1, ], aes(x = var_name, y = post_median, color = strat)) +
  geom_point() +
  ylim(c(-3, 5)) +
  theme(axis.text.x = element_text(angle = 45, vjust = 1, hjust=1), axis.title.x = element_blank(), axis.title.y = element_text(size=12),
        plot.margin = margin(5.5, 5.5, 5.5, 10)) +
  geom_errorbar(aes(ymin = post_2.5, ymax = post_97.5, width = 0.4), col = "#F8766D") +
```


```

geom_vline(xintercept = c(5.5, 17.5, 23.5, 27.5), col = "blue") +
geom_hline(yintercept = 0, col = "red") +
annotate(geom = "text", x = 3, y = 3.95, label = "Flood\nRisk",
  col = "blue", size = 4.5) +
annotate(geom = "text", x = 11.5, y = 4, label = "Social Vulnerability Index",
  col = "blue", size = 4.5) +
annotate(geom = "text", x = 20.5, y = 4, label = "Air Pollution",
  col = "blue", size = 4.5) +
annotate(geom = "text", x = 25.5, y = 4, label = "GRIDMET",
  col = "blue", size = 4.5) +
scale_x_discrete(labels = c("PC 1", "PC 2", "PC 3", "PC 4", "PC 5",
  "65 or Over", "17 or Under", "Disability",
  "Single-Parent", "Minority", "Poor English",
  "Multi-Unit", "Mobile", "Crowded",
  "No Vehicle", "Group Quarters", "Uninsured",
  "CO", "NO2", "O3", "PM10", "PM2.5", "SO2",
  "Summer Temperature", "Winter Temperature", "Summer Humidity", "Winter Humidity",
  "Smoking")) + ggtitle("95% Credible Intervals, High Blood Pressure, Stratified on RPL Theme 1")
geom_point(data = beta_inference_df_strat1[-1, ], col = "#00BFC4") + # strat 1
geom_errorbar(data = beta_inference_df_strat1[-1, ], aes(ymin = post_2.5, ymax = post_97.5, width = 0.5)) +
scale_color_manual(name = "Strata",
  values = c("#F8766D", "#00BFC4"),
  drop = FALSE)

```

p

95% Credible Intervals, High Blood Pressure, Stratified on RPL Theme 1



```

ggsave(here("figures/final_figures/stratified_analysis/BPHIGH_CI_rpl1.pdf"),
  plot = p, device = "pdf",

```



```
width = 8, height = 6, units = "in")
```

Stratified on RPL_THEME2

```
load(here("modeling_files/stratified_analysis/model_stratif_rpl2_BPHIGH.RData"))
```

```
beta_samples_matrix <- rbind(chain1$samples$beta, chain2$samples$beta, chain3$samples$beta)
```

```
colnames(beta_samples_matrix) <- var_names
```

```
(beta_inference <- round(t(apply(beta_samples_matrix, 2, quantile, c(0.5, 0.025, 0.975))),5))
```

##	50%	2.5%	97.5%
## strat0	31.45644	31.41414	31.49878
## strat0:flood_risk_pc1	-0.15907	-0.21088	-0.10769
## strat0:flood_risk_pc2	0.10597	0.04751	0.16427
## strat0:flood_risk_pc3	-0.05471	-0.09848	-0.01104
## strat0:flood_risk_pc4	0.06027	0.02014	0.10069
## strat0:flood_risk_pc5	-0.05735	-0.09625	-0.01839
## strat0:EP_POV	-0.31666	-0.39095	-0.24294
## strat0:EP_UNEMP	0.47713	0.41939	0.53423
## strat0:EP_PCI	0.60769	0.54669	0.66893
## strat0:EP_NOHSDP	2.15542	2.05747	2.25526
## strat0:EP_MINRTY	0.17523	0.08203	0.26778
## strat0:EP_LIMENG	-0.74571	-0.82980	-0.66178
## strat0:EP_MUNIT	-0.58412	-0.63164	-0.53651
## strat0:EP_MOBILE	0.68516	0.62533	0.74468
## strat0:EP_CROWD	-0.75870	-0.82214	-0.69460
## strat0:EP_NOVEH	1.68505	1.60514	1.76453
## strat0:EP_GROUPQ	-1.13523	-1.16670	-1.10382
## strat0:EP_UNINSUR	-0.20329	-0.26804	-0.13817
## strat0:co	-1.01654	-1.21089	-0.82295
## strat0:no2	-0.34208	-0.61510	-0.07642
## strat0:o3	0.01710	-0.41361	0.44528
## strat0:pm10	-1.53872	-1.72068	-1.35653
## strat0:pm25	1.29982	1.03644	1.56257
## strat0:so2	-0.18497	-0.36830	-0.00551
## strat0:summer_tmmx	-0.16230	-0.47360	0.13139
## strat0:winter_tmmx	-0.66324	-1.38476	0.22514
## strat0:summer_rmax	-0.13863	-0.54006	0.25056
## strat0:winter_rmax	0.09776	-0.19686	0.39737
## strat0:Data_Value_CSMOKING	0.33173	0.21910	0.44520
## strat1	33.45418	33.41013	33.49867
## strat1:flood_risk_pc1	-0.16718	-0.22021	-0.11349
## strat1:flood_risk_pc2	0.05373	-0.00505	0.11220
## strat1:flood_risk_pc3	0.02929	-0.01953	0.07754
## strat1:flood_risk_pc4	0.07414	0.03138	0.11758
## strat1:flood_risk_pc5	-0.02092	-0.06375	0.02206
## strat1:EP_POV	1.09702	1.01749	1.17566
## strat1:EP_UNEMP	0.23621	0.19112	0.28118
## strat1:EP_PCI	0.18125	0.06716	0.29630
## strat1:EP_NOHSDP	1.08862	1.00082	1.17642
## strat1:EP_MINRTY	1.42124	1.33371	1.50796

```
## strat1:EP_LIMENG          -1.25858 -1.34144 -1.17614
## strat1:EP_MUNIT          -0.22499 -0.29241 -0.15840
## strat1:EP_MOBILE          0.51224  0.46785  0.55613
## strat1:EP_CROWD          -0.75327 -0.81570 -0.69085
## strat1:EP_NOVEH           1.77914  1.69929  1.85939
## strat1:EP_GROUPQ          0.05134 -0.03340  0.13678
## strat1:EP_UNINSUR         -0.24698 -0.30716 -0.18627
## strat1:co                 -1.17901 -1.39911 -0.96066
## strat1:no2                -0.99470 -1.27990 -0.71519
## strat1:o3                 0.09953 -0.33101  0.52902
## strat1:pm10               -1.43858 -1.62036 -1.25976
## strat1:pm25                1.76715  1.50517  2.02726
## strat1:so2                -0.10709 -0.28578  0.07125
## strat1:summer_tmmx        -0.07195 -0.38376  0.22479
## strat1:winter_tmmx        -0.88206 -1.61019  0.00593
## strat1:summer_rmax        -0.00825 -0.40890  0.38234
## strat1:winter_rmax         0.14057 -0.15296  0.43661
## strat1:Data_Value_CSMOKING -0.70961 -0.81996 -0.59947
```

List of significant beta coefficients:

```
colnames(beta_samples_matrix)[sign(beta_inference[, 2]) == sign(beta_inference[, 3])]
```

```
## [1] "strat0"                "strat0:flood_risk_pc1"
## [3] "strat0:flood_risk_pc2" "strat0:flood_risk_pc3"
## [5] "strat0:flood_risk_pc4" "strat0:flood_risk_pc5"
## [7] "strat0:EP_POV"         "strat0:EP_UNEMP"
## [9] "strat0:EP_PCI"         "strat0:EP_NOHSDP"
## [11] "strat0:EP_MINRTY"      "strat0:EP_LIMENG"
## [13] "strat0:EP_MUNIT"       "strat0:EP_MOBILE"
## [15] "strat0:EP_CROWD"       "strat0:EP_NOVEH"
## [17] "strat0:EP_GROUPQ"      "strat0:EP_UNINSUR"
## [19] "strat0:co"             "strat0:no2"
## [21] "strat0:pm10"           "strat0:pm25"
## [23] "strat0:so2"            "strat0:Data_Value_CSMOKING"
## [25] "strat1"                "strat1:flood_risk_pc1"
## [27] "strat1:flood_risk_pc4" "strat1:EP_POV"
## [29] "strat1:EP_UNEMP"       "strat1:EP_PCI"
## [31] "strat1:EP_NOHSDP"      "strat1:EP_MINRTY"
## [33] "strat1:EP_LIMENG"      "strat1:EP_MUNIT"
## [35] "strat1:EP_MOBILE"      "strat1:EP_CROWD"
## [37] "strat1:EP_NOVEH"       "strat1:EP_UNINSUR"
## [39] "strat1:co"             "strat1:no2"
## [41] "strat1:pm10"           "strat1:pm25"
## [43] "strat1:Data_Value_CSMOKING"
```

Credible Interval plots for the coefficients, in ggplot

```
# first, process the beta_inference matrix in a form ggplot can understand
beta_inference_df <- as.data.frame(beta_inference)
beta_inference_df <- mutate(beta_inference_df, var_name = row.names(beta_inference_df))
beta_inference_df <- rename(beta_inference_df,
                             post_median = `50%`,
                             post_2.5 = `2.5%`,
```

```

post_97.5 = `97.5%`
beta_inference_df$var_name <- substring(beta_inference_df$var_name, first = 8)
beta_inference_df$var_name <- factor(beta_inference_df$var_name,
                                     levels = unique(beta_inference_df$var_name))
beta_inference_df$strat <- as.factor(c(rep("Lower", (nrow(beta_inference_df)/2)),
                                     rep("Upper", (nrow(beta_inference_df)/2))))

```

Splitting up the beta coefficients for each strata

```

beta_inference_df_strat0 <- beta_inference_df[1:(nrow(beta_inference_df)/2),]
beta_inference_df_strat1 <- beta_inference_df[(nrow(beta_inference_df)/2 + 1):nrow(beta_inference_df),]

```

Note: The intercept for both strata is not included.


```

p <- ggplot(beta_inference_df_strat0[-1, ], aes(x = var_name, y = post_median, color = strat)) +
  geom_point() +
  ylim(c(-3, 5)) +
  theme(axis.text.x = element_text(angle = 45, vjust = 1, hjust=1), axis.title.x = element_blank(), axis.title.y = element_blank(),
        axis.text=element_text(size=12),
        plot.margin = margin(5.5, 5.5, 5.5, 10)) +
  geom_errorbar(aes(ymin = post_2.5, ymax = post_97.5, width = 0.4), col = "#F8766D") +
  geom_vline(xintercept = c(5.5, 17.5, 23.5, 27.5), col = "blue") +
  geom_hline(yintercept = 0, col = "red") +
  annotate(geom = "text", x = 3, y = 3.95, label = "Flood\nRisk",
          col = "blue", size = 4.5) +
  annotate(geom = "text", x = 11.5, y = 4, label = "Social Vulnerability Index",
          col = "blue", size = 4.5) +
  annotate(geom = "text", x = 20.5, y = 4, label = "Air Pollution",
          col = "blue", size = 4.5) +
  annotate(geom = "text", x = 25.5, y = 4, label = "GRIDMET",
          col = "blue", size = 4.5) +
  scale_x_discrete(labels = c("PC 1", "PC 2", "PC 3", "PC 4", "PC 5",
                             "Poverty", "Unemployed", "Per Capita Income", "No High School",
                             "Minority", "Poor English",
                             "Multi-Unit", "Mobile", "Crowded",
                             "No Vehicle", "Group Quarters", "Uninsured",
                             "CO", "NO2", "O3", "PM10", "PM2.5", "SO2",
                             "Summer Temperature", "Winter Temperature", "Summer Humidity", "Winter Humidity",
                             "Smoking")) + ggtitle("95% Credible Intervals, High Blood Pressure, Strat")
p <- p +
  geom_point(data = beta_inference_df_strat1[-1, ], col = "#00BFC4") + # strat 1
  geom_errorbar(data = beta_inference_df_strat1[-1, ], aes(ymin = post_2.5, ymax = post_97.5, width = 0.4), col = "#00BFC4") +
  scale_color_manual(name = "Strata",
                    values = c("#F8766D", "#00BFC4"),
                    drop = FALSE)

```

p

95% Credible Intervals, High Blood Pressure, Stratified on RPL Theme 2



```
ggsave(here("figures/final_figures/stratified_analysis/BPHIGH_CI_rpl2.pdf"),
  plot = p, device = "pdf",
  width = 8, height = 6, units = "in")
```

Stratified on RPL_THEME3

Inference is based on 3 markov chains, each of which has been run for 110000 samples, the first 10000 of which has been removed for burn-in. The remaining 100000 samples are thinned by 2, resulting in 150000 samples for inference across the 3 Markov chains.

```
load(here("modeling_files/stratified_analysis/model_stratif_rpl3_BPHIGH.RData"))

beta_samples_matrix <- rbind(chain1$samples$beta, chain2$samples$beta, chain3$samples$beta)

colnames(beta_samples_matrix) <- var_names

(beta_inference <- round(t(apply(beta_samples_matrix, 2, quantile, c(0.5, 0.025, 0.975))),5))
```

```
##              50%      2.5%      97.5%
## strat0      32.28737 32.22942 32.34502
## strat0:flood_risk_pc1  0.02503 -0.01548 0.06552
## strat0:flood_risk_pc2  0.08669  0.03980 0.13364
## strat0:flood_risk_pc3  0.05534  0.01958 0.09100
## strat0:flood_risk_pc4  0.08586  0.04940 0.12195
## strat0:flood_risk_pc5  0.00407 -0.03118 0.03913
## strat0:EP_POV        0.18981  0.12915 0.25028
## strat0:EP_UNEMP       0.28633  0.24586 0.32663
```

## strat0:EP_PCI	0.02792	-0.02063	0.07603
## strat0:EP_NOHSDP	0.39995	0.31001	0.48925
## strat0:EP_AGE65	3.74150	3.69827	3.78479
## strat0:EP_AGE17	0.72611	0.67620	0.77587
## strat0:EP_DISABL	0.61926	0.57176	0.66656
## strat0:EP_SNGPNT	0.23762	0.18914	0.28607
## strat0:EP_MUNIT	-0.61392	-0.66696	-0.56087
## strat0:EP_MOBILE	-0.04925	-0.08687	-0.01190
## strat0:EP_CROWD	-0.09792	-0.17969	-0.01703
## strat0:EP_NOVEH	0.87654	0.80603	0.94746
## strat0:EP_GROUPQ	-0.75868	-0.79292	-0.72484
## strat0:EP_UNINSUR	0.22181	0.16669	0.27722
## strat0:co	-0.67584	-0.82265	-0.52933
## strat0:no2	-0.35850	-0.55997	-0.15878
## strat0:o3	-0.12599	-0.42188	0.21995
## strat0:pm10	-0.46740	-0.59682	-0.33828
## strat0:pm25	1.00437	0.81358	1.19087
## strat0:so2	0.00872	-0.12507	0.14204
## strat0:summer_tmmx	0.14279	-0.06532	0.34788
## strat0:winter_tmmx	-0.36038	-0.91051	0.14173
## strat0:summer_rmax	-0.21700	-0.49917	0.04503
## strat0:winter_rmax	0.16550	-0.04391	0.37366
## strat0:Data_Value_CSMOKING	2.22017	2.12460	2.31535
## strat1	32.50600	32.46942	32.54260
## strat1:flood_risk_pc1	0.00260	-0.03650	0.04199
## strat1:flood_risk_pc2	-0.00353	-0.04469	0.03764
## strat1:flood_risk_pc3	0.00012	-0.03324	0.03351
## strat1:flood_risk_pc4	-0.01653	-0.04394	0.01103
## strat1:flood_risk_pc5	-0.01238	-0.03899	0.01412
## strat1:EP_POV	0.06810	0.01683	0.11948
## strat1:EP_UNEMP	0.32142	0.28864	0.35412
## strat1:EP_PCI	-0.19614	-0.25398	-0.13820
## strat1:EP_NOHSDP	-0.14544	-0.19695	-0.09375
## strat1:EP_AGE65	4.03199	3.98265	4.08162
## strat1:EP_AGE17	0.54709	0.50015	0.59433
## strat1:EP_DISABL	0.87819	0.83365	0.92249
## strat1:EP_SNGPNT	0.24037	0.20280	0.27796
## strat1:EP_MUNIT	-0.55411	-0.58944	-0.51865
## strat1:EP_MOBILE	0.06642	0.03083	0.10188
## strat1:EP_CROWD	-0.12233	-0.16130	-0.08354
## strat1:EP_NOVEH	0.65654	0.60312	0.70976
## strat1:EP_GROUPQ	-0.42558	-0.45805	-0.39346
## strat1:EP_UNINSUR	0.24401	0.20280	0.28507
## strat1:co	-0.94943	-1.10967	-0.79146
## strat1:no2	0.07153	-0.12768	0.26723
## strat1:o3	-0.21019	-0.51031	0.13707
## strat1:pm10	-0.64967	-0.78516	-0.51307
## strat1:pm25	1.32532	1.13300	1.51525
## strat1:so2	0.10701	-0.03450	0.24633
## strat1:summer_tmmx	0.04272	-0.16969	0.25301
## strat1:winter_tmmx	0.08564	-0.46721	0.58400
## strat1:summer_rmax	-0.18357	-0.46706	0.07935
## strat1:winter_rmax	-0.13457	-0.34600	0.07657
## strat1:Data_Value_CSMOKING	2.67161	2.59059	2.75253

List of significant beta coefficients:

```
colnames(beta_samples_matrix)[sign(beta_inference[, 2]) == sign(beta_inference[, 3])]
```

```
## [1] "strat0" "strat0:flood_risk_pc2"
## [3] "strat0:flood_risk_pc3" "strat0:flood_risk_pc4"
## [5] "strat0:EP_POV" "strat0:EP_UNEMP"
## [7] "strat0:EP_NOHSDP" "strat0:EP_AGE65"
## [9] "strat0:EP_AGE17" "strat0:EP_DISABL"
## [11] "strat0:EP_SNGPNT" "strat0:EP_MUNIT"
## [13] "strat0:EP_MOBILE" "strat0:EP_CROWD"
## [15] "strat0:EP_NOVEH" "strat0:EP_GROUPQ"
## [17] "strat0:EP_UNINSUR" "strat0:co"
## [19] "strat0:no2" "strat0:pm10"
## [21] "strat0:pm25" "strat0:Data_Value_CSMOKING"
## [23] "strat1" "strat1:EP_POV"
## [25] "strat1:EP_UNEMP" "strat1:EP_PCI"
## [27] "strat1:EP_NOHSDP" "strat1:EP_AGE65"
## [29] "strat1:EP_AGE17" "strat1:EP_DISABL"
## [31] "strat1:EP_SNGPNT" "strat1:EP_MUNIT"
## [33] "strat1:EP_MOBILE" "strat1:EP_CROWD"
## [35] "strat1:EP_NOVEH" "strat1:EP_GROUPQ"
## [37] "strat1:EP_UNINSUR" "strat1:co"
## [39] "strat1:pm10" "strat1:pm25"
## [41] "strat1:Data_Value_CSMOKING"
```

Credible Interval plots for the coefficients, in ggplot

```
# first, process the beta_inference matrix in a form ggplot can understand
beta_inference_df <- as.data.frame(beta_inference)
beta_inference_df <- mutate(beta_inference_df, var_name = row.names(beta_inference_df))
beta_inference_df <- rename(beta_inference_df,
                             post_median = `50%`,
                             post_2.5 = `2.5%`,
                             post_97.5 = `97.5%`)
beta_inference_df$var_name <- substring(beta_inference_df$var_name, first = 8)
beta_inference_df$var_name <- factor(beta_inference_df$var_name,
                                     levels = unique(beta_inference_df$var_name))
beta_inference_df$strat <- as.factor(c(rep("Lower", (nrow(beta_inference_df)/2)),
                                     rep("Upper", (nrow(beta_inference_df)/2))))
```

Splitting up the beta coefficients for each strata

```
beta_inference_df_strat0 <- beta_inference_df[1:(nrow(beta_inference_df)/2),]
beta_inference_df_strat1 <- beta_inference_df[(nrow(beta_inference_df)/2 + 1):nrow(beta_inference_df),]
```

Note: The intercept for both strata is not included.

```
p <- ggplot(beta_inference_df_strat0[-1, ], aes(x = var_name, y = post_median, color = strat)) +
  geom_point() +
  ylim(c(-3, 5)) +
  theme(axis.text.x = element_text(angle = 45, vjust = 1, hjust=1), axis.title.x = element_blank(), axis.title.y = element_text(size=12),
        plot.margin = margin(5.5, 5.5, 5.5, 10)) +
```


```

geom_errorbar(aes(ymin = post_2.5, ymax = post_97.5, width = 0.4), col = "#F8766D") +
geom_vline(xintercept = c(5.5, 19.5, 25.5, 29.5), col = "blue") +
geom_hline(yintercept = 0, col = "red") +
annotate(geom = "text", x = 3, y = 3.95, label = "Flood\nRisk",
  col = "blue", size = 4.5) +
annotate(geom = "text", x = 12.5, y = 4, label = "Social Vulnerability Index",
  col = "blue", size = 4.5) +
annotate(geom = "text", x = 22.5, y = 4, label = "Air Pollution",
  col = "blue", size = 4.5) +
annotate(geom = "text", x = 27.5, y = 4, label = "GRIDMET",
  col = "blue", size = 4.5) +
scale_x_discrete(labels = c("PC 1", "PC 2", "PC 3", "PC 4", "PC 5",
  "Poverty", "Unemployed", "Per Capita Income", "No High School",
  "65 or Over", "17 or Under", "Disability",
  "Single-Parent",
  "Multi-Unit", "Mobile", "Crowded",
  "No Vehicle", "Group Quarters", "Uninsured",
  "CO", "NO2", "O3", "PM10", "PM2.5", "SO2",
  "Summer Temperature", "Winter Temperature", "Summer Humidity", "Winter Humidity",
  "Smoking")) + ggtitle("95% Credible Intervals, High Blood Pressure, Stratified on RPL Theme 3")
geom_point(data = beta_inference_df_strat1[-1, ], col = "#00BFC4") + # strat 1
geom_errorbar(data = beta_inference_df_strat1[-1, ], aes(ymin = post_2.5, ymax = post_97.5, width = 0.4), col = "#F8766D") +
scale_color_manual(name = "Strata",
  values = c("#F8766D", "#00BFC4"),
  drop = FALSE)

```

p

95% Credible Intervals, High Blood Pressure, Stratified on RPL Theme 3



```
ggsave(here("figures/final_figures/stratified_analysis/BPHIGH_CI_rpl3.pdf"),
       plot = p, device = "pdf",
       width = 8, height = 6, units = "in")
```

Stratified on RPL_THEME4

Inference is based on 3 markov chains, each of which has been run for 110000 samples, the first 10000 of which has been removed for burn-in. The remaining 100000 samples are thinned by 2, resulting in 150000 samples for inference across the 3 Markov chains.

```
load(here("modeling_files/stratified_analysis/model_stratif_rpl4_BPHIGH.RData"))

beta_samples_matrix <- rbind(chain1$samples$beta, chain2$samples$beta, chain3$samples$beta)

colnames(beta_samples_matrix) <- var_names

(beta_inference <- round(t(apply(beta_samples_matrix, 2, quantile, c(0.5, 0.025, 0.975))),5))

##              50%      2.5%      97.5%
## strat0          32.34453 32.31740 32.37151
## strat0:flood_risk_pc1    0.06184 0.02539 0.09855
## strat0:flood_risk_pc2    0.06510 0.02411 0.10639
## strat0:flood_risk_pc3    0.03537 0.00397 0.06677
## strat0:flood_risk_pc4    0.04385 0.01349 0.07438
## strat0:flood_risk_pc5    0.01329 -0.01614 0.04266
## strat0:EP_POV           0.02618 -0.03366 0.08657
## strat0:EP_UNEMP          0.13564 0.09771 0.17357
## strat0:EP_PCI            0.42478 0.37912 0.47031
## strat0:EP_NOHSDP         0.20797 0.13574 0.28030
## strat0:EP_AGE65          4.17003 4.13004 4.21045
## strat0:EP_AGE17          0.94565 0.90493 0.98638
## strat0:EP_DISABL         0.70167 0.65582 0.74749
## strat0:EP_SNGPNT        -0.08897 -0.13249 -0.04518
## strat0:EP_MINRTY         2.42272 2.35904 2.48662
## strat0:EP_LIMENG        -1.23105 -1.30488 -1.15722
## strat0:EP_UNINSUR         0.45511 0.40619 0.50423
## strat0:co               -0.69204 -0.84010 -0.54424
## strat0:no2              -0.82668 -1.01427 -0.63891
## strat0:o3               -0.74798 -1.01166 -0.47192
## strat0:pm10             -0.66789 -0.78680 -0.55013
## strat0:pm25              1.53866 1.36935 1.71008
## strat0:so2               0.17573 0.05340 0.29551
## strat0:summer_tmmx       0.22435 0.02714 0.41565
## strat0:winter_tmmx      -1.09844 -1.58431 -0.53500
## strat0:summer_rmax      -0.30462 -0.54211 -0.05615
## strat0:winter_rmax       0.27902 0.08614 0.46189
## strat0:Data_Value_CSMOKING 2.55474 2.46990 2.64055
## strat1          32.20324 32.17764 32.22885
## strat1:flood_risk_pc1   -0.01286 -0.04786 0.02226
## strat1:flood_risk_pc2    0.04268 0.00352 0.08184
## strat1:flood_risk_pc3    0.03559 0.00439 0.06688
## strat1:flood_risk_pc4    0.02087 -0.00657 0.04835
## strat1:flood_risk_pc5    0.01193 -0.01578 0.03917
## strat1:EP_POV          -0.20455 -0.24903 -0.16026
```



```
## strat1:EP_UNEMP      0.10909  0.07622  0.14173
## strat1:EP_PCI        0.35805  0.30077  0.41545
## strat1:EP_NOHSDP    -0.23818 -0.29585 -0.18043
## strat1:EP_AGE65      4.57784  4.53462  4.62100
## strat1:EP_AGE17      1.17516  1.13594  1.21434
## strat1:EP_DISABL     0.92201  0.88107  0.96312
## strat1:EP_SNGPNT    -0.12497 -0.16399 -0.08614
## strat1:EP_MINRTY     2.80770  2.74604  2.86928
## strat1:EP_LIMENG    -0.77106 -0.82119 -0.72107
## strat1:EP_UNINSUR    0.28775  0.24814  0.32724
## strat1:co           -0.78142 -0.91253 -0.65074
## strat1:no2          -0.80869 -0.98417 -0.63432
## strat1:o3           -0.86265 -1.12641 -0.58625
## strat1:pm10         -0.62093 -0.74304 -0.50113
## strat1:pm25          1.67358  1.50604  1.84456
## strat1:so2           0.11688 -0.00223  0.23414
## strat1:summer_tmmx   0.07222 -0.12310  0.25914
## strat1:winter_tmmx  -0.79578 -1.27834 -0.23410
## strat1:summer_rmax  -0.35252 -0.58756 -0.10294
## strat1:winter_rmax   0.16089 -0.02971  0.34240
## strat1:Data_Value_CSMOKING 3.01174  2.93672  3.08660
```

List of significant beta coefficients:

```
colnames(beta_samples_matrix)[sign(beta_inference[, 2]) == sign(beta_inference[, 3])]
```

```
## [1] "strat0" "strat0:flood_risk_pc1"
## [3] "strat0:flood_risk_pc2" "strat0:flood_risk_pc3"
## [5] "strat0:flood_risk_pc4" "strat0:EP_UNEMP"
## [7] "strat0:EP_PCI" "strat0:EP_NOHSDP"
## [9] "strat0:EP_AGE65" "strat0:EP_AGE17"
## [11] "strat0:EP_DISABL" "strat0:EP_SNGPNT"
## [13] "strat0:EP_MINRTY" "strat0:EP_LIMENG"
## [15] "strat0:EP_UNINSUR" "strat0:co"
## [17] "strat0:no2" "strat0:o3"
## [19] "strat0:pm10" "strat0:pm25"
## [21] "strat0:so2" "strat0:summer_tmmx"
## [23] "strat0:winter_tmmx" "strat0:summer_rmax"
## [25] "strat0:winter_rmax" "strat0:Data_Value_CSMOKING"
## [27] "strat1" "strat1:flood_risk_pc2"
## [29] "strat1:flood_risk_pc3" "strat1:EP_POV"
## [31] "strat1:EP_UNEMP" "strat1:EP_PCI"
## [33] "strat1:EP_NOHSDP" "strat1:EP_AGE65"
## [35] "strat1:EP_AGE17" "strat1:EP_DISABL"
## [37] "strat1:EP_SNGPNT" "strat1:EP_MINRTY"
## [39] "strat1:EP_LIMENG" "strat1:EP_UNINSUR"
## [41] "strat1:co" "strat1:no2"
## [43] "strat1:o3" "strat1:pm10"
## [45] "strat1:pm25" "strat1:winter_tmmx"
## [47] "strat1:summer_rmax" "strat1:Data_Value_CSMOKING"
```

Credible Interval plots for the coefficients, in ggplot

```
# first, process the beta_inference matrix in a form ggplot can understand
beta_inference_df <- as.data.frame(beta_inference)
beta_inference_df <- mutate(beta_inference_df, var_name = row.names(beta_inference_df))
beta_inference_df <- rename(beta_inference_df,
                             post_median = `50%`,
                             post_2.5 = `2.5%`,
                             post_97.5 = `97.5%`)
beta_inference_df$var_name <- substring(beta_inference_df$var_name, first = 8)
beta_inference_df$var_name <- factor(beta_inference_df$var_name,
                                     levels = unique(beta_inference_df$var_name))
beta_inference_df$strat <- as.factor(c(rep("Lower", (nrow(beta_inference_df)/2)),
                                     rep("Upper", (nrow(beta_inference_df)/2))))
```

Splitting up the beta coefficients for each strata


```
beta_inference_df_strat0 <- beta_inference_df[1:(nrow(beta_inference_df)/2),]

beta_inference_df_strat1 <- beta_inference_df[(nrow(beta_inference_df)/2 + 1):nrow(beta_inference_df),]
```

Note: The intercept for both strata is not included.

```
p <- ggplot(beta_inference_df_strat0[-1, ], aes(x = var_name, y = post_median, color = strat)) +
  geom_point() +
  ylim(c(-3, 5)) +
  theme(axis.text.x = element_text(angle = 45, vjust = 1, hjust=1), axis.title.x = element_blank(), axis.title.y = element_text(size=12),
        plot.margin = margin(5.5, 5.5, 5.5, 10)) +
  geom_errorbar(aes(ymin = post_2.5, ymax = post_97.5, width = 0.4), col = "#F8766D") +
  geom_vline(xintercept = c(5.5, 16.5, 22.5, 26.5), col = "blue") +
  geom_hline(yintercept = 0, col = "red") +
  annotate(geom = "text", x = 3, y = 3.95, label = "Flood\nRisk",
          col = "blue", size = 4.5) +
  annotate(geom = "text", x = 11, y = 4, label = "Social Vulnerability Index",
          col = "blue", size = 4.5) +
  annotate(geom = "text", x = 19.5, y = 4, label = "Air Pollution",
          col = "blue", size = 4.5) +
  annotate(geom = "text", x = 24.5, y = 4, label = "GRIDMET",
          col = "blue", size = 4.5) +
  scale_x_discrete(labels = c("PC 1", "PC 2", "PC 3", "PC 4", "PC 5",
                             "Poverty", "Unemployed", "Per Capita Income", "No High School",
                             "65 or Over", "17 or Under", "Disability",
                             "Single-Parent",
                             "Minority", "Poor English",
                             "Uninsured",
                             "CO", "NO2", "O3", "PM10", "PM2.5", "SO2",
                             "Summer Temperature", "Winter Temperature", "Summer Humidity", "Winter Humidity",
                             "Smoking")) + ggtitle("95% Credible Intervals, High Blood Pressure, Strat")
p <- p +
  geom_point(data = beta_inference_df_strat1[-1, ], col = "#00BFC4") + # strat 1
  geom_errorbar(data = beta_inference_df_strat1[-1, ], aes(ymin = post_2.5, ymax = post_97.5, width = 0.4), col = "#00BFC4") +
  scale_color_manual(name = "Strata",
                    values = c("#F8766D", "#00BFC4"),
                    drop = FALSE)
```

p



```
ggsave(here("figures/final_figures/stratified_analysis/BPHIGH_CI_rpl4.pdf"),
  plot = p, device = "pdf",
  width = 8, height = 6, units = "in")
```

Stratified on RPL_THEMES

Inference is based on 3 markov chains, each of which has been run for 110000 samples, the first 10000 of which has been removed for burn-in. The remaining 100000 samples are thinned by 2, resulting in 150000 samples for inference across the 3 Markov chains.

```
load(here("modeling_files/stratified_analysis/model_stratif_rpls_BPHIGH.RData"))

beta_samples_matrix <- rbind(chain1$samples$beta, chain2$samples$beta, chain3$samples$beta)

colnames(beta_samples_matrix) <- var_names

(beta_inference <- round(t(apply(beta_samples_matrix, 2, quantile, c(0.5, 0.025, 0.975))),5))
```

	50%	2.5%	97.5%
## strat0	31.01173	30.95395	31.06938
## strat0:flood_risk_pc1	-0.16883	-0.23044	-0.10707
## strat0:flood_risk_pc2	0.10764	0.03683	0.17758
## strat0:flood_risk_pc3	-0.09087	-0.14283	-0.03877
## strat0:flood_risk_pc4	0.05322	0.00163	0.10460
## strat0:flood_risk_pc5	-0.08951	-0.13859	-0.04066

```
## strat0:EP_UNINSUR      -0.06353 -0.14842  0.02206
## strat0:co              -1.41847 -1.64434 -1.19246
## strat0:no2             -1.88210 -2.17835 -1.57562
## strat0:o3              -0.62222 -1.13803 -0.16637
## strat0:pm10            -1.91627 -2.13090 -1.70644
## strat0:pm25            2.89261  2.58794  3.19647
## strat0:so2             0.04869 -0.15835  0.26276
## strat0:summer_tmmx     0.02843 -0.32887  0.42379
## strat0:winter_tmmx    -1.07293 -2.23056 -0.03311
## strat0:summer_rmax     -0.15642 -0.58956  0.29840
## strat0:winter_rmax     0.28693 -0.03901  0.61072
## strat0:Data_Value_CSMOKING 0.58762  0.49157  0.68427
## strat1                 32.81156 32.76215 32.86090
## strat1:flood_risk_pc1  -0.04144 -0.10090  0.01810
## strat1:flood_risk_pc2  -0.04653 -0.11129  0.01813
## strat1:flood_risk_pc3  -0.05677 -0.11025 -0.00410
## strat1:flood_risk_pc4  -0.02001 -0.06536  0.02520
## strat1:flood_risk_pc5  -0.03834 -0.08342  0.00687
## strat1:EP_UNINSUR     -0.48710 -0.54328 -0.43035
## strat1:co             -2.52394 -2.77092 -2.27706
## strat1:no2            0.15416 -0.15131  0.46105
## strat1:o3            -1.09753 -1.61501 -0.64022
## strat1:pm10          -2.24855 -2.47093 -2.03065
## strat1:pm25           3.26321  2.95451  3.56351
## strat1:so2           -0.03677 -0.24123  0.17541
## strat1:summer_tmmx    -0.00683 -0.36702  0.38898
## strat1:winter_tmmx    -0.26963 -1.42854  0.77722
## strat1:summer_rmax    -0.17439 -0.61053  0.28022
## strat1:winter_rmax     0.00397 -0.32229  0.32984
## strat1:Data_Value_CSMOKING 2.18717  2.11541  2.25882
```

List of significant beta coefficients:

```
colnames(beta_samples_matrix)[sign(beta_inference[, 2]) == sign(beta_inference[, 3])]
```

```
## [1] "strat0" "strat0:flood_risk_pc1"
## [3] "strat0:flood_risk_pc2" "strat0:flood_risk_pc3"
## [5] "strat0:flood_risk_pc4" "strat0:flood_risk_pc5"
## [7] "strat0:co" "strat0:no2"
## [9] "strat0:o3" "strat0:pm10"
## [11] "strat0:pm25" "strat0:winter_tmmx"
## [13] "strat0:Data_Value_CSMOKING" "strat1"
## [15] "strat1:flood_risk_pc3" "strat1:EP_UNINSUR"
## [17] "strat1:co" "strat1:o3"
## [19] "strat1:pm10" "strat1:pm25"
## [21] "strat1:Data_Value_CSMOKING"
```

Credible Interval plots for the coefficients, in ggplot

```
# first, process the beta_inference matrix in a form ggplot can understand
beta_inference_df <- as.data.frame(beta_inference)
beta_inference_df <- mutate(beta_inference_df, var_name = row.names(beta_inference_df))
beta_inference_df <- rename(beta_inference_df,
                             post_median = `50%`,
```

```

      post_2.5 = `2.5%`,
      post_97.5 = `97.5%`)
beta_inference_df$var_name <- substring(beta_inference_df$var_name, first = 8)
beta_inference_df$var_name <- factor(beta_inference_df$var_name,
      levels = unique(beta_inference_df$var_name))
beta_inference_df$strat <- as.factor(c(rep("Lower", (nrow(beta_inference_df)/2)),
      rep("Upper", (nrow(beta_inference_df)/2))))

```

Splitting up the beta coefficients for each strata

```

beta_inference_df_strat0 <- beta_inference_df[1:(nrow(beta_inference_df)/2),]

beta_inference_df_strat1 <- beta_inference_df[(nrow(beta_inference_df)/2 + 1):nrow(beta_inference_df),]

```

Note: The intercept for both strata is not included.


```

p <- ggplot(beta_inference_df_strat0[-1, ], aes(x = var_name, y = post_median, color = strat)) +
  geom_point() +
  ylim(c(-3, 5)) +
  theme(axis.text.x = element_text(angle = 45, vjust = 1, hjust=1), axis.title.x = element_blank(), axis.title.y =
      element_text(size=12),
      plot.margin = margin(5.5, 5.5, 5.5, 10)) +
  geom_errorbar(aes(ymin = post_2.5, ymax = post_97.5, width = 0.4), col = "#F8766D") +
  geom_vline(xintercept = c(5.5, 6.5, 12.5, 16.5), col = "blue") +
  geom_hline(yintercept = 0, col = "red") +
  annotate(geom = "text", x = 3, y = 3.95, label = "Flood\nRisk",
      col = "blue", size = 4.5) +
  annotate(geom = "text", x = 9.5, y = 4, label = "Air Pollution",
      col = "blue", size = 4.5) +
  annotate(geom = "text", x = 14.5, y = 4, label = "GRIDMET",
      col = "blue", size = 4.5) +
  scale_x_discrete(labels = c("PC 1", "PC 2", "PC 3", "PC 4", "PC 5",
      "Uninsured",
      "CO", "NO2", "O3", "PM10", "PM2.5", "SO2",
      "Summer Temperature", "Winter Temperature", "Summer Humidity", "Winter Humidity",
      "Smoking")) + ggtitle("95% Credible Intervals, High Blood Pressure, Stratification")
geom_point(data = beta_inference_df_strat1[-1, ], col = "#00BFC4") + # strat 1
geom_errorbar(data = beta_inference_df_strat1[-1, ], aes(ymin = post_2.5, ymax = post_97.5, width = 0.4),
  scale_color_manual(name = "Strata",
      values = c("#F8766D", "#00BFC4"),
      drop = FALSE)

```

p

95% Credible Intervals, High Blood Pressure, Stratified on All RPL Themes



```
ggsave(here("figures/final_figures/stratified_analysis/BPHIGH_CI_rpls.pdf"),
       plot = p, device = "pdf",
       width = 8, height = 6, units = "in")
```

CASTHMA Stratified Analysis

Repeating the stratified analysis in the last section, this time just doing the plots

Stratified on Poverty

```
load(here("modeling_files/stratified_analysis/model_stratif_poverty_CASTHMA.RData"))

beta_samples_matrix <- rbind(chain1$samples$beta, chain2$samples$beta, chain3$samples$beta)

colnames(beta_samples_matrix) <- var_names

(beta_inference <- round(t(apply(beta_samples_matrix, 2, quantile, c(0.5, 0.025, 0.975))),5))

##           50%    2.5%    97.5%
## strat0      9.77557  9.76827  9.78288
## strat0:flood_risk_pc1  0.00844  0.00200  0.01480
## strat0:flood_risk_pc2  0.00038 -0.00698  0.00766
## strat0:flood_risk_pc3 -0.00381 -0.00924  0.00170
## strat0:flood_risk_pc4 -0.00803 -0.01321 -0.00280
## strat0:flood_risk_pc5  0.00290 -0.00200  0.00780
```

## strat0:EP_UNEMP	0.06204	0.05388	0.07013
## strat0:EP_PCI	-0.02706	-0.03489	-0.01912
## strat0:EP_NOHSDP	0.07645	0.06143	0.09155
## strat0:EP_AGE65	0.07227	0.06479	0.07974
## strat0:EP_AGE17	-0.00758	-0.01616	0.00094
## strat0:EP_DISABL	-0.00651	-0.01553	0.00258
## strat0:EP_SNGPNT	0.04500	0.03656	0.05349
## strat0:EP_MINRTY	0.18608	0.17325	0.19873
## strat0:EP_LIMENG	-0.15503	-0.16877	-0.14140
## strat0:EP_MUNIT	-0.02435	-0.03147	-0.01724
## strat0:EP_MOBILE	-0.01357	-0.02066	-0.00648
## strat0:EP_CROWD	-0.02428	-0.03536	-0.01318
## strat0:EP_NOVEH	0.11665	0.10430	0.12895
## strat0:EP_GROUPQ	-0.05015	-0.05729	-0.04303
## strat0:EP_UNINSUR	0.01566	0.00637	0.02493
## strat0:co	-0.05401	-0.07727	-0.03083
## strat0:no2	-0.06262	-0.09461	-0.03110
## strat0:o3	-0.00880	-0.05780	0.04370
## strat0:pm10	-0.16041	-0.18167	-0.13977
## strat0:pm25	0.27139	0.24209	0.30285
## strat0:so2	0.00999	-0.01163	0.03165
## strat0:summer_tmmx	0.03949	0.00605	0.07677
## strat0:winter_tmmx	-0.07082	-0.18680	0.01287
## strat0:summer_rmax	0.01395	-0.03393	0.06356
## strat0:winter_rmax	-0.05153	-0.08644	-0.01636
## strat0:Data_Value_CSMOKING	0.97555	0.95927	0.99179
## strat1	9.87323	9.86703	9.87937
## strat1:flood_risk_pc1	-0.00742	-0.01341	-0.00145
## strat1:flood_risk_pc2	0.00525	-0.00141	0.01196
## strat1:flood_risk_pc3	-0.00189	-0.00713	0.00336
## strat1:flood_risk_pc4	-0.00502	-0.00977	-0.00032
## strat1:flood_risk_pc5	-0.00176	-0.00644	0.00293
## strat1:EP_UNEMP	0.09316	0.08825	0.09810
## strat1:EP_PCI	-0.27264	-0.28620	-0.25915
## strat1:EP_NOHSDP	0.03389	0.02427	0.04345
## strat1:EP_AGE65	0.12021	0.11244	0.12806
## strat1:EP_AGE17	-0.00404	-0.01175	0.00378
## strat1:EP_DISABL	-0.09023	-0.09678	-0.08365
## strat1:EP_SNGPNT	0.05595	0.04983	0.06211
## strat1:EP_MINRTY	0.39284	0.38251	0.40324
## strat1:EP_LIMENG	-0.26986	-0.27841	-0.26128
## strat1:EP_MUNIT	0.03982	0.03361	0.04604
## strat1:EP_MOBILE	-0.02345	-0.02880	-0.01814
## strat1:EP_CROWD	-0.00649	-0.01297	-0.00001
## strat1:EP_NOVEH	0.19988	0.19172	0.20804
## strat1:EP_GROUPQ	-0.04258	-0.04725	-0.03789
## strat1:EP_UNINSUR	-0.05330	-0.05996	-0.04674
## strat1:co	-0.03664	-0.06229	-0.01107
## strat1:no2	-0.18228	-0.21498	-0.15070
## strat1:o3	0.00757	-0.04140	0.06026
## strat1:pm10	-0.18556	-0.20756	-0.16444
## strat1:pm25	0.31354	0.28392	0.34536
## strat1:so2	-0.01830	-0.03962	0.00311
## strat1:summer_tmmx	0.00971	-0.02420	0.04718

```
## strat1:winter_tmmx      -0.07186 -0.18785  0.01162
## strat1:summer_rmax      -0.01595 -0.06402  0.03377
## strat1:winter_rmax      -0.06097 -0.09571 -0.02587
## strat1:Data_Value_CSMOKING 0.99978  0.98824  1.01141
```

List of significant beta coefficients:

```
colnames(beta_samples_matrix)[sign(beta_inference[, 2]) == sign(beta_inference[, 3])]
```

```
## [1] "strat0"                "strat0:flood_risk_pc1"
## [3] "strat0:flood_risk_pc4" "strat0:EP_UNEMP"
## [5] "strat0:EP_PCI"         "strat0:EP_NOHSDP"
## [7] "strat0:EP_AGE65"       "strat0:EP_SNGPNT"
## [9] "strat0:EP_MINRTY"      "strat0:EP_LIMENG"
## [11] "strat0:EP_MUNIT"       "strat0:EP_MOBILE"
## [13] "strat0:EP_CROWD"       "strat0:EP_NOVEH"
## [15] "strat0:EP_GROUPQ"      "strat0:EP_UNINSUR"
## [17] "strat0:co"             "strat0:no2"
## [19] "strat0:pm10"           "strat0:pm25"
## [21] "strat0:summer_tmmx"    "strat0:winter_rmax"
## [23] "strat0:Data_Value_CSMOKING" "strat1"
## [25] "strat1:flood_risk_pc1" "strat1:flood_risk_pc4"
## [27] "strat1:EP_UNEMP"       "strat1:EP_PCI"
## [29] "strat1:EP_NOHSDP"      "strat1:EP_AGE65"
## [31] "strat1:EP_DISABL"      "strat1:EP_SNGPNT"
## [33] "strat1:EP_MINRTY"      "strat1:EP_LIMENG"
## [35] "strat1:EP_MUNIT"       "strat1:EP_MOBILE"
## [37] "strat1:EP_CROWD"       "strat1:EP_NOVEH"
## [39] "strat1:EP_GROUPQ"      "strat1:EP_UNINSUR"
## [41] "strat1:co"             "strat1:no2"
## [43] "strat1:pm10"           "strat1:pm25"
## [45] "strat1:winter_rmax"    "strat1:Data_Value_CSMOKING"
```

Credible Interval plots for the coefficients, in ggplot

```
# first, process the beta_inference matrix in a form ggplot can understand
beta_inference_df <- as.data.frame(beta_inference)
beta_inference_df <- mutate(beta_inference_df, var_name = row.names(beta_inference_df))
beta_inference_df <- rename(beta_inference_df,
                             post_median = `50%`,
                             post_2.5 = `2.5%`,
                             post_97.5 = `97.5%`)
beta_inference_df$var_name <- substring(beta_inference_df$var_name, first = 8)
beta_inference_df$var_name <- factor(beta_inference_df$var_name,
                                     levels = unique(beta_inference_df$var_name))
beta_inference_df$strat <- as.factor(c(rep("Lower", (nrow(beta_inference_df)/2)),
                                     rep("Upper", (nrow(beta_inference_df)/2))))
```

Splitting up the beta coefficients for each strata

```
beta_inference_df_strat0 <- beta_inference_df[1:(nrow(beta_inference_df)/2),]

beta_inference_df_strat1 <- beta_inference_df[(nrow(beta_inference_df)/2 + 1):nrow(beta_inference_df),]
```


Note: The intercept for both strata is not included.


```

p <- ggplot(beta_inference_df_strat0[-1, ], aes(x = var_name, y = post_median, color = strat)) +
  geom_point() +
  ylim(c(-1, 1.5)) +
  theme(axis.text.x = element_text(angle = 45, vjust = 1, hjust=1), axis.title.x = element_blank(), axis.
        axis.text=element_text(size=12),
        plot.margin = margin(5.5, 5.5, 5.5, 10)) +
  geom_errorbar(aes(ymin = post_2.5, ymax = post_97.5, width = 0.4), col = "#F8766D") +
  geom_vline(xintercept = c(5.5, 20.5, 26.5, 30.5), col = "blue") +
  geom_hline(yintercept = 0, col = "red") +
  annotate(geom = "text", x = 3, y = 0.95, label = "Flood\nRisk",
          col = "blue", size = 4.5) +
  annotate(geom = "text", x = 12.5, y = 1, label = "Social Vulnerability Index",
          col = "blue", size = 4.5) +
  annotate(geom = "text", x = 23.5, y = 1, label = "Air Pollution",
          col = "blue", size = 4.5) +
  annotate(geom = "text", x = 28.5, y = 1, label = "GRIDMET",
          col = "blue", size = 4.5) +
  scale_x_discrete(labels = c("PC 1", "PC 2", "PC 3", "PC 4", "PC 5",
                              "Unemployed", "Per Capita Income", "No High School",
                              "65 or Over", "17 or Under", "Disability",
                              "Single-Parent", "Minority", "Poor English",
                              "Multi-Unit", "Mobile", "Crowded",
                              "No Vehicle", "Group Quarters", "Uninsured",
                              "CO", "NO2", "O3", "PM10", "PM2.5", "SO2",
                              "Summer Temperature", "Winter Temperature", "Summer Humidity", "Winter Humidity",
                              "Smoking")) + ggtitle("95% Credible Intervals, Asthma, Stratified on Pove
  geom_point(data = beta_inference_df_strat1[-1, ], col = "#00BFC4") + # strat 1
  geom_errorbar(data = beta_inference_df_strat1[-1, ], aes(ymin = post_2.5, ymax = post_97.5, width = 0
  scale_color_manual(name = "Strata",
                    values = c("#F8766D", "#00BFC4"),
                    drop = FALSE)

```

p



```
ggsave(here("figures/final_figures/stratified_analysis/CASTHMA_CI_poverty.pdf"),
  plot = p, device = "pdf",
  width = 8, height = 6, units = "in")
```

Stratified on RPL_THEME1

```
load(here("modeling_files/stratified_analysis/model_stratif_rpl1_CASTHMA.RData"))

beta_samples_matrix <- rbind(chain1$samples$beta, chain2$samples$beta, chain3$samples$beta)

colnames(beta_samples_matrix) <- var_names

(beta_inference <- round(t(apply(beta_samples_matrix, 2, quantile, c(0.5, 0.025, 0.975))),5))
```

##	50%	2.5%	97.5%
## strat0	9.75162	9.74319	9.75995
## strat0:flood_risk_pc1	0.00702	0.00041	0.01357
## strat0:flood_risk_pc2	0.00410	-0.00342	0.01162
## strat0:flood_risk_pc3	-0.00465	-0.01020	0.00089
## strat0:flood_risk_pc4	-0.01385	-0.01910	-0.00856
## strat0:flood_risk_pc5	0.00161	-0.00339	0.00665
## strat0:EP_AGE65	0.06838	0.06110	0.07563
## strat0:EP_AGE17	-0.01247	-0.02079	-0.00410
## strat0:EP_DISABL	-0.00960	-0.01850	-0.00074
## strat0:EP_SNGPNT	0.05261	0.04386	0.06138
## strat0:EP_MINRTY	0.17280	0.15973	0.18591

```
## strat0:EP_LIMENG      -0.12341 -0.13804 -0.10888
## strat0:EP_MUNIT      -0.02418 -0.03103 -0.01731
## strat0:EP_MOBILE     -0.00477 -0.01286  0.00333
## strat0:EP_CROWD      -0.01419 -0.02710 -0.00128
## strat0:EP_NOVEH       0.13213  0.12003  0.14426
## strat0:EP_GROUPQ     -0.03445 -0.04047 -0.02844
## strat0:EP_UNINSUR     0.02141  0.01145  0.03139
## strat0:co            -0.05450 -0.07879 -0.03040
## strat0:no2           -0.04416 -0.07800 -0.01093
## strat0:o3            -0.01479 -0.06728  0.03669
## strat0:pm10          -0.17061 -0.19253 -0.14864
## strat0:pm25           0.30260  0.27050  0.33465
## strat0:so2           0.00884 -0.01345  0.03061
## strat0:summer_tmmx    0.04398  0.00682  0.07933
## strat0:winter_tmmx   -0.10333 -0.19112  0.00406
## strat0:summer_rmax    0.02081 -0.02779  0.06757
## strat0:winter_rmax   -0.04613 -0.08151 -0.01013
## strat0:Data_Value_CSMOKING 1.02432  1.01025  1.03861
## strat1              9.92445  9.91829  9.93065
## strat1:flood_risk_pc1 -0.00606 -0.01228  0.00022
## strat1:flood_risk_pc2 -0.00026 -0.00713  0.00662
## strat1:flood_risk_pc3 -0.00075 -0.00639  0.00478
## strat1:flood_risk_pc4 -0.00243 -0.00728  0.00244
## strat1:flood_risk_pc5  0.00177 -0.00309  0.00664
## strat1:EP_AGE65       0.13098  0.12266  0.13933
## strat1:EP_AGE17       0.00261 -0.00536  0.01061
## strat1:EP_DISABL     -0.07702 -0.08376 -0.07023
## strat1:EP_SNGPNT      0.06650  0.06035  0.07262
## strat1:EP_MINRTY      0.46604  0.45585  0.47618
## strat1:EP_LIMENG     -0.26184 -0.26943 -0.25433
## strat1:EP_MUNIT       0.04181  0.03513  0.04848
## strat1:EP_MOBILE     -0.01521 -0.02054 -0.00993
## strat1:EP_CROWD       0.00404 -0.00244  0.01051
## strat1:EP_NOVEH       0.22375  0.21528  0.23218
## strat1:EP_GROUPQ     -0.00290 -0.00779  0.00197
## strat1:EP_UNINSUR    -0.04246 -0.04906 -0.03588
## strat1:co            -0.04215 -0.06856 -0.01610
## strat1:no2           -0.17775 -0.21185 -0.14456
## strat1:o3            -0.00921 -0.06167  0.04217
## strat1:pm10          -0.20222 -0.22501 -0.17975
## strat1:pm25           0.37575  0.34335  0.40738
## strat1:so2           -0.02989 -0.05164 -0.00857
## strat1:summer_tmmx    0.00915 -0.02873  0.04537
## strat1:winter_tmmx   -0.10258 -0.19064  0.00418
## strat1:summer_rmax   -0.04082 -0.08962  0.00625
## strat1:winter_rmax   -0.04745 -0.08294 -0.01142
## strat1:Data_Value_CSMOKING 1.13814  1.12783  1.14839
```

List of significant beta coefficients:

```
colnames(beta_samples_matrix)[sign(beta_inference[, 2]) == sign(beta_inference[, 3])]
```

```
## [1] "strat0" "strat0:flood_risk_pc1"
## [3] "strat0:flood_risk_pc4" "strat0:EP_AGE65"
## [5] "strat0:EP_AGE17" "strat0:EP_DISABL"
```

```
## [7] "strat0:EP_SNGPNT"      "strat0:EP_MINRTY"
## [9] "strat0:EP_LIMENG"      "strat0:EP_MUNIT"
## [11] "strat0:EP_CROWD"       "strat0:EP_NOVEH"
## [13] "strat0:EP_GROUPQ"      "strat0:EP_UNINSUR"
## [15] "strat0:co"             "strat0:no2"
## [17] "strat0:pm10"           "strat0:pm25"
## [19] "strat0:summer_tmmx"    "strat0:winter_rmax"
## [21] "strat0:Data_Value_CSMOKING" "strat1"
## [23] "strat1:EP_AGE65"       "strat1:EP_DISABL"
## [25] "strat1:EP_SNGPNT"      "strat1:EP_MINRTY"
## [27] "strat1:EP_LIMENG"      "strat1:EP_MUNIT"
## [29] "strat1:EP_MOBILE"      "strat1:EP_NOVEH"
## [31] "strat1:EP_UNINSUR"     "strat1:co"
## [33] "strat1:no2"            "strat1:pm10"
## [35] "strat1:pm25"           "strat1:so2"
## [37] "strat1:winter_rmax"    "strat1:Data_Value_CSMOKING"
```

Credible Interval plots for the coefficients, in ggplot

```
# first, process the beta_inference matrix in a form ggplot can understand
beta_inference_df <- as.data.frame(beta_inference)
beta_inference_df <- mutate(beta_inference_df, var_name = row.names(beta_inference_df))
beta_inference_df <- rename(beta_inference_df,
                             post_median = `50%`,
                             post_2.5 = `2.5%`,
                             post_97.5 = `97.5%`)
beta_inference_df$var_name <- substring(beta_inference_df$var_name, first = 8)
beta_inference_df$var_name <- factor(beta_inference_df$var_name,
                                     levels = unique(beta_inference_df$var_name))
beta_inference_df$strat <- as.factor(c(rep("Lower", (nrow(beta_inference_df)/2)),
                                     rep("Upper", (nrow(beta_inference_df)/2))))
```

Splitting up the beta coefficients for each strata

```
beta_inference_df_strat0 <- beta_inference_df[1:(nrow(beta_inference_df)/2),]
beta_inference_df_strat1 <- beta_inference_df[(nrow(beta_inference_df)/2 + 1):nrow(beta_inference_df),]
```

Note: The intercept for both strata is not included.


```
p <- ggplot(beta_inference_df_strat0[-1, ], aes(x = var_name, y = post_median, color = strat)) +
  geom_point() +
  ylim(c(-1, 1.5)) +
  theme(axis.text.x = element_text(angle = 45, vjust = 1, hjust=1), axis.title.x = element_blank(), axis.title.y = element_text(size=12),
        plot.margin = margin(5.5, 5.5, 5.5, 10)) +
  geom_errorbar(aes(ymin = post_2.5, ymax = post_97.5, width = 0.4), col = "#F8766D") +
  geom_vline(xintercept = c(5.5, 17.5, 23.5, 27.5), col = "blue") +
  geom_hline(yintercept = 0, col = "red") +
  annotate(geom = "text", x = 3, y = 0.95, label = "Flood\nRisk",
          col = "blue", size = 4.5) +
  annotate(geom = "text", x = 11.5, y = 1, label = "Social Vulnerability Index",
          col = "blue", size = 4.5) +
  annotate(geom = "text", x = 20.5, y = 1, label = "Air Pollution",
```

```

    col = "blue", size = 4.5) +
  annotate(geom = "text", x = 25.5, y = 1, label = "GRIDMET",
    col = "blue", size = 4.5) +
  scale_x_discrete(labels = c("PC 1", "PC 2", "PC 3", "PC 4", "PC 5",
    "65 or Over", "17 or Under", "Disability",
    "Single-Parent", "Minority", "Poor English",
    "Multi-Unit", "Mobile", "Crowded",
    "No Vehicle", "Group Quarters", "Uninsured",
    "CO", "NO2", "O3", "PM10", "PM2.5", "SO2",
    "Summer Temperature", "Winter Temperature", "Summer Humidity", "Winter Humidity",
    "Smoking")) + ggtitle("95% Credible Intervals, Asthma, Stratified on RPL Theme 1")
  geom_point(data = beta_inference_df_strat1[-1, ], col = "#00BFC4") + # strat 1
  geom_errorbar(data = beta_inference_df_strat1[-1, ], aes(ymin = post_2.5, ymax = post_97.5, width = 0.5))
  scale_color_manual(name = "Strata",
    values = c("#F8766D", "#00BFC4"),
    drop = FALSE)

```

p



```

ggsave(here("figures/final_figures/stratified_analysis/CASTHMA_CI_rpl1.pdf"),
  plot = p, device = "pdf",
  width = 8, height = 6, units = "in")

```

Stratified on RPL_THEME2

```
load(here("modeling_files/stratified_analysis/model_stratif_rpl2_CASTHMA.RData"))
```

```

beta_samples_matrix <- rbind(chain1$samples$beta, chain2$samples$beta, chain3$samples$beta)

colnames(beta_samples_matrix) <- var_names

(beta_inference <- round(t(apply(beta_samples_matrix, 2, quantile, c(0.5, 0.025, 0.975))),5))

```

```

##              50%      2.5%      97.5%
## strat0              9.83264  9.82786  9.83743
## strat0:flood_risk_pc1      0.00998  0.00412  0.01579
## strat0:flood_risk_pc2     -0.00674 -0.01336 -0.00015
## strat0:flood_risk_pc3     -0.00867 -0.01362 -0.00372
## strat0:flood_risk_pc4     -0.01375 -0.01829 -0.00918
## strat0:flood_risk_pc5     -0.00092 -0.00533  0.00349
## strat0:EP_POV              0.35202  0.34362  0.36034
## strat0:EP_UNEMP            0.09381  0.08729  0.10029
## strat0:EP_PCI             -0.08317 -0.09008 -0.07625
## strat0:EP_NOHSDP           0.10002  0.08895  0.11130
## strat0:EP_MINRTY           0.13569  0.12516  0.14616
## strat0:EP_LIMENG          -0.18991 -0.19947 -0.18036
## strat0:EP_MUNIT           -0.02827 -0.03366 -0.02288
## strat0:EP_MOBILE          -0.02250 -0.02927 -0.01575
## strat0:EP_CROWD           -0.02105 -0.02823 -0.01380
## strat0:EP_NOVEH            0.10760  0.09856  0.11659
## strat0:EP_GROUPQ          -0.03283 -0.03639 -0.02927
## strat0:EP_UNINSUR         -0.00297 -0.01030  0.00439
## strat0:co                 -0.05955 -0.08152 -0.03766
## strat0:no2                -0.14367 -0.17448 -0.11366
## strat0:o3                  0.03335 -0.01517  0.08162
## strat0:pm10               -0.17287 -0.19342 -0.15227
## strat0:pm25                0.29212  0.26239  0.32183
## strat0:so2                -0.00810 -0.02881  0.01215
## strat0:summer_tmmx         0.05552  0.02104  0.08849
## strat0:winter_tmmx        -0.11357 -0.19440 -0.01503
## strat0:summer_rmax         0.03850 -0.00660  0.08232
## strat0:winter_rmax        -0.06366 -0.09684 -0.02998
## strat0:Data_Value_CSMOKING 0.66702  0.65428  0.67988
## strat1              9.89579  9.89080  9.90083
## strat1:flood_risk_pc1     -0.00536 -0.01136  0.00070
## strat1:flood_risk_pc2      0.01585  0.00919  0.02245
## strat1:flood_risk_pc3      0.00596  0.00044  0.01142
## strat1:flood_risk_pc4      0.00229 -0.00256  0.00721
## strat1:flood_risk_pc5      0.00106 -0.00380  0.00592
## strat1:EP_POV              0.19801  0.18901  0.20691
## strat1:EP_UNEMP            0.04952  0.04441  0.05462
## strat1:EP_PCI              0.00884 -0.00410  0.02188
## strat1:EP_NOHSDP           0.08805  0.07814  0.09799
## strat1:EP_MINRTY           0.46170  0.45180  0.47150
## strat1:EP_LIMENG          -0.27954 -0.28895 -0.27018
## strat1:EP_MUNIT            0.01349  0.00586  0.02104
## strat1:EP_MOBILE          -0.01182 -0.01684 -0.00685
## strat1:EP_CROWD           -0.02393 -0.03098 -0.01686
## strat1:EP_NOVEH            0.17206  0.16301  0.18114
## strat1:EP_GROUPQ          -0.18147 -0.19107 -0.17179
## strat1:EP_UNINSUR         -0.04491 -0.05172 -0.03803

```

```
## strat1:co -0.09295 -0.11785 -0.06823
## strat1:no2 -0.16797 -0.20015 -0.13644
## strat1:o3 0.03346 -0.01507 0.08188
## strat1:pm10 -0.14327 -0.16377 -0.12308
## strat1:pm25 0.28095 0.25138 0.31033
## strat1:so2 -0.03189 -0.05207 -0.01178
## strat1:summer_tmmx 0.00121 -0.03336 0.03451
## strat1:winter_tmmx -0.08841 -0.17009 0.00969
## strat1:summer_rmax -0.02166 -0.06670 0.02236
## strat1:winter_rmax -0.03993 -0.07298 -0.00662
## strat1:Data_Value_CSMOKING 0.92356 0.91109 0.93602
```

List of significant beta coefficients:

```
colnames(beta_samples_matrix)[sign(beta_inference[, 2]) == sign(beta_inference[, 3])]
```

```
## [1] "strat0" "strat0:flood_risk_pc1"
## [3] "strat0:flood_risk_pc2" "strat0:flood_risk_pc3"
## [5] "strat0:flood_risk_pc4" "strat0:EP_POV"
## [7] "strat0:EP_UNEMP" "strat0:EP_PCI"
## [9] "strat0:EP_NOHSDP" "strat0:EP_MINRTY"
## [11] "strat0:EP_LIMENG" "strat0:EP_MUNIT"
## [13] "strat0:EP_MOBILE" "strat0:EP_CROWD"
## [15] "strat0:EP_NOVEH" "strat0:EP_GROUPQ"
## [17] "strat0:co" "strat0:no2"
## [19] "strat0:pm10" "strat0:pm25"
## [21] "strat0:summer_tmmx" "strat0:winter_tmmx"
## [23] "strat0:winter_rmax" "strat0:Data_Value_CSMOKING"
## [25] "strat1" "strat1:flood_risk_pc2"
## [27] "strat1:flood_risk_pc3" "strat1:EP_POV"
## [29] "strat1:EP_UNEMP" "strat1:EP_NOHSDP"
## [31] "strat1:EP_MINRTY" "strat1:EP_LIMENG"
## [33] "strat1:EP_MUNIT" "strat1:EP_MOBILE"
## [35] "strat1:EP_CROWD" "strat1:EP_NOVEH"
## [37] "strat1:EP_GROUPQ" "strat1:EP_UNINSUR"
## [39] "strat1:co" "strat1:no2"
## [41] "strat1:pm10" "strat1:pm25"
## [43] "strat1:so2" "strat1:winter_rmax"
## [45] "strat1:Data_Value_CSMOKING"
```

Credible Interval plots for the coefficients, in ggplot

```
# first, process the beta_inference matrix in a form ggplot can understand
beta_inference_df <- as.data.frame(beta_inference)
beta_inference_df <- mutate(beta_inference_df, var_name = row.names(beta_inference_df))
beta_inference_df <- rename(beta_inference_df,
                             post_median = `50%`,
                             post_2.5 = `2.5%`,
                             post_97.5 = `97.5%`)
beta_inference_df$var_name <- substring(beta_inference_df$var_name, first = 8)
beta_inference_df$var_name <- factor(beta_inference_df$var_name,
                                     levels = unique(beta_inference_df$var_name))
beta_inference_df$strat <- as.factor(c(rep("Lower", (nrow(beta_inference_df)/2)),
                                       rep("Upper", (nrow(beta_inference_df)/2))))
```

Splitting up the beta coefficients for each strata


```
beta_inference_df_strat0 <- beta_inference_df[1:(nrow(beta_inference_df)/2),]
```

```
beta_inference_df_strat1 <- beta_inference_df[(nrow(beta_inference_df)/2 + 1):nrow(beta_inference_df),]
```

Note: The intercept for both strata is not included.

```
p <- ggplot(beta_inference_df_strat0[-1, ], aes(x = var_name, y = post_median, color = strat)) +  
  geom_point() +  
  ylim(c(-1, 1.5)) +  
  theme(axis.text.x = element_text(angle = 45, vjust = 1, hjust=1), axis.title.x = element_blank(), axis.  
        axis.text=element_text(size=12),  
        plot.margin = margin(5.5, 5.5, 5.5, 10)) +  
  geom_errorbar(aes(ymin = post_2.5, ymax = post_97.5, width = 0.4), col = "#F8766D") +  
  geom_vline(xintercept = c(5.5, 17.5, 23.5, 27.5), col = "blue") +  
  geom_hline(yintercept = 0, col = "red") +  
  annotate(geom = "text", x = 3, y = 0.95, label = "Flood\nRisk",  
          col = "blue", size = 4.5) +  
  annotate(geom = "text", x = 11.5, y = 1, label = "Social Vulnerability Index",  
          col = "blue", size = 4.5) +  
  annotate(geom = "text", x = 20.5, y = 1, label = "Air Pollution",  
          col = "blue", size = 4.5) +  
  annotate(geom = "text", x = 25.5, y = 1, label = "GRIDMET",  
          col = "blue", size = 4.5) +  
  scale_x_discrete(labels = c("PC 1", "PC 2", "PC 3", "PC 4", "PC 5",  
                              "Poverty", "Unemployed", "Per Capita Income", "No High School",  
                              "Minority", "Poor English",  
                              "Multi-Unit", "Mobile", "Crowded",  
                              "No Vehicle", "Group Quarters", "Uninsured",  
                              "CO", "NO2", "O3", "PM10", "PM2.5", "SO2",  
                              "Summer Temperature", "Winter Temperature", "Summer Humidity", "Winter Hu  
                              "Smoking")) + ggtitle("95% Credible Intervals, Asthma, Stratified on RPL")  
  geom_point(data = beta_inference_df_strat1[-1, ], col = "#00BFC4") + # strat 1  
  geom_errorbar(data = beta_inference_df_strat1[-1, ], aes(ymin = post_2.5, ymax = post_97.5, width = 0  
  scale_color_manual(name = "Strata",  
                     values = c("#F8766D", "#00BFC4"),  
                     drop = FALSE)
```

p



```
ggsave(here("figures/final_figures/stratified_analysis/CASTHMA_CI_rpl2.pdf"),
  plot = p, device = "pdf",
  width = 8, height = 6, units = "in")
```

Stratified on RPL_THEME3

Inference is based on 3 markov chains, each of which has been run for 110000 samples, the first 10000 of which has been removed for burn-in. The remaining 100000 samples are thinned by 2, resulting in 150000 samples for inference across the 3 Markov chains.

```
load(here("modeling_files/stratified_analysis/model_stratif_rpl3_CASTHMA.RData"))
```

```
beta_samples_matrix <- rbind(chain1$samples$beta, chain2$samples$beta, chain3$samples$beta)
```

```
colnames(beta_samples_matrix) <- var_names
```

```
(beta_inference <- round(t(apply(beta_samples_matrix, 2, quantile, c(0.5, 0.025, 0.975))),5))
```

```
##              50%      2.5%      97.5%
## strat0      9.99906  9.98953 10.00855
## strat0:flood_risk_pc1  0.00941  0.00266  0.01615
## strat0:flood_risk_pc2 -0.00489 -0.01270  0.00290
## strat0:flood_risk_pc3 -0.01113 -0.01705 -0.00520
## strat0:flood_risk_pc4 -0.00466 -0.01072  0.00134
## strat0:flood_risk_pc5 -0.00309 -0.00889  0.00271
## strat0:EP_POV      0.34665  0.33659  0.35663
## strat0:EP_UNEMP     0.08162  0.07493  0.08824
```

## strat0:EP_PCI	-0.08781	-0.09588	-0.07985
## strat0:EP_NOHSDP	0.15158	0.13674	0.16629
## strat0:EP_AGE65	0.04287	0.03577	0.05004
## strat0:EP_AGE17	0.00612	-0.00212	0.01434
## strat0:EP_DISABL	-0.04526	-0.05312	-0.03745
## strat0:EP_SNGPNT	0.06454	0.05654	0.07252
## strat0:EP_MUNIT	-0.03139	-0.04014	-0.02263
## strat0:EP_MOBILE	-0.02874	-0.03496	-0.02257
## strat0:EP_CROWD	0.01581	0.00233	0.02914
## strat0:EP_NOVEH	0.13571	0.12406	0.14738
## strat0:EP_GROUPQ	0.00889	0.00324	0.01451
## strat0:EP_UNINSUR	-0.01708	-0.02614	-0.00797
## strat0:co	-0.10393	-0.12848	-0.07957
## strat0:no2	-0.13115	-0.16510	-0.09752
## strat0:o3	0.05404	0.00160	0.11625
## strat0:pm10	-0.12198	-0.14399	-0.09986
## strat0:pm25	0.26487	0.23267	0.29648
## strat0:so2	-0.01024	-0.03321	0.01256
## strat0:summer_tmmx	0.02651	-0.00948	0.06118
## strat0:winter_tmmx	-0.01612	-0.10780	0.07143
## strat0:summer_rmax	0.02342	-0.02535	0.06800
## strat0:winter_rmax	-0.06347	-0.09936	-0.02752
## strat0:Data_Value_CSMOKING	0.73770	0.72186	0.75349
## strat1	9.91846	9.91248	9.92446
## strat1:flood_risk_pc1	0.00368	-0.00283	0.01024
## strat1:flood_risk_pc2	0.00737	0.00056	0.01419
## strat1:flood_risk_pc3	0.00148	-0.00404	0.00702
## strat1:flood_risk_pc4	-0.00809	-0.01262	-0.00352
## strat1:flood_risk_pc5	-0.00001	-0.00441	0.00439
## strat1:EP_POV	0.21822	0.20970	0.22672
## strat1:EP_UNEMP	0.10426	0.09884	0.10965
## strat1:EP_PCI	-0.11826	-0.12783	-0.10868
## strat1:EP_NOHSDP	-0.03546	-0.04405	-0.02685
## strat1:EP_AGE65	0.09362	0.08550	0.10178
## strat1:EP_AGE17	0.00749	-0.00025	0.01531
## strat1:EP_DISABL	-0.04196	-0.04931	-0.03464
## strat1:EP_SNGPNT	0.08019	0.07401	0.08638
## strat1:EP_MUNIT	-0.01101	-0.01689	-0.00514
## strat1:EP_MOBILE	-0.02878	-0.03466	-0.02296
## strat1:EP_CROWD	-0.05000	-0.05643	-0.04358
## strat1:EP_NOVEH	0.16640	0.15757	0.17518
## strat1:EP_GROUPQ	-0.09129	-0.09665	-0.08602
## strat1:EP_UNINSUR	-0.06280	-0.06960	-0.05603
## strat1:co	-0.11777	-0.14481	-0.09107
## strat1:no2	-0.06414	-0.09797	-0.03128
## strat1:o3	0.07824	0.02542	0.14097
## strat1:pm10	-0.19517	-0.21811	-0.17203
## strat1:pm25	0.30593	0.27340	0.33815
## strat1:so2	-0.05205	-0.07625	-0.02818
## strat1:summer_tmmx	0.01795	-0.01894	0.05365
## strat1:winter_tmmx	0.04904	-0.04320	0.13588
## strat1:summer_rmax	-0.00576	-0.05503	0.03902
## strat1:winter_rmax	-0.06682	-0.10313	-0.03037
## strat1:Data_Value_CSMOKING	1.01413	1.00076	1.02756

List of significant beta coefficients:

```
colnames(beta_samples_matrix)[sign(beta_inference[, 2]) == sign(beta_inference[, 3])]
```

```
## [1] "strat0" "strat0:flood_risk_pc1"
## [3] "strat0:flood_risk_pc3" "strat0:EP_POV"
## [5] "strat0:EP_UNEMP" "strat0:EP_PCI"
## [7] "strat0:EP_NOHSDP" "strat0:EP_AGE65"
## [9] "strat0:EP_DISABL" "strat0:EP_SNGPNT"
## [11] "strat0:EP_MUNIT" "strat0:EP_MOBILE"
## [13] "strat0:EP_CROWD" "strat0:EP_NOVEH"
## [15] "strat0:EP_GROUPQ" "strat0:EP_UNINSUR"
## [17] "strat0:co" "strat0:no2"
## [19] "strat0:o3" "strat0:pm10"
## [21] "strat0:pm25" "strat0:winter_rmax"
## [23] "strat0:Data_Value_CSMOKING" "strat1"
## [25] "strat1:flood_risk_pc2" "strat1:flood_risk_pc4"
## [27] "strat1:EP_POV" "strat1:EP_UNEMP"
## [29] "strat1:EP_PCI" "strat1:EP_NOHSDP"
## [31] "strat1:EP_AGE65" "strat1:EP_DISABL"
## [33] "strat1:EP_SNGPNT" "strat1:EP_MUNIT"
## [35] "strat1:EP_MOBILE" "strat1:EP_CROWD"
## [37] "strat1:EP_NOVEH" "strat1:EP_GROUPQ"
## [39] "strat1:EP_UNINSUR" "strat1:co"
## [41] "strat1:no2" "strat1:o3"
## [43] "strat1:pm10" "strat1:pm25"
## [45] "strat1:so2" "strat1:winter_rmax"
## [47] "strat1:Data_Value_CSMOKING"
```

Credible Interval plots for the coefficients, in ggplot

```
# first, process the beta_inference matrix in a form ggplot can understand
beta_inference_df <- as.data.frame(beta_inference)
beta_inference_df <- mutate(beta_inference_df, var_name = row.names(beta_inference_df))
beta_inference_df <- rename(beta_inference_df,
                             post_median = `50%`,
                             post_2.5 = `2.5%`,
                             post_97.5 = `97.5%`)
beta_inference_df$var_name <- substring(beta_inference_df$var_name, first = 8)
beta_inference_df$var_name <- factor(beta_inference_df$var_name,
                                     levels = unique(beta_inference_df$var_name))
beta_inference_df$strat <- as.factor(c(rep("Lower", (nrow(beta_inference_df)/2)),
                                       rep("Upper", (nrow(beta_inference_df)/2))))
```

Splitting up the beta coefficients for each strata

```
beta_inference_df_strat0 <- beta_inference_df[1:(nrow(beta_inference_df)/2),]
```

```
beta_inference_df_strat1 <- beta_inference_df[(nrow(beta_inference_df)/2 + 1):nrow(beta_inference_df),]
```

Note: The intercept for both strata is not included.


```
p <- ggplot(beta_inference_df_strat0[-1, ], aes(x = var_name, y = post_median, color = strat)) +
  geom_point() +
  ylim(c(-1, 1.5)) +
```

```

theme(axis.text.x = element_text(angle = 45, vjust = 1, hjust=1), axis.title.x = element_blank(), axis.title.y = element_text(size=12),
      plot.margin = margin(5.5, 5.5, 5.5, 10)) +
geom_errorbar(aes(ymin = post_2.5, ymax = post_97.5, width = 0.4), col = "#F8766D") +
geom_vline(xintercept = c(5.5, 19.5, 25.5, 29.5), col = "blue") +
geom_hline(yintercept = 0, col = "red") +
annotate(geom = "text", x = 3, y = 0.95, label = "Flood\nRisk",
         col = "blue", size = 4.5) +
annotate(geom = "text", x = 12.5, y = 1, label = "Social Vulnerability Index",
         col = "blue", size = 4.5) +
annotate(geom = "text", x = 22.5, y = 1, label = "Air Pollution",
         col = "blue", size = 4.5) +
annotate(geom = "text", x = 27.5, y = 1, label = "GRIDMET",
         col = "blue", size = 4.5) +
scale_x_discrete(labels = c("PC 1", "PC 2", "PC 3", "PC 4", "PC 5",
                           "Poverty", "Unemployed", "Per Capita Income", "No High School",
                           "65 or Over", "17 or Under", "Disability",
                           "Single-Parent",
                           "Multi-Unit", "Mobile", "Crowded",
                           "No Vehicle", "Group Quarters", "Uninsured",
                           "CO", "NO2", "O3", "PM10", "PM2.5", "SO2",
                           "Summer Temperature", "Winter Temperature", "Summer Humidity", "Winter Humidity",
                           "Smoking")) + ggtitle("95% Credible Intervals, Asthma, Stratified on RPL")
geom_point(data = beta_inference_df_strat1[-1, ], col = "#00BFC4") + # strat 1
geom_errorbar(data = beta_inference_df_strat1[-1, ], aes(ymin = post_2.5, ymax = post_97.5, width = 0.4), col = "#F8766D") +
scale_color_manual(name = "Strata",
                  values = c("#F8766D", "#00BFC4"),
                  drop = FALSE)

```

p



```
ggsave(here("figures/final_figures/stratified_analysis/CASTHMA_CI_rpl3.pdf"),
  plot = p, device = "pdf",
  width = 8, height = 6, units = "in")
```

Stratified on RPL_THEME4

Inference is based on 3 markov chains, each of which has been run for 110000 samples, the first 10000 of which has been removed for burn-in. The remaining 100000 samples are thinned by 2, resulting in 150000 samples for inference across the 3 Markov chains.

```
load(here("modeling_files/stratified_analysis/model_stratif_rpl4_CASTHMA.RData"))
```

```
beta_samples_matrix <- rbind(chain1$samples$beta, chain2$samples$beta, chain3$samples$beta)
```

```
colnames(beta_samples_matrix) <- var_names
```

```
(beta_inference <- round(t(apply(beta_samples_matrix, 2, quantile, c(0.5, 0.025, 0.975))),5))
```

```
##              50%      2.5%      97.5%
## strat0      9.88563  9.88127  9.88996
## strat0:flood_risk_pc1  0.00909  0.00296  0.01530
## strat0:flood_risk_pc2 -0.00165 -0.00851  0.00527
## strat0:flood_risk_pc3 -0.00395 -0.00922  0.00128
## strat0:flood_risk_pc4 -0.01283 -0.01792 -0.00770
## strat0:flood_risk_pc5  0.00444 -0.00047  0.00936
## strat0:EP_POV      0.25566  0.24570  0.26572
## strat0:EP_UNEMP     0.06538  0.05905  0.07168
```

```

## strat0:EP_PCI -0.02582 -0.03350 -0.01817
## strat0:EP_NOHSDP 0.07125 0.05919 0.08336
## strat0:EP_AGE65 0.11614 0.10952 0.12286
## strat0:EP_AGE17 0.03901 0.03223 0.04581
## strat0:EP_DISABL -0.01989 -0.02749 -0.01227
## strat0:EP_SNGPNT 0.02869 0.02149 0.03595
## strat0:EP_MINRTY 0.33452 0.32379 0.34521
## strat0:EP_LIMENG -0.24641 -0.25876 -0.23410
## strat0:EP_UNINSUR -0.01275 -0.02088 -0.00454
## strat0:co -0.06220 -0.08760 -0.03704
## strat0:no2 -0.11861 -0.15119 -0.08586
## strat0:o3 -0.06525 -0.11252 -0.01469
## strat0:pm10 -0.16075 -0.18154 -0.14025
## strat0:pm25 0.30707 0.27750 0.33693
## strat0:so2 0.00511 -0.01644 0.02616
## strat0:summer_tmmx 0.03706 0.00232 0.07170
## strat0:winter_tmmx -0.13059 -0.21914 -0.03182
## strat0:summer_rmax 0.00201 -0.04007 0.04600
## strat0:winter_rmax -0.05652 -0.09120 -0.02399
## strat0:Data_Value_CSMOKING 0.89234 0.87810 0.90672
## strat1 9.88356 9.87949 9.88765
## strat1:flood_risk_pc1 0.00071 -0.00522 0.00664
## strat1:flood_risk_pc2 0.00633 -0.00024 0.01293
## strat1:flood_risk_pc3 -0.00196 -0.00716 0.00328
## strat1:flood_risk_pc4 -0.00484 -0.00946 -0.00024
## strat1:flood_risk_pc5 0.00088 -0.00375 0.00546
## strat1:EP_POV 0.31772 0.31025 0.32516
## strat1:EP_UNEMP 0.07534 0.06984 0.08075
## strat1:EP_PCI -0.08702 -0.09658 -0.07737
## strat1:EP_NOHSDP 0.05042 0.04074 0.06008
## strat1:EP_AGE65 0.13794 0.13078 0.14509
## strat1:EP_AGE17 0.03907 0.03254 0.04561
## strat1:EP_DISABL -0.04471 -0.05154 -0.03788
## strat1:EP_SNGPNT 0.04370 0.03722 0.05015
## strat1:EP_MINRTY 0.35996 0.34956 0.37032
## strat1:EP_LIMENG -0.25852 -0.26697 -0.25011
## strat1:EP_UNINSUR -0.02638 -0.03300 -0.01979
## strat1:co -0.02935 -0.05176 -0.00703
## strat1:no2 -0.16136 -0.19199 -0.13091
## strat1:o3 -0.06381 -0.11090 -0.01333
## strat1:pm10 -0.16431 -0.18560 -0.14347
## strat1:pm25 0.32205 0.29281 0.35179
## strat1:so2 0.00225 -0.01872 0.02298
## strat1:summer_tmmx 0.02393 -0.01072 0.05793
## strat1:winter_tmmx -0.13158 -0.21986 -0.03289
## strat1:summer_rmax -0.00652 -0.04827 0.03752
## strat1:winter_rmax -0.06836 -0.10291 -0.03595
## strat1:Data_Value_CSMOKING 0.85738 0.84477 0.86999

```

List of significant beta coefficients:

```
colnames(beta_samples_matrix)[sign(beta_inference[, 2]) == sign(beta_inference[, 3])]
```

```

## [1] "strat0" "strat0:flood_risk_pc1"
## [3] "strat0:flood_risk_pc4" "strat0:EP_POV"

```

```
## [5] "strat0:EP_UNEMP"      "strat0:EP_PCI"
## [7] "strat0:EP_NOHSDP"     "strat0:EP_AGE65"
## [9] "strat0:EP_AGE17"      "strat0:EP_DISABL"
## [11] "strat0:EP_SNGPNT"     "strat0:EP_MINRTY"
## [13] "strat0:EP_LIMENG"     "strat0:EP_UNINSUR"
## [15] "strat0:co"            "strat0:no2"
## [17] "strat0:o3"            "strat0:pm10"
## [19] "strat0:pm25"          "strat0:summer_tmmx"
## [21] "strat0:winter_tmmx"   "strat0:winter_rmax"
## [23] "strat0:Data_Value_CSMOKING" "strat1"
## [25] "strat1:flood_risk_pc4" "strat1:EP_POV"
## [27] "strat1:EP_UNEMP"      "strat1:EP_PCI"
## [29] "strat1:EP_NOHSDP"     "strat1:EP_AGE65"
## [31] "strat1:EP_AGE17"      "strat1:EP_DISABL"
## [33] "strat1:EP_SNGPNT"     "strat1:EP_MINRTY"
## [35] "strat1:EP_LIMENG"     "strat1:EP_UNINSUR"
## [37] "strat1:co"            "strat1:no2"
## [39] "strat1:o3"            "strat1:pm10"
## [41] "strat1:pm25"          "strat1:winter_tmmx"
## [43] "strat1:winter_rmax"   "strat1:Data_Value_CSMOKING"
```

Credible Interval plots for the coefficients, in ggplot

```
# first, process the beta_inference matrix in a form ggplot can understand
beta_inference_df <- as.data.frame(beta_inference)
beta_inference_df <- mutate(beta_inference_df, var_name = row.names(beta_inference_df))
beta_inference_df <- rename(beta_inference_df,
                             post_median = `50%`,
                             post_2.5 = `2.5%`,
                             post_97.5 = `97.5%`)
beta_inference_df$var_name <- substring(beta_inference_df$var_name, first = 8)
beta_inference_df$var_name <- factor(beta_inference_df$var_name,
                                     levels = unique(beta_inference_df$var_name))
beta_inference_df$strat <- as.factor(c(rep("Lower", (nrow(beta_inference_df)/2)),
                                       rep("Upper", (nrow(beta_inference_df)/2))))
```

Splitting up the beta coefficients for each strata

```
beta_inference_df_strat0 <- beta_inference_df[1:(nrow(beta_inference_df)/2),]
beta_inference_df_strat1 <- beta_inference_df[(nrow(beta_inference_df)/2 + 1):nrow(beta_inference_df),]
```

Note: The intercept for both strata is not included.


```
p <- ggplot(beta_inference_df_strat0[-1, ], aes(x = var_name, y = post_median, color = strat)) +
  geom_point() +
  ylim(c(-1, 1.5)) +
  theme(axis.text.x = element_text(angle = 45, vjust = 1, hjust=1), axis.title.x = element_blank(), axis.title.y = element_text(size=12),
        plot.margin = margin(5.5, 5.5, 5.5, 10)) +
  geom_errorbar(aes(ymin = post_2.5, ymax = post_97.5, width = 0.4), col = "#F8766D") +
  geom_vline(xintercept = c(5.5, 16.5, 22.5, 26.5), col = "blue") +
  geom_hline(yintercept = 0, col = "red") +
  annotate(geom = "text", x = 3, y = 0.95, label = "Flood\nRisk",
```

```

    col = "blue", size = 4.5) +
  annotate(geom = "text", x = 11, y = 1, label = "Social Vulnerability Index",
    col = "blue", size = 4.5) +
  annotate(geom = "text", x = 19.5, y = 1, label = "Air Pollution",
    col = "blue", size = 4.5) +
  annotate(geom = "text", x = 24.5, y = 1, label = "GRIDMET",
    col = "blue", size = 4.5) +
  scale_x_discrete(labels = c("PC 1", "PC 2", "PC 3", "PC 4", "PC 5",
    "Poverty", "Unemployed", "Per Capita Income", "No High School",
    "65 or Over", "17 or Under", "Disability",
    "Single-Parent",
    "Minority", "Poor English",
    "Uninsured",
    "CO", "NO2", "O3", "PM10", "PM2.5", "SO2",
    "Summer Temperature", "Winter Temperature", "Summer Humidity", "Winter Humidity",
    "Smoking")) + ggtitle("95% Credible Intervals, Asthma, Stratified on RPL Theme 1")
geom_point(data = beta_inference_df_strat1[-1, ], col = "#00BFC4") + # strat 1
geom_errorbar(data = beta_inference_df_strat1[-1, ], aes(ymin = post_2.5, ymax = post_97.5, width = 0.5))
scale_color_manual(name = "Strata",
  values = c("#F8766D", "#00BFC4"),
  drop = FALSE)

```

p



```

ggsave(here("figures/final_figures/stratified_analysis/CASTHMA_CI_rpl4.pdf"),
  plot = p, device = "pdf",
  width = 8, height = 6, units = "in")

```


Stratified on RPL_THEMES

Inference is based on 3 markov chains, each of which has been run for 110000 samples, the first 10000 of which has been removed for burn-in. The remaining 100000 samples are thinned by 2, resulting in 150000 samples for inference across the 3 Markov chains.

```
load(here("modeling_files/stratified_analysis/model_stratif_rpls_CASTHMA.RData"))

beta_samples_matrix <- rbind(chain1$samples$beta, chain2$samples$beta, chain3$samples$beta)

colnames(beta_samples_matrix) <- var_names

(beta_inference <- round(t(apply(beta_samples_matrix, 2, quantile, c(0.5, 0.025, 0.975))),5))
```

##	50%	2.5%	97.5%
## strat0	9.75622	9.74944	9.76299
## strat0:flood_risk_pc1	0.00327	-0.00404	0.01060
## strat0:flood_risk_pc2	0.01177	0.00340	0.02006
## strat0:flood_risk_pc3	-0.00240	-0.00856	0.00377
## strat0:flood_risk_pc4	-0.01433	-0.02045	-0.00825
## strat0:flood_risk_pc5	0.00004	-0.00577	0.00582
## strat0:EP_UNINSUR	-0.02325	-0.03329	-0.01313
## strat0:co	-0.02119	-0.04792	0.00560
## strat0:no2	-0.05715	-0.09241	-0.02048
## strat0:o3	-0.02102	-0.08280	0.03279
## strat0:pm10	-0.19038	-0.21629	-0.16516
## strat0:pm25	0.40374	0.36681	0.43983
## strat0:so2	0.02362	-0.00121	0.04928
## strat0:summer_tmmx	0.02812	-0.01473	0.07639
## strat0:winter_tmmx	-0.14511	-0.28701	-0.01899
## strat0:summer_rmax	0.00074	-0.05115	0.05542
## strat0:winter_rmax	-0.06271	-0.10157	-0.02412
## strat0:Data_Value_CSMOKING	1.10676	1.09537	1.11818
## strat1	9.93931	9.93349	9.94509
## strat1:flood_risk_pc1	0.00817	0.00113	0.01523
## strat1:flood_risk_pc2	-0.02120	-0.02891	-0.01355
## strat1:flood_risk_pc3	-0.01027	-0.01660	-0.00402
## strat1:flood_risk_pc4	-0.01417	-0.01955	-0.00882
## strat1:flood_risk_pc5	-0.00308	-0.00841	0.00230
## strat1:EP_UNINSUR	-0.08751	-0.09417	-0.08079
## strat1:co	-0.11410	-0.14362	-0.08465
## strat1:no2	0.12848	0.09206	0.16534
## strat1:o3	-0.06187	-0.12384	-0.00737
## strat1:pm10	-0.27097	-0.29773	-0.24468
## strat1:pm25	0.46442	0.42713	0.50001
## strat1:so2	0.00146	-0.02313	0.02704
## strat1:summer_tmmx	0.01963	-0.02352	0.06782
## strat1:winter_tmmx	-0.06299	-0.20464	0.06378
## strat1:summer_rmax	-0.04780	-0.10020	0.00667
## strat1:winter_rmax	-0.10682	-0.14588	-0.06773
## strat1:Data_Value_CSMOKING	1.31950	1.31100	1.32798

List of significant beta coefficients:

```
colnames(beta_samples_matrix)[sign(beta_inference[, 2]) == sign(beta_inference[, 3])]
```

```
## [1] "strat0" "strat0:flood_risk_pc2"
## [3] "strat0:flood_risk_pc4" "strat0:EP_UNINSUR"
## [5] "strat0:no2" "strat0:pm10"
## [7] "strat0:pm25" "strat0:winter_tmmx"
## [9] "strat0:winter_rmax" "strat0:Data_Value_CSMOKING"
## [11] "strat1" "strat1:flood_risk_pc1"
## [13] "strat1:flood_risk_pc2" "strat1:flood_risk_pc3"
## [15] "strat1:flood_risk_pc4" "strat1:EP_UNINSUR"
## [17] "strat1:co" "strat1:no2"
## [19] "strat1:o3" "strat1:pm10"
## [21] "strat1:pm25" "strat1:winter_rmax"
## [23] "strat1:Data_Value_CSMOKING"
```

Credible Interval plots for the coefficients, in ggplot

```
# first, process the beta_inference matrix in a form ggplot can understand
beta_inference_df <- as.data.frame(beta_inference)
beta_inference_df <- mutate(beta_inference_df, var_name = row.names(beta_inference_df))
beta_inference_df <- rename(beta_inference_df,
                             post_median = `50%`,
                             post_2.5 = `2.5%`,
                             post_97.5 = `97.5%`)
beta_inference_df$var_name <- substring(beta_inference_df$var_name, first = 8)
beta_inference_df$var_name <- factor(beta_inference_df$var_name,
                                     levels = unique(beta_inference_df$var_name))
beta_inference_df$strat <- as.factor(c(rep("Lower", (nrow(beta_inference_df)/2)),
                                     rep("Upper", (nrow(beta_inference_df)/2))))
```

Splitting up the beta coefficients for each strata

```
beta_inference_df_strat0 <- beta_inference_df[1:(nrow(beta_inference_df)/2),]
beta_inference_df_strat1 <- beta_inference_df[(nrow(beta_inference_df)/2 + 1):nrow(beta_inference_df),]
```

Note: The intercept for both strata is not included.


```
p <- ggplot(beta_inference_df_strat0[-1, ], aes(x = var_name, y = post_median, color = strat)) +
  geom_point() +
  ylim(c(-1, 1.5)) +
  theme(axis.text.x = element_text(angle = 45, vjust = 1, hjust=1), axis.title.x = element_blank(), axis.title.y = element_blank(),
        axis.text=element_text(size=12),
        plot.margin = margin(5.5, 5.5, 5.5, 10)) +
  geom_errorbar(aes(ymin = post_2.5, ymax = post_97.5, width = 0.4), col = "#F8766D") +
  geom_vline(xintercept = c(5.5, 6.5, 12.5, 16.5), col = "blue") +
  geom_hline(yintercept = 0, col = "red") +
  annotate(geom = "text", x = 3, y = 0.95, label = "Flood\nRisk",
          col = "blue", size = 4.5) +
  annotate(geom = "text", x = 9.5, y = 1, label = "Air Pollution",
          col = "blue", size = 4.5) +
  annotate(geom = "text", x = 14.5, y = 1, label = "GRIDMET",
          col = "blue", size = 4.5) +
  scale_x_discrete(labels = c("PC 1", "PC 2", "PC 3", "PC 4", "PC 5",
                              "Uninsured",
                              "CO", "NO2", "O3", "PM10", "PM2.5", "SO2",
```

```

"Summer Temperature", "Winter Temperature", "Summer Humidity", "Winter Humidity",
"Smoking")) + ggtitle("95% Credible Intervals, Asthma, Stratified on All RPL Themes")
geom_point(data = beta_inference_df_strat1[-1, ], col = "#00BFC4") + # strat 1
geom_errorbar(data = beta_inference_df_strat1[-1, ], aes(ymin = post_2.5, ymax = post_97.5, width = 0.1))
scale_color_manual(name = "Strata",
  values = c("#F8766D", "#00BFC4"),
  drop = FALSE)

```

p



```

ggsave(here("figures/final_figures/stratified_analysis/CASTHMA_CI_rpls.pdf"),
  plot = p, device = "pdf",
  width = 8, height = 6, units = "in")

```

MHLTH Stratified Analysis

Repeating the stratified analysis in the last section, this time just doing the plots

Stratified on Poverty

```

load(here("modeling_files/stratified_analysis/model_stratif_poverty_MHLTH.RData"))

beta_samples_matrix <- rbind(chain1$samples$beta, chain2$samples$beta, chain3$samples$beta)

```

```
colnames(beta_samples_matrix) <- var_names
```

```
(beta_inference <- round(t(apply(beta_samples_matrix, 2, quantile, c(0.5, 0.025, 0.975))),5))
```

##	50%	2.5%	97.5%
## strat0	14.05947	14.04671	14.07223
## strat0:flood_risk_pc1	-0.00184	-0.01307	0.00924
## strat0:flood_risk_pc2	0.01708	0.00431	0.02976
## strat0:flood_risk_pc3	0.00648	-0.00296	0.01608
## strat0:flood_risk_pc4	-0.00581	-0.01485	0.00326
## strat0:flood_risk_pc5	0.00517	-0.00336	0.01371
## strat0:EP_UNEMP	0.08925	0.07501	0.10341
## strat0:EP_PCI	-0.17038	-0.18402	-0.15655
## strat0:EP_NOHSDP	0.11597	0.08972	0.14229
## strat0:EP_AGE65	-0.22733	-0.24039	-0.21431
## strat0:EP_AGE17	-0.03245	-0.04743	-0.01759
## strat0:EP_DISABL	-0.03668	-0.05240	-0.02079
## strat0:EP_SNGPNT	0.07427	0.05954	0.08905
## strat0:EP_MINRTY	-0.07790	-0.10024	-0.05588
## strat0:EP_LIMENG	0.05954	0.03559	0.08327
## strat0:EP_MUNIT	0.08564	0.07322	0.09804
## strat0:EP_MOBILE	-0.02338	-0.03577	-0.01101
## strat0:EP_CROWD	0.07613	0.05683	0.09549
## strat0:EP_NOVEH	0.11751	0.09594	0.13894
## strat0:EP_GROUPQ	0.17599	0.16353	0.18839
## strat0:EP_UNINSUR	0.03959	0.02338	0.05574
## strat0:co	0.10258	0.06221	0.14291
## strat0:no2	0.14149	0.08615	0.19601
## strat0:o3	-0.01658	-0.10130	0.07347
## strat0:pm10	-0.15972	-0.19648	-0.12402
## strat0:pm25	0.30003	0.24911	0.35454
## strat0:so2	0.04434	0.00702	0.08183
## strat0:summer_tmmx	0.05300	-0.00508	0.11704
## strat0:winter_tmmx	-0.00398	-0.20391	0.14552
## strat0:summer_rmax	0.03978	-0.04264	0.12482
## strat0:winter_rmax	-0.05081	-0.11053	0.00965
## strat0:Data_Value_CSMOKING	2.74502	2.71650	2.77333
## strat1	14.21971	14.20887	14.23045
## strat1:flood_risk_pc1	-0.01064	-0.02106	-0.00026
## strat1:flood_risk_pc2	-0.01192	-0.02354	-0.00024
## strat1:flood_risk_pc3	-0.01572	-0.02487	-0.00658
## strat1:flood_risk_pc4	-0.00932	-0.01760	-0.00115
## strat1:flood_risk_pc5	-0.00682	-0.01498	0.00133
## strat1:EP_UNEMP	0.13909	0.13053	0.14771
## strat1:EP_PCI	-0.97670	-1.00046	-0.95314
## strat1:EP_NOHSDP	0.18956	0.17280	0.20620
## strat1:EP_AGE65	-0.40953	-0.42321	-0.39583
## strat1:EP_AGE17	-0.17848	-0.19195	-0.16481
## strat1:EP_DISABL	-0.24717	-0.25857	-0.23570
## strat1:EP_SNGPNT	0.14464	0.13396	0.15535
## strat1:EP_MINRTY	-0.22903	-0.24695	-0.21095
## strat1:EP_LIMENG	-0.03292	-0.04778	-0.01799
## strat1:EP_MUNIT	0.22072	0.20991	0.23156
## strat1:EP_MOBILE	-0.04202	-0.05136	-0.03277

```
## strat1:EP_CROWD          0.07309  0.06181  0.08439
## strat1:EP_NOVEH          0.25182  0.23762  0.26604
## strat1:EP_GROUPQ         0.15220  0.14404  0.16040
## strat1:EP_UNINSUR        -0.09023 -0.10184 -0.07879
## strat1:co                 0.10435  0.05997  0.14870
## strat1:no2               -0.03093 -0.08740  0.02378
## strat1:o3                 0.03027 -0.05432  0.12085
## strat1:pm10              -0.22038 -0.25841 -0.18383
## strat1:pm25               0.36805  0.31676  0.42310
## strat1:so2                0.04734  0.01052  0.08444
## strat1:summer_tmmx        0.03700 -0.02192  0.10119
## strat1:winter_tmmx        0.12018 -0.07962  0.26905
## strat1:summer_rmax        -0.00967 -0.09248  0.07530
## strat1:winter_rmax        -0.02356 -0.08296  0.03696
## strat1:Data_Value_CSMOKING 2.51264  2.49246  2.53298
```

List of significant beta coefficients:

```
colnames(beta_samples_matrix)[sign(beta_inference[, 2]) == sign(beta_inference[, 3])]
```

```
## [1] "strat0"          "strat0:flood_risk_pc2"
## [3] "strat0:EP_UNEMP"  "strat0:EP_PCI"
## [5] "strat0:EP_NOHSDP" "strat0:EP_AGE65"
## [7] "strat0:EP_AGE17"  "strat0:EP_DISABL"
## [9] "strat0:EP_SNGPNT" "strat0:EP_MINRTY"
## [11] "strat0:EP_LIMENG" "strat0:EP_MUNIT"
## [13] "strat0:EP_MOBILE" "strat0:EP_CROWD"
## [15] "strat0:EP_NOVEH"  "strat0:EP_GROUPQ"
## [17] "strat0:EP_UNINSUR" "strat0:co"
## [19] "strat0:no2"        "strat0:pm10"
## [21] "strat0:pm25"       "strat0:so2"
## [23] "strat0:Data_Value_CSMOKING" "strat1"
## [25] "strat1:flood_risk_pc1" "strat1:flood_risk_pc2"
## [27] "strat1:flood_risk_pc3" "strat1:flood_risk_pc4"
## [29] "strat1:EP_UNEMP"     "strat1:EP_PCI"
## [31] "strat1:EP_NOHSDP"    "strat1:EP_AGE65"
## [33] "strat1:EP_AGE17"     "strat1:EP_DISABL"
## [35] "strat1:EP_SNGPNT"    "strat1:EP_MINRTY"
## [37] "strat1:EP_LIMENG"    "strat1:EP_MUNIT"
## [39] "strat1:EP_MOBILE"    "strat1:EP_CROWD"
## [41] "strat1:EP_NOVEH"     "strat1:EP_GROUPQ"
## [43] "strat1:EP_UNINSUR"   "strat1:co"
## [45] "strat1:pm10"         "strat1:pm25"
## [47] "strat1:so2"          "strat1:Data_Value_CSMOKING"
```

Credible Interval plots for the coefficients, in ggplot

```
# first, process the beta_inference matrix in a form ggplot can understand
beta_inference_df <- as.data.frame(beta_inference)
beta_inference_df <- mutate(beta_inference_df, var_name = row.names(beta_inference_df))
beta_inference_df <- rename(beta_inference_df,
                             post_median = `50%`,
                             post_2.5 = `2.5%`,
                             post_97.5 = `97.5%`)
```

```

beta_inference_df$var_name <- substring(beta_inference_df$var_name, first = 8)
beta_inference_df$var_name <- factor(beta_inference_df$var_name,
                                     levels = unique(beta_inference_df$var_name))
beta_inference_df$strat <- as.factor(c(rep("Lower", (nrow(beta_inference_df)/2)),
                                     rep("Upper", (nrow(beta_inference_df)/2))))

```

Splitting up the beta coefficients for each strata

```

beta_inference_df_strat0 <- beta_inference_df[1:(nrow(beta_inference_df)/2),]
beta_inference_df_strat1 <- beta_inference_df[(nrow(beta_inference_df)/2 + 1):nrow(beta_inference_df),]

```

Note: The intercept for both strata is not included.


```

p <- ggplot(beta_inference_df_strat0[-1, ], aes(x = var_name, y = post_median, color = strat)) +
  geom_point() +
  ylim(c(-1.5, 4)) +
  theme(axis.text.x = element_text(angle = 45, vjust = 1, hjust=1), axis.title.x = element_blank(), axis.title.y = element_blank(),
        axis.text=element_text(size=12),
        plot.margin = margin(5.5, 5.5, 5.5, 10)) +
  geom_errorbar(aes(ymin = post_2.5, ymax = post_97.5, width = 0.4), col = "#F8766D") +
  geom_vline(xintercept = c(5.5, 20.5, 26.5, 30.5), col = "blue") +
  geom_hline(yintercept = 0, col = "red") +
  annotate(geom = "text", x = 3, y = 3.75, label = "Flood\nRisk",
          col = "blue", size = 4.5) +
  annotate(geom = "text", x = 12.5, y = 3.8, label = "Social Vulnerability Index",
          col = "blue", size = 4.5) +
  annotate(geom = "text", x = 23.5, y = 3.8, label = "Air Pollution",
          col = "blue", size = 4.5) +
  annotate(geom = "text", x = 28.5, y = 3.8, label = "GRIDMET",
          col = "blue", size = 4.5) +
  scale_x_discrete(labels = c("PC 1", "PC 2", "PC 3", "PC 4", "PC 5",
                             "Unemployed", "Per Capita Income", "No High School",
                             "65 or Over", "17 or Under", "Disability",
                             "Single-Parent", "Minority", "Poor English",
                             "Multi-Unit", "Mobile", "Crowded",
                             "No Vehicle", "Group Quarters", "Uninsured",
                             "CO", "NO2", "O3", "PM10", "PM2.5", "SO2",
                             "Summer Temperature", "Winter Temperature", "Summer Humidity", "Winter Humidity",
                             "Smoking")) + ggtitle("95% Credible Intervals, Poor Mental Health, Stratification")
p <- p +
  geom_point(data = beta_inference_df_strat1[-1, ], col = "#00BFC4") + # strat 1
  geom_errorbar(data = beta_inference_df_strat1[-1, ], aes(ymin = post_2.5, ymax = post_97.5, width = 0.4), col = "#00BFC4") +
  scale_color_manual(name = "Strata",
                    values = c("#F8766D", "#00BFC4"),
                    drop = FALSE)

```

p

95% Credible Intervals, Poor Mental Health, Stratified on Poverty



```
ggsave(here("figures/final_figures/stratified_analysis/MHLTH_CI_poverty.pdf"),
  plot = p, device = "pdf",
  width = 8, height = 6, units = "in")
```

Stratified on RPL_THEME1

```
load(here("modeling_files/stratified_analysis/model_stratif_rpl1_MHLTH.RData"))

beta_samples_matrix <- rbind(chain1$samples$beta, chain2$samples$beta, chain3$samples$beta)

colnames(beta_samples_matrix) <- var_names

(beta_inference <- round(t(apply(beta_samples_matrix, 2, quantile, c(0.5, 0.025, 0.975))),5))
```

	50%	2.5%	97.5%
## strat0	14.07636	14.06121	14.09134
## strat0:flood_risk_pc1	0.00041	-0.01150	0.01220
## strat0:flood_risk_pc2	0.01121	-0.00234	0.02474
## strat0:flood_risk_pc3	0.00295	-0.00704	0.01291
## strat0:flood_risk_pc4	-0.01337	-0.02282	-0.00385
## strat0:flood_risk_pc5	0.00193	-0.00707	0.01100
## strat0:EP_AGE65	-0.25804	-0.27113	-0.24497
## strat0:EP_AGE17	-0.09463	-0.10960	-0.07954
## strat0:EP_DISABL	-0.03532	-0.05129	-0.01939
## strat0:EP_SNGPNT	0.10692	0.09116	0.12267
## strat0:EP_MINRTY	-0.03117	-0.05468	-0.00757

## strat0:EP_LIMENG	0.05570	0.02948	0.08173
## strat0:EP_MUNIT	0.08816	0.07583	0.10051
## strat0:EP_MOBILE	-0.00470	-0.01925	0.00986
## strat0:EP_CROWD	0.09523	0.07203	0.11844
## strat0:EP_NOVEH	0.18957	0.16786	0.21139
## strat0:EP_GROUPQ	0.21271	0.20189	0.22351
## strat0:EP_UNINSUR	0.05379	0.03591	0.07170
## strat0:co	0.10014	0.05641	0.14350
## strat0:no2	0.18211	0.12105	0.24200
## strat0:o3	-0.04821	-0.14324	0.04472
## strat0:pm10	-0.18750	-0.22709	-0.14783
## strat0:pm25	0.41384	0.35602	0.47171
## strat0:so2	0.03062	-0.00961	0.06993
## strat0:summer_tmmx	0.06567	-0.00351	0.13001
## strat0:winter_tmmx	-0.10078	-0.26152	0.10112
## strat0:summer_rmax	0.05608	-0.03233	0.14088
## strat0:winter_rmax	-0.02006	-0.08400	0.04510
## strat0:Data_Value_CSMOKING	2.90290	2.87752	2.92862
## strat1	14.45215	14.44110	14.46329
## strat1:flood_risk_pc1	-0.00245	-0.01365	0.00884
## strat1:flood_risk_pc2	-0.01903	-0.03142	-0.00665
## strat1:flood_risk_pc3	-0.01167	-0.02182	-0.00172
## strat1:flood_risk_pc4	-0.01038	-0.01910	-0.00163
## strat1:flood_risk_pc5	0.00507	-0.00365	0.01383
## strat1:EP_AGE65	-0.41428	-0.42926	-0.39918
## strat1:EP_AGE17	-0.11709	-0.13144	-0.10269
## strat1:EP_DISABL	-0.21070	-0.22282	-0.19848
## strat1:EP_SNGPNT	0.15432	0.14326	0.16533
## strat1:EP_MINRTY	-0.04108	-0.05933	-0.02283
## strat1:EP_LIMENG	0.06949	0.05589	0.08292
## strat1:EP_MUNIT	0.19108	0.17907	0.20305
## strat1:EP_MOBILE	-0.01789	-0.02745	-0.00839
## strat1:EP_CROWD	0.11279	0.10113	0.12444
## strat1:EP_NOVEH	0.31876	0.30356	0.33394
## strat1:EP_GROUPQ	0.27661	0.26783	0.28538
## strat1:EP_UNINSUR	-0.06466	-0.07656	-0.05285
## strat1:co	0.10647	0.05888	0.15342
## strat1:no2	-0.00704	-0.06869	0.05287
## strat1:o3	-0.02023	-0.11548	0.07256
## strat1:pm10	-0.24547	-0.28660	-0.20493
## strat1:pm25	0.53593	0.47743	0.59305
## strat1:so2	0.00160	-0.03766	0.04014
## strat1:summer_tmmx	0.04451	-0.02560	0.11045
## strat1:winter_tmmx	0.05280	-0.10826	0.25412
## strat1:summer_rmax	-0.06693	-0.15553	0.01845
## strat1:winter_rmax	0.02940	-0.03489	0.09462
## strat1:Data_Value_CSMOKING	2.92075	2.90223	2.93919

List of significant beta coefficients:

```
colnames(beta_samples_matrix)[sign(beta_inference[, 2]) == sign(beta_inference[, 3])]
```

## [1] "strat0"	"strat0:flood_risk_pc4"
## [3] "strat0:EP_AGE65"	"strat0:EP_AGE17"
## [5] "strat0:EP_DISABL"	"strat0:EP_SNGPNT"


```
## [7] "strat0:EP_MINRTY"      "strat0:EP_LIMENG"
## [9] "strat0:EP_MUNIT"       "strat0:EP_CROWD"
## [11] "strat0:EP_NOVEH"       "strat0:EP_GROUPQ"
## [13] "strat0:EP_UNINSUR"     "strat0:co"
## [15] "strat0:no2"            "strat0:pm10"
## [17] "strat0:pm25"           "strat0:Data_Value_CSMOKING"
## [19] "strat1"                "strat1:flood_risk_pc2"
## [21] "strat1:flood_risk_pc3" "strat1:flood_risk_pc4"
## [23] "strat1:EP_AGE65"       "strat1:EP_AGE17"
## [25] "strat1:EP_DISABL"      "strat1:EP_SNGPNT"
## [27] "strat1:EP_MINRTY"      "strat1:EP_LIMENG"
## [29] "strat1:EP_MUNIT"       "strat1:EP_MOBILE"
## [31] "strat1:EP_CROWD"       "strat1:EP_NOVEH"
## [33] "strat1:EP_GROUPQ"      "strat1:EP_UNINSUR"
## [35] "strat1:co"             "strat1:pm10"
## [37] "strat1:pm25"           "strat1:Data_Value_CSMOKING"
```

Credible Interval plots for the coefficients, in ggplot

```
# first, process the beta_inference matrix in a form ggplot can understand
beta_inference_df <- as.data.frame(beta_inference)
beta_inference_df <- mutate(beta_inference_df, var_name = row.names(beta_inference_df))
beta_inference_df <- rename(beta_inference_df,
                             post_median = `50%`,
                             post_2.5 = `2.5%`,
                             post_97.5 = `97.5%`)
beta_inference_df$var_name <- substring(beta_inference_df$var_name, first = 8)
beta_inference_df$var_name <- factor(beta_inference_df$var_name,
                                     levels = unique(beta_inference_df$var_name))
beta_inference_df$strat <- as.factor(c(rep("Lower", (nrow(beta_inference_df)/2)),
                                     rep("Upper", (nrow(beta_inference_df)/2))))
```

Splitting up the beta coefficients for each strata

```
beta_inference_df_strat0 <- beta_inference_df[1:(nrow(beta_inference_df)/2),]
beta_inference_df_strat1 <- beta_inference_df[(nrow(beta_inference_df)/2 + 1):nrow(beta_inference_df),]
```

Note: The intercept for both strata is not included.

```
p <- ggplot(beta_inference_df_strat0[-1, ], aes(x = var_name, y = post_median, color = strat)) +
  geom_point() +
  ylim(c(-1.5, 4)) +
  theme(axis.text.x = element_text(angle = 45, vjust = 1, hjust=1), axis.title.x = element_blank(), axis.title.y = element_text(size=12),
        plot.margin = margin(5.5, 5.5, 5.5, 10)) +
  geom_errorbar(aes(ymin = post_2.5, ymax = post_97.5, width = 0.4), col = "#F8766D") +
  geom_vline(xintercept = c(5.5, 17.5, 23.5, 27.5), col = "blue") +
  geom_hline(yintercept = 0, col = "red") +
  annotate(geom = "text", x = 3, y = 3.75, label = "Flood\nRisk",
          col = "blue", size = 4.5) +
  annotate(geom = "text", x = 11.5, y = 3.8, label = "Social Vulnerability Index",
          col = "blue", size = 4.5) +
  annotate(geom = "text", x = 20.5, y = 3.8, label = "Air Pollution",
```


```

    col = "blue", size = 4.5) +
  annotate(geom = "text", x = 25.5, y = 3.8, label = "GRIDMET",
    col = "blue", size = 4.5) +
  scale_x_discrete(labels = c("PC 1", "PC 2", "PC 3", "PC 4", "PC 5",
    "65 or Over", "17 or Under", "Disability",
    "Single-Parent", "Minority", "Poor English",
    "Multi-Unit", "Mobile", "Crowded",
    "No Vehicle", "Group Quarters", "Uninsured",
    "CO", "NO2", "O3", "PM10", "PM2.5", "SO2",
    "Summer Temperature", "Winter Temperature", "Summer Humidity", "Winter Humidity",
    "Smoking")) + ggtitle("95% Credible Intervals, Poor Mental Health, Stratified on RPL Theme 1")
  geom_point(data = beta_inference_df_strat1[-1, ], col = "#00BFC4") + # strat 1
  geom_errorbar(data = beta_inference_df_strat1[-1, ], aes(ymin = post_2.5, ymax = post_97.5, width = 0.5))
  scale_color_manual(name = "Strata",
    values = c("#F8766D", "#00BFC4"),
    drop = FALSE)

```

p

95% Credible Intervals, Poor Mental Health, Stratified on RPL Theme 1



```

ggsave(here("figures/final_figures/stratified_analysis/MHLTH_CI_rpl1.pdf"),
  plot = p, device = "pdf",
  width = 8, height = 6, units = "in")

```

Stratified on RPL_THEME2

```

load(here("modeling_files/stratified_analysis/model_stratif_rpl2_MHLTH.RData"))

```

```

beta_samples_matrix <- rbind(chain1$samples$beta, chain2$samples$beta, chain3$samples$beta)

colnames(beta_samples_matrix) <- var_names

(beta_inference <- round(t(apply(beta_samples_matrix, 2, quantile, c(0.5, 0.025, 0.975))),5))

```

##	50%	2.5%	97.5%
## strat0	14.30661	14.29818	14.31510
## strat0:flood_risk_pc1	0.02131	0.01121	0.03139
## strat0:flood_risk_pc2	-0.00723	-0.01869	0.00427
## strat0:flood_risk_pc3	-0.00211	-0.01066	0.00646
## strat0:flood_risk_pc4	-0.01781	-0.02568	-0.00989
## strat0:flood_risk_pc5	0.00422	-0.00343	0.01189
## strat0:EP_POV	1.06868	1.05384	1.08340
## strat0:EP_UNEMP	0.08676	0.07541	0.09805
## strat0:EP_PCI	-0.35894	-0.37085	-0.34691
## strat0:EP_NOHSDP	-0.00128	-0.02055	0.01830
## strat0:EP_MINRTY	-0.08711	-0.10538	-0.06895
## strat0:EP_LIMENG	0.01373	-0.00285	0.03026
## strat0:EP_MUNIT	0.05483	0.04546	0.06419
## strat0:EP_MOBILE	-0.08832	-0.10013	-0.07657
## strat0:EP_CROWD	0.13251	0.12000	0.14508
## strat0:EP_NOVEH	-0.09704	-0.11272	-0.08142
## strat0:EP_GROUPQ	0.25105	0.24483	0.25724
## strat0:EP_UNINSUR	0.05375	0.04098	0.06657
## strat0:co	0.13064	0.09276	0.16831
## strat0:no2	-0.07947	-0.13176	-0.02815
## strat0:o3	-0.00886	-0.09103	0.07275
## strat0:pm10	-0.04927	-0.08430	-0.01413
## strat0:pm25	0.30198	0.25146	0.35266
## strat0:so2	0.06000	0.02475	0.09453
## strat0:summer_tmmx	0.13605	0.07791	0.19191
## strat0:winter_tmmx	-0.06092	-0.19971	0.10337
## strat0:summer_rmax	0.08365	0.00775	0.15828
## strat0:winter_rmax	-0.03945	-0.09559	0.01713
## strat0:Data_Value_CSMOKING	2.13351	2.11127	2.15590
## strat1	14.12187	14.11308	14.13073
## strat1:flood_risk_pc1	0.01306	0.00266	0.02355
## strat1:flood_risk_pc2	0.00942	-0.00206	0.02085
## strat1:flood_risk_pc3	0.00637	-0.00319	0.01585
## strat1:flood_risk_pc4	-0.00517	-0.01355	0.00334
## strat1:flood_risk_pc5	0.00437	-0.00407	0.01278
## strat1:EP_POV	0.44656	0.43089	0.46211
## strat1:EP_UNEMP	0.02534	0.01647	0.03424
## strat1:EP_PCI	-0.29838	-0.32087	-0.27575
## strat1:EP_NOHSDP	0.17839	0.16106	0.19565
## strat1:EP_MINRTY	0.11621	0.09915	0.13309
## strat1:EP_LIMENG	0.00374	-0.01255	0.01992
## strat1:EP_MUNIT	0.10365	0.09042	0.11677
## strat1:EP_MOBILE	-0.05947	-0.06819	-0.05084
## strat1:EP_CROWD	0.09810	0.08590	0.11044
## strat1:EP_NOVEH	-0.00152	-0.01721	0.01423
## strat1:EP_GROUPQ	-0.11601	-0.13282	-0.09913
## strat1:EP_UNINSUR	0.01266	0.00078	0.02457

```
## strat1:co                0.04578  0.00303  0.08824
## strat1:no2               0.04898 -0.00595  0.10289
## strat1:o3                -0.01080 -0.09281  0.07078
## strat1:pm10              -0.02841 -0.06330  0.00618
## strat1:pm25              0.23900  0.18871  0.28906
## strat1:so2               0.01775 -0.01658  0.05192
## strat1:summer_tmmx       0.04003 -0.01864  0.09627
## strat1:winter_tmmx       0.09914 -0.04064  0.26309
## strat1:summer_rmax       -0.03122 -0.10693  0.04379
## strat1:winter_rmax       0.00374 -0.05216  0.05981
## strat1:Data_Value_CSMOKING 2.64618  2.62452  2.66777
```

List of significant beta coefficients:

```
colnames(beta_samples_matrix)[sign(beta_inference[, 2]) == sign(beta_inference[, 3])]
```

```
## [1] "strat0"                "strat0:flood_risk_pc1"
## [3] "strat0:flood_risk_pc4" "strat0:EP_POV"
## [5] "strat0:EP_UNEMP"       "strat0:EP_PCI"
## [7] "strat0:EP_MINRTY"     "strat0:EP_MUNIT"
## [9] "strat0:EP_MOBILE"     "strat0:EP_CROWD"
## [11] "strat0:EP_NOVEH"      "strat0:EP_GROUPQ"
## [13] "strat0:EP_UNINSUR"    "strat0:co"
## [15] "strat0:no2"           "strat0:pm10"
## [17] "strat0:pm25"          "strat0:so2"
## [19] "strat0:summer_tmmx"   "strat0:summer_rmax"
## [21] "strat0:Data_Value_CSMOKING" "strat1"
## [23] "strat1:flood_risk_pc1" "strat1:EP_POV"
## [25] "strat1:EP_UNEMP"       "strat1:EP_PCI"
## [27] "strat1:EP_NOHSDP"     "strat1:EP_MINRTY"
## [29] "strat1:EP_MUNIT"      "strat1:EP_MOBILE"
## [31] "strat1:EP_CROWD"      "strat1:EP_GROUPQ"
## [33] "strat1:EP_UNINSUR"    "strat1:co"
## [35] "strat1:pm25"          "strat1:Data_Value_CSMOKING"
```

Credible Interval plots for the coefficients, in ggplot

```
# first, process the beta_inference matrix in a form ggplot can understand
beta_inference_df <- as.data.frame(beta_inference)
beta_inference_df <- mutate(beta_inference_df, var_name = row.names(beta_inference_df))
beta_inference_df <- rename(beta_inference_df,
                             post_median = `50%`,
                             post_2.5 = `2.5%`,
                             post_97.5 = `97.5%`)
beta_inference_df$var_name <- substring(beta_inference_df$var_name, first = 8)
beta_inference_df$var_name <- factor(beta_inference_df$var_name,
                                     levels = unique(beta_inference_df$var_name))
beta_inference_df$strat <- as.factor(c(rep("Lower", (nrow(beta_inference_df)/2)),
                                     rep("Upper", (nrow(beta_inference_df)/2))))
```

Splitting up the beta coefficients for each strata

```
beta_inference_df_strat0 <- beta_inference_df[1:(nrow(beta_inference_df)/2),]


beta_inference_df_strat1 <- beta_inference_df[(nrow(beta_inference_df)/2 + 1):nrow(beta_inference_df),]
```

Note: The intercept for both strata is not included.

```
p <- ggplot(beta_inference_df_strat0[-1, ], aes(x = var_name, y = post_median, color = strat)) +
  geom_point() +
  ylim(c(-1.5, 4)) +
  theme(axis.text.x = element_text(angle = 45, vjust = 1, hjust=1), axis.title.x = element_blank(), axis
        axis.text=element_text(size=12),
        plot.margin = margin(5.5, 5.5, 5.5, 10)) +
  geom_errorbar(aes(ymin = post_2.5, ymax = post_97.5, width = 0.4), col = "#F8766D") +
  geom_vline(xintercept = c(5.5, 17.5, 23.5, 27.5), col = "blue") +
  geom_hline(yintercept = 0, col = "red") +
  annotate(geom = "text", x = 3, y = 3.75, label = "Flood\nRisk",
          col = "blue", size = 4.5) +
  annotate(geom = "text", x = 11.5, y = 3.8, label = "Social Vulnerability Index",
          col = "blue", size = 4.5) +
  annotate(geom = "text", x = 20.5, y = 3.8, label = "Air Pollution",
          col = "blue", size = 4.5) +
  annotate(geom = "text", x = 25.5, y = 3.8, label = "GRIDMET",
          col = "blue", size = 4.5) +
  scale_x_discrete(labels = c("PC 1", "PC 2", "PC 3", "PC 4", "PC 5",
                              "Poverty", "Unemployed", "Per Capita Income", "No High School",
                              "Minority", "Poor English",
                              "Multi-Unit", "Mobile", "Crowded",
                              "No Vehicle", "Group Quarters", "Uninsured",
                              "CO", "NO2", "O3", "PM10", "PM2.5", "SO2",
                              "Summer Temperature", "Winter Temperature", "Summer Humidity", "Winter Humidity",
                              "Smoking")) + ggtitle("95% Credible Intervals, Poor Mental Health, Stratification")
  geom_point(data = beta_inference_df_strat1[-1, ], col = "#00BFC4") + # strat 1
  geom_errorbar(data = beta_inference_df_strat1[-1, ], aes(ymin = post_2.5, ymax = post_97.5, width = 0.4), col = "#00BFC4") +
  scale_color_manual(name = "Strata",
                    values = c("#F8766D", "#00BFC4"),
                    drop = FALSE)
```

p

95% Credible Intervals, Poor Mental Health, Stratified on RPL Theme 2



```
ggsave(here("figures/final_figures/stratified_analysis/MHLTH_CI_rpl2.pdf"),
  plot = p, device = "pdf",
  width = 8, height = 6, units = "in")
```

Stratified on RPL_THEME3

Inference is based on 3 markov chains, each of which has been run for 110000 samples, the first 10000 of which has been removed for burn-in. The remaining 100000 samples are thinned by 2, resulting in 150000 samples for inference across the 3 Markov chains.

```
load(here("modeling_files/stratified_analysis/model_stratif_rpl3_MHLTH.RData"))

beta_samples_matrix <- rbind(chain1$samples$beta, chain2$samples$beta, chain3$samples$beta)

colnames(beta_samples_matrix) <- var_names

(beta_inference <- round(t(apply(beta_samples_matrix, 2, quantile, c(0.5, 0.025, 0.975))),5))
```

```
##              50%      2.5%      97.5%
## strat0      14.28926 14.27427 14.30418
## strat0:flood_risk_pc1    0.00390 -0.00648 0.01428
## strat0:flood_risk_pc2   -0.00250 -0.01452 0.00958
## strat0:flood_risk_pc3   -0.01699 -0.02619 -0.00783
## strat0:flood_risk_pc4   -0.01200 -0.02138 -0.00273
## strat0:flood_risk_pc5   -0.00610 -0.01517 0.00293
## strat0:EP_POV          0.89232 0.87655 0.90803
## strat0:EP_UNEMP        0.05196 0.04153 0.06237
```

## strat0:EP_PCI	-0.27425	-0.28673	-0.26184
## strat0:EP_NOHSDP	0.17846	0.15526	0.20149
## strat0:EP_AGE65	-0.34326	-0.35439	-0.33214
## strat0:EP_AGE17	-0.14710	-0.16003	-0.13434
## strat0:EP_DISABL	-0.14073	-0.15299	-0.12851
## strat0:EP_SNGPNT	0.02235	0.00984	0.03485
## strat0:EP_MUNIT	0.08846	0.07477	0.10212
## strat0:EP_MOBILE	0.01209	0.00241	0.02172
## strat0:EP_CROWD	0.07511	0.05403	0.09599
## strat0:EP_NOVEH	0.02480	0.00658	0.04309
## strat0:EP_GROUPQ	0.29620	0.28736	0.30495
## strat0:EP_UNINSUR	-0.03581	-0.05005	-0.02152
## strat0:co	0.02040	-0.01718	0.05804
## strat0:no2	-0.13499	-0.18633	-0.08400
## strat0:o3	0.01962	-0.05440	0.10557
## strat0:pm10	-0.09122	-0.12412	-0.05837
## strat0:pm25	0.32304	0.27457	0.37051
## strat0:so2	0.01807	-0.01585	0.05185
## strat0:summer_tmmx	0.06644	0.01394	0.11827
## strat0:winter_tmmx	0.02744	-0.11092	0.15412
## strat0:summer_rmax	0.05653	-0.01453	0.12300
## strat0:winter_rmax	-0.04551	-0.09817	0.00690
## strat0:Data_Value_CSMOKING	2.14141	2.11669	2.16593
## strat1	14.19656	14.18708	14.20603
## strat1:flood_risk_pc1	0.00445	-0.00561	0.01457
## strat1:flood_risk_pc2	0.00978	-0.00082	0.02036
## strat1:flood_risk_pc3	0.00709	-0.00150	0.01570
## strat1:flood_risk_pc4	-0.00266	-0.00972	0.00442
## strat1:flood_risk_pc5	0.00408	-0.00277	0.01090
## strat1:EP_POV	0.71301	0.69968	0.72637
## strat1:EP_UNEMP	0.06574	0.05728	0.07421
## strat1:EP_PCI	-0.36337	-0.37826	-0.34842
## strat1:EP_NOHSDP	0.21765	0.20439	0.23094
## strat1:EP_AGE65	-0.32917	-0.34187	-0.31644
## strat1:EP_AGE17	-0.08938	-0.10149	-0.07717
## strat1:EP_DISABL	-0.17414	-0.18563	-0.16271
## strat1:EP_SNGPNT	0.07475	0.06504	0.08444
## strat1:EP_MUNIT	0.08736	0.07826	0.09650
## strat1:EP_MOBILE	-0.01952	-0.02870	-0.01037
## strat1:EP_CROWD	0.02481	0.01478	0.03484
## strat1:EP_NOVEH	0.08222	0.06848	0.09591
## strat1:EP_GROUPQ	0.05077	0.04238	0.05907
## strat1:EP_UNINSUR	-0.03719	-0.04783	-0.02660
## strat1:co	0.06368	0.02280	0.10397
## strat1:no2	-0.04470	-0.09523	0.00496
## strat1:o3	0.06111	-0.01379	0.14775
## strat1:pm10	-0.19566	-0.23011	-0.16099
## strat1:pm25	0.33667	0.28771	0.38493
## strat1:so2	-0.03032	-0.06626	0.00492
## strat1:summer_tmmx	0.06793	0.01436	0.12117
## strat1:winter_tmmx	0.10097	-0.03801	0.22729
## strat1:summer_rmax	-0.00928	-0.08060	0.05739
## strat1:winter_rmax	0.03510	-0.01828	0.08824
## strat1:Data_Value_CSMOKING	2.24508	2.22421	2.26599

List of significant beta coefficients:

```
colnames(beta_samples_matrix)[sign(beta_inference[, 2]) == sign(beta_inference[, 3])]
```

```
## [1] "strat0" "strat0:flood_risk_pc3"
## [3] "strat0:flood_risk_pc4" "strat0:EP_POV"
## [5] "strat0:EP_UNEMP" "strat0:EP_PCI"
## [7] "strat0:EP_NOHSDP" "strat0:EP_AGE65"
## [9] "strat0:EP_AGE17" "strat0:EP_DISABL"
## [11] "strat0:EP_SNGPNT" "strat0:EP_MUNIT"
## [13] "strat0:EP_MOBILE" "strat0:EP_CROWD"
## [15] "strat0:EP_NOVEH" "strat0:EP_GROUPQ"
## [17] "strat0:EP_UNINSUR" "strat0:no2"
## [19] "strat0:pm10" "strat0:pm25"
## [21] "strat0:summer_tmmx" "strat0:Data_Value_CSMOKING"
## [23] "strat1" "strat1:EP_POV"
## [25] "strat1:EP_UNEMP" "strat1:EP_PCI"
## [27] "strat1:EP_NOHSDP" "strat1:EP_AGE65"
## [29] "strat1:EP_AGE17" "strat1:EP_DISABL"
## [31] "strat1:EP_SNGPNT" "strat1:EP_MUNIT"
## [33] "strat1:EP_MOBILE" "strat1:EP_CROWD"
## [35] "strat1:EP_NOVEH" "strat1:EP_GROUPQ"
## [37] "strat1:EP_UNINSUR" "strat1:co"
## [39] "strat1:pm10" "strat1:pm25"
## [41] "strat1:summer_tmmx" "strat1:Data_Value_CSMOKING"
```

Credible Interval plots for the coefficients, in ggplot

```
# first, process the beta_inference matrix in a form ggplot can understand
beta_inference_df <- as.data.frame(beta_inference)
beta_inference_df <- mutate(beta_inference_df, var_name = row.names(beta_inference_df))
beta_inference_df <- rename(beta_inference_df,
                             post_median = `50%`,
                             post_2.5 = `2.5%`,
                             post_97.5 = `97.5%`)
beta_inference_df$var_name <- substring(beta_inference_df$var_name, first = 8)
beta_inference_df$var_name <- factor(beta_inference_df$var_name,
                                     levels = unique(beta_inference_df$var_name))
beta_inference_df$strat <- as.factor(c(rep("Lower", (nrow(beta_inference_df)/2)),
                                       rep("Upper", (nrow(beta_inference_df)/2))))
```

Splitting up the beta coefficients for each strata

```
beta_inference_df_strat0 <- beta_inference_df[1:(nrow(beta_inference_df)/2),]
```

```
beta_inference_df_strat1 <- beta_inference_df[(nrow(beta_inference_df)/2 + 1):nrow(beta_inference_df),]
```

Note: The intercept for both strata is not included.

```
p <- ggplot(beta_inference_df_strat0[-1, ], aes(x = var_name, y = post_median, color = strat)) +
  geom_point() +
  ylim(c(-1.5, 4)) +
  theme(axis.text.x = element_text(angle = 45, vjust = 1, hjust=1), axis.title.x = element_blank(), axis.title.y = element_text(size=12),
        plot.margin = margin(5.5, 5.5, 5.5, 10)) +
```




```

geom_errorbar(aes(ymin = post_2.5, ymax = post_97.5, width = 0.4), col = "#F8766D") +
geom_vline(xintercept = c(5.5, 19.5, 25.5, 29.5), col = "blue") +
geom_hline(yintercept = 0, col = "red") +
annotate(geom = "text", x = 3, y = 3.75, label = "Flood\nRisk",
  col = "blue", size = 4.5) +
annotate(geom = "text", x = 12.5, y = 3.8, label = "Social Vulnerability Index",
  col = "blue", size = 4.5) +
annotate(geom = "text", x = 22.5, y = 3.8, label = "Air Pollution",
  col = "blue", size = 4.5) +
annotate(geom = "text", x = 27.5, y = 3.8, label = "GRIDMET",
  col = "blue", size = 4.5) +
scale_x_discrete(labels = c("PC 1", "PC 2", "PC 3", "PC 4", "PC 5",
  "Poverty", "Unemployed", "Per Capita Income", "No High School",
  "65 or Over", "17 or Under", "Disability",
  "Single-Parent",
  "Multi-Unit", "Mobile", "Crowded",
  "No Vehicle", "Group Quarters", "Uninsured",
  "CO", "NO2", "O3", "PM10", "PM2.5", "SO2",
  "Summer Temperature", "Winter Temperature", "Summer Humidity", "Winter Humidity",
  "Smoking")) + ggtitle("95% Credible Intervals, Poor Mental Health, Stratified on RPL Theme 3")
geom_point(data = beta_inference_df_strat1[-1, ], col = "#00BFC4") + # strat 1
geom_errorbar(data = beta_inference_df_strat1[-1, ], aes(ymin = post_2.5, ymax = post_97.5, width = 0.4), col = "#F8766D") +
scale_color_manual(name = "Strata",
  values = c("#F8766D", "#00BFC4"),
  drop = FALSE)

```

p

95% Credible Intervals, Poor Mental Health, Stratified on RPL Theme 3



```
ggsave(here("figures/final_figures/stratified_analysis/MHLTH_CI_rpl3.pdf"),
       plot = p, device = "pdf",
       width = 8, height = 6, units = "in")
```

Stratified on RPL_THEME4

Inference is based on 3 markov chains, each of which has been run for 110000 samples, the first 10000 of which has been removed for burn-in. The remaining 100000 samples are thinned by 2, resulting in 150000 samples for inference across the 3 Markov chains.

```
load(here("modeling_files/stratified_analysis/model_stratif_rpl4_MHLTH.RData"))

beta_samples_matrix <- rbind(chain1$samples$beta, chain2$samples$beta, chain3$samples$beta)

colnames(beta_samples_matrix) <- var_names

(beta_inference <- round(t(apply(beta_samples_matrix, 2, quantile, c(0.5, 0.025, 0.975))),5))

##              50%      2.5%      97.5%
## strat0              14.21734 14.20999 14.22465
## strat0:flood_risk_pc1 -0.01174 -0.02180 -0.00157
## strat0:flood_risk_pc2  0.01768  0.00636  0.02904
## strat0:flood_risk_pc3  0.00610 -0.00257  0.01473
## strat0:flood_risk_pc4 -0.01267 -0.02104 -0.00424
## strat0:flood_risk_pc5  0.00824  0.00016  0.01634
## strat0:EP_POV          0.74585  0.72932  0.76247
## strat0:EP_UNEMP        0.07704  0.06659  0.08744
## strat0:EP_PCI          -0.28154 -0.29413 -0.26894
## strat0:EP_NOHSDP       0.23445  0.21453  0.25439
## strat0:EP_AGE65        -0.36436 -0.37532 -0.35331
## strat0:EP_AGE17        -0.19197 -0.20313 -0.18073
## strat0:EP_DISABL       -0.11405 -0.12664 -0.10146
## strat0:EP_SNGPNT        0.06362  0.05168  0.07565
## strat0:EP_MINRTY       -0.07618 -0.09372 -0.05865
## strat0:EP_LIMENG        0.03339  0.01309  0.05363
## strat0:EP_UNINSUR      -0.04488 -0.05832 -0.03138
## strat0:co              0.11777  0.07659  0.15884
## strat0:no2             0.00035 -0.05211  0.05285
## strat0:o3              0.02721 -0.04741  0.10600
## strat0:pm10            -0.07674 -0.11013 -0.04381
## strat0:pm25            0.19068  0.14328  0.23867
## strat0:so2            -0.00485 -0.03920  0.02879
## strat0:summer_tmmx     0.05316 -0.00258  0.10750
## strat0:winter_tmmx     0.05980 -0.07978  0.21843
## strat0:summer_rmax     0.04663 -0.02054  0.11677
## strat0:winter_rmax     -0.06972 -0.12432 -0.01801
## strat0:Data_Value_CSMOKING 2.27176  2.24821  2.29550
## strat1              14.28544 14.27852 14.29236
## strat1:flood_risk_pc1 -0.00071 -0.01040  0.00901
## strat1:flood_risk_pc2 -0.00007 -0.01086  0.01076
## strat1:flood_risk_pc3 -0.00518 -0.01375  0.00343
## strat1:flood_risk_pc4 -0.00403 -0.01158  0.00355
## strat1:flood_risk_pc5 -0.00422 -0.01185  0.00328
## strat1:EP_POV          0.94023  0.92783  0.95259
```

```
## strat1:EP_UNEMP      0.08296  0.07391  0.09193
## strat1:EP_PCI       -0.53814 -0.55388 -0.52233
## strat1:EP_NOHSDP    0.32007  0.30413  0.33601
## strat1:EP_AGE65     -0.42984 -0.44167 -0.41807
## strat1:EP_AGE17     -0.23675 -0.24755 -0.22593
## strat1:EP_DISABL    -0.21525 -0.22651 -0.20395
## strat1:EP_SNGPNT     0.10110  0.09039  0.11176
## strat1:EP_MINRTY    -0.22441 -0.24139 -0.20745
## strat1:EP_LIMENG    -0.07023 -0.08407 -0.05643
## strat1:EP_UNINSUR   -0.06241 -0.07332 -0.05154
## strat1:co           0.13889  0.10246  0.17512
## strat1:no2          -0.03073 -0.07980  0.01813
## strat1:o3           0.05685 -0.01757  0.13574
## strat1:pm10         -0.10769 -0.14189 -0.07419
## strat1:pm25          0.19533  0.14841  0.24311
## strat1:so2           0.03851  0.00498  0.07147
## strat1:summer_tmmx   0.07522  0.01989  0.12849
## strat1:winter_tmmx   0.07123 -0.06700  0.22945
## strat1:summer_rmax   0.05240 -0.01416  0.12310
## strat1:winter_rmax  -0.04582 -0.09999  0.00553
## strat1:Data_Value_CSMOKING 1.98123  1.96047  2.00200
```

List of significant beta coefficients:

```
colnames(beta_samples_matrix)[sign(beta_inference[, 2]) == sign(beta_inference[, 3])]
```

```
## [1] "strat0" "strat0:flood_risk_pc1"
## [3] "strat0:flood_risk_pc2" "strat0:flood_risk_pc4"
## [5] "strat0:flood_risk_pc5" "strat0:EP_POV"
## [7] "strat0:EP_UNEMP" "strat0:EP_PCI"
## [9] "strat0:EP_NOHSDP" "strat0:EP_AGE65"
## [11] "strat0:EP_AGE17" "strat0:EP_DISABL"
## [13] "strat0:EP_SNGPNT" "strat0:EP_MINRTY"
## [15] "strat0:EP_LIMENG" "strat0:EP_UNINSUR"
## [17] "strat0:co" "strat0:pm10"
## [19] "strat0:pm25" "strat0:winter_rmax"
## [21] "strat0:Data_Value_CSMOKING" "strat1"
## [23] "strat1:EP_POV" "strat1:EP_UNEMP"
## [25] "strat1:EP_PCI" "strat1:EP_NOHSDP"
## [27] "strat1:EP_AGE65" "strat1:EP_AGE17"
## [29] "strat1:EP_DISABL" "strat1:EP_SNGPNT"
## [31] "strat1:EP_MINRTY" "strat1:EP_LIMENG"
## [33] "strat1:EP_UNINSUR" "strat1:co"
## [35] "strat1:pm10" "strat1:pm25"
## [37] "strat1:so2" "strat1:summer_tmmx"
## [39] "strat1:Data_Value_CSMOKING"
```

Credible Interval plots for the coefficients, in ggplot

```
# first, process the beta_inference matrix in a form ggplot can understand
beta_inference_df <- as.data.frame(beta_inference)
beta_inference_df <- mutate(beta_inference_df, var_name = row.names(beta_inference_df))
beta_inference_df <- rename(beta_inference_df,
                             post_median = `50%`,
```

```

      post_2.5 = `2.5%`,
      post_97.5 = `97.5%`)
beta_inference_df$var_name <- substring(beta_inference_df$var_name, first = 8)
beta_inference_df$var_name <- factor(beta_inference_df$var_name,
      levels = unique(beta_inference_df$var_name))
beta_inference_df$strat <- as.factor(c(rep("Lower", (nrow(beta_inference_df)/2)),
      rep("Upper", (nrow(beta_inference_df)/2))))

```

Splitting up the beta coefficients for each strata

```

beta_inference_df_strat0 <- beta_inference_df[1:(nrow(beta_inference_df)/2),]

beta_inference_df_strat1 <- beta_inference_df[(nrow(beta_inference_df)/2 + 1):nrow(beta_inference_df),]

```

Note: The intercept for both strata is not included.


```

p <- ggplot(beta_inference_df_strat0[-1, ], aes(x = var_name, y = post_median, color = strat)) +
  geom_point() +
  ylim(c(-1.5, 4)) +
  theme(axis.text.x = element_text(angle = 45, vjust = 1, hjust=1), axis.title.x = element_blank(), axis
      axis.text=element_text(size=12),
      plot.margin = margin(5.5, 5.5, 5.5, 10)) +
  geom_errorbar(aes(ymin = post_2.5, ymax = post_97.5, width = 0.4), col = "#F8766D") +
  geom_vline(xintercept = c(5.5, 16.5, 22.5, 26.5), col = "blue") +
  geom_hline(yintercept = 0, col = "red") +
  annotate(geom = "text", x = 3, y = 3.75, label = "Flood\nRisk",
      col = "blue", size = 4.5) +
  annotate(geom = "text", x = 11, y = 3.8, label = "Social Vulnerability Index",
      col = "blue", size = 4.5) +
  annotate(geom = "text", x = 19.5, y = 3.8, label = "Air Pollution",
      col = "blue", size = 4.5) +
  annotate(geom = "text", x = 24.5, y = 3.8, label = "GRIDMET",
      col = "blue", size = 4.5) +
  scale_x_discrete(labels = c("PC 1", "PC 2", "PC 3", "PC 4", "PC 5",
      "Poverty", "Unemployed", "Per Capita Income", "No High School",
      "65 or Over", "17 or Under", "Disability",
      "Single-Parent",
      "Minority", "Poor English",
      "Uninsured",
      "CO", "NO2", "O3", "PM10", "PM2.5", "SO2",
      "Summer Temperature", "Winter Temperature", "Summer Humidity", "Winter Humidity",
      "Smoking")) + ggtitle("95% Credible Intervals, Poor Mental Health, Stratification")
geom_point(data = beta_inference_df_strat1[-1, ], col = "#00BFC4") + # strat 1
geom_errorbar(data = beta_inference_df_strat1[-1, ], aes(ymin = post_2.5, ymax = post_97.5, width = 0.4),
  scale_color_manual(name = "Strata",
      values = c("#F8766D", "#00BFC4"),
      drop = FALSE)

```

p

95% Credible Intervals, Poor Mental Health, Stratified on RPL Theme 4



```
ggsave(here("figures/final_figures/stratified_analysis/MHLTH_CI_rpl4.pdf"),
  plot = p, device = "pdf",
  width = 8, height = 6, units = "in")
```

Stratified on RPL_THEMES

Inference is based on 3 markov chains, each of which has been run for 110000 samples, the first 10000 of which has been removed for burn-in. The remaining 100000 samples are thinned by 2, resulting in 150000 samples for inference across the 3 Markov chains.

```
load(here("modeling_files/stratified_analysis/model_stratif_rpls_MHLTH.RData"))

beta_samples_matrix <- rbind(chain1$samples$beta, chain2$samples$beta, chain3$samples$beta)

colnames(beta_samples_matrix) <- var_names

(beta_inference <- round(t(apply(beta_samples_matrix, 2, quantile, c(0.5, 0.025, 0.975))),5))
```

```
##              50%      2.5%      97.5%
## strat0      14.15367 14.14102 14.16636
## strat0:flood_risk_pc1 -0.00654 -0.02043 0.00722
## strat0:flood_risk_pc2  0.02702  0.01120 0.04267
## strat0:flood_risk_pc3  0.02546  0.01385 0.03706
## strat0:flood_risk_pc4 -0.01559 -0.02715 -0.00410
## strat0:flood_risk_pc5  0.01256  0.00163 0.02350
## strat0:EP_UNINSUR    0.01510 -0.00381 0.03411
## strat0:co           0.41021  0.35962 0.46084
```

```
## strat0:no2          0.46637  0.39960  0.53641
## strat0:o3           -0.18809 -0.30441 -0.08838
## strat0:pm10         -0.04566 -0.09521  0.00282
## strat0:pm25          0.11130  0.03955  0.18006
## strat0:so2           0.08199  0.03461  0.13069
## strat0:summer_tmmx   0.10204  0.02238  0.19816
## strat0:winter_tmmx  -0.11950 -0.40562  0.11594
## strat0:summer_rmax  -0.00776 -0.10540  0.09567
## strat0:winter_rmax  -0.03034 -0.10429  0.04287
## strat0:Data_Value_CSMOKING 3.32079 3.29937 3.34239
## strat1              14.34485 14.33398 14.35566
## strat1:flood_risk_pc1 -0.00576 -0.01906  0.00750
## strat1:flood_risk_pc2 -0.01158 -0.02618  0.00291
## strat1:flood_risk_pc3  0.00484 -0.00711  0.01663
## strat1:flood_risk_pc4 -0.00438 -0.01453  0.00567
## strat1:flood_risk_pc5  0.00522 -0.00487  0.01533
## strat1:EP_UNINSUR     0.04852  0.03593  0.06113
## strat1:co             0.43561  0.37933  0.49160
## strat1:no2            0.41196  0.34268  0.48262
## strat1:o3             -0.18844 -0.30508 -0.08675
## strat1:pm10           -0.04765 -0.09893  0.00279
## strat1:pm25            0.18217  0.10949  0.24989
## strat1:so2             0.08869  0.04188  0.13727
## strat1:summer_tmmx    0.05097 -0.02973  0.14534
## strat1:winter_tmmx   -0.01281 -0.29875  0.22034
## strat1:summer_rmax   -0.10496 -0.20402 -0.00115
## strat1:winter_rmax   -0.00588 -0.07994  0.06843
## strat1:Data_Value_CSMOKING 3.28976 3.27368 3.30569
```

List of significant beta coefficients:

```
colnames(beta_samples_matrix)[sign(beta_inference[, 2]) == sign(beta_inference[, 3])]
```

```
## [1] "strat0"          "strat0:flood_risk_pc2"
## [3] "strat0:flood_risk_pc3" "strat0:flood_risk_pc4"
## [5] "strat0:flood_risk_pc5" "strat0:co"
## [7] "strat0:no2"       "strat0:o3"
## [9] "strat0:pm25"      "strat0:so2"
## [11] "strat0:summer_tmmx" "strat0:Data_Value_CSMOKING"
## [13] "strat1"           "strat1:EP_UNINSUR"
## [15] "strat1:co"        "strat1:no2"
## [17] "strat1:o3"        "strat1:pm25"
## [19] "strat1:so2"       "strat1:summer_rmax"
## [21] "strat1:Data_Value_CSMOKING"
```

Credible Interval plots for the coefficients, in ggplot

```
# first, process the beta_inference matrix in a form ggplot can understand
beta_inference_df <- as.data.frame(beta_inference)
beta_inference_df <- mutate(beta_inference_df, var_name = row.names(beta_inference_df))
beta_inference_df <- rename(beta_inference_df,
                             post_median = `50%`,
                             post_2.5 = `2.5%`,
                             post_97.5 = `97.5%`)
```

```

beta_inference_df$var_name <- substring(beta_inference_df$var_name, first = 8)
beta_inference_df$var_name <- factor(beta_inference_df$var_name,
                                     levels = unique(beta_inference_df$var_name))
beta_inference_df$strat <- as.factor(c(rep("Lower", (nrow(beta_inference_df)/2)),
                                     rep("Upper", (nrow(beta_inference_df)/2))))

```

Splitting up the beta coefficients for each strata

```

beta_inference_df_strat0 <- beta_inference_df[1:(nrow(beta_inference_df)/2),]
beta_inference_df_strat1 <- beta_inference_df[(nrow(beta_inference_df)/2 + 1):nrow(beta_inference_df),]

```

Note: The intercept for both strata is not included.


```

p <- ggplot(beta_inference_df_strat0[-1, ], aes(x = var_name, y = post_median, color = strat)) +
  geom_point() +
  ylim(c(-1.5, 4)) +
  theme(axis.text.x = element_text(angle = 45, vjust = 1, hjust=1), axis.title.x = element_blank(), axis.title.y = element_text(size=12),
        plot.margin = margin(5.5, 5.5, 5.5, 10)) +
  geom_errorbar(aes(ymin = post_2.5, ymax = post_97.5, width = 0.4), col = "#F8766D") +
  geom_vline(xintercept = c(5.5, 6.5, 12.5, 16.5), col = "blue") +
  geom_hline(yintercept = 0, col = "red") +
  annotate(geom = "text", x = 3, y = 3.75, label = "Flood\nRisk",
          col = "blue", size = 4.5) +
  annotate(geom = "text", x = 9.5, y = 3.8, label = "Air Pollution",
          col = "blue", size = 4.5) +
  annotate(geom = "text", x = 14.5, y = 3.8, label = "GRIDMET",
          col = "blue", size = 4.5) +
  scale_x_discrete(labels = c("PC 1", "PC 2", "PC 3", "PC 4", "PC 5",
                              "Uninsured",
                              "CO", "NO2", "O3", "PM10", "PM2.5", "SO2",
                              "Summer Temperature", "Winter Temperature", "Summer Humidity", "Winter Humidity",
                              "Smoking")) + ggtitle("95% Credible Intervals, Poor Mental Health, Stratification")
p <- p +
  geom_point(data = beta_inference_df_strat1[-1, ], col = "#00BFC4") + # strat 1
  geom_errorbar(data = beta_inference_df_strat1[-1, ], aes(ymin = post_2.5, ymax = post_97.5, width = 0.4), col = "#00BFC4") +
  scale_color_manual(name = "Strata",
                    values = c("#F8766D", "#00BFC4"),
                    drop = FALSE)

```

p

95% Credible Intervals, Poor Mental Health, Stratified on All RPL Themes



```
ggsave(here("figures/final_figures/stratified_analysis/MHLTH_CI_rpls.pdf"),
  plot = p, device = "pdf",
  width = 8, height = 6, units = "in")
```