2024 NCKU Program Design I HW9

Deadline: 2024/12/26

Problem

This assignment allows you to practice passing pointers to function into another function. Write a **complete program** to do the following:

- Assume there are functions declared as the followings:
 - 1. double power(double, int) that calculates x^n if we call power(x, n)
 - 2. double multiply(double, int) that calculate x * n if we call multiply(x, n)
 - 3. double divide(double, int) that calculate x/n if we call divide(x, n)
 - , where x must be double and n be integer.

Then,

- Write a function double powerpower(...) that can compute $(x^n)^m$, $(x*n)^m$, and $(x/n)^m$, where powerpower() must use **four parameters**: a pointer to function, one double and two integers.
- **Similarly**, write double powermultiply(...) that can compute $(x^n)*m$, (x*n)*m, and (x/n)*m.
- **Also**, write double powerdivide(...) that can compute $(x^n)/m$, (x*n)/m, and (x/n)/m.

Where, you additionally need to

- Use **typedef** to define a new type F which is a pointer to function (of the above functions: power(x, n), multiply(x, n), and divide(x, n)).
- When **executing** your program, you can choose the values for x, n, and m by using argc and argv.
- Write the documentation (of what your program does and the design details in your implementation).

Submission

請不要嘗試攻擊 Judge 系統, 否則此堂課將不予以通過

Don't attack judge system otherwise you will fail this course.

一旦發現作業抄襲或是請人代寫之情形,學期作業成績將 "全部" 以 0 分計算

One instances of severe plagiarism, hiring someone to write assignments, or similar activities are detected, the semester's assignment scores will be calculated as 0 point across the board.

You should hand in both homework to get the full score.

If you submit your C code without the documentation after the deadline, you'll get 50 points; otherwise, you'll get 0 point in total.

Your C source code

Before you start

Make sure you can login the server by your personal account.

submission

- Server IP: 140.116.246.48 , Port: 2024
 - > ssh 學號@140.116.246.48 -p 2024
- Create an directory with name HW9 in your home directory.
 - You can use the "pwd" command to confirm your current directory.
 - The "mkdir [name]" command can create a directory with the name [name]
- In HW9 directory, you need to create a file with name pA.c.
- You can directly use the command hw9 to check whether the result of the question is correct.

Documentation of your code

- Write the documentation of what your program does and the design details in your implementation.
- Please named as 學號_姓名_HW9.pdf.
- · Submit it to moodle.

I/O format for the judge

input

```
$./pA \times n m
```

output

2024:NGKU Prograumber in humber in hinds HackMb HackMb HackMb.io?utm_source=view-page&utm_medium=logo-nav)

```
result of (x^n)^m
result of (x*n)^m
result of (x/n)^m
result of (x^n)*m
result of (x*n)*m
result of (x/n)*m
result of (x^n)/m
result of (x*n)/m
result of (x/n)/m
```

Sample data

Example 1

Input:

\$./pA 6.5 8 3

Output:

```
32353447101972729856.000000
140608.000000
0.536377
9559344.386719
156.000000
2.437500
1062149.376302
17.333333
0.270833
```

Example 2

Input:

\$./pA 10.1 2 5

Output:

11046221254.112040 3363232.160320

3284.406407

510.050000

101.000000

25.250000

20.402000

4.040000

1.010000

Example 3

Input:

\$./pA 30 5 3

Output:

14348907000000000557056.000000

3375000.000000

216.000000

72900000.000000

450.000000

18.000000

8100000.000000

50.000000

2.000000