





XSLT <xsl:template> Element

Previous

Next >

An XSL style sheet consists of one or more set of rules that are called templates.

A template contains rules to apply when a specified node is matched.


The <xsl:template> Element

The <xsl:template> element is used to build templates.

The **match** attribute is used to associate a template with an XML element. The match attribute can also be used to define a template for the entire XML document. The value of the match attribute is an XPath expression (i.e. match="/" defines the whole document).

Ok, let's look at a simplified version of the XSL file from the previous chapter:

Example



Try it Yourself »

Example Explained

Since an XSL style sheet is an XML document, it always begins with the XML declaration: <?xml version="1.0" encoding="UTF-8"?>.

The next element, **<xsl:stylesheet>**, defines that this document is an XSLT style sheet document (along with the version number and XSLT namespace attributes).

The **<xsl:template>** element defines a template. The **match="/"** attribute associates the template with the root of the XML source document.

The content inside the <xsl:template> element defines some HTML to write to the output.

The last two lines define the end of the template and the end of the style sheet.

The result from this example was a little disappointing, because no data was copied from the XML document to the output. In the next chapter you will learn how to use the **<xsl:value-of>** element to select values from the XML elements.

Previous

Next >



Tutorials **▼**

Exercises **▼**

Services ▼ Q



Sign Up Log in

= CSS

JAVASCRIPT

SQL

PYTHON

JAVA

PHP

HOW TO

W3.CSS

С





EL PRECIO MÁS BAJO PARA ESTE VERANO

DESDE **121€*** por pers. / noche

en el Disney Hotel Cheyenne con Entradas incluid

RESERVA AHORA

Get Lifelong Access to **All Current & Future Courses** Our certifications are recognised worldwide. Original price: \$1,465 Discount price: \$695 **Start Today!**





ADVERTISEMENT

ADVERTISEMENT



CSS JAVASCRIPT

SQL PYTHON

JAVA

PHP

HOW TO

W3.CSS

C

= .

NEWSLETTER (

GET CERTIFIED

CONTACT US

Top Tutorials

HTML Tutorial
CSS Tutorial
JavaScript Tutorial
How To Tutorial
SQL Tutorial
Python Tutorial
W3.CSS Tutorial
Bootstrap Tutorial
PHP Tutorial
Java Tutorial
C++ Tutorial
jQuery Tutorial

Top References

HTML Reference
CSS Reference
JavaScript Reference
SQL Reference
Python Reference
W3.CSS Reference
Bootstrap Reference
PHP Reference
HTML Colors
Java Reference
Angular Reference
jQuery Reference

Top Examples

HTML Examples
CSS Examples
JavaScript Examples
How To Examples
SQL Examples
Python Examples
W3.CSS Examples
Bootstrap Examples
PHP Examples
Java Examples
XML Examples
jQuery Examples

Get Certified

HTML Certificate
CSS Certificate
JavaScript Certificate
Front End Certificate
SQL Certificate
Python Certificate
PHP Certificate
jQuery Certificate
Java Certificate
C++ Certificate
C# Certificate
XML Certificate











FORUM ABOUT CLASSROOM



CSS JAVASCRIPT SQL PYTHON JAVA PHP HOW TO W3.CSS C

 $\underline{\text{Copyright 1999-2024}}$ by Refsnes Data. All Rights Reserved. $\underline{\text{W3Schools is Powered by}}$ $\underline{\text{W3.CSS}}.$