

Tutorials ▼

Exercises **▼**

Services **▼**

Sign Up

Log in

CSS JAVASCRIPT SQL PYTHON JAVA PHP

HOW TO

W3.CSS

XSL(T) Languages

< Previous

Next >

XSLT is a language for transforming XML documents.

XPath is a language for navigating in XML documents.

XQuery is a language for querying XML documents.

It Started with XSL

XSL stands for EXtensible Stylesheet Language.

The World Wide Web Consortium (W3C) started to develop XSL because there was a need for an XML-based Stylesheet Language.

CSS = Style Sheets for HTML

HTML uses predefined tags. The meaning of, and how to display each tag is well understood.

CSS is used to add styles to HTML elements.

XSL = Style Sheets for XML

XML does not use predefined tags, and therefore the meaning of each tag is not well understood.

HOW TO

XSL - More Than a Style Sheet Language

XSL consists of four parts:

- XSLT a language for transforming XML documents
- XPath a language for navigating in XML documents
- XSL-FO a language for formatting XML documents (discontinued in 2013)
- XQuery a language for querying XML documents

With the CSS3 Paged Media Module, W3C has delivered a new standard for document formatting. So, since 2013, CSS3 is proposed as an XSL-FO replacement.

What is XSLT?

- XSLT stands for XSL Transformations
- XSLT is the most important part of XSL
- XSLT transforms an XML document into another XML document
- XSLT uses XPath to navigate in XML documents
- XSLT is a W3C Recommendation



CSS

JAVASCRIPT

SQL

PYTHON

JAVA PHP

HOW TO

W3.CSS

XSLT is used to transform an XML document into another XML document, or another type of document that is recognized by a browser, like HTML and XHTML. Normally XSLT does this by transforming each XML element into an (X)HTML element.

With XSLT you can add/remove elements and attributes to or from the output file. You can also rearrange and sort elements, perform tests and make decisions about which elements to hide and display, and a lot more.

A common way to describe the transformation process is to say that **XSLT transforms an XML source-tree into an XML result-tree**.

XSLT Uses XPath

XSLT uses XPath to find information in an XML document. XPath is used to navigate through elements and attributes in XML documents.

If you want to study XPath first, please read our XPath Tutorial.

How Does it Work?

In the transformation process, XSLT uses XPath to define parts of the source document that should match one or more predefined templates. When a match is found, XSLT will transform the matching part of the source document into the result document.

XSLT Browser Support

All major browsers support XSLT and XPath.

XSLT is a W3C Recommendation

XSLT became a W3C Recommendation 16. November 1999.



= .

Tutorials **▼**

CSS

JAVASCRIPT SQL PYTHON JAVA PHP HOW TO W3.CSS C

W3schools Pathfinder

Track your progress - it's free! Sign Up Log in



COLOR PICKER







CSS JAVASCRIPT

SQL PYTHON

JAVA

PHP

HOW TO

W3.CSS

C

= .

NEWSLETTER (

GET CERTIFIED

CONTACT US

Top Tutorials

HTML Tutorial
CSS Tutorial
JavaScript Tutorial
How To Tutorial
SQL Tutorial
Python Tutorial
W3.CSS Tutorial
Bootstrap Tutorial
PHP Tutorial
Java Tutorial
C++ Tutorial
jQuery Tutorial

Top References

HTML Reference
CSS Reference
JavaScript Reference
SQL Reference
Python Reference
W3.CSS Reference
Bootstrap Reference
PHP Reference
HTML Colors
Java Reference
Angular Reference
jQuery Reference

Top Examples

HTML Examples
CSS Examples
JavaScript Examples
How To Examples
SQL Examples
Python Examples
W3.CSS Examples
Bootstrap Examples
PHP Examples
Java Examples
XML Examples
jQuery Examples

Get Certified

HTML Certificate
CSS Certificate
JavaScript Certificate
Front End Certificate
SQL Certificate
Python Certificate
PHP Certificate
jQuery Certificate
Java Certificate
C++ Certificate
C# Certificate
XML Certificate











FORUM ABOUT CLASSROOM



CSS JAVASCRIPT SQL PYTHON JAVA PHP HOW TO W3.CSS C

 $\underline{\text{Copyright 1999-2024}}$ by Refsnes Data. All Rights Reserved. $\underline{\text{W3Schools is Powered by}}$ $\underline{\text{W3.CSS}}.$