

XSD Text-Only Elements

Previous

Next >

A complex text-only element can contain text and attributes.

Complex Text-Only Elements

This type contains only simple content (text and attributes), therefore we add a simpleContent element around the content. When using simple content, you must define an extension OR a restriction within the simpleContent element, like this:


Tip: Use the extension/restriction element to expand or to limit the base simple type for the element.

Here is an example of an XML element, "shoesize", that contains text-only:

```
<shoesize country="france">35</shoesize>
```

The following example declares a complexType, "shoesize". The content is defined as an integer value, and the "shoesize" element also contains an attribute named "country":

We could also give the complexType element a name, and let the "shoesize" element have a type attribute that refers to the name of the complexType (if you use this method, several elements can refer to the same complex type):



JAVASCRIPT SQL

= .

CSS

✓ Previous
Next >

W3schools Pathfinder
Track your progress - it's free! Sign Up Log in

PYTHON JAVA PHP

W3.CSS

C

HOW TO



COLOR PICKER





schools

E . CSS JAVASCRIPT SQL PYTHON JAVA PHP HOW TO W3.CSS C



Tutorials **▼**

Exercises **▼**

Services **▼**

Q

Sign Up

Log in

= .

CSS JAVASCRIPT

SQL

PYTHON

JAVA

PHP

HOW TO

W3.CSS

C



SPACES

UPGRADE

AD-FREE

NEWSLETTER

GET CERTIFIED

CONTACT US

Top Tutorials

HTML Tutorial
CSS Tutorial
JavaScript Tutorial
How To Tutorial
SQL Tutorial
Python Tutorial
W3.CSS Tutorial
Bootstrap Tutorial
PHP Tutorial
Java Tutorial
C++ Tutorial
jQuery Tutorial

Top References

HTML Reference
CSS Reference
JavaScript Reference
SQL Reference
Python Reference
W3.CSS Reference
Bootstrap Reference
PHP Reference
HTML Colors
Java Reference
Angular Reference
jQuery Reference

Top Examples

HTML Examples
CSS Examples
JavaScript Examples
How To Examples
SQL Examples
Python Examples
W3.CSS Examples
Bootstrap Examples
PHP Examples
Java Examples
XML Examples
jQuery Examples

Get Certified

HTML Certificate
CSS Certificate
JavaScript Certificate
Front End Certificate
SQL Certificate
Python Certificate
PHP Certificate
jQuery Certificate
Java Certificate
C++ Certificate
C# Certificate
XML Certificate



= .

Tutorials **▼** Exercises **▼** Services **▼** Q Sign Up Log in

CSS JAVASCRIPT SQL

PYTHON

JAVA PHP

HOW TO

W3.CSS

C

FORUM ABOUT CLASSROOM

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning.

Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness

of all content. While using W3Schools, you agree to have read and accepted our terms of use, cookie and privacy policy.

Copyright 1999-2024 by Refsnes Data. All Rights Reserved. W3Schools is Powered by W3.CSS.