

XSLT Introduction

[< Previous](#)[Next >](#)

XSL (eXtensible Stylesheet Language) is a styling language for XML.

XSLT stands for XSL Transformations.

This tutorial will teach you how to use XSLT to transform XML documents into other formats (like transforming XML into HTML).

Online XSLT Editor

With our online editor, you can edit XML and XSLT code, and click on a button to view the result.

XSLT Example

```
<?xml version="1.0"?>

<xsl:stylesheet version="1.0"
xmlns:xsl="http://www.w3.org/1999/XSL/Transform">

<xsl:template match="/">
  <html>
  <body>
    <h2>My CD Collection</h2>
    <table border="1">
      <tr bgcolor="#9acd32">
```

```
<tr>
  <td><xsl:value-of select="title"/></td>
  <td><xsl:value-of select="artist"/></td>
</tr>
</xsl:for-each>
</table>
</body>
</html>
</xsl:template>

</xsl:stylesheet>
```

[Try it Yourself »](#)

Click on the "Try it Yourself" button to see how it works.

What You Should Already Know

Before you continue you should have a basic understanding of the following:

- [HTML](#)
- [XML](#)

If you want to study these subjects first, find the tutorials on our [Home page](#).

XSLT References

[XSLT Elements](#)

Description of all the XSLT elements from the W3C Recommendation, and information about browser support.

[XSLT, XPath, and XQuery Functions](#)

XSLT 2.0, XPath 2.0, and XQuery 1.0, share the same functions library. There are over 100 built-in functions. There are functions for string values, numeric values, date and time comparison, node and QName manipulation, sequence manipulation, and more.



Tutorials▼

Exercises▼

Services▼



Sign Up

Log in

☰ [HOME](#) [W3.CSS](#) [C](#) [C++](#) [C#](#) [BOOTSTRAP](#) [REACT](#) [MYSQL](#) [JQUERY](#) [XML](#)

W3schools Pathfinder

Track your progress - it's free!

Sign Up

Log in

ADVERTISEMENT



Level up with XML Course

Gain skills, and get certified

Start Today!



COLOR PICKER



ADVERTISEMENT

[Tutorials ▼](#)[Exercises ▼](#)[Services ▼](#)[Sign Up](#)[Log in](#)

[☰](#) [HOW TO](#) [W3.CSS](#) [C](#) [C++](#) [C#](#) [BOOTSTRAP](#) [REACT](#) [MYSQL](#) [JQUERY](#) [EX](#)

[SPACES](#)[UPGRADE](#)[AD-FREE](#)[NEWSLETTER](#)[GET CERTIFIED](#)[CONTACT US](#)

Top Tutorials

[HTML Tutorial](#)
[CSS Tutorial](#)
[JavaScript Tutorial](#)
[How To Tutorial](#)
[SQL Tutorial](#)
[Python Tutorial](#)
[W3.CSS Tutorial](#)
[Bootstrap Tutorial](#)
[PHP Tutorial](#)
[Java Tutorial](#)
[C++ Tutorial](#)
[jQuery Tutorial](#)

Top Examples

[HTML Examples](#)
[CSS Examples](#)
[JavaScript Examples](#)
[How To Examples](#)
[SQL Examples](#)
[Python Examples](#)
[W3.CSS Examples](#)
[Bootstrap Examples](#)
[PHP Examples](#)
[Java Examples](#)
[XML Examples](#)
[jQuery Examples](#)

Top References

[HTML Reference](#)
[CSS Reference](#)
[JavaScript Reference](#)
[SQL Reference](#)
[Python Reference](#)
[W3.CSS Reference](#)
[Bootstrap Reference](#)
[PHP Reference](#)
[HTML Colors](#)
[Java Reference](#)
[Angular Reference](#)
[jQuery Reference](#)

Get Certified

[HTML Certificate](#)
[CSS Certificate](#)
[JavaScript Certificate](#)
[Front End Certificate](#)
[SQL Certificate](#)
[Python Certificate](#)
[PHP Certificate](#)
[jQuery Certificate](#)
[Java Certificate](#)
[C++ Certificate](#)
[C# Certificate](#)
[XML Certificate](#)

[Tutorials▼](#)[Exercises▼](#)[Services▼](#)[Sign Up](#)[Log in](#)

[☰](#) [HOW TO](#) [W3.CSS](#) [C](#) [C++](#) [C#](#) [BOOTSTRAP](#) [REACT](#) [MYSQL](#) [JQUERY](#) [EX](#)

[FORUM](#) [ABOUT](#) [CLASSROOM](#)

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using W3Schools, you agree to have read and accepted our [terms of use](#), [cookie](#) and [privacy policy](#).

Copyright 1999-2024 by Refsnes Data. All Rights Reserved. [W3Schools is Powered by W3.CSS](#).