

General

Access

Collaborators

Code, planning, and automation

Branches

Tags

Rules

Actions

Webhooks

Copilot

Environments

Codespaces

Pages

Security and quality

Advanced Security

Deploy keys

Secrets and variables

Actions

General

Repository name

cloud-exploration-journey

Rename

Template repository

Template repositories let users generate new repositories with the same directory structure and files. [Learn more about template repositories.](#)

Default branch

The default branch is considered the "base" branch in your repository, against which all pull requests and code commits are automatically made, unless you specify a different branch.

main

Releases

Enable release immutability

Disallow assets and tags from being modified once a release is published.

Features

Wikis

Wikis host documentation for your repository.

1. Go to settings

2. Secrets and variables > Actions

- ⚙️ General

Access

👤 Collaborators

Code, planning, and automation

🌿 Branches

🔖 Tags

📄 Rules

🕒 Actions

🔗 Webhooks

👤 Copilot

📄 Environments

📄 Codespaces

📄 Pages

Security and quality

🔒 Advanced Security

🔑 Deploy keys

🔒 Secrets and variables

Actions

Actions secrets and variables

Secrets and variables allow you to manage reusable configuration data. Secrets are **encrypted** and are used for sensitive data. [Learn more about encrypted secrets](#). Variables are shown as plain text and are used for **non-sensitive** data. [Learn more about variables](#).

Anyone with collaborator access to this repository can use these secrets and variables for actions. They are not passed to workflows that are triggered by a pull request from a fork.

Secrets

Variables

Environment secrets

This environment has no secrets.

Manage environment secrets

Repository secrets

This repository has no secrets.

New repository secret

⚙️ General

Access

👤 Collaborators

Code, planning, and automation

🔗 Branches

🏷️ Tags

📄 Rules ▾

⌚ Actions ▾

🔗 Webhooks

👤 Copilot ▾

📄 Environments

📄 Codespaces

📄 Pages

Security and quality

🔒 Advanced Security

🔑 Deploy keys

🔑 **Secrets and variables** ^

Actions

Actions secrets / New secret

Name *

YOUR_SECRET_NAME

Secret *

Add secret