No part of the candidate evidence in this exemplar material may be presented in an external assessment for the purpose of gaining credits towards an NCEA qualification.

SUPERVISOR'S USE ONLY

90939



Level 1 Physics, 2015

90939 Demonstrate understanding of aspects of heat

9.30 a.m. Thursday 19 November 2015 Credits: Four

Achievement	Achievement with Merit	Achievement with Excellence
Demonstrate understanding of aspects of heat.	Demonstrate in-depth understanding of aspects of heat.	Demonstrate comprehensive understanding of aspects of heat.

Check that the National Student Number (NSN) on your admission slip is the same as the number at the top of this page.

You should attempt ALL the questions in this booklet.

Make sure that you have Resource Sheet L1-PHYSR.

In your answers use clear numerical working, words and/or diagrams as required.

Numerical answers should be given with an appropriate SI unit.

If you need more space for any answer, use the page(s) provided at the back of this booklet and clearly number the question.

Check that this booklet has pages 2–9 in the correct order and that none of these pages is blank.

YOU MUST HAND THIS BOOKLET TO THE SUPERVISOR AT THE END OF THE EXAMINATION.

Achievement

TOTAL 11

QUESTION ONE: MILK TANKS

Dairy farmers store milk in a tank made from stainless steel like the one shown in the photograph.

(a) When a farmer touches an empty stainless steel milk tank with his bare hand, his hand feels cold.

Use physics ideas to explain why his hand feels cold when he touches the tank with his bare hand.



this is because steel conducts heat very well so it takes away the heat from hu hand giving it a cold feelings

(b) On a sunny day, even though the sunlight falls on only one half of the empty stainless steel tank, the other half also becomes hot.

Use a heat transfer method to explain how the heat energy from the Sun reaches the tank, and how the whole metal body of the tank heats up.

The heat energy reaches the tank from the sun by supported as a radiation

(c) An empty tank has a mass of 680 kg. The specific heat capacity of stainless steel is 510 J kg⁻¹ °C⁻¹. During the day, the tank heats up from 19°C to 28°C.

Calculate the amount of heat energy absorbed by the tank.

Write down your answer in kilojoules.

Q= ML Q= 680 × 510 Q= 346800J

Heat energy:

USE ONLY

(d) Milk collected from cows on a dairy farm is rapidly cooled and stored until it is transported to a processing factory. The diagram shows an insulated stainless steel tank used to store milk. The tank is initially wrapped using an insulating material with air bubbles trapped in it. It is then covered with a white waterproof material.

The sketch below shows three main design features of an insulated milk tank.



I milk tank.

material with trapped air bubbles

white outer cover

Explain, in terms of heat transfer, how the design features labelled in the diagram help to keep the milk cool.

White does not absorb heat energy as well as ofter about darker colours such as black, if it does not absorb the heat energy it remains cools

Trapped air bubble material cover:

polished stainless steel

does not allow transfer of Loat energy from outside to inside. Method of

Polished stainless steel inner:


Roflects away \$ some of the heat energy

M5

Db....!-- 00000 0016

In a milk processing factory the milk is heated to a specific temperature for a very short time. This is done by using a plate heat exchange system. It consists of a series of a very thin metal boxes placed **touching** each other. The diagram shows a pair of metal boxes used in a plate heat exchange system. Cold milk is continuously passed through box A, while steam continuously passes through box B.

(a) In the space given below, draw diagrams to show the arrangement of particles in the hot metal of box B and in the steam.



Particle arrangement in the HOT metal of box B	Particle arrangement in steam		

(b) Using a heat transfer method, explain how the heat travels from the metal box B to the cold milk in the metal box A.

The heat travels from metal box b to the convection

- (c) As the milk passes through the metal box A, its temperature quickly increases whilst still staying in a liquid state.
 - (i) Describe how the distance between the milk particles changes during heating.

they become more less squaded so less dense but remain in contact due to remaining in liquid state.

Physics 90939 2015

ASSESS(

	(ii)	Explain why this occurs.	ASSESS
		His is due to the particles vibrating more stated	USE O
		His is due to the particles vibrating more intensely making them spread out	n
		More.	1
(d)	(i)	During the heat transfer process, some of the steam at 100°C condenses to water at 100°C.	
		Show that the energy released to the surroundings when 1.0 g of steam at 100°C condenses to water at 100°C is 2300 J.	
		Latent heat of fusion of steam is 2300000 J kg ⁻¹ .	
		Q=ML Q=ndly	
		Q=MANY (000 Q 20.00)	
		62 BEDON 0 18 13 COS	
		Q = 0.001 x2300000	
		0=213005	
	(ii)	When 1.0 g of steam condenses to water, 2300 J of energy is released to the surroundings. 8.0 g of milk absorbs 85% of the energy released. The specific heat	
		capacity of milk is 3900 J kg ⁻¹ °C ⁻¹ .	
		Calculate the increase in temperature of the milk.	a
		Q=mc DT Q=0008 x 3900 x DT	
	12	2300 = 0.008 × 3900 × AT	
		8300 X 7008 X 3200 7 AT Q:m: C = BT	
*		2300 ÷ 0.008 ÷ 3900 = QT	
		Increase in temperature: 73.72	
	(iii)	Some of the heat from the plate heat exchange system is lost to the surroundings.	
	` ,		
	1	Using one heat transfer method, explain how the heat energy is lost to the surroundings.	

A3

QUESTION THREE: IN A CAFÉ

When making a coffee in a café, milk is heated by passing steam into a jug of milk. When steam passes through the milk, some steam condenses to water.

Latent heat of fusion of steam is 2300000 J kg⁻¹.

(a) Use the given context above to explain the meaning of "latent heat of fusion of steam is 2300000 J kg⁻¹".

http://democafedonpaco.cadimo.com/wp-content/gallery/preparation-tips/steaming-milk-for-a-cappuccino.jpg

it takes 3300,000 they of energy to
Mabiter transfer 1 kg of liquid water to
steam!

(b) In the café, take-away coffee is normally served in a paper cup with a lid.

Use one heat transfer method to explain how the lid **reduces** the loss of heat to the surroundings.

It is done by not letting heateners escape the coffee so it remains within the cop keeping it warmer for longer

http://www.dreamstime. com/illustration/takeawaycoffee-cup.html

ASSESSOR'S USE ONLY

(c)	(i)	The power output of the coffee machine is 1100 W.
	2 23	Latent heat of vaporisation of water is 2300000 J kg ⁻¹ .
		100

Calculate the time taken to convert 20 g of water at 100°C into steam at 100°C.

$$Q = ml$$
 $0 = 0.02 \times 2360000$
 $Q = 46660 J$
 $P = E/T$
 $T = 46000 J/1160$
 $T = A182(2du) seconds$

T= 41.82(2dp) seconds Time: 41.87(2dp) seconds

The temperature of the boiling water and the steam is 100°C. (ii)


State whether 200 g of boiling water at 100°C or 200 g of steam at 100°C has more energy.

Explain your answer.

more energy because it still contains
the 2300000 Jug-1 of energy that
is reeded to convert itself to gas

Question Three continues on the following page.

(d) The diagram below shows a breadstick being heated in an oven in the café.



- (i) On the diagram, draw arrows to show the direction of movement of air inside the oven.
- (ii) Explain why the air moves in the direction shown by your diagram.

and hot air cools the bread less dense than cool air.

A3

ASSESSOR'S

a

QUESTION NUMBER	Extra paper if required. Write the question number(s) if applicable.	ASSESSOR'S USE ONLY

Annotated Exemplars

Ach	Achieved exemplar for 90939 2015 Total score 11			11
Q	Grade score	Annotation		
1	M 5	(a) Merit. Clear description of heat transfer from hand between heat transfer and conductive properties of so		nkage
		(b) Not Achieved. Clear description of heat transfer by radiation (from Sun to empty tank) but no clear description of heat transfer by conduction (within the body of the tank)		
		(c) Not Achieved. For Achieved there has to be a co the heat energy gain using the information given	rrect attempt to	calculate
		(d) Merit. One clear explanation of how heat transfer given.	is reduced has	been
2	A3	(a) Achieved. Correct diagrams for both steam partic solid form are given.	cles and metal _l	oarticles in
		(b) Not Achieved. For Achieved there needs to be discussion of the metal particles vibrating more or description of conduction.		
		(c)(i) and (ii) Merit. There is a clear description in par getting further apart and an explanation that they are	t (ii) of the parti vibrating more	cles
		(d) Achieved. There has been a valid method to show the value given.	w the energy re	eleased is
	А3	(a) Achieved. There is a correct description of latent	heat.	
		(b) Not Achieved. For Achieved there needs to be at transfer method given.	least one valid	l heat
3		(c) Merit. The time taken using the information given calculated but there is no correct statement that stear water with an explanation.		
		(d) Achieved. Arrows have correctly been drawn to in currents.	ndicate convec	tion