3

L3-CALCMF





# Tuanaki, Kaupae 3, 2016

9.30 i te ata Rāapa 23 Whiringa-ā-rangi 2016

# TE PUKAPUKA O NGĀ TIKANGA TĀTAI ME NGĀ TŪTOHI mō 91577M, 91578M me 91579M

Tirohia tēnei pukapuka hei whakatutuki i ngā tūmahi o ō Pukapuka Tūmahi, Tuhinga hoki.

Tirohia mēnā e tika ana te raupapatanga o ngā whārangi 2–7 kei roto i tēnei pukapuka, ka mutu, kāore tētahi o aua whārangi i te takoto kau.

KA TĀEA TĒNEI PUKAPUKA TE PUPURI HEI TE MUTUNGA O TE WHAKAMĀTAUTAU.

# TE TUANAKI – ĒTAHI TURE WHAI HUA

# **TE TAURANGI**

# Ngā Whārite Pūrua

Mēnā 
$$ax^2 + bx + c = 0$$
  
kāti  $x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$ 

#### Ngā Taupū Kōaro

$$y = \log_b x \Leftrightarrow x = b^y$$

$$\log_b (xy) = \log_b x + \log_b y$$

$$\log_b (\frac{x}{y}) = \log_b x - \log_b y$$

$$\log_b (x^n) = n \log_b x$$

$$\log_b x = \frac{\log_a x}{\log_a b}$$

# Ngā Tau Matatini

$$z = x + iy$$

$$= r \operatorname{cis} \theta$$

$$= r(\cos \theta + i \sin \theta)$$

$$\overline{z} = x - iy$$

$$= r \operatorname{cis} (-\theta)$$

$$= r(\cos \theta - i \sin \theta)$$

$$r = |z| = \sqrt{z\overline{z}} = \sqrt{(x^2 + y^2)}$$

$$\theta = \arg z$$

$$\sin \cos \theta = \frac{x}{r}$$

$$\bar{a}, \sin \theta = \frac{y}{r}$$

## Te Ture a De Moivre

Mēnā he tau tōpū a n, kāti,  $(r \operatorname{cis} \theta)^n = r^n \operatorname{cis} (n\theta)$ 

# TE ĀHUAHANGA TAUNGA

#### Te Rārangi Torotika

Wharite 
$$y - y_1 = m(x - x_1)$$

# TE TUANAKI Kimi Pārōnaki

y = f(x)	$\frac{dy}{dx} = f'(x)$
$\ln x$	$\frac{1}{x}$
e <sup>ax</sup>	ae <sup>ax</sup>
$\sin x$	$\cos x$
$\cos x$	$-\sin x$
tan x	$\sec^2 x$
sec x	$\sec x \tan x$
cosec x	$-\csc x \cot x$
cot x	$-\csc^2 x$

# Ngā Tikanga Pāwhaitua

f(x)	$\int f(x)  \mathrm{d}x$
$\chi^n$	$\frac{x^{n+1}}{n+1} + c$
	$(n \neq -1)$
$\frac{1}{x}$	$\ln  x  + c$
$\frac{f'(x)}{f(x)}$	$\ln  f(x)  + c$

# Te Pānga Tawhā

$$\frac{\mathrm{d}y}{\mathrm{d}x} = \frac{\mathrm{d}y}{\mathrm{d}t} \cdot \frac{\mathrm{d}t}{\mathrm{d}x}$$

$$\frac{\mathrm{d}^2 y}{\mathrm{d}x^2} = \frac{\mathrm{d}}{\mathrm{d}t} \left( \frac{\mathrm{d}y}{\mathrm{d}x} \right) \cdot \frac{\mathrm{d}t}{\mathrm{d}x}$$

#### **MATHEMATICS - USEFUL FORMULAE**

#### **ALGEBRA**

# Quadratics

If 
$$ax^2 + bx + c = 0$$
  
then  $x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$ 

# Logarithms

$$y = \log_b x \Leftrightarrow x = b^y$$

$$\log_b(xy) = \log_b x + \log_b y$$

$$\log_b \left(\frac{x}{y}\right) = \log_b x - \log_b y$$

$$\log_b(x^n) = n\log_b x$$

$$\log_b x = \frac{\log_a x}{\log_a b}$$

# **Complex numbers**

$$z = x + iy$$
$$= r \operatorname{cis} \theta$$

$$= r(\cos\theta + i\sin\theta)$$

$$\overline{z} = x - iy$$

$$= r \operatorname{cis} (-\theta)$$

$$= r(\cos \theta - i \sin \theta)$$

$$r = |z| = \sqrt{z\overline{z}} = \sqrt{(x^2 + y^2)}$$
  
 $\theta = \arg z$ 

where 
$$\cos \theta = \frac{x}{r}$$

and 
$$\sin \theta = \frac{y}{r}$$

#### De Moivre's Theorem

If *n* is any integer, then  $(r \operatorname{cis} \theta)^n = r^n \operatorname{cis} (n\theta)$ 

#### **COORDINATE GEOMETRY**

#### **Straight Line**

Equation  $y - y_1 = m(x - x_1)$ 

# **CALCULUS**

#### **Differentiation**

y = f(x)	$\frac{dy}{dx} = f'(x)$
$\ln x$	$\frac{1}{x}$
e <sup>ax</sup>	ae <sup>ax</sup>
$\sin x$	$\cos x$
$\cos x$	$-\sin x$
tan x	$\sec^2 x$
sec x	sec x tan x
cosec x	$-\csc x \cot x$
$\cot x$	$-\csc^2 x$

# **Integration**

f(x)	$\int f(x) dx$
$x^n$	$\frac{x^{n+1}}{n+1} + c$ $(n \neq -1)$
$\frac{1}{x}$	$\ln  x  + c$
$\frac{f'(x)}{f(x)}$	$\left  \ln \left  f(x) \right  + c \right $

#### **Parametric Function**

$$\frac{\mathrm{d}y}{\mathrm{d}x} = \frac{\mathrm{d}y}{\mathrm{d}t} \cdot \frac{\mathrm{d}t}{\mathrm{d}x}$$

$$\frac{\mathrm{d}^2 y}{\mathrm{d}x^2} = \frac{\mathrm{d}}{\mathrm{d}t} \left( \frac{\mathrm{d}y}{\mathrm{d}x} \right) \cdot \frac{\mathrm{d}t}{\mathrm{d}x}$$

# Te Ture mō te Otinga Whakarau<sup>1</sup>

$$(f.g)' = f.g' + g.f'$$
 mēnā rānei  $y = uv$  kāti  $\frac{dy}{dx} = u\frac{dv}{dx} + v\frac{du}{dx}$ 

# Te Ture mō te Otinga Wehe

$$\left(\frac{f}{g}\right)' = \frac{g \cdot f' - f \cdot g'}{g^2} \quad \text{menā rānei} \quad y = \frac{u}{v} \quad \text{kāti } \frac{dy}{dx} = \frac{v \frac{du}{dx} - u \frac{dv}{dx}}{v^2}$$

# Te Ture Pānga Hiato, te Ture Mekameka rānei

$$(f(g))' = f'(g).g'$$

mēnā rānei y = f(u) ā, u = g(x) kāti  $\frac{dy}{dx} = \frac{dy}{du} \cdot \frac{du}{dx}$ 

#### NGĀ TIKANGA TAU

# Te Ture Taparara

$$\int_{a}^{b} f(x) \, dx \approx \frac{1}{2} h \Big[ y_0 + y_n + 2(y_1 + y_2 + \dots + y_{n-1}) \Big]$$
ina  $h = \frac{b-a}{n}$   $\bar{a}, y_r = f(x_r)$ 

# Te Ture a Simpson

$$\int_{a}^{b} f(x) dx \approx \frac{1}{3} h \Big[ y_0 + y_n + 4(y_1 + y_3 + \dots + y_{n-1}) + 2(y_2 + y_4 + \dots + y_{n-2}) \Big]$$
ina  $h = \frac{b-a}{n}$ ,  $y_r = f(x_r)$ ,  $\bar{a}$ , he taurua te  $n$ .

1 whakarea

#### **Product Rule**

$$(f.g)' = f.g' + g.f'$$
 or if  $y = uv$  then  $\frac{dy}{dx} = u\frac{dv}{dx} + v\frac{du}{dx}$ 

# **Quotient Rule**

$$\left(\frac{f}{g}\right)' = \frac{g \cdot f' - f \cdot g'}{g^2}$$
 or if  $y = \frac{u}{v}$  then  $\frac{dy}{dx} = \frac{v \frac{du}{dx} - u \frac{dv}{dx}}{v^2}$ 

# **Composite Function or Chain Rule**

$$(f(g))' = f'(g).g'$$
  
or if  $y = f(u)$  and  $u = g(x)$  then  $\frac{dy}{dx} = \frac{dy}{du} \cdot \frac{du}{dx}$ 

#### **NUMERICAL METHODS**

# **Trapezium Rule**

$$\int_{a}^{b} f(x) dx \approx \frac{1}{2} h \Big[ y_0 + y_n + 2(y_1 + y_2 + \dots + y_{n-1}) \Big]$$
where  $h = \frac{b - a}{n}$  and  $y_r = f(x_r)$ 

# Simpson's Rule

$$\int_{a}^{b} f(x) dx \approx \frac{1}{3} h \Big[ y_0 + y_n + 4(y_1 + y_3 + \dots + y_{n-1}) + 2(y_2 + y_4 + \dots + y_{n-2}) \Big]$$
where  $h = \frac{b-a}{n}$ ,  $y_r = f(x_r)$  and  $n$  is even.


# TE PĀKOKI

$$\csc \theta = \frac{1}{\sin \theta}$$

$$\sec \theta = \frac{1}{\cos \theta}$$

$$\cot \theta = \frac{1}{\tan \theta}$$

$$\cot \theta = \frac{\cos \theta}{\sin \theta}$$



# Te Ture Aho

$$\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$$

#### Te Ture Whenu

$$c^2 = a^2 + b^2 - 2ab \cos C$$

# Ngā Whārite ka Pono Ahakoa ngā Uara Ka Whakaurua Atu

$$\cos^2\theta + \sin^2\theta = 1$$

$$\tan^2 \theta + 1 = \sec^2 \theta$$

$$\cot^2 \theta + 1 = \csc^2 \theta$$

# Ngā Otinga Whānui

Mēnā  $\sin \theta = \sin \alpha \text{ kāti } \theta = n\pi + (-1)^n \alpha$ 

Mēnā cos  $\theta$  = cos  $\alpha$  kāti  $\theta$  = 2 $n\pi \pm \alpha$ 

Mēnā tan  $\theta = \tan \alpha$  kāti  $\theta = n\pi + \alpha$ 

ko te *n*, he tau tōpū ahakoa

## Ngā Koki Hiato

 $\sin(A \pm B) = \sin A \cos B \pm \cos A \sin B$ 

 $cos(A \pm B) = cos A cos B \mp sin A sin B$ 

 $\tan(A \pm B) = \frac{\tan A \pm \tan B}{1 \mp \tan A \tan B}$ 

# Ngā Koki Rearua

 $\sin 2A = 2\sin A\cos A$ 

$$\tan 2A = \frac{2\tan A}{1 - \tan^2 A}$$

$$\cos 2A = \cos^2 A - \sin^2 A$$
$$= 2\cos^2 A - 1$$

$$= 1 - 2\sin^2 A$$

# Ngā Otinga Whakarau

 $2\sin A\cos B = \sin(A+B) + \sin(A-B)$ 

 $2\cos A\sin B = \sin(A+B) - \sin(A-B)$ 

 $2\cos A\cos B = \cos(A+B) + \cos(A-B)$ 

 $2\sin A\sin B = \cos(A-B) - \cos(A+B)$ 

# Ngā Otinga Tāpiri

$$\sin C + \sin D = 2\sin\frac{C+D}{2}\cos\frac{C-D}{2}$$

$$\sin C - \sin D = 2\cos\frac{C+D}{2}\sin\frac{C-D}{2}$$

$$\cos C + \cos D = 2\cos\frac{C+D}{2}\cos\frac{C-D}{2}$$

$$\cos C - \cos D = -2\sin\frac{C+D}{2}\sin\frac{C-D}{2}$$

#### TE INE

# Te Tapatoru

Horahanga =  $\frac{1}{2}ab\sin C$ 

#### Te Taparara

Horahanga =  $\frac{1}{2}(a+b)h$ 

#### Te Pewanga

Horahanga =  $\frac{1}{2}r^2\theta$ 

Te roa o te pewa =  $r\theta$ 

#### Te Rango

Rōrahi =  $\pi r^2 h$ 

Horahanga mata kōpiko =  $2\pi rh$ 

#### Te Koeko

 $R\bar{o}rahi = \frac{1}{3}\pi r^2 h$ 

Horahanga mata kopiko =  $\pi rl$  ina ko te l te teitei o te tītaha

#### Te Poi

 $R\bar{o}rahi = \frac{4}{3}\pi r^3$ 

Horahanga mata =  $4\pi r^2$ 


#### **TRIGONOMETRY**

$$\csc \theta = \frac{1}{\sin \theta}$$
$$\sec \theta = \frac{1}{\sin \theta}$$

$$\sec \theta = \frac{1}{\cos \theta}$$

$$\cot \theta = \frac{1}{\tan \theta}$$

$$\cot \theta = \frac{\cos \theta}{\sin \theta}$$





#### Sine Rule

$$\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$$

#### **Cosine Rule**

$$c^2 = a^2 + b^2 - 2ab \cos C$$

#### **Identities**

$$\cos^2\theta + \sin^2\theta = 1$$

$$\tan^2 \theta + 1 = \sec^2 \theta$$

$$\cot^2 \theta + 1 = \csc^2 \theta$$

# **General Solutions**

If  $\sin \theta = \sin \alpha$  then  $\theta = n\pi + (-1)^n \alpha$ 

If  $\cos \theta = \cos \alpha$  then  $\theta = 2n\pi \pm \alpha$ 

If  $\tan \theta = \tan \alpha$  then  $\theta = n\pi + \alpha$ 

where n is any integer

# **Compound Angles**

 $sin(A \pm B) = sin A cos B \pm cos A sin B$ 

$$cos(A \pm B) = cos A cos B \mp sin A sin B$$

$$\tan(A \pm B) = \frac{\tan A \pm \tan B}{1 \mp \tan A \tan B}$$

# **Double Angles**

 $\sin 2A = 2\sin A\cos A$ 

$$\tan 2A = \frac{2\tan A}{1 - \tan^2 A}$$

$$\cos 2A = \cos^2 A - \sin^2 A$$
$$= 2\cos^2 A - 1$$
$$= 1 - 2\sin^2 A$$

#### **Products**

 $2\sin A\cos B = \sin(A+B) + \sin(A-B)$ 

$$2\cos A\sin B = \sin(A+B) - \sin(A-B)$$

$$2\cos A\cos B = \cos(A+B) + \cos(A-B)$$

$$2\sin A\sin B = \cos(A - B) - \cos(A + B)$$

#### Sums

$$\sin C + \sin D = 2\sin\frac{C+D}{2}\cos\frac{C-D}{2}$$

$$\sin C - \sin D = 2\cos\frac{C+D}{2}\sin\frac{C-D}{2}$$

$$\cos C + \cos D = 2\cos\frac{C+D}{2}\cos\frac{C-D}{2}$$

$$\cos C - \cos D = -2\sin\frac{C+D}{2}\sin\frac{C-D}{2}$$

#### **MEASUREMENT**

# **Triangle**

Area = 
$$\frac{1}{2}ab\sin C$$

# **Trapezium**

$$Area = \frac{1}{2}(a+b)h$$

#### Sector

Area = 
$$\frac{1}{2}r^2\theta$$

Arc length =  $r\theta$ 

# Cylinder

Volume =  $\pi r^2 h$ 

Curved surface area =  $2\pi rh$ 

#### Cone

$$Volume = \frac{1}{3}\pi r^2 h$$

Curved surface area =  $\pi rl$  where l = slant height

#### **Sphere**

$$Volume = \frac{4}{3}\pi r^3$$

Surface area =  $4\pi r^2$ 

# English translation of the wording on the front cover

# Level 3 Calculus, 2016

9.30 a.m. Wednesday 23 November 2016

# FORMULAE AND TABLES BOOKLET for 91577, 91578 and 91579

Refer to this booklet to answer the questions in your Question and Answer booklets.

Check that this booklet has pages 2–7 in the correct order and that none of these pages is blank.

YOU MAY KEEP THIS BOOKLET AT THE END OF THE EXAMINATION.