Name:		J	chool	and so	date a	andida	оу са	ted b	nplet	e cor	To be
NSN School Code	School Code										

DAY 1 TUESDAY



COMMON ASSESSMENT TASK

SUPERVISOR'S USE ONLY

Level 1 Mathematics and Statistics, 2019 91027 Apply algebraic procedures in solving problems

Tuesday 17 September 2019 Credits: Four

You should attempt ALL the questions in this booklet.

Calculators may NOT be used.

Show ALL working.

If you need more space for any answer, use the page(s) provided at the back of this booklet and clearly number the question.

You are required to show algebraic working in this paper. 'Guess and check' and 'correct answer only' methods do not demonstrate relational thinking and will limit the grade for that part of the question to a maximum of Achievement. 'Guess and check' and 'correct answer only' may only be used a maximum of one time in the paper and will not be used as evidence of solving a problem.

A candidate cannot gain Achievement in this standard without solving at least one problem.

Answers must be given in their simplest algebraic form.

Where a question is given in words you will be expected to write an equation.

Check that this booklet has pages 2–8 in the correct order and that none of these pages is blank.


YOU MUST HAND THIS BOOKLET TO THE SUPERVISOR AT THE END OF THE EXAMINATION.

ASSESSOR'S USE ONLY Achievement Criteria						
Achievement	Achievement with Merit	Achievement with Excellence				
Apply algebraic procedures in solving problems.	Apply algebraic procedures, using relational thinking, in solving problems.	Apply algebraic procedures, using extended abstract thinking, in solving problems.				
Overall level of performance						

		-	
7 11		/ \ N	/ \ N L
w	JESTI		

ASSESSOR'S USE ONLY

Solve the ed	juation $10x^2$	-27x - 9 =	0		
	ı				
Find the val	ues of x if 3 0	$6 \times 6^{2x+6} = 6$	x ²		
Find the val	ues of x if 30	$6 \times 6^{2x+6} = 6$	x ²		
Find the val	ues of x if 30	$6 \times 6^{2x+6} = 6$	ix²		
Find the val	ues of x if 30	$6 \times 6^{2x+6} = 6$	x²		
Find the val	ues of x if 30	$6 \times 6^{2x+6} = 6$	x²		
Find the val	ues of x if 30	$6 \times 6^{2x+6} = 6$;x ²		
Find the val	ues of x if 30	$6 \times 6^{2x+6} = 6$;x ²		
Find the val	ues of x if 30	$6 \times 6^{2x+6} = 6$	x ²		
Find the val	ues of x if 30	$6 \times 6^{2x+6} = 6$	x ²		
Find the val	ues of x if 30	$6 \times 6^{2x+6} = 6$	x ²		
Find the val	ues of x if 30	$6 \times 6^{2x+6} = 6$	ix ²		
Find the val	ues of x if 30	$6 \times 6^{2x+6} = 6$	x ²		
Find the val	ues of x if 30	$6 \times 6^{2x+6} = 6$	x ²		
Find the val	ues of x if 30	$6 \times 6^{2x+6} = 6$	x ²		



(i)	If the perimeter	of the LAWN	is 290 metres,	then find the	value of x

Note the lawn does not include the shaded garage or flowers.

(ii) If $L = x^2 + x + 1$, find an expression for the area of the LAWN, in terms of	(ii)	If $L = x^2 + x + 1$, find ar	expression for t	the area of the	LAWN,	in terms of	of L
--	------	--------------------------------	------------------	-----------------	-------	-------------	------

QUESTION TWO

(a) (i) $w = pq^2 + r$.

Give the equation for p in terms of q , r , and w .	

(ii) $fk^2 - 9c^2 = 4d^2 + 16gk^2$.

Give the equation for k in terms of c, d, f, and g.

(b) Simplify, as far as possible, $\frac{3x^2 + 9x}{x^2 - 9}$.

(c)	Write	$\frac{8x-1}{4}$ +	$\frac{3x-5}{3}$	as a simplified single fraction
		4	•	

(d) Find the value of *y* so that the area of the right-angled triangle has the same value as the area of the rectangle, shown below.

All lengths are in cm. Note: Area of a Triangle = $\frac{1}{2}$ × base × height.





Diagram is NOT to scale



QUESTION THREE

(a) Mere gives some clues so that her secret number can be calculated.

She says, "When 20 is divided by my secret number and then 7 is added to this answer, this gives a solution of 2."

What is Mere's secret number?


(b) Solve the inequality 6(5-2x)-4(5-3x) > 5(x+4).

(c) Solve the equation $\frac{x+12}{x+4} = \frac{x+4}{x+2}$.



(d) The diagram below shows a sketch of part of the graph $y = 7 + x - 6x^2$. Aroha draws another line onto this graph with equation y = 8x + 4.

Find the *x*-values of the two points where the two graphs intersect each other.



(e) The equation of the straight line passing through the points (-5, -10) and (9, 11) is given by qy = px + 5.

Using algebraic methods, find the values of the numbers p and q.

Extra space if required. Write the question number(s) if applicable.

ASSESSOR'S USE ONLY

UESTION			
NUMBEK			