WERERUNDAN WERERUNDAN WERERU

1 t t p

SUPERVISOR'S USE ONLY

91028M



QUALIFY FOR THE FUTURE WORLD KIA NOHO TAKATŪ KI TŌ ĀMUA AO!

Te Pāngarau me te Tauanga, Kaupae 1, 2018

91028M Te tūhura i ngā pānga i waenganui i ngā papatau, ngā whārite me ngā kauwhata

9.30 i te ata Rātū 20 Whiringa-ā-rangi 2018 Whiwhinga: Whā

Paetae	Kaiaka	Kairangi
Te tūhura i ngā pānga i waenganui i ngā papatau, ngā whārite me ngā kauwhata.	Te tūhura i ngā pānga i waenganui i ngā papatau, ngā whārite me ngā kauwhata mā te whakaaro whaipānga.	Te tūhura i ngā pānga i waenganui i ngā papatau, ngā whārite me ngā kauwhata mā te whakaaro waitara hōhonu.

Tirohia mēnā e rite ana te Tau Ākonga ā-Motu (NSN) kei runga i tō puka whakauru ki te tau kei runga i tēnei whārangi.

Me whakamātau koe i ngā tūmahi KATOA kei roto i tēnei pukapuka.

Whakaaturia ngā mahinga KATOA.

He tukutuku kei ētahi whārangi. He wāhi mahinga tēnei māu mō te tātuhi kauwhata, hoahoa rānei, te hanga papatau, te tuhi whārite, te tuhi rānei i tō tuhinga.

Mēnā ka hiahia whārangi atu anō koe mō ō tuhinga, whakamahia te (ngā) whārangi wātea kei muri o tēnei pukapuka, ka āta tohu ai i te tau tūmahi.

Tirohia mēnā e tika ana te raupapatanga o ngā whārangi 2–23 kei roto i tēnei pukapuka, ā, kāore tētahi o aua whārangi i te takoto kau.


ME HOATU RAWA KOE I TĒNEI PUKAPUKA KI TE KAIWHAKAHAERE Ā TE MUTUNGA O TE WHAKAMĀTAUTAU.

TAPEKE

TŪMAHI TUATAHI

MĀ TE KAIMĀKA ANAKE

(a) Tuhia te whārite mō te kauwhata e whakaaturia ana i raro nei.




Whārite:

- (b) Tata ki te 40 meneti te roa e toitoi haere ana a James i te 5 km mai i tōna kāinga ki te kura.
 - (i) He aha te tere toharite o James i a ia e toitoi ana mai i tōna kāinga ki te kura?

QUESTION ONE

ASSESSOR'S USE ONLY

(a) Give the equation of the graph shown below.



Equation:

(b) James takes 40 minutes to jog the 5 km from his home to school.

(i)	What is.	Iames's	average	sneed	when	he is	ingging	from 1	his h	ome to	scho	2019
(1)	what is.	Jaimes s	average	speed	WIIGH	116 18	Jogging	1101111	115 11	ome u) SCIIC	201


(ii)	Не	tav	whi	iti a	ıtu	te l	ĸāiı	nga	0	Em	ıma	a i t	ō J	am	es 1	mai	iit	te k	cura	ì.										
	Не	ōr	ite	te v	vā	e w	eh	e a	i rā	ua	i ō	rāı	ıa l	ĸāir	ıga	•														
	Ka	ha	ere	a I	Ξm	ma	m	ā rı	ıng	a i	tōr	na p	ah	ika	ra l	ci te	e k	ura	ı, ā ,	ka	ı to	itoi	atı	u a	Jar	nes	s ki	te l	kur	a.
	Ka	tūt	ak	i rā	ua	i te	20) m	ene	eti 1	ma	iit	ō r	āua	W	ehe	nga	a i	ō rā	āua	ı kā	iing	a.							
	I m rāu				āua	tū	tak	itaı	nga	, k	a h	uria	a e	Jan	nes	rāı	ua I	ko	Em	ıma	a ō	rāu	ıa t	ere	nga	a ki	a ōı	ite	ai	tō
				a a rāu						ıa,	ā, l	ca r	nek	e h	aer	e te	e pa	ahil	kar	a o	Er	nm	a k	i te	3/4	o t	ōna	ter	re i	
	Ka	tae	e at	u r	āua	ki	te	kuı	ra i	te	30	me	net	ti m	nai	i tō	rā	ua	we	her	ıga	i ō	rā	ua	kāi	nga	ì.			
																											āua	kāi	ing	a.
																												_		
																												_		
																												+		
																												+		
																												_		
																												+		
																												+		
																												1		
																												\perp		
																												+		
																												_		
																												+		
																												+		
																												+		

Th								_								ames	•										
1 11	ey	lea	ve	the	ir h	on	nes	at 1	the	saı	me	tin	ne.														
En	nma	a ri	des	he	r b	ike	to	scł	100	l, a	nd	Jar	nes	jog	gs to	o scł	100	l.									
Th	ey	me	et 2	20 ı	mir	nute	es a	fte	r th	iey	lea	ve	the	ir h	om	es.											
	ter me.		y n	nee	t, t	otł	ı Ja	me	es a	ınd	En	nm	a cł	nanş	ge t	heir	trav	ell	ing	sp	eed	ds s	so t	hey	y ar	re t	he
	mes fore					ninş	g aı	nd I	Em	ıma	ı rio	des	hei	· bil	ke a	at 3/4	of t	he	spe	ed	sh	e ha	ad 1	bee	n tı	rav	el
Th	ey	arr	ive	at	sch	00	1 30) m	inu	ites	af	ter	the	y le	ft t	heir	hon	nes									
Re	pre	ser	nt E	Emr	na	anc	d Ja	me	es's	jo	urn	eys	s fro	om	the	ir ho	me	s or	ı a	gra	ph	•					

	Tuhia ngā whārite e whakaatu ana i ngā haerenga o Emma rāua ko James.
-	
	Whakaahuahia ngā haerenga o Emma rāua ko James ki te kura, me ō rāua tere, ā, e hia te tawhiti o te kāinga o Emma mai i te kura.


)	Give the equations that represent Emma's and James's journeys.
	Describe Emma's and James's journeys to school, including their speeds and how far Emma's home is from the school.

(a) (i) Tuhia te kauwhata o $y = 2^{(x+1)}$ ki te tukutuku i raro.



(ii) Mēnā i nekehia tēnei kauwhata i ngā wae e toru ki te taha matau me ngā wae e whā ki runga, tuhia te whārite o te kauwhata kua nekehia.

(a) (i) Draw the graph of $y = 2^{(x+1)}$ on the grid below.



(ii) If this graph was moved 3 units to the right and 4 units up, give the equation of the translated graph.

(b) Ka hōrapa tētahi wheori¹ puku puta noa i te kura.

Ka tuhia te maha **tapeke** o ngā ākonga rerekē i haere ki te nēhi i te kotahi wā i te iti rawa nā te wheori puku. Kotahi anake te tuhinga o te ingoa o ia ākonga.

Ka taea te maha tapeke o ngā ākonga i tuhia ō rātau ingoa te whakatauira mā te:

$$y = 2^n + 3$$

ina ko n te maha o ng \bar{a} r \bar{a} mai i te haerenga atu o ng \bar{a} \bar{a} konga tuatahi ki te n \bar{e} hi me te wheori puku.


(i) E hia **atu anō** ngā ākonga i haere ki te nēhi mō te wā tuatahi i te rā tuawhā tēnā i te rā tuatoru?

Whakaaturia ō mahinga katoa.

(ii) Tuhia te whārite e whakaatu pai rawa i te **tokomaha** o ngā ākonga i tuhia he haere atu nō rātau ki te nēhi **ahakoa te rā** n, ina ko n > 1.

Homai tō tuhinga ngāwari rawa.

Whārite:



¹ huaketo

(b) A stomach bug spreads through a large school.

ASSESSOR'S USE ONLY

The **total** number of different students who go to the nurse at least once because of the stomach bug is recorded. Each student's name is recorded only once.

The **total** number of students whose name has been recorded can be modelled by:

$$y = 2^n + 3$$

where n is the number of days since the first students visit the school nurse with the stomach bug.


(i) How many **more** students visited the nurse for the first time on the fourth day than on the third day?

Show your working.

(ii) Give the equation that best represents the **number** of students who were recorded as going to the nurse **on any day** n, when n > 1.

Give your equation in the simplest form.

Equation:



(iii) I muri i te ekenga o te maha **tapeke** o ngā ākonga rerekē i haere ki te nēhi ki te 67, ka tīmata te heke haere i ia rā o ngā ākonga e haere ana ki te nēhi.

MĀ TE KAIMĀKA ANAKE

Ka taea te maha o ngā ākonga e haere ana ki te nēhi te whakatauira ināianei mā te:

$$M = -(x-5)(x+3) + 9$$

ina ko x te maha o ngā rā i muri i te hekenga haere o te maha o ngā ākonga e haere ana i ia rā ki te kite i te nēhi.

E hia ngā rā i muri i te haerenga atu o ngā ākonga tuatahi ki te nēhi kura me te wheori puku kua kore he ākonga e haere ana ki te nēhi kura me taua wheori puku?

	1	Nu	i o	ng	ā rā	ā:													

(iii) After the **total** number of different students who have visited the nurse reaches 67, the daily number of students who visit begins to decrease.

ASSESSOR'S USE ONLY

The number of different students going to the nurse can now be modelled by:


$$M = -(x-5)(x+3) + 9$$

Number of days:

where *x* is the number of days after the daily number of students visiting the nurse starts to decrease.

How many days after the first students went to the school nurse with the stomach bug would there be no students going to the school nurse with the same stomach bug?

(a) Tuhia te whārite mō te kauwhata e whakaaturia ana i raro nei.



Whārite:

(b) Kei te hoahoa a Pippa i tētahi tapanga hou mō tētahi pātara inu.

E rua ngā porohita o te hoahoa, ā, kei runga ake tētahi i tētahi, e ai ki te hoahoa.

Me 10 cm te teitei mōrahi o ngā porohita e rua.


Ko te whitianga iti rawa o tēnā porohita, o tēnā porohita he 2 cm (he 1 cm i te iti rawa te pūtoro).

He whero te tae o te porohita o raro, ā, he kikorangi te mea i runga.


Kei te hiahia a Pippa ki te mōhio i te horahanga āwhiwhi o ia porohita.

Kia maumahara ko $A = \pi r^2$.

Ka whakamahia e Pippa te π hei 3.



(a) Give the equation of the graph shown below.



Equation:

(b) Pippa is designing a new label for a drink bottle.

The design is made up of two circles placed one on top of the other as shown in the diagram.

The maximum height of the two circles is to be 10 cm.


The minimum diameter of either circle is 2 cm (radius is at least 1 cm).

The bottom circle is coloured red and the top one blue.


She wants to know the approximate area of each circle.

Remember $A = \pi r^2$.

Pippa uses π as 3.




(i) Whakamahia he papatau, he kauwhata rānei hei tūhura i te pānga i waenga i te horahanga o te porohita whero me te pūtoro ina nui haere ake te pūtoro.



(ii)	Whakaahuahia mai ngā āhuatanga matua o te kauwhata e whakaatu ana i te pānga i waenga i te horahanga o te porowhita whero me te pūtoro ina nui haere ake te pūtoro.

(i) Use a table or graph to investigate the relationship between the area of the red circle and its radius as the radius increases.

ASSESSOR'S USE ONLY



(ii)	Describe the major features of the graph that represents the relationship between the area of the red circle and its radius as the radius increases.


l						i										i																	
ŀ																																	
H																																	
H																																	
H																																	
						-																											
İ																																	
ŀ						-																											
H																																	
H																																	
						+																											
I																																	
G	iv))	Tu	his	ı te	₃₃₇ 1	าลิท	ite	aro	wh	ลิทเ	ıi o	te.	ka	11337	hat	ае	wh	aks	aatı	11.9	ทล	i te	tai	nel	Ze (n	ว ลิ 1	hΩι	rah	ang	a o	
(1	. • ,								ro																				1101	an	ung	u o	
				-															-				-										
_																																	


		_																														
ŀ																																
l																																
ŀ																																
F																																
l																																
ŀ																																
ŀ																																
l																																
İ																																
ŀ																																
İ																																
F																																
(iv)	(Giv	/e 1	the	ge	nei	ral	equ	atio	on	of 1	the	gra	apł	ı w	hic	h re	epro	ese	nts	th	e to	ota	l of	`th	e ai	reas	S 01	f the	e re	ed
									whe																							

TAU TŪMAHI

He whārangi anō ki te hiahiatia. Tuhia te (ngā) tau tūmahi mēnā e tika ana.

MĀ TE KAIMĀKA ANAKE





He wnarangi ano ki te nianiatia.		
ТАИ ТŪМАНІ	Tuhia te (ngā) tau tūmahi mēnā e tika ana.	

		Extra paper if required.	ASSESSOR USE ONLY
QUESTION NUMBER		Write the question number(s) if applicable.	USE ONLY
NUMBER			
	1		

English translation of the wording on the front cover

Level 1 Mathematics and Statistics, 2018

91028 Investigate relationships between tables, equations and graphs

9.30 a.m. Tuesday 20 November 2018 Credits: Four

Achievement	Achievement with Merit	Achievement with Excellence
Investigate relationships between tables, equations and graphs.	Investigate relationships between tables, equations and graphs, using relational thinking.	Investigate relationships between tables, equations and graphs, using extended abstract thinking.

Check that the National Student Number (NSN) on your admission slip is the same as the number at the top of this page.

You should attempt ALL the questions in this booklet.

Show ALL working.

Grids are provided on some pages. This is working space for the drawing of a graph or a diagram, constructing a table, writing an equation, or writing your answer.

If you need more space for any answer, use the page(s) provided at the back of this booklet and clearly number the question.

Check that this booklet has pages 2–23 in the correct order and that none of these pages is blank.

YOU MUST HAND THIS BOOKLET TO THE SUPERVISOR AT THE END OF THE EXAMINATION.