



Tennis

Scoreboard





Points

Number of Points	Corresponding call
0	0 - “Love”
1	15 - “Fifteen”
2	30 - “Thirty”
3	40 - “Forty”



Rules

- A game is won by the first player to have won at least four points in total and at least two points more than the opponent.
- The running score of each game is described in a manner peculiar to tennis: scores from zero to three points are described as “Love”, “Fifteen”, “Thirty”, and “Forty” respectively.



Rules

- If at least three points have been scored by each player, and the scores are equal, the score is “Deuce”.
- If at least three points have been scored by each side and a player has one more point than his opponent, the score of the game is “Advantage player I”



Two methods

- `wonPoint("player I")`
- `getScore()`



Example match (1)

wonPoint("player1")
getScore() -> "Fifteen - Love"

wonPoint("player2")
getScore() -> "Fifteen - Fifteen"

wonPoint("player1")
getScore() -> "Thirty - Fifteen"

wonPoint("player1")
getScore() -> "Forty - Fifteen"



Example match (2)

wonPoint("player2")
getScore() -> "Forty - Thirty"

wonPoint("player2")
getScore() -> "Deuce"

wonPoint("player2")
getScore() -> "Advantage player2"

wonPoint("player2")
getScore() -> "Win for player2"

