

File Edit View Query Git Project Tools Extensions Window Help Search

BikeStore Execute

Object Explorer

Connect (SQL Server 17.0.1110.1 - Aly_ASUS\alyas)

- Databases
 - System Databases
 - Database Snapshots
 - Bike
 - BikeStore
 - Database Diagrams
 - Tables
 - System Tables
 - FileTables
 - External Tables
 - Graph Tables
 - production.brands
 - production.categories
 - production.products
 - production.stocks
 - sales.customers
 - sales.order_items
 - sales.orders
 - sales.staffs
 - sales.stores
 - Dropped Ledger Tables
 - Views
 - External Resources
 - Synonyms
 - Programmability
 - Query Store
 - Service Broker
 - Storage
 - Security
- Company
- Company_SD
- EMP
- Project_Sales
- Rollup
- Security
- Server Objects
- Replication
- Always On High Availability
- Management
- SQL Server Agent (Agent XPs disabled)
- XEvent Profiler

Aly_ASUS.Bik... - Diagram_0*

SQLQuery1.sql... \alyas (85))*

```
1 --2
2 select count(customer_id) as Total_customers from sales.customers
3 --there are 1445 customer
4 -- and about customer with rejected order if the store has an online site and they signed up then yes
5 --i can consider them as customers as they could get coupons and buy again in the future
6
7
```

150 % No issues found Ln: 5, Ch: 89 TABS CRLF UTF-8

Results Messages

	Total_customers
1	1445

Query executed successfully.

(local) (17.0 RTM) | ALY_ASUS\alyas (85) | BikeStore | 00:00:00 | Row: 1, Col: 1 | 1 rows

Ready Select Repository

SQL Server Enterprise Edition (64-bit) | File | Edit | View | Query | Git | Project | Tools | Extensions | Window | Help | Search

Object Explorer | Connect | (SQL Server 17.0.1110.1 - Aly_ASUS\alyas) | Databases | System Databases | Database Snapshots | Bike | BikeStore | Database Diagrams | Tables | System Tables | FileTables | External Tables | Graph Tables | production.brands | production.categories | production.products | production.stocks | sales.customers | sales.order_items | sales.orders | sales.staffs | sales.stores | Dropped Ledger Tables | Views | External Resources | Synonyms | Programmability | Query Store | Service Broker | Storage | Security | Company | Company_SD | EMP | Project_Sales | Rollup | Security | Server Objects | Replication | Always On High Availability | Management | SQL Server Agent (Agent XPs disabled) | XEvent Profiler

SQLQuery1.sql... \alyas (85))*

```
1 --1
2 select top 1 product_name, list_price from production.products order by list_price desc
3 --what motives behind its price is the wealthy customers who's looking for a special Edition bikes
4 --and which also consider based on thier city, state and thier salary
5
6
```

150 % | No issues found | Ln: 4, Ch: 69 | TABS | CRLF | UTF-8

Results | Messages

	product_name	list_price
1	Trek Domane SLR 9 Disc - 2018	11999.99

Query executed successfully. | (local) (17.0 RTM) | ALY_ASUS\alyas (85) | BikeStore | 00:00:00 | Row: 1, Col: 1 | 1 rows

Ready | Select Repository

File Edit View Query Git Project Tools Extensions Window Help Search

BikeStore Execute

Object Explorer

Connect (SQL Server 17.0.1110.1 - Aly_ASUS\alyas)

- Databases
 - System Databases
 - Database Snapshots
 - Bike
 - BikeStore
 - Database Diagrams
 - Tables
 - System Tables
 - FileTables
 - External Tables
 - Graph Tables
 - production.brands
 - production.categories
 - production.products
 - production.stocks
 - sales.customers
 - sales.order_items
 - sales.orders
 - sales.staffs
 - sales.stores
 - Dropped Ledger Tables
 - Views
 - External Resources
 - Synonyms
 - Programmability
 - Query Store
 - Service Broker
 - Storage
 - Security
 - Company
 - Company
 - Company_SD
 - EMP
 - Project_Sales
 - Rollup
 - Security
 - Server Objects
 - Replication
 - Always On High Availability
 - Management
 - SQL Server Agent (Agent XPs disabled)
 - XEvent Profiler

Aly_ASUS.Bik... - Diagram_0*

SQLQuery1.sq... \alyas (85))*

```
1 --3
2 select * from sales.stores --3 stores
3
```

150% No issues found Ln: 2, Ch: 38 TABS CRLF UTF-8

Results Messages

	store_id	store_name	phone	email	street	city	state	zip_code
1	1	Santa Cruz Bikes	(831) 476-4321	santacruz@bikes.shop	3700 Portola Drive	Santa Cruz	CA	95060
2	2	Baldwin Bikes	(516) 379-8888	baldwin@bikes.shop	4200 Chestnut Lane	Baldwin	NY	11432
3	3	Rowlett Bikes	(972) 530-5555	rowlett@bikes.shop	8000 Fairway Avenue	Rowlett	TX	75088

Query executed successfully.

(local) (17.0 RTM) | Aly_ASUS\alyas (85) | BikeStore | 00:00:00 | Row: 1, Col: 1 | 3 rows

Ready Select Repository

File Edit View Query Git Project Tools Extensions Window Help Search

BikeStore Execute

Object Explorer

Connect (SQL Server 17.0.1110.1 - Aly_ASUS\alyas)

- Databases
 - System Databases
 - Database Snapshots
 - Bike
 - BikeStore
 - Database Diagrams
 - Tables
 - System Tables
 - FileTables
 - External Tables
 - Graph Tables
 - production.brands
 - production.categories
 - production.products
 - production.stocks
 - sales.customers
 - sales.order_items
 - sales.orders
 - sales.staffs
 - sales.stores
 - Dropped Ledger Tables
 - Views
 - External Resources
 - Synonyms
 - Programmability
 - Query Store
 - Service Broker
 - Storage
 - Security
 - Company
 - Company_SD
 - EMP
 - Project_Sales
 - Rollup
- Security
- Server Objects
 - Replication
 - Always On High Availability
 - Management
 - SQL Server Agent (Agent XPs disabled)
 - XEvent Profiler

Aly_ASUS.Bik... - Diagram_0*

SQLQuery1.sq... \alyas (85))*

```
1 --4
2 select top 10 order_id, sum(list_price*quantity*(1-discount)) total_price from sales.order_items group by order_id
3 --i used the first 10 only cause there is alot of orders
4
```

150 % No issues found Ln: 4, Ch: 1 TABS CRLF UTF-8

Results Messages

	order_id	total_price
1	1	10231.0464
2	2	1697.9717
3	3	1519.9810
4	4	1349.9820
5	5	3900.0607
6	6	9442.5048
7	7	2165.0817
8	8	1372.4719
9	9	7199.9820
10	10	242.9910

Query executed successfully. (local) (17.0 RTM) ALY_ASUS\alyas (85) BikeStore 00:00:00 Row: 1, Col: 1 10 rows

Ready Select Repository

SQL Server Enterprise Edition (64-bit) | 17.0.1110.1 - Aly_ASUS\alyas | BikeStore | 00:00:00 | Row: 1, Col: 1 | 3 rows

File Edit View Query Git Project Tools Extensions Window Help Search

New Query

BikeStore

Execute

Object Explorer

Connect

SQL Server 17.0.1110.1 - Aly_ASUS\alyas

Databases

- System Databases
- Database Snapshots
- Bike
- BikeStore
 - Database Diagrams
 - Tables
 - System Tables
 - FileTables
 - External Tables
 - Graph Tables
 - production.brands
 - production.categories
 - production.products
 - production.stocks
 - sales.customers
 - sales.order_items
 - sales.orders
 - sales.staffs
 - sales.stores
 - Dropped Ledger Tables
- Views
- External Resources
- Synonyms
- Programmability
- Query Store
- Service Broker
- Storage
- Security
- Company
- Company_SD
- EMP
- Project_Sales
- Rollup

- Security
- Server Objects
- Replication
- Always On High Availability
- Management
- SQL Server Agent (Agent XPs disabled)
- XEvent Profiler

Diagram_0*

SQLQuery1.sql... \alyas (85))*

```
1 --5
2 select store_name, sum(list_price*quantity*(1-discount)) Sales_revenue from sales.order_items OT
3 join sales.orders O on OT.order_id = O.order_id
4 join sales.stores s on o.store_id = s.store_id
5 group by store_name
6
```

150 % No issues found Ln: 5, Ch: 20 TABS CRLF UTF-8

Results Messages

	store_name	Sales_revenue
1	Santa Cruz Bikes	1605823.0365
2	Rowlett Bikes	867542.2438
3	Baldwin Bikes	5215751.2775

Query executed successfully.

(local) (17.0 RTM) | ALY_ASUS\alyas (85) | BikeStore | 00:00:00 | Row: 1, Col: 1 | 3 rows

Ready

Select Repository

SQL Server Enterprise Edition (64-bit) | File | Edit | View | Query | Git | Project | Tools | Extensions | Window | Help | Search

Object Explorer | Connect | (SQL Server 17.0.1110.1 - Aly_ASUS\alyas) | Databases | System Databases | Database Snapshots | Bike | BikeStore | Database Diagrams | Tables | System Tables | FileTables | External Tables | Graph Tables | production.brands | production.categories | production.products | production.stocks | sales.customers | sales.order_items | sales.orders | sales.staffs | sales.stores | Dropped Ledger Tables | Views | External Resources | Synonyms | Programmability | Query Store | Service Broker | Storage | Security | Company | Company_SD | EMP | Project_Sales | Rollup | Security | Server Objects | Replication | Always On High Availability | Management | SQL Server Agent (Agent XPs disabled) | XEvent Profiler

SQLQuery1.sql... \alyas (85))*

```
1 --6
2 select c.category_id,category_name,sum(quantity) total_sold from production.categories c
3 join production.products p on c.category_id= p.category_id join
4 sales.order_items o on p.product_id=o.product_id group by c.category_id,c.category_name order by total_sold desc
5 --cruisers Bicycles
6
```

150 % | No issues found | Ln: 5, Ch: 20 | TABS | CRLF | UTF-8

Results | Messages

	category_id	category_name	total_sold
1	3	Cruisers Bicycles	2063
2	6	Mountain Bikes	1755
3	1	Children Bicycles	1179
4	2	Comfort Bicycles	813
5	7	Road Bikes	559
6	4	Cyclocross Bicycles	394
7	5	Electric Bikes	315

Query executed successfully. | (local) (17.0 RTM) | ALY_ASUS\alyas (85) | BikeStore | 00:00:00 | Row: 1, Col: 1 | 7 rows

Ready | Select Repository

SQL Server Enterprise Edition (64-bit) | File | Edit | View | Query | Git | Project | Tools | Extensions | Window | Help | Search

Object Explorer | Connect | (SQL Server 17.0.1110.1 - Aly_ASUS\alyas) | Databases | System Databases | Database Snapshots | Bike | BikeStore | Database Diagrams | Tables | System Tables | FileTables | External Tables | Graph Tables | production.brands | production.categories | production.products | production.stocks | sales.customers | sales.order_items | sales.orders | sales.staffs | sales.stores | Dropped Ledger Tables | Views | External Resources | Synonyms | Programmability | Query Store | Service Broker | Storage | Security | Company | Company_SD | EMP | Project_Sales | Rollup | Security | Server Objects | Replication | Always On High Availability | Management | SQL Server Agent (Agent XPs disabled) | XEvent Profiler

SQLQuery1.sql... \alyas (85))*

```
1 --7
2 select c.category_name, count(d.order_status) rejected_orders from production.categories c
3 join production.products p on c.category_id= p.category_id join
4 sales.order_items o on p.product_id=o.product_id
5 join sales.orders d on o.order_id=d.order_id
6 where order_status =3
7 group by c.category_name order by rejected_orders desc
8 --most rejected is cruisers bicycles
9
```

150 % | No issues found | Ln: 8, Ch: 37 | TABS | CRLF | UTF-8

Results | Messages

	category_name	rejected_orders
1	Cruisers Bicycles	41
2	Mountain Bikes	29
3	Children Bicycles	18
4	Road Bikes	13
5	Comfort Bicycles	10
6	Electric Bikes	7
7	Cyclocross Bicycles	5

Query executed successfully. | (local) (17.0 RTM) | ALY_ASUS\alyas (85) | BikeStore | 00:00:00 | Row: 1, Col: 1 | 7 rows

Ready | Select Repository

File Edit View Query Git Project Tools Extensions Window Help Search

BikeStore Execute

Object Explorer

Connect (SQL Server 17.0.1110.1 - Aly_ASUS\alyas)

- Databases
 - System Databases
 - Database Snapshots
 - Bike
 - BikeStore
 - Database Diagrams
 - Tables
 - System Tables
 - FileTables
 - External Tables
 - Graph Tables
 - production.brands
 - production.categories
 - production.products
 - production.stocks
 - sales.customers
 - sales.order_items
 - sales.orders
 - sales.staffs
 - sales.stores
 - Dropped Ledger Tables
 - Views
 - External Resources
 - Synonyms
 - Programmability
 - Query Store
 - Service Broker
 - Storage
 - Security
- Company
 - Company_SD
 - EMP
 - Project_Sales
 - Rollup
- Security
- Server Objects
 - Replication
 - Always On High Availability
 - Management
- SQL Server Agent (Agent XPs disabled)
- XEvent Profiler

Aly_ASUS.Bik... - Diagram_0*

SQLQuery1.sq... \alyas (85))*

```
1 --8
2 select top 1 sum(OI.quantity) total_sold, p.product_name from production.products p
3 join sales.order_items OI on p.product_id=OI.product_id group by p.product_name
4 order by total_sold
5 --electra ameterdam royal 8i - 2017/2018
6
```

150% No issues found Ln: 5, Ch: 41 TABS CRLF UTF-8

Results Messages

	total_sold	product_name
1	1	Electra Amsterdam Royal 8i - 2017/2018

Query executed successfully.

(local) (17.0 RTM) | ALY_ASUS\alyas (85) | BikeStore | 00:00:00 | Row: 1, Col: 1 | 1 rows

Ready Select Repository

File Edit View Query Git Project Tools Extensions Window Help Search

BikeStore Execute

Object Explorer

Connect (SQL Server 17.0.1110.1 - Aly_ASUS\alyas)

- Databases
 - System Databases
 - Database Snapshots
 - Bike
 - BikeStore
 - Database Diagrams
 - Tables
 - System Tables
 - FileTables
 - External Tables
 - Graph Tables
 - production.brands
 - production.categories
 - production.products
 - production.stocks
 - sales.customers
 - sales.order_items
 - sales.orders
 - sales.staffs
 - sales.stores
 - Dropped Ledger Tables
 - Views
 - External Resources
 - Synonyms
 - Programmability
 - Query Store
 - Service Broker
 - Storage
 - Security
- Company
- Company_SD
- EMP
- Project_Sales
- Rollup
- Security
- Server Objects
- Replication
- Always On High Availability
- Management
- SQL Server Agent (Agent XPs disabled)
- XEvent Profiler

Aly_ASUS.Bik... - Diagram_0*

SQLQuery1.sq... \alyas (85))*

```
1 --9
2 select concat(first_name, ' ', last_name) Full_Name from sales.customers where customer_id in (259)
3 --johnathan velazquez
4
```

150% No issues found Ln: 3, Ch: 22 TABS CRLF UTF-8

Results Messages

	Full_Name
1	Johnathan Velazquez

Query executed successfully. (local) (17.0 RTM) | ALY_ASUS\alyas (85) | BikeStore | 00:00:00 | Row: 1, Col: 1 | 1 rows

Ready Select Repository

SQL Server Enterprise Edition (64-bit) | File | Edit | View | Query | Git | Project | Tools | Extensions | Window | Help | Search

Object Explorer | Connect | (SQL Server 17.0.1110.1 - Aly_ASUS\alyas) | Databases | System Databases | Database Snapshots | Bike | BikeStore | Database Diagrams | Tables | System Tables | FileTables | External Tables | Graph Tables | production.brands | production.categories | production.products | production.stocks | sales.customers | sales.order_items | sales.orders | sales.staffs | sales.stores | Dropped Ledger Tables | Views | External Resources | Synonyms | Programmability | Query Store | Service Broker | Storage | Security | Company | Company_SD | EMP | Project_Sales | Rollup | Security | Server Objects | Replication | Always On High Availability | Management | SQL Server Agent (Agent XPs disabled) | XEvent Profiler

SQLQuery1.sql... \alyas (85))*

```
1 --10
2 select concat(first_name, ' ', last_name) Full_Name, p.product_name, o.order_date, o.order_status
3 from sales.customers c join sales.orders o on c.customer_id=o.customer_id
4 join sales.order_items OI on o.order_id=OI.order_id
5 join production.products p on OI.product_id=p.product_id
6 where o.customer_id in(259)
```

150 % | No issues found | Ln: 6, Ch: 28 | TABS | CRLF | UTF-8

Results | Messages

	Full_Name	product_name	order_date	order_status
1	Johnathan Velazquez	Electra Townie Original 7D EQ - Women's - 2016	2016-01-01	4
2	Johnathan Velazquez	Trek Remedy 29 Carbon Frameset - 2016	2016-01-01	4
3	Johnathan Velazquez	Surly Straggler - 2016	2016-01-01	4
4	Johnathan Velazquez	Electra Townie Original 7D EQ - 2016	2016-01-01	4
5	Johnathan Velazquez	Trek Fuel EX 8 29 - 2016	2016-01-01	4

Query executed successfully. | (local) (17.0 RTM) | Aly_ASUS\alyas (85) | BikeStore | 00:00:00 | Row: 1, Col: 1 | 5 rows

Ready | Select Repository

File Edit View Query Git Project Tools Extensions Window Help Search

BikeStore Execute

Object Explorer

Connect (SQL Server 17.0.1110.1 - Aly_ASUS\alyas)

- Databases
 - System Databases
 - Database Snapshots
 - Bike
 - BikeStore
 - Database Diagrams
 - Tables
 - System Tables
 - FileTables
 - External Tables
 - Graph Tables
 - production.brands
 - production.categories
 - production.products
 - production.stocks
 - sales.customers
 - sales.order_items
 - sales.orders
 - sales.staffs
 - sales.stores
 - Dropped Ledger Tables
 - Views
 - External Resources
 - Synonyms
 - Programmability
 - Query Store
 - Service Broker
 - Storage
 - Security
- Company
- Company_SD
- EMP
- Project_Sales
- Rollup
- Security
- Server Objects
- Replication
- Always On High Availability
- Management
- SQL Server Agent (Agent XPs disabled)
- XEvent Profiler

Aly_ASUS.Bik... - Diagram_0*

SQLQuery1.sq... \alyas (85))*

```
1 --11
2 select c.customer_id,concat(s.first_name,' ',s.last_name) Staff_Name,st.store_name from sales.customers c
3 join sales.orders o on c.customer_id=o.customer_id
4 join sales.staffs s on o.staff_id=s.staff_id join sales.stores st on s.store_id=st.store_id
5 where c.customer_id in (259)
```

150% No issues found Ln: 5, Ch: 29 TABS CRLF UTF-8

Results Messages

	customer_id	Staff_Name	store_name
1	259	Mireya Copeland	Santa Cruz Bikes

Query executed successfully.

(local) (17.0 RTM) | ALY_ASUS\alyas (85) | BikeStore | 00:00:00 | Row: 1, Col: 1 | 1 rows

Ready Select Repository

SQL Server Enterprise Edition (64-bit) | File | Edit | View | Query | Git | Project | Tools | Extensions | Window | Help | Search

Object Explorer | Connect | (SQL Server 17.0.1110.1 - Aly_ASUS\alyas) | Databases | System Databases | Database Snapshots | Bike | BikeStore | Database Diagrams | Tables | System Tables | FileTables | External Tables | Graph Tables | production.brands | production.categories | production.products | production.stocks | sales.customers | sales.order_items | sales.orders | sales.staffs | sales.stores | Dropped Ledger Tables | Views | External Resources | Synonyms | Programmability | Query Store | Service Broker | Storage | Security | Company | Company_SD | EMP | Project_Sales | Rollup | Security | Server Objects | Replication | Always On High Availability | Management | SQL Server Agent (Agent XPs disabled) | XEvent Profiler

SQLQuery1.sql... \alyas (85))*

```
1 --12
2 select * from sales.staffs --10 staffs
3 -- the lead staff is the first one as staff 9 and 10 are depending on 7 and 7 is depending on 5 and 5
4 --is depending on 1 so 1 is the leader staff
```

150 % | No issues found | Ln: 4, Ch: 45 | TABS | CRLF | UTF-8

	staff_id	first_name	last_name	email	phone	active	store_id	manager_id
1	1	Fabiola	Jackson	fabiola.jackson@bikes.shop	(831) 555-5554	1	1	NULL
2	2	Mireya	Copeland	mireya.copeland@bikes.shop	(831) 555-5555	1	1	1
3	3	Genna	Serrano	genna.serrano@bikes.shop	(831) 555-5556	1	1	2
4	4	Virgie	Wiggins	virgie.wiggins@bikes.shop	(831) 555-5557	1	1	2
5	5	Jannette	David	jannette.david@bikes.shop	(516) 379-4444	1	2	1
6	6	Marcelene	Boyer	marcelene.boyer@bikes.shop	(516) 379-4445	1	2	5
7	7	Venita	Daniel	venita.daniel@bikes.shop	(516) 379-4446	1	2	5
8	8	Kali	Vargas	kali.vargas@bikes.shop	(972) 530-5555	1	3	1
9	9	Layla	Terrell	layla.terrell@bikes.shop	(972) 530-5556	1	3	7
10	10	Bernardine	Houston	bernardine.houston@bikes.shop	(972) 530-5557	1	3	7

Query executed successfully. | (local) (17.0 RTM) | ALY_ASUS\alyas (85) | BikeStore | 00:00:00 | Row: 1, Col: 1 | 10 rows

Ready | Select Repository

File Edit View Query Git Project Tools Extensions Window Help Search

BikeStore Execute

Object Explorer

Connect (SQL Server 17.0.1110.1 - Aly_ASUS\alyas)

- Databases
 - System Databases
 - Database Snapshots
 - Bike
 - BikeStore
 - Database Diagrams
 - Tables
 - System Tables
 - FileTables
 - External Tables
 - Graph Tables
 - production.brands
 - production.categories
 - production.products
 - production.stocks
 - sales.customers
 - sales.order_items
 - sales.orders
 - sales.staffs
 - sales.stores
 - Dropped Ledger Tables
 - Views
 - External Resources
 - Synonyms
 - Programmability
 - Query Store
 - Service Broker
 - Storage
 - Security
- Company
 - Company_SD
 - EMP
 - Project_Sales
 - Rollup
- Security
- Server Objects
- Replication
- Always On High Availability
- Management
- SQL Server Agent (Agent XPs disabled)
- XEvent Profiler

Diagram_0*

SQLQuery1.sql... \alyas (85))*

```
1 --13
2 select b.brand_name,sum(OI.quantity) total_sold from production.brands b join production.products p
3 on b.brand_id=p.brand_id join sales.order_items OI on p.product_id=OI.product_id group by b.brand_name
4 order by total_sold desc
5 --electra
```

150 % No issues found Ln: 5, Ch: 10 TABS CRLF UTF-8

Results Messages

	brand_name	total_sold
1	Electra	2612
2	Trek	1839
3	Sury	908
4	Sun Bicycles	731
5	Pure Cycles	376
6	Ham	331
7	Heller	138
8	Patchey	118
9	Strider	25

Query executed successfully. (local) (17.0 RTM) | ALY_ASUS\alyas (85) | BikeStore | 00:00:00 | Row: 1, Col: 1 | 9 rows

Ready Select Repository

SQL Server Enterprise Edition (64-bit) | ALY_ASUS\alyas (85) | BikeStore | 00:00:00 | Row: 1, Col: 1 | 14 rows

Object Explorer

- Connect
- SQL Server 17.0.1110.1 - ALY_ASUS\alyas
 - Databases
 - System Databases
 - Database Snapshots
 - Bike
 - BikeStore
 - Database Diagrams
 - Tables
 - System Tables
 - FileTables
 - External Tables
 - Graph Tables
 - production.brands
 - production.categories
 - production.products
 - production.stocks
 - sales.customers
 - sales.order_items
 - sales.orders
 - sales.staffs
 - sales.stores
 - Dropped Ledger Tables
 - Views
 - External Resources
 - Synonyms
 - Programmability
 - Query Store
 - Service Broker
 - Storage
 - Security
 - Company
 - Company_SD
 - EMP
 - Project_Sales
 - Rollup
 - Security
 - Server Objects
 - Replication
 - Always On High Availability
 - Management
 - SQL Server Agent (Agent XPs disabled)
 - XEvent Profiler

SQLQuery1.sql... \alyas (85))*

```
1 --14
2 select * from production.categories --7 categories
3
4 select c.category_name ,sum(OI.quantity) total_Sold from production.categories c join production.products p
5 on c.category_id=p.category_id join sales.order_items OI on p.product_id=OI.product_id group by
6 c.category_name order by total_Sold --electric bikes
7
```

150 % | No issues found | Ln: 3, Ch: 1 | TABS | CRLF | UTF-8

Results | Messages

	category_id	category_name
1	1	Children Bicycles
2	2	Comfort Bicycles
3	3	Cruise Bicycles
4	4	Cyclocross Bicycles
5	5	Electric Bikes
6	6	Mountain Bikes
7	7	Road Bikes

	category_name	total_Sold
1	Electric Bikes	315
2	Cyclocross Bicycles	354
3	Road Bikes	559
4	Comfort Bicycles	813
5	Children Bicycles	1179
6	Mountain Bikes	1755
7	Cruise Bicycles	2063

Query executed successfully.

Ready | Select Repository

SQL Server Enterprise Edition (64-bit) | File | Edit | View | Query | Git | Project | Tools | Extensions | Window | Help | Search

Object Explorer | Connect | (SQL Server 17.0.1110.1 - Aly_ASUS\alyas) | Databases | System Databases | Database Snapshots | Bike | BikeStore | Database Diagrams | Tables | System Tables | FileTables | External Tables | Graph Tables | production.brands | production.categories | production.products | production.stocks | sales.customers | sales.order_items | sales.orders | sales.staffs | sales.stores | Dropped Ledger Tables | Views | External Resources | Synonyms | Programmability | Query Store | Service Broker | Storage | Security | Company | Company_SD | EMP | Project_Sales | Rollup | Security | Server Objects | Replication | Always On High Availability | Management | SQL Server Agent (Agent XPs disabled) | XEvent Profiler

SQLQuery1.sql... \alyas (85))*

```
1 --15
2 select ST.store_name ,sum(s.quantity) Stocks from production.brands b join production.products p
3 on b.brand_id=p.brand_id join production.stocks s on p.product_id=s.product_id join
4 sales.stores ST on s.store_id=ST.store_id where b.brand_id =1
5 group by ST.store_name order by Stocks desc --Santa Cruz Bikes
```

150 % | No issues found | Ln: 5, Ch: 63 | TABS | CRLF | UTF-8

Results | Messages

	store_name	Stocks
1	Santa Cruz Bikes	1715
2	Rowlett Bikes	1691
3	Baldwin Bikes	1592

Query executed successfully. | (local) (17.0 RTM) | ALY_ASUS\alyas (85) | BikeStore | 00:00:00 | Row: 1, Col: 1 | 3 rows

Ready | Select Repository

File Edit View Query Git Project Tools Extensions Window Help Search

BikeStore Execute

Object Explorer

Connect (SQL Server 17.0.1110.1 - Aly_ASUS\alyas)

- Databases
 - System Databases
 - Database Snapshots
 - Bike
 - BikeStore
 - Database Diagrams
 - Tables
 - System Tables
 - FileTables
 - External Tables
 - Graph Tables
 - production.brands
 - production.categories
 - production.products
 - production.stocks
 - sales.customers
 - sales.order_items
 - sales.orders
 - sales.staffs
 - sales.stores
 - Dropped Ledger Tables
 - Views
 - External Resources
 - Synonyms
 - Programmability
 - Query Store
 - Service Broker
 - Storage
 - Security
- Company
- Company_SD
- EMP
- Project_Sales
- Rollup
- Security
- Server Objects
- Replication
- Always On High Availability
- Management
- SQL Server Agent (Agent XPs disabled)
- XEvent Profiler

Aly_ASUS.Bik... - Diagram_0*

SQLQuery1.sq... \alyas (85))*

```
1 --16
2 select s.state, sum(OI.list_price*quantity*(1-discount)) Sales from sales.order_items OI
3 join sales.orders o on OI.order_id=o.order_id
4 join sales.stores s on o.store_id=s.store_id group by s.state order by Sales desc --NY
5
```

150% No issues found Ln: 5, Ch: 1 TABS CRLF UTF-8

Results Messages

	state	Sales
1	NY	5215751.2775
2	CA	1605823.0365
3	TX	867542.2436

Query executed successfully.

(local) (17.0 RTM) | Aly_ASUS\alyas (85) | BikeStore | 00:00:00 | Row: 1, Col: 1 | 3 rows

Ready Select Repository

File Edit View Query Git Project Tools Extensions Window Help Search

BikeStore Execute

Object Explorer

Connect (SQL Server 17.0.1110.1 - Aly_ASUS\alyas)

- Databases
 - System Databases
 - Database Snapshots
 - Bike
 - BikeStore
 - Database Diagrams
 - Tables
 - System Tables
 - FileTables
 - External Tables
 - Graph Tables
 - production.brands
 - production.categories
 - production.products
 - production.stocks
 - sales.customers
 - sales.order_items
 - sales.orders
 - sales.staffs
 - sales.stores
 - Dropped Ledger Tables
 - Views
 - External Resources
 - Synonyms
 - Programmability
 - Query Store
 - Service Broker
 - Storage
 - Security
- Company
- Company_SD
- EMP
- Project_Sales
- Rollup
- Security
- Server Objects
- Replication
- Always On High Availability
- Management
- SQL Server Agent (Agent XPs disabled)
- XEvent Profiler

Aly_ASUS.Bik... - Diagram_0*

SQLQuery1.sql... \alyas (85))*

```
1 --17
2 select product_id,list_price,discount,(list_price*(1 - discount)) discounted_price
3 from sales.order_items where product_id =259
4
5
```

150 % No issues found Ln: 4, Ch: 1 TABS CRLF UTF-8

Results Messages

	product_id	list_price	discount	discounted_price
1	259	1199.99	0.07	1115.9907
2	259	1199.99	0.20	959.9920

Query executed successfully.

(local) (17.0 RTM) | ALY_ASUS\alyas (85) | BikeStore | 00:00:00 | Row: 1, Col: 1 | 2 rows

Ready Select Repository

SQL Server Enterprise Edition (64-bit) | File | Edit | View | Query | Git | Project | Tools | Extensions | Window | Help | Search

Object Explorer | Connect | (SQL Server 17.0.1110.1 - Aly_ASUS\alyas) | Databases | System Databases | Database Snapshots | Bike | BikeStore | Database Diagrams | Tables | System Tables | FileTables | External Tables | Graph Tables | production.brands | production.categories | production.products | production.stocks | sales.customers | sales.order_items | sales.orders | sales.staffs | sales.stores | Dropped Ledger Tables | Views | External Resources | Synonyms | Programmability | Query Store | Service Broker | Storage | Security | Company | Company_SD | EMP | Project_Sales | Rollup | Security | Server Objects | Replication | Always On High Availability | Management | SQL Server Agent (Agent XPs disabled) | XEvent Profiler

SQLQuery1.sql... \alyas (85))*

```
1 --18
2 select b.brand_name,c.category_name,p.product_name,p.list_price,p.model_year,sum(s.quantity) total_quantity
3 from production.products p
4 join production.stocks s on p.product_id=s.product_id
5 join production.categories c on p.category_id=c.category_id
6 join production.brands b on p.brand_id=b.brand_id
7 where p.product_id = 44
8 group by brand_name,category_name,product_name,list_price,model_year
9
```

150 % | No issues found | Ln: 9, Ch: 1 | TABS | CRLF | UTF-8

Results | Messages

	brand_name	category_name	product_name	list_price	model_year	total_quantity
1	Haro	Mountain Bikes	Haro SR 1.1 - 2017	539.99	2017	51

Query executed successfully. | (local) (17.0 RTM) | ALY_ASUS\alyas (85) | BikeStore | 00:00:00 | Row: 1, Col: 1 | 1 rows

Ready | Select Repository

File Edit View Query Git Project Tools Extensions Window Help Search

BikeStore Execute

Object Explorer

Connect (SQL Server 17.0.1110.1 - Aly_ASUS\alyas)

- Databases
 - System Databases
 - Database Snapshots
 - Bike
 - BikeStore
 - Database Diagrams
 - Tables
 - System Tables
 - FileTables
 - External Tables
 - Graph Tables
 - production.brands
 - production.categories
 - production.products
 - production.stocks
 - sales.customers
 - sales.order_items
 - sales.orders
 - sales.staffs
 - sales.stores
 - Dropped Ledger Tables
 - Views
 - External Resources
 - Synonyms
 - Programmability
 - Query Store
 - Service Broker
 - Storage
 - Security
 - Company
 - Company_SD
 - EMP
 - Project_Sales
 - Rollup
- Security
- Server Objects
- Replication
- Always On High Availability
- Management
- SQL Server Agent (Agent XPs disabled)
- XEvent Profiler

Aly_ASUS.Bik... - Diagram_0*

SQLQuery1.sql... \alyas (85) *

```
1 --19
2 select zip_code from sales.stores where state = 'CA'
3 --its shows that CA zip code is 95060
4
```

150% No issues found Ln: 3, Ch: 1 TABS CRLF UTF-8

Results Messages

	zip_code
1	95060

Query executed successfully. (local) (17.0 RTM) | ALY_ASUS\alyas (85) | BikeStore | 00:00:00 | Row: 1, Col: 1 | 1 rows

Ready Select Repository

File Edit View Query Git Project Tools Extensions Window Help Search

BikeStore Execute

Object Explorer

Connect (SQL Server 17.0.1110.1 - Aly_ASUS\alyas)

- Databases
 - System Databases
 - Database Snapshots
 - Bike
 - BikeStore
 - Database Diagrams
 - Tables
 - System Tables
 - FileTables
 - External Tables
 - Graph Tables
 - production.brands
 - production.categories
 - production.products
 - production.stocks
 - sales.customers
 - sales.order_items
 - sales.orders
 - sales.staffs
 - sales.stores
 - Dropped Ledger Tables
 - Views
 - External Resources
 - Synonyms
 - Programmability
 - Query Store
 - Service Broker
 - Storage
 - Security
- Company
- Company_SD
- EMP
- Project_Sales
- Rollup
- Security
- Server Objects
- Replication
- Always On High Availability
- Management
- SQL Server Agent (Agent XPs disabled)
- XEvent Profiler

Aly_ASUS.Bik... - Diagram_0*

SQLQuery1.sq... \alyas (85))*

```
1 --20
2 select count(state) state_count_operate from sales.stores --3
3 |
```

150% No issues found Ln: 3, Ch: 1 TABS CRLF UTF-8

Results Messages

	state_count_operate
1	3

Query executed successfully. (local) (17.0 RTM) | ALY_ASUS\alyas (85) | BikeStore | 00:00:00 | Row: 1, Col: 1 | 1 rows

Ready Select Repository