


DBS Lab 1 Tasks

1)



The screenshot shows an SQL Worksheet with three queries and their results. The queries are:

```
-- 1
select * from jobs;

-- 2
--select min_salary, max_salary from jobs
--where JOB_TITLE = 'President';

-- 3
--select * from employees
--where SALARY > 20000;
```

The results are displayed in a table with columns: JOB_ID, JOB_TITLE, MIN_SALARY, and MAX_SALARY. The table contains 9 rows of data.

JOB_ID	JOB_TITLE	MIN_SALARY	MAX_SALARY
1 AD_PRES	President	20080	40000
2 AD_VP	Administration Vice President	15000	30000
3 AD_ASST	Administration Assistant	3000	6000
4 FI_MGR	Finance Manager	8200	16000
5 FI_ACCOUNT	Accountant	4200	9000
6 AC_MGR	Accounting Manager	8200	16000
7 AC_ACCOUNT	Public Accountant	4200	9000
8 SA_MAN	Sales Manager	10000	20080
9 SA_REP	Sales Representative	6000	12008

2)

hr.sql

SQL Worksheet History

Worksheet Query Builder

```
-- 1
--select * from jobs;

-- 2
select min_salary, max_salary from jobs
where JOB_TITLE = 'President';

-- 3
--select * from employees
--where SALARY > 20000;
```

Script Output x Query Result x

SQL | All Rows Fetched: 1 in 0 seconds

	MIN_SALARY	MAX_SALARY
1	20080	40000

3)

hr.sql

SQL Worksheet History

Worksheet Query Builder

```
-- 1
--select * from jobs;

-- 2
--select min_salary, max_salary from jobs
--where JOB_TITLE = 'President';

-- 3
select * from employees
where SALARY > 20000;
```

Script Output x Query Result x

SQL | All Rows Fetched: 1 in 0 seconds

EMPLOYEE_ID	FIRST_NAME	LAST_NAME	EMAIL	PHONE_NUMBER	HIRE_DATE	JOB_ID	SALARY	COMMISSION_PCT	MANAGER_ID	DEPARTMENT_ID
1	100	Steven	King	SKING 515.123.4567	17-JUN-03	AD_PRES	24000	(null)	(null)	90

4)

```
-- 4
select job_id from employees
where salary >= 15000;
```

Script Output x Query Result x

SQL | All Rows Fetched: 3 in 0.002 seconds

	JOB_ID
1	AD_PRES
2	AD_VP
3	AD_VP

5)

```
-- 5
select employee_id, first_name, last_name, department_id from employees
where last_name = 'Snares';
```

Script Output x Query Result x

SQL | All Rows Fetched: 0 in 0.003 seconds

EMPLOYEE...	FIRST_NA...	LAST_NAME	DEPARTM...
-------------	-------------	-----------	------------

6)

```
-- 6
select employee_id, first_name, last_name, department_id from employees
where department_id = 57;
```

Script Output x Query Result x

SQL | All Rows Fetched: 0 in 0.005 seconds

EMPLOYEE...	FIRST_NA...	LAST_NAME	DEPARTM...
-------------	-------------	-----------	------------

7)

```
-- 7
select phone_number from employees
where department_id = 80 and manager_id = 100;
```

Script Output x Query Result x

SQL | All Rows Fetched: 5 in 0 seconds

	PHONE_NUMBER
1	011.44.1344.429268
2	011.44.1344.467268
3	011.44.1344.429278
4	011.44.1344.619268
5	011.44.1344.429018

8)

```
-- 8
select * from employees
where first_name in ('John', 'NEENA', 'Jency');
```

Script Output x Query Result x

SQL | All Rows Fetched: 3 in 0 seconds

	EMPLOYEE_ID	FIRST_NAME	LAST_NAME	EMAIL	PHONE_NUMBER	HIRE_DATE	JOB_ID	SALARY	COMMISSION_PCT	MANAGER_ID	DEPARTMENT_ID
1	110	John	Chen	JCHEN	515.124.4269	28-SEP-05	FI_ACCOUNT	8200	(null)	108	100
2	139	John	Seo	JSEO	650.121.2019	12-FEB-06	ST_CLERK	2700	(null)	123	50
3	145	John	Russell	JRUSSEL	011.44.1344.429268	01-OCT-04	SA_MAN	14000	0.4	100	80

9)

```
-- 9
select city from locations
where country_id = 'IT';
```

Script Output x Query Result x

SQL | All Rows Fetched: 2 in 0 seconds

	CITY
1	Roma
2	Venice

10)

```
-- 10
select city from locations
where country_id not in ('IN', 'CH');
```

Script Output x Query Result x

SQL | All Rows Fetched: 20 in 0.008 seconds

	CITY
1	Sydney
2	Sao Paulo
3	Toronto
4	Whitehorse
5	Beijing
6	Munich
7	Roma
8	Venice
9	Tokyo

11)

```
-- 11
select * from jobs
where min_salary > 8000 and min_salary < 15000;
```

Script Output x Query Result x

SQL | All Rows Fetched: 4 in 0 seconds

	JOB_ID	JOB_TITLE	MIN_SALARY	MAX_SALARY
1	FI_MGR	Finance Manager	8200	16000
2	AC_MGR	Accounting Manager	8200	16000
3	SA_MAN	Sales Manager	10000	20080
4	MK_MAN	Marketing Manager	9000	15000

12)

```
-- 12
select phone_number from employees
where department_id = 90 and job_id != 'IT_PROG';
```

Script Output x Query Result x

SQL | All Rows Fetched: 3 in 0.003 seconds

	PHONE_NUMBER
1	515.123.4567
2	515.123.4568
3	515.123.4569

13)

```
-- 13
select * from employees
where hire_date > '12-Dec-07';
```

Script Output x Query Result x

SQL | All Rows Fetched: 12 in 0 seconds

	EMPLOYEE_ID	FIRST_NAME	LAST_NAME	EMAIL	PHONE_NUMBER	HIRE_DATE	JOB_ID	SALARY	COMMISSION_PCT	MANAGER_ID	DEPARTMENT_ID
1	128	Steven	Markle	SMARKLE	650.124.1434	08-MAR-08	ST_CLERK	2200	(null)	120	50
2	136	Hazel	Philtanker	HPHILTAN	650.127.1634	06-FEB-08	ST_CLERK	2200	(null)	122	50
3	149	Eleni	Zlotkey	EZLOTKEY	011.44.1344.429018	29-JAN-08	SA_MAN	10500	0.2	100	80
4	164	Mattea	Marvins	MMARVINS	011.44.1346.329268	24-JAN-08	SA_REP	7200	0.1	147	80
5	165	David	Lee	DLEE	011.44.1346.529268	23-FEB-08	SA_REP	6800	0.1	147	80
6	166	Sundar	Ande	SANDE	011.44.1346.629268	24-MAR-08	SA_REP	6400	0.1	147	80
7	167	Amit	Banda	ABANDA	011.44.1346.729268	21-APR-08	SA_REP	6200	0.1	147	80
8	173	Sundita	Kumar	SKUMAR	011.44.1343.329268	21-APR-08	SA_REP	6100	0.1	148	80
9	179	Charles	Johnson	CJOHNSON	011.44.1644.429262	04-JAN-08	SA_REP	6200	0.1	149	80

14)

```
-- 14
select * from employees
where hire_date > '12-Dec-07' and department_id = 100;
```

Script Output x Query Result x

SQL | All Rows Fetched: 0 in 0 seconds

	EMPLOYEE...	FIRST_NA...	LAST_NAME	EMAIL	PHONE_N...	HIRE_DATE	JOB_ID	SALARY	COMMISS...	MANAGER...	DEPARTM...
--	-------------	-------------	-----------	-------	------------	-----------	--------	--------	------------	------------	------------

15)


```
-- 15
select * from employees
where hire_date > '12-Dec-07' and department_id != 100;
```

Script Output x Query Result x

SQL | All Rows Fetched: 12 in 0.005 seconds

	EMPLOYEE_ID	FIRST_NAME	LAST_NAME	EMAIL	PHONE_NUMBER	HIRE_DATE	JOB_ID	SALARY	COMMISSION_PCT	MANAGER_ID	DEPARTMENT_ID
1	128	Steven	Markle	SMARKLE	650.124.1434	08-MAR-08	ST_CLERK	2200	(null)	120	50
2	136	Hazel	Philtanker	HPHILTAN	650.127.1634	06-FEB-08	ST_CLERK	2200	(null)	122	50
3	149	Eleni	Zlotkey	EZLOTKEY	011.44.1344.429018	29-JAN-08	SA_MAN	10500	0.2	100	80
4	164	Mattea	Marvins	MMARVINS	011.44.1346.329268	24-JAN-08	SA_REP	7200	0.1	147	80
5	165	David	Lee	DLEE	011.44.1346.529268	23-FEB-08	SA_REP	6800	0.1	147	80
6	166	Sundar	Ande	SANDE	011.44.1346.629268	24-MAR-08	SA_REP	6400	0.1	147	80
7	167	Amit	Banda	ABANDA	011.44.1346.729268	21-APR-08	SA_REP	6200	0.1	147	80
8	173	Sundita	Kumar	SKUMAR	011.44.1343.329268	21-APR-08	SA_REP	6100	0.1	148	80
9	179	Charles	Johnson	CJOHNSON	011.44.1644.429262	04-JAN-08	SA_REP	6200	0.1	149	80

16)

```
-- 16
select * from employees
where COMMISSION_PCT = 0 and department_id not in (90, 100);
```

EMPLOYEE_ID	FIRST_NAME	LAST_NAME	EMAIL	PHONE_NUMBER	HIRE_DATE	JOB_ID	SALARY	COMMISSION_PCT	MANAGER_ID	DEPARTMENT_ID
-------------	------------	-----------	-------	--------------	-----------	--------	--------	----------------	------------	---------------

17)

```
-- 17
select * from employees
where hire_date >= '1-JAN-10' and hire_date <= '31-DEC-10';
```

EMPLOYEE_ID	FIRST_NAME	LAST_NAME	EMAIL	PHONE_NUMBER	HIRE_DATE	JOB_ID	SALARY	COMMISSION_PCT	MANAGER_ID	DEPARTMENT_ID
-------------	------------	-----------	-------	--------------	-----------	--------	--------	----------------	------------	---------------

18)

```
-- 18
select * from jobs
where min_salary > 8000 and min_salary < 15000;
```

Script Output x Query Result x

SQL | All Rows Fetched: 4 in 0 seconds

	JOB_ID	JOB_TITLE	MIN_SALARY	MAX_SALARY
1	FI_MGR	Finance Manager	8200	16000
2	AC_MGR	Accounting Manager	8200	16000
3	SA_MAN	Sales Manager	10000	20080
4	MK_MAN	Marketing Manager	9000	15000

19)

```
-- 19
select first_name, last_name, job_id from employees
where department_id > 90 and department_id < 100 and employee_id > 100 and employee_id < 150;
```

Script Output x Query Result x

SQL | All Rows Fetched: 0 in 0.003 seconds

FIRST_NAME	LAST_NAME	JOB_ID
------------	-----------	--------

Practice Tasks

1)

```
-- Practice Tasks
-- 1
select email from employees
where manager_id = 101 and department_id = 50;
```

Script Output x Query Result x

SQL | All Rows Fetched: 0 in 0.002 seconds

EMAIL

2)


```
-- 5
select * from jobs
where max_salary <= 20000;
```

	JOB_ID	JOB_TITLE	MIN_SALARY	MAX_SALARY
1	AD_ASST	Administration Assistant	3000	6000
2	FI_MGR	Finance Manager	8200	16000
3	FI_ACCOUNT	Accountant	4200	9000
4	AC_MGR	Accounting Manager	8200	16000
5	AC_ACCOUNT	Public Accountant	4200	9000
6	SA_REP	Sales Representative	6000	12008
7	PU_MAN	Purchasing Manager	8000	15000
8	PU_CLERK	Purchasing Clerk	2500	5500
9	ST_MAN	Stock Manager	5500	8500

6)

```
-- 6
select employee_id, first_name, last_name, department_id from employees
where last_name = 'Jones';
```

	EMPLOYEE_ID	FIRST_NAME	LAST_NAME	DEPARTMENT_ID
1	195	Vance	Jones	50

7)

```
-- 7
select city from locations
where country_id = 'IT';
```

	CITY
1	Roma
2	Venice

8)

```
-- 8
select phone_number from employees
where manager_id = 100 and department_id = 80;
```

Script Output x Query Result x

SQL | All Rows Fetched: 5 in 0.002 seconds

	PHONE_NUMBER
1	011.44.1344.429268
2	011.44.1344.467268
3	011.44.1344.429278
4	011.44.1344.619268
5	011.44.1344.429018

9)

```
-- 9
select * from employees
where job_id != 'SA_%';
```

Script Output x Query Result x

SQL Fetched 50 rows in 0.002 seconds

EMPLOYEE_ID	FIRST_NAME	LAST_NAME	EMAIL	PHONE_NUMBER	HIRE_DATE	JOB_ID	SALARY	COMMISSION_PCT	MANAGER_ID	DEPARTMENT_ID
1	100	Steven	King	SKING	515.123.4567	17-JUN-03 AD_PRES	24000	(null)	(null)	90
2	101	Neena	Kochhar	NKOCHHAR	515.123.4568	21-SEP-05 AD_VP	17000	(null)	100	90
3	102	Lex	De Haan	LDEHAAN	515.123.4569	13-JAN-01 AD_VP	17000	(null)	100	90
4	103	Alexander	Hunold	AHUNOLD	590.423.4567	03-JAN-06 IT_PROG	9000	(null)	102	60
5	104	Bruce	Ernst	BERNST	590.423.4568	21-MAY-07 IT_PROG	6000	(null)	103	60
6	105	David	Austin	DAUSTIN	590.423.4569	25-JUN-05 IT_PROG	4800	(null)	103	60
7	106	Valli	Pataballa	VPATABAL	590.423.4560	05-FEB-06 IT_PROG	4800	(null)	103	60
8	107	Diana	Lorentz	DLORENTZ	590.423.5567	07-FEB-07 IT_PROG	4200	(null)	103	60
9	108	Nancy	Greenberg	NGREENBE	515.124.4569	17-AUG-02 FI_MGR	12008	(null)	101	100

10)

```
-- 9
select * from employees
where job_id not like 'SA %';
```

Script Output x Query Result x

	EMPLOYEE_ID	FIRST_NAME	LAST_NAME	EMAIL	PHONE_NUMBER	HIRE_DATE	JOB_ID	SALARY	COMMISSION_PCT	MANAGER_ID	DEPARTMENT_ID
1	100	Steven	King	SKING	515.123.4567	17-JUN-03	AD_PRES	24000	(null)	(null)	90
2	101	Neena	Kochhar	NKOCHHAR	515.123.4568	21-SEP-05	AD_VP	17000	(null)	100	90
3	102	Lex	De Haan	LDEHAAN	515.123.4569	13-JAN-01	AD_VP	17000	(null)	100	90
4	103	Alexander	Hunold	AHUNOLD	590.423.4567	03-JAN-06	IT_PROG	9000	(null)	102	60
5	104	Bruce	Ernst	BERNST	590.423.4568	21-MAY-07	IT_PROG	6000	(null)	103	60
6	105	David	Austin	DAUSTIN	590.423.4569	25-JUN-05	IT_PROG	4800	(null)	103	60
7	106	Valli	Pataballa	VPATABAL	590.423.4560	05-FEB-06	IT_PROG	4800	(null)	103	60
8	107	Diana	Lorentz	DLORENTZ	590.423.5567	07-FEB-07	IT_PROG	4200	(null)	103	60
9	108	Nancy	Greenberg	NGREENBE	515.124.4569	17-AUG-02	FI_MGR	12008	(null)	101	100

11)

```
-- 11
select * from employees
where salary > 50000 and job_id like 'SA%';
```

Script Output x

Query Result x

 All Rows Fetched: 0 in 0.002 seconds

EMPLOYEE...	FIRST_NA...	LAST_NAME	EMAIL	PHONE_N...	HIRE_DATE	JOB_ID	SALARY	COMMISS...	MANAGER...	DEPARTM...
-------------	-------------	-----------	-------	------------	-----------	--------	--------	------------	------------	------------