

Pneumonia Detection using Quantum Transfer Learning

Ali Shaz
Computer Science,
NUCES-Fast,Karachi.
Pakistan
k213260@nu.edu.pk

Alyan Khowaja
Computer Science,
NUCES-Fast,Karachi.
Pakistan
k213262@nu.edu.pk

Abstract - Pneumonia remains a major health concern worldwide, and early diagnosis is critical for effective treatment. This document presents a novel approach to pneumonia detection utilizing quantum transfer learning techniques. By integrating classical and quantum neural networks, we enhance the performance of traditional image classifiers. This paper discusses the methodology employed and the results obtained from implementing this hybrid architecture.

Keywords - Quantum Machine Learning, Transfer Learning, Pneumonia Detection, Image Classification.

I. INTRODUCTION

Pneumonia is a leading cause of morbidity and mortality worldwide, particularly affecting vulnerable populations such as children and the elderly. Early diagnosis is critical for effective treatment and can significantly improve patient outcomes. Traditional diagnostic methods often rely on clinical examinations and laboratory tests, which can be time-consuming and subjective. Recent advancements in artificial intelligence (AI) have shown promise in automating the diagnostic process through image analysis. Machine learning techniques, particularly convolutional neural networks (CNNs), have been employed to classify medical images with high accuracy. However, these models often require extensive labeled datasets for training, which may not always be available. This paper explores an innovative approach that combines quantum computing with pre-trained models like: ResNet, EfficientNet to enhance pneumonia detection from chest X-ray images. By leveraging pre-trained models and the unique capabilities of quantum neural networks (QNNs), we aim to improve classification accuracy while reducing training time.

II. LITERATURE REVIEW

A. Pneumonia detection Technique

Various techniques have been employed in pneumonia detection, including traditional machine learning algorithms and deep learning approaches. Studies have demonstrated the effectiveness of CNNs in recognizing patterns in medical images, achieving high accuracy rates in pneumonia classification tasks. However, these methods often struggle with generalization when applied to unseen data due to overfitting.

B. Transfer Learning

Transfer learning allows models trained on large datasets to be adapted for specific tasks with limited data availability. This approach has been successfully applied in various domains, including medical imaging, where it enables faster convergence and improved performance on smaller datasets. The concept is particularly beneficial in scenarios where acquiring labeled data is challenging.

C. Quantum Neural Networks

Quantum computing offers a paradigm shift in processing capabilities, potentially enhancing machine learning algorithms' efficiency and effectiveness [1]. QNNs utilize quantum bits (qubits) to represent data and perform computations that classical computers cannot efficiently handle. This technology holds promise for complex pattern recognition tasks in medical diagnostics.


III. METHODOLOGY

A. Data Collection

The dataset used for this study consists of chest X-ray images sourced from publicly available medical databases at [Kaggle](https://www.kaggle.com/). The images are labeled as either 'pneumonia' or 'normal,' providing a binary classification task suitable for our model.


B. Data Preprocessing

Before training the model, images undergo preprocessing steps including resizing to a standard dimension (e.g., 128x128 pixels), normalization to scale pixel values between 0 and 1, and data augmentation techniques such as rotation, flipping, and zooming to enhance the robustness of the model against variations in input data.



C. Transfer Learning with Pre-trained Models

Our hybrid model integrates various pre-trained CNN with a quantum neural network component. Pre-trained models such as ResNet, EfficientNet that are trained on a large dataset (e.g., ImageNet) whose initial layers extract features, such as edges and textures, while later layers are fine-tuned to identify pneumonia-specific patterns. The architecture includes convolutional layers followed by pooling layers to reduce dimensionality while preserving essential features.



D. Quantum Circuit Integration

- A quantum circuit is designed using the PennyLane library. The circuit comprises quantum gates, such as Hadamard, RX, and RZ gates, which encode image features into quantum states.
- The quantum circuit is integrated as a trainable layer in the hybrid model. Intermediate feature maps from Pre-trained model are passed to the quantum layer, which enhances the representation with quantum transformations.
- The quantum and classical layers are trained jointly using a hybrid optimizer that combines gradient descent for the classical part and parameter-shift optimization for the quantum circuit.

E. Training:

The Cross-Entropy Loss is used to quantify the difference between predicted and true labels. It is given by:

$$L(y, y') = - \sum_{i=1}^N y_i (\log(y'_i))$$

Where y represents the true label and y' represents the predicted probability.

The model is evaluated using accuracy.

F. Implementation Details:

The implementation utilizes TensorFlow for classical components and PennyLane for quantum circuit integration.

IV. RESULTS

The hybrid model's performance was compared against traditional CNN architectures:

- **Accuracy:** The models achieved an accuracy rate of:

MODE	MODEL	ACCURACY
Classical	Res-Net	84.6%
Hybrid	Res-Net	79.6%
Hybrid	Efficient-Net	83.8%
Hybrid	Dense-Net	79.96%

- **Training Time:** The use of transfer learning significantly increased training time by approximately 30%.

V. DISCUSSION

However, it is worth noting that other classical convolutional neural network (CNN) models and classical transfer learning approaches achieve higher accuracy and require significantly less training time on the same dataset. Pre-trained models like ResNet, VGGNet, and DenseNet, which have been optimized over time, often provide excellent performance with minimal computational cost. These models also benefit from extensive hardware optimizations, making them more practical for real-world applications.

In contrast, quantum-enhanced models currently face limitations due to the computational overhead of simulating quantum circuits on classical hardware and the constraints of existing quantum hardware, such as qubit noise and limited scalability. Training a hybrid quantum-classical model is time-intensive and may not yield accuracy improvements over classical models for relatively straightforward tasks like pneumonia detection.

Demonstrating a clear quantum advantage over classical models will require significant progress in quantum hardware, optimization algorithms, and hybrid model architectures. While the current results show promise, much research and experimentation are needed to realize the full potential of quantum computing in medical image analysis.

VI. CONCLUSION

This study demonstrated the potential of Quantum Transfer Learning (QTL) for pneumonia detection using chest X-ray images. While the hybrid quantum-classical model showed promise, it fell short of outperforming classical CNNs in accuracy and training efficiency. Current limitations in quantum hardware and the computational overhead of hybrid models highlight the need for further research. Future efforts should focus on improving quantum hardware, optimizing hybrid algorithms, and identifying tasks where quantum models can offer a distinct advantage. Despite these challenges, QTL remains a promising avenue for advancing medical diagnostics in the future.

VII. REFERENCES

- [1] Andrea Mari, Thomas R. Bromley, Josh Izaac, Maria Schuld, and Nathan Killoran. Transfer learning in hybrid classical-quantum neural networks. arXiv:1912.08278 (2019).
- [2] Rajat Raina, Alexis Battle, Honglak Lee, Benjamin Packer, and Andrew Y Ng. Self-taught learning: transfer learning from unlabeled data. Proceedings of the 24th International Conference on Machine Learning, 759–766 (2007).
- [3] Kaiming He, Xiangyu Zhang, Shaoqing Ren, and Jian Sun. Deep residual learning for image recognition. Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition, 770-778 (2016).
- [4] Ville Bergholm, Josh Izaac, Maria Schuld, Christian Gogolin, Carsten Blank, Keri McKiernan, and Nathan Killoran. PennyLane: Automatic differentiation of hybrid quantum-classical computations. arXiv:1811.04968 (2018).
- [5] PennyLane Article:
https://pennylane.ai/qml/demos/tutorial_quantum_transfer_learning

IEEE conference templates contain guidance text for composing and formatting conference papers. Please ensure that all template text is removed from your conference paper prior to submission to the conference. Failure to remove template text from your paper may result in your paper not being publish