

QUIZ

Xanadu Delta - Certified
Application Developer

⌚ 01: 12: 41

Question 10 / 10

What happens if the system detects a user creating an ACL without specifying a role or security attribute?

- ☐ A. It denies the creation of the ACL.
- ☒ B. It prompts the user to select a role or an existing security attribute.
- ☐ C. It logs an error but allows the ACL creation.
- ☐ D. It automatically assigns a default role.

← Previous

☐ Mark this item for review

Review All (0)

QUIZ
Xanadu Delta - Certified
Application Developer

🕒 01: 13: 22

Question 9 / 10

Why is it important that Deny-Unless ACLs are evaluated before Allow-If ACLs?

- ☒ A. To restrict access by default and ensure security.
- ☐ B. To ensure faster processing time.
- ☐ C. To reduce the number of valid user sessions.
- ☐ D. To prioritize user-specific roles.

← Previous

☐ Mark this item for review

Review All (0)

QUIZ

Xanadu Delta - Certified
Application Developer

⌚ 01: 14: 02

Question 8 / 10

Which type of ACL will be evaluated first in an ACL evaluation?

- ☒ A. User-specific ACLs
- ☐ B. Deny-Unless ACLs
- ☐ C. Allow-If ACLs
- ☐ D. Custom ACLs

Where can scripts using E...

What is the role of a form...

Which condition would ca...

How do Deny-Unless and ...

What is the function of an...

What is the default action...

What is the implication of ...

Which type of ACL will be...

Why is it important that D...

What happens if the syste...

← Previous

⦿ Mark this item for review

Review All (0)

QUIZ

Xanadu Delta - Certified
Application Developer

⌚ 01: 14: 47

Question 7 / 10

What is the implication of ECMAScript 2021 being available in the global scope for developers?

- ☒ **A.** Developers can utilize ECMAScript 2021 features without being limited to just scoped applications.
- ☐ **B.** Existing scripts will not run unless they are updated to use ECMAScript 2021 features.
- ☐ **C.** Developers need to rewrite all existing scripts to conform to ECMAScript 2021.
- ☐ **D.** Developers need to set a global variable to activate ECMAScript 2021 features.

← Previous



Mark this item for review

Review All (0)

QUIZ

Xanadu Delta - Certified
Application Developer

Where can scripts using E...

What is the role of a form...

Which condition would ca...

How do Deny-Unless and ...

What is the function of an...

What is the default actio...

What is the implication of ...

Which type of ACL will be ...

Why is it important that D...

What happens if the syste...

⌚ 01: 15: 26

Question 6 / 10

What is the default action of the ACL engine if it encounters an empty or invalid ACL?

- ☐ A. A default ACL rule is applied.
- ☒ B. The system denies access.
- ☐ C. The system grants temporary access.
- ☐ D. An access request is automatically sent to the administrator.

← Previous



Mark this item for review

Review All (0)

QUIZ

Xanadu Delta - Certified
Application Developer

Where can scripts using E...

What is the role of a form...

Which condition would ca...

How do Deny-Unless and ...

What is the function of an ...

What is the default action ...

What is the implication of ...

Which type of ACL will be ...

Why is it important that D...

What happens if the syste...

⌚ 01: 16: 55

Question 4 / 10

How do Deny-Unless and Allow-If decision types work together to ensure secure access control?

- ☒ **A.** Deny-Unless ensures security by denying access unless conditions are met, while Allow-If allows access only if conditions are met.
- ☐ **B.** Deny-Unless grants access by default, whereas Allow-If avoids conditions altogether.
- ☐ **C.** Deny-Unless and Allow-If both permit access unconditionally.
- ☐ **D.** Deny-Unless restricts access without conditions, while Allow-If permits access regardless of meeting conditions.

← Previous

☐ Mark this item for review

Review All (0)

QUIZ

Xanadu Delta - Certified
Application Developer

Where can scripts using E...

What is the role of a form...

Which condition would c...

How do Deny-Unless and ...

What is the function of an ...

What is the default action ...

What is the implication of ...

Which type of ACL will be ...

Why is it important that D...

What happens if the syste...

⌚ 01: 17: 34

Question 3 / 10

Which condition would cause an ACL to be considered invalid?

- ☐ A. ACLs with user IDs that are not in the user table.
- ☐ B. ACLs referencing deprecated API calls.
- ☒ C. ACLs with a security attribute that does not exist.
- ☐ D. ACLs with roles that exist but are not active.

QUIZ

Xanadu Delta - Certified
Application Developer

⌚ 01: 18: 13

Question 2 / 10

What is the role of a formatter in Form Builder?

- ☐ A. To initialize the form data load sequence.
- ☐ B. To generate reports from the form data.
- ☐ C. To encrypt the form data before submission.
- ☒ D. To display information that is not a field in the selected table record.

Where can scripts using E...

What is the role of a form...

Which condition would ca...

How do Deny-Unless and ...

What is the function of an ...

What is the default action ...

What is the implication of ...

Which type of ACL will be ...

Why is it important that D...

What happens if the syste...

QUIZ

Xanadu Delta - Certified
Application Developer

Where can scripts using E...

What is the role of a forma...

Which condition would ca...

How do Deny-Unless and ...

What is the function of an ...

What is the default action ...

What is the implication of ...

Which type of ACL will be ...

Why is it important that D...

What happens if the syste...

Question 1 / 10

Where can scripts using ECMAScript 2021 be executed in ServiceNow as of the Xanadu upgrade?

- ☒ A. In both UI Policies and Script Includes.
- ☐ B. In both the global scope and scoped applications.
- ☐ C. Only in client-side scripts.
- ☐ D. Only within scoped applications.

⌚ 01: 18: 57

⏪ Previous



Mark this item for review

Review All (0)