

Which one of the following is the fastest way to create and configure a Record Producer?

- Create a Catalog Category, open the category, and select the Add New Record Producer button
- Use the Record Producer module then add and configure all variables manually
- **Open the table in the Table records and select the Add to Service Catalog Related Link**
- Open the table's form, right-click on the form header, and select the Create Record Producer menu item

Which one of the following is the baseline behavior of a table in a privately-scoped application?

- The table and its data are not accessible using web services
- Any Business Rule can read, write, delete, and update from the table
- Only artifacts in the table's application can read from the table
- **All application scopes can read from the table**

When configuring a module, what does the Override application menu roles configuration option do?

- **Users with the module role but without access to the application menu access the module**
- Self-Service users can access the module even though they do not have roles
- Admin is given access to the module even if Access Controls would ordinarily prevent access
- Users with access to the application menu can see the module even if they don't have the module role

It is best practice to define the business requirements and the process(es) an application will manage as part of the application development plan. What are some of the considerations to document as part of the business process?

- **Business problem, data input/output, users/stakeholders, and process steps**
- Business problem, data input/output, project schedule, and process steps
- Business problem, data input/output, users/stakeholders, and database capacity
- Business problem, users/stakeholders, available licenses, and database capacity

To see what scripts, reports, and other application artifacts will be in a published application:

- Enter the name of the Application in the Global search field
- Open the list of Update Sets for the instance
- **Examine the Application Files Related List in the application to be published**
- Open the artifact records individually to verify the value in the Application field

Which of the following CANNOT be debugged using the Field Watcher?

- Business Rules
- **Script Includes**
- Client Scripts
- Access Controls

Which of the following is NOT supported by Flow Designer?

- Call a subflow from a flow
- **Test a flow with rollback**
- Use Delegated Developer
- Run a flow from a MetricBase Trigger

Which of the following statements does NOT apply when extending an existing table? **(In exam question come opposite of this)**

- The parent table's Access Controls are evaluated when determining access to the new table's records and fields
- The new table inherits the functionality built into the parent table
- The new table inherits all of the fields from the parent table
- **You must script and configure all required behaviors**

One of the uses of the ServiceNow REST API Explorer is:

- Practice using REST to interact with public data providers
- Find resources on the web for learning about REST
- Convert SOAP Message functions to REST methods
- **Create sample code for sending REST requests to ServiceNow**

Which platform feature can be used to determine the relationships between field in an Import Set table to field in an existing ServiceNow table?

- Business Service Management Map
- Data Sources
- **Transform Map**
- CI Relationship Builder

When creating new application files in a scoped application, cross scope access is turned on by default in which of the following?

- REST messages
- **Table**
- Script Include
- Workflow

When evaluating Access Controls, ServiceNow searches and evaluates:

- Only for matches on the current table
- Only for matches on the current field
- **From the most specific match to the most generic match**
- From the most generic match to the most specific match

Which Report Type(s) can be created by right-clicking on a column header in a table's list?

- Bar Chart, Pie Chart, Histogram, and Line
- Bar Chart
- Bar Chart, Pie Chart, and Histogram
- **Bar Chart and Pie Chart**

Which of the following methods are useful in Access Control scripts?

- g_user.hasRole() and current.isNewRecord()
- **gs.hasRole() and current.isNewRecord()**
- g_user.hasRole() and current.isNew()
- gs.hasRole() and current.isNew()

Modules must have a Link type. Which one of the following is a list of Link types?

- List of Records, Separator, Catalog Type, Roles
- **Assessment, List of Records, Separator, Timeline Page**
- List of Records, Content Page, Order, URL (from arguments:)
- Assessment, List of Records, Content Page, Roles

Which one of the following is part of the client-side scripting API?

- scratchpad
- **GlideUser object (g_user)**
- current and previous objects
- GlideSystem object (gs)

Which objects can you use in a Scheduled Script Execution (Scheduled Job) script?

- GlideRecord and current
- GlideUser and GlideRecord
- **GlideSystem and GlideRecord**
- GlideSystem and current

Which of the following objects does a Display Business Rule NOT have access to?

- **previous**
- GlideSystem
- g_scratchpad
- current

Which one of the following is true for a Script Include with a Protection Policy value of Protected?

- Any user with the protected_edit role can see and edit the Script Include
- The Protection policy option can only be enabled by a user with the admin role
- The Protection Policy is applied only if the glide.app.apply_protection system property value is true
- **The Protection Policy is applied only if the application is downloaded from the ServiceNow App Store**

Which objects can be used in Inbound Action scripts?

- current and previous
- **current and email**
- current and event
- current and producer

Which Application Access configuration field(s) are NOT available if the Can read configuration field is NOT selected?

- All access to this table via web services
- **Can create, Can update, and Can delete**
- Can read does not affect the availability of other Application Access fields
- Allow configuration

Which one of the following is NOT a UI Action type?

- List choice
- Form button
- List banner button
- **Form choice**

Which one of the following is true for a table with the “Allow configuration” Application Access option selected?

- Only the in scope application’s scripts can create Business Rules for the table
- Any user with the application’s user role can modify the application’s scripts
- **Out of scope applications can create Business Rules for the table**
- Out of scope applications can add new tables to the scoped application

When configuring the content of an Email Notification, which syntax should be used to reference the properties of an event triggering the Notification?

- **\${event.<property name>}**
- \${current.<property name>}
- \${property name}.getDisplayValue()
- \${gs.<property name>}

A scoped application containing Flow Designer content dedicated to a particular application is called a(n):

- **Spoke**
- Bundle
- Action
- Flow

The source control operation used to store local changes on an instance for later application is called a(n).

- Branch
- Tag
- **Stash**
- Update set

Which one of the following is NOT required to link a ServiceNow application to a Git repository?

- Password
- URL
- User name
- **Application name**

Which roles grant access to source control repository operations such as importing applications from source control, or linking an application to source control? (Choose two.)

- **source_control**
- source_control_admin
- **admin**
- git_admin

Which one of the following is NOT a debugging strategy for client-side scripts?

- addInfoMessage()
- Field Watcher
- jslog()
- **gs.log()**

Which of the following performs debug logging on the server side?

- `print ()`
- `info ()`
- **`gs.debug ()`**
- `gs.log ()`

Which one of the following is NOT a method used for logging messages in a server-side script for a privately- scoped application?

- **`gs.log()`**
- `gs.error()`
- `gs.warn()`
- `gs.debug()`

Which server-side API debug log method is available for scoped applications? / What debugging method you use in the sever side scripting in a scoped application?

- `gs.log()`
- **`gs.info()`**
- `gs.debuglog()`
- `gs.print()`

If the Create module field is selected when creating a table, what is the new module's default behavior?

- Open an empty form so new records can be created
- Open a link to a wiki article with instructions on how to customize the behavior of the new module
- Display an empty homepage for the application
- **Display a list of all records from the table**

How many applications menus can an application have?

- 3, one for an application's user modules, one for an application's administrator modules, and one for the ServiceNow administrator's modules
- **As many as the application design requires**
- 2, one for an application's user modules and one for an application's administrator modules
- 1, which is used for all application modules

How must Application Access be configured to prevent all other private application scopes from creating configuration records on an application's data tables?

- You must create Access Controls to prevent all other application scopes from creating configuration records on an application's data tables rather than using Application Access
- Set the Accessible from field value to All application scopes and de-select the Can create option
- Set the Accessible from field value to This application scope only and de-select the Allow access to this table via web services option
- **Set the Accessible from field value to This application scope only**

What are some of the benefits of extending an existing table such as the Task table when creating a new application?

a) You can repurpose existing fields by simply changing the label.

b) Use existing fields with no modifications.

c) Existing logic from the parent table will be automatically applied to the new table.

d) All of the parent table records are copied to the new table.

- a, b, c, and d
- a and b
- b and c
- **a, b, and c**

Object cannot be controlled by access controls? / Which one of the following database operations cannot be controlled with Application Access?

- Create
- Delete
- Update
- **Query**

Which of the following features are available to Global applications? (Choose two.)

- **Automated Test Framework**
- Source Control
- Delegated Development
- **Flow Designer**

What is a Module?

- **The functionality within an application menu such as opening a page in the content frame or a separate tab or window**
- A group of menus, or pages, providing related information and functionality to end-users
- A way of helping users quickly access information and services by filtering the items in the Application Navigator
- A web-based way of providing software to end-users

Identify the **incorrect** statement about Delegated Development in ServiceNow.

- **Administrators can grant non-admin users the ability to develop global applications.**
- Administrators can specify which application file types the developer can access.
- Administrators can grant the developer access to script fields.
- Administrators can grant the developer access to security records.

Delegated Development allows non-administrators to develop application in the global scope?

- True
- **False**

Here is the Business Rule script template:

```
(Function executeRule(current,previous*/null when async*/){  
  
})(current,previous);
```

This type of JavaScript function is known as:

- Constructor
- Scoped
- Anonymous
- **Self-invoking**

Which method call returns true only if the currently logged in user has the catalog_admin role and in no other case (eg.admin role)?

- g_user.hasRole('catalog_admin')
- **g_user.hasRoleExactly('catalog_admin')**
- g_user.hasRoleOnly('catalog_admin')
- g_user.hasRoleFromList('catalog_admin')

Application developers configure ServiceNow using industry standard JavaScript to...

- Enable the right-click to edit the context menus on applications in the navigator
- **Extend and add functionality**
- Customize the organization's company logo and banner text
- Configure the outgoing email display name

Which of the following are configured in an Email Notification?

- a) Who will receive the notification.
- b) What content will be in the notification.
- c) When to send the notification.
- d) How to send the notification.

- **a, b and c**
- a, b, and d
- b, c and d
- a, c and d

Which of the following is NOT a trigger type in Flow Designer?

- **Outbound Email**
- Application
- Record
- Schedule

When configuring an Access Control which has no condition or script, which one of the following statements is NOT true?

- table.* will grant access to every field in a record
- table.None will grant access to every record on the table
- table.field will grant access to a specific field in a record
- **table.id will grant access to a specific record on the table**

Which source control operation is available from BOTH Studio and the Git Repository?

- **Create Branch**
- Apply Remote Changes
- Stash Local Changes
- Edit Repository Configurations

Which one of the following is true?

- A UI Policy's Actions execute before the UI Policy's Scripts
- The execution order for a UI Policy's Scripts and Actions is determined at runtime
- **A UI Policy's Scripts execute before the UI Policy's Actions**
- A UI Policy's Actions and Scripts execute at the same time

When working in the Form Designer, configuring the label of a field in a child table changes the label on which table(s)?

- base table
- **child table**
- parent table
- all tables

In an Email Notification, which one of the following is NOT true for the Weight field?

- Only Notifications with the highest weight for the same record and recipients are sent
- **A Weight value of zero means that no email should be sent**
- The Weight value defaults to zero
- A Weight value of zero means the Notification is always sent when the Notification's When to send criteria is met

Which one of the following is true for GlideUser (g_user) methods?

- Can be used in Client Scripts and UI Policies only
- Can be used in Business Rules only
- **Can be used in Client Scripts, UI Policies, and UI Actions**
- Can be used in Business Rules, and Scripts Includes

Which of the following statements is true for the Form Designer?

- a) To add a field to the form layout, drag the field from the Fields tab to the desired destination on the form.
- b) To create a new field on a form's table, drag the appropriate data type from the Field Types tab to the form and then configure the new field.
- c) To remove a field from the form layout, hover over the field to enable the Action buttons, and select the Delete (X) button.
- d) To add a section to the form layout, drag it from the Field Types tab to the desired destination on the form.

- a, b, c, and d
- b, c, and d
- a, b, and d
- **a, b, and c**

Which of the following methods prints a message on a blue background to the top of the current form by default?

- g_form.addInfoMsg()
- **g_form.addInfoMessage()**
- g_form.showFieldMessage()
- g_form.showFieldMsg()

There is a basic strategy when creating a Utils Script Include. Identify the step that does not belong.

- **Identify the table**
- Script the function(s)
- Create a class
- Create a prototype object from the new class

In a Business Rule, which one of the following returns true if the currently logged in user has the admin role?

- `g_form.hasRoleExactly('admin')`
- **`gs.hasRole('admin')`**
- `g_form.hasRole('admin')`
- `gs.hasRoleExactly('admin')`

When a ServiceNow instance requests information from a web service, ServiceNow is the web service:

- Publisher
- Specialist
- Provider
- **Consumer**

Which one of the following is true regarding Application Scope?

- All applications are automatically part of the Global scope
- **Applications downloaded from 3rd party ServiceNow application developers cannot have naming conflicts**
- Any developer can edit any application
- Developers can choose the prefix for a scope's namespace

Which one of the following client-side scripts apply to Record Producers?

- **Catalog Client Scripts and Catalog UI Policies**
- UI Scripts and UI Actions
- UI Scripts and Record Producer Scripts
- Client Scripts and UI Policies

From the list below, identify one reason an application might NOT be a good fit with ServiceNow. The application:

- Needs workflow to manage processes
- **Requires "as-is" use of low-level programming libraries**
- Requires reporting capabilities
- Uses forms extensively to interact with data

Which one of the following is NOT a purpose of application scoping?

- Provide a relationship between application artifacts
- **Provide a way of tracking the user who developed an application**
- Provide a namespace (prefix and scope name) to prevent cross application name collisions
- Provide controls for how scripts from another scope can alter tables in a scoped application

Creating a user via ATF step for testing roles and groups is / Which module creates a user for a Automated Test Framework?

- create a role
- create a group
- Impersonate
- **Create a User**

Which type should be used when the module should redirect to the Record Producer form –

- **URL (form Arguments :)**
- HTML (form Arguments :)
- Content Page
- Script (form Arguments :)

Can inherited fields be deleted from a table?

- Yes, select the red X in the left-most column in the table definition
- Yes, but only if they are text fields
- Yes, but only if there has never been any saved field data
- **No, inherited fields cannot be deleted from a child table**

Which gives the information to help users in filling the form?

ANS: Annotations

A studio feature

ANS: Code search , Push to repository

Not available in form designer

ANS: Schema Map

Organize fields on a form

ANS: Sections

In a SOAP Message Function, what syntax indicates a variable to pass when the function is called?

- current.variable_name
- .do?WSDL
- **\$(variable_name)**

Table.none -> Admin and ITIL Table.* -> Admin Table.u_field_3 -> ITIL

What ITIL can see?

ANS: Field 3 only

Method used for sysID

ANS: gs.getUserID()

Identify the way(s) an application can respond to an Event generated by the gs.eventQueue() method. / Identify the way(s) an application can respond to an Event

a. Script Action

b. Scheduled Script Execution (Scheduled Job)

c. UI Policy

d. Email Notification

Service Now can EXPORT the data of file types?

ANS: a. Excel , CSV ,REST, SOAP API data

Task table is

Ans. Parent and Base table

True for application picker and application scope

Ans. Selecting application in the picker sets the application scope

What are the benefits of storing the majority of an Application's server-side script logic in a Script Include?

- a. This makes execution faster.
- b. Only run when called from a script.
- c. The script logic can be hidden when the Application is installed from the ServiceNow Store.
- d. For some changes to application logic there is only one place to make edits.

- a, b, and d
- a, b, c, and d
- **b, c, and d**
- a, b, and c

Which of the following is not a way for data to be entered into service now application?

- Custom UI page
- **Java package call to use created**
- Service now list or form
- Record producer

When a script creates a new java class is that invoked when instantiated?

- **True**
- False

Which of the following is NOT a way to install an application on a ServiceNow instance?

- Install an application from the Application Repository
- **Select the Copy button on the application record**
- Download and install an application from the ServiceNow Share web site
- Download and install a third-party application from the ServiceNow Store

How are debug business rules(details) different from the debug business rules?

ANS: old changes and new changes in the fields are shown

What information does Debug Business Rules(details) show that debug Business rules does not?

- The must of the business rule evaluation
- **Old and New values for field values changed by business rules**
- Debugging information for lists as well as forms
- The time at which the business rule executed including milliseconds

Which of the following are true for reports in ServiceNow? (Choose three.)

- Any user can see any report shared with them.
- **Can be a graphical representation of data.**
- All users can generate reports on any table.
- **Can be run on demand by authorized users.**
- **Can be scheduled to be run and distributed by email.**

What syntax is used in a Record Producer script to access values from Record Producer form fields?

- producer.field_name
- **producer.variable_name**
- current.variable_name
- current.field_name

When configuring a REST Message, the Endpoint is:

- The commands to the REST script to stop execution
- **The URI of the data to be accessed, queried, or modified**
- Information about the format of the returned data
- The response from the provider indicating there is no data to send back

Which of the following is not a caller access field option?

- Caller tracking
- Caller Restrictions
- **Caller Permissions**
- None

Which of the following is true about deleting field from table?

- **user defined non inherited field can be deleted.**
- any field on the table can be deleted
- table record is deleted when a field is deleted
- inherited field can be deleted

A table called x is created with 3 fields, x1, x2, x3 and has the below access controls configured:

x.None read access control for users with the admin and itil role

x.* read access control for users with the admin role

x.x3 read access control for users with itil role

which field or fields can a user with itil role read?

- All Fields
- All Fields except X3
- X1 and X3
- **X3 only**

Which of the following GlideRecord methods run a query against a database table?
(Choose three.)

- _get()
- runQuery()
- **query()**
- **_query()**
- **get()**

How do you query records in ServiceNow? Select one or more:

- **_query()**
- .query()
- **get()**
- **query()**

Which of the following is an available feature in Studio? (Choose two.)

- Push to update set
- Merge branches
- **Search code**
- **Push to external source control**

Using update set can we access for medication in SDLC artifacts?

Ans –true

Method to retrieve System property?

Ans- gs.getProperty()

When creating an application through the Guided Application Creator, which of the following is **NOT** an option for creating a table?

- **Create table from template**
- Create table from scratch
- Extend a table
- Upload spreadsheet

What are three ServiceNow table creation methods?

- Using legacy workflows
- **Upload and turn a spreadsheet into a custom table**
- Using Flow designer
- Use the Now experience Table Creator
- **Extend a table**
- **Create a custom table**

Which one of the following is true for this script fragment?

`g_user.hasRole('x_my_app_user');`

- There is no `g_user.hasRole()` method
- The method returns false only if the currently logged in user has the `x_my_app_user` role
- The method returns true only if the currently logged in user has the `x_my_app_user` role
- **The method returns true if the currently logged in user has the `x_my_app_user` role or the admin role**

Which of the following methods Creates the response body in resource script?

- **Ans -Set body**

Identify characteristic(s) of a Record Producer. (Choose three.)

- All records created using this strategy are inserted into the Requested Item [sc_req_item] table.
- **Each field prompts the user with a question rather than a field label.**
- They must be scripted.
- **You can script behaviors of fields in the user interface.**
- **Graphics can be included on the user interface.**

Record producer directly added to mobile catalog?

- **Ans – false**

Are homepages visible on mobile version? True/false

- **Ans - false**

When selecting a data type for a field that will be displayed on a form, which of the following statements is NOT correct?

- Use the String data type for a free-form text field
- Use the Phone Number data type to automate phone number data validation
- Use the Choice data type to limit options in a field
- **Use the Date data type to enter the date and time of day**

What is a workflow context?

- The table for which a workflow is defined plus any conditions such as "Active is true"
- **It is generated from a workflow version, executes activities, and follows transitions**
- The business reason or process for which a workflow is designed
- It is a checked out workflow which is being edited

Available activities are displayed in which tabs in the workflow editor palette? (Not Sure)

- **Ans- Custom ,core,packs**

How do you configure a Scheduled Job to execute on the last day of every month ?

- Set the run field value to Periodically and the repeat interval value to 31
- Set the run field value to Periodically and the repeat interval value to Last Day
- **Set the run field value to Monthly and the Day field value to 31**
- Set the run field value to Monthly and the Day field value to Last Day

When Managing global application files, you cannot

- Add files from global scope to global application
- Remove files from a global application
- Move an application file between global applications
- **Move application files into or out of a scoped application**

Which utility is used to determine if fields name in an Import Set match the field names on the target table when importing data into ServiceNow?

- **Auto Map Matching Fields**
- Transform Maps
- CI Relationship Builder
- Business Service Management Map

Which option is not present when we are linking an application from the source control (git repository)

- USERNAME
- **Application name**
- URL
- Password

What are the benefits of storing the majority of an Application's server-side script logic in a Script Include?

- a. This makes execution faster.
- b. Only run when called from a script.
- c. The script logic can be hidden when the Application is installed from the ServiceNow Store.
- d. For some changes to application logic there is only one place to make edits.

- a, b, and d
- a, b, c, and d
- **b, c, and d**
- a, b, and c

When an ACL is validated in debug, how is it represented?

- Blue circle with a white x
- Blue circle
- **Blue circle with the white checkmark**
- All of the listed option

For what process step could a mind map come into play?

- None of the listed option
- Swim lanes
- **Creating a document**
- Objectives

How do you create a data policy from a UI policy?

- **Under related links, click on create data policy**
- On the UI policy form you'll find a UI action called convert this to Data policy
- Right click on the header bar and select configure> Data policies
- Open the form context menu and click insert

When debugging a developer can set breakpoints or conditional log points to log messages to the console at specific lines. and remove log points. When they are done debugging them. Which system property must be set to true to use log points?

- glide.inindex_suggestion.debug / com.glide.inindex_suggestion.debug
- debugger.log.ui / glide.debugger.log.ui
- ui.js_can_debug / glide.ui.js_can_debug
- **debug.log_point / glide.debug.log_point**

In an email how do you call a parameter from an event that invoked the email?

- None of the listed options
- Property / gs.property
- **event.parm / Event parm**
- current property / current.property

With regard to email which of the below statements about the recipients is correct?

- **It is a static list of users and groups determined when the notification is created**
- It is a dynamic list of users and groups determined when the email is sent
- It is a list of email addresses determined when the notification is created
- It is a list of users and groups determined dynamically in the script

Tooltips help clarify what information a user should enter State True or False

- **True**
- False

Which of the following are user interface design considerations?

- Stakeholders
- **User profiles**
- Administrations
- **Desktop/tablet/mobile**

What are the sections of the Form designer?

- Field type, field
- None of the listed options
- **Header, field navigator, form layout**
- Table, form, types

Which of the following statements about GIT are true?

- **It is a cloud-based source control management system**
- **It can use different tools like GitHub, Gitorious, Bitbucket, or others**
- Team Development uses Git to manage versions
- **It uses repositories and branching**

When an application is created using Guided Application Creator (GAC). what features does the application have?

- **Default access controls are created**
- None of the listed options
- It provides a visual interpretation
- It displays data in the form of an expandable list

Which of the following is true about module permissions?

- You can configure the modules which will appear in the application navigator
- Modules are to be displayed even though the logged-in user does not have the menu
- **They control access to modules through roles.**
- None of the listed options

Which of the following describes Scripting Assistance?

- Access to all fields where there is no field-specific access control
- Dot walking
- **Displays a list of selectable elements in a script field**
- Displays a list of variables in a script field

GlideForm and GlideUser are available for server-side scripting.

- True
- **False**

You are developing the MyApp application that has a table, Table A. When the MyApp application is installed on an instance, you want Table A's records to be installed as part of the application. When will Table A's records be installed?

- Table A will not get installed
- Table A will be deleted from the database view
- Table A will not extend
- **Table A is Active and extended from Task Table**

SIMILAR QUESTION BUT DIFFERENT OPTION

You are developing the MyApp application that has a table, Table A. When the MyApp application is installed on an instance, you want Table A's records to be installed as part of the application.

Table A's records will be installed when:

- Table A is active and extends the Task table
- **Table A's records are added to the application record using the Create Application Files context menu item**
- Table A has an automatic number counter for new records
- Table A is not included in the System Clone > Exclude Tables list

All new tables have a default set of Fields.

- **True**
- False

Which of the following is used to test in tablet mode?

- [https://your-instance.service-now.com/\\$m.do](https://your-instance.service-now.com/$m.do)
- **Tablet Development> Switch to Tablet Mode**
- None of the listed options
- [https://your-instance.service-now.com/\\$tablet.do](https://your-instance.service-now.com/$tablet.do)

All instances should be on the same version of ServiceNow (Team Development)

- **True**
- False

Which of the following are supported smartphones?

- **Android**
- **Apple / Iphone**
- **Blackberry**
- Linux

The user performing the query via web services must have the correct permissions to access the tables

- **True**
- False

For Application Access there is a configuration option called Allow access to this table via web services. Which one of the following statements is true when this option is selected?

- This option restricts the ability to delete records via web services but records can always be read
- Even when not selected, users with the correct permissions can use web services to access the table's records
- This option restricts access only to SOAP web services but does not apply to REST
- **The user performing the query via web services must have the correct permissions to access the table's records**

Which of the following are states of a workflow? (Select one or more)

- **Unpublished**
- **Published**
- **Checked out**
- Private

Every workflow activity has a different configuration. State true or false.

- True
- False

Workflows not in the current scope are read only. State true or false.

- True
- False

Which of the following correctly describes display business rules?

- They support previous and current g_User methods
- They support the initialize function ()
- They pass data from the server side to a client-side script using the g_scratchpad object.
- They support previous and current functions

Which of the following process stakeholders?

- Requestor and fulfiller
- Management
- Application administrator
- User

Which of the following statements about mobile lists are true?

- You should view record details in a split pane
- Mobile lists do not use the mobile list
- You can create mobile lists layouts in the Table Title module.
- Do not display too many fields in mobile lists or the list becomes hard to read and use.

Which of the following are baseline mobile application special fields?

- Address
- Accident Location
- Barcode
- Geolocation

What does hasRole ('x_Myapp_scope') return?

- Returns warning message at the top of the form
- Returns false if the user has x_Myapp_scope
- **Returns true if the user has x_Myapp_scope or if the user has admin rule**
- An error will be generated

What role prefix indicates that a user has application-specific developer permission?

- **sn_dd**
- dd_c
- sc_
- dev_

The script in the Record Producer runs when a record is

- **inserted**
- updated
- deleted
- **loaded**

Which of the following are legitimate development use cases? Select one or more

- **Extending a 3rd party scoped application**
- **Migration from the global scope into a scoped application**
- **Building a new scoped application**
- **Extending a ServiceNow native application in the global scope**

An application's scope is changeable. State True or False

- True
- **False**

Which of the following are fields styles? Select one or more

- Pivot
- **Field color**
- **Text alignment**
- **Font attributes (bold, underline, line through etc.)**

Which of the following are the three main artifacts for designing a database?

- **Tables, Columns, Relationships**
- Tables, Columns
- Fields, Forms, Tables
- UI, Relationships, Fields

The ServiceNow REST API supports various headers; which method can be used in place of GET method to return a response without a response body?

- **HEAD**
- RETURN
- PATCH
- POST

Why create custom applications?

- **To replace outdated, inadequate, custom business applications and processes .**
- **To extend service delivery and management to all enterprise departments .**
- **To extend the value of service now**

Why do you build a custom app?

- To avoid using a code repository like GitHub or GitLab
- To replace ServiceNow base tables
- **To fulfill a specific use case on internal processes**
- **To create a custom integration for a 3rd party system**

Which one is not a use case for Scheduled job?

- **Executing a client-side script every day**

Which one of the following is true for the Application Picker?

- **All custom application scope and the Global scope appear in the Application Picker**
- All applications in ServiceNow, including baseline applications like Incident, appear in the Application Picker
- Only custom applications appear in the Application Picker
- Only downloaded applications appear in the Application Picker

What is the purpose of the Application Picker?

- Select an application to run
- Select an application as a favorite in the Application Navigator
- **Choose an application to edit and set the Application Scope**
- Choose an application to download and install

What is NOT included in ServiceNow REST API? Which of the following function is NOT available in the ServiceNow REST API?

- **COPY**
- PATCH
- PUT
- DELETE
- GET

Script Actions are only triggered by events? T/F?

- **True**

Application developers can specify which ServiceNow page a user sees after submitting a new record using the Record Producer UI. How is the page specified?

- Create an application property to store the URL
- Configure the page in the Module that opens the Record Producer UI
- Write an after Business Rule script for the Record Producer's table: `window.redirect = "<URL>";`
- **Write a script in the Record Producer's Script field: `producer.redirect = "<URL>";`**

What are web services?

Methods used to allow applications to connect to other software applications over a network.

If one authentication is done, no more authentications needed

- **False**

What are the three things that tables manage?

- **Extensibility**
- **Numbering**
- **Security**

What are the 3 components of the Mobile UI?

- Application Navigator
- User Profile
- Favorites

Notifications are sent out by the _____ to the reviewers group when?

- A push requires code review,
- A user cancels a push.

Server-side scripts manage what?

- Database and backend
 - Playbook access
 - User access
 - Forms and Fields

What is the best UX format to use for lists and forms?

- Forms
- Lists
- Standard
- Classic

Which script types execute on the server? (Choose three.)

- Business Rule
- Client Scripts
- UI Policies
- Script Actions
- Scheduled Jobs

Which of the following statements must evaluate to true for a user to pass an Access Control? (Choose three.)

- The user has one of the roles specified in the Required roles related list.
- Scripts configured in the Access Control must evaluate to true.
- Other matching Access Controls for the records evaluate to true.
- Conditions configured in the Access Control must evaluate to true.
- The user must be granted access through a business rule.

Which one of the following is NOT an example of when an application might use a Scheduled Script Execution (Scheduled Job)?

- The application needs to send weekly email reminders to requestors for all records on a table
- The application needs to run a clean up script on the last day of every month
- The application needs to query the database every day to look for unassigned records
- **The application needs to run a client-side script at the same time every day**

Which one of the following is a benefit of creating an application Properties page for each application you develop?

- **Application properties allow a developer or admin to make changes to an application's behaviour without modifying application artifacts**
- Application users know to go to the application properties page to change the appearance of an application
- An application properties page is a good landing page for an application
- Application properties allow a developer to override the application properties inherited from servicenow

When debugging Email Notifications, what must you check on a user record? (Choose three.)

- **Active must be true.**
- The First name and Last name fields must have values.
- **The value in the Notification field must be set to enabled.**
- The user must not be locked out.
- **The Email field must have a value.**
- Delegation must be enabled (extra option if asked to select 2 options)

How does ServiceNow match inbound email to existing records?

- **Watermark**
- Record link
- Subject line
- sys_id

When creating a table in a privately-scoped application, which four Access Controls are created for the table?

- Insert, Delete, Query, Write
- **Create, Delete, Read, Write**
- Create, Delete, Read, Update
- Insert, Delete, Query, Update

What are Application Files in a ServiceNow application?

- An XML export of an application's table records
- CSV files containing data imported into an application
- **ServiceNow artifacts comprising an application / Artifacts comprising the ServiceNow application**
- XML exports of an application's Update Set

Which one of the following is not true for Modules?

- Modules open content pages
- Access to Modules is controlled with roles
- Every Module must be part of an Application Menu
- **Every Module must be associated with a table**

Which of the following is used to display a message for a specific field ?

- **ShowFieldMsg()**
- ShowFieldMessage()
- ShowFieldMessage()
- ShowFieldMsg()

When writing a Client Script to provide feedback targeted at a specific field, which method should be used? / Which of the following pops out a special field message?

- g_form.showInfoMessage()
- **g_form.showFieldMsg()**
- g_form.addInfoMessage()
- g_form.addFieldMsg()

Which actions can a Business Rule take without scripting?

- Set field values and write to the system log
- Set field values and generate an event
- **Set field values and add message (+ Abort BR execution)**
- Set field values and query the database
-

A graphical view of relationships among tables is a <blank>.

- **Schema map**
- Dependency view
- Graphical User Interface
- Map source report

When creating an application through the Guided Application Creator, which of the following is a user experience option?

- Portal
- **Mobile**
- Self-service
- Workspace

When creating an application through the Guided Application Creator, which of the following is NOT a user experience option?

- Classic
- **Workplace**
- **Portal**
- Mobile

Why create Applications in ServiceNow ?

- A. To replace outdated, inadequate, custom business applications and processes**
- B. To extend service delivery and management to all enterprise departments**
- C. To allow users full access to all ServiceNow tables, records, and fields**
- D. To extend the value of ServiceNow**

- b, c, and d
- a, b, c, and d
- a, b, and c
- **a, b, and d**

In what order are ServiceNow Access Controls evaluated?

- Record, field
- Table, record
- **Table, field**
- Field, table

Which of the following writes a message to the system log but NOT to the syslog table unless debug has been activated?

```
gs.info("Hello World");  
gs.log("Hello World");  
gs.print("Hello World");
```

What is the maximum number of test cases that can be added to a suite in ATF?

- The limit depends on the type of application – whether it is in global scope or custom scope and ServiceNow instance version
- The limit depends on the type of application – whether it is in global scope or custom scope
- **There is no such limit. You can have one suite with many test cases**
- The limit depends on the ServiceNow instance version

Test Management can integrate with Project Portfolio Suite.

- **True**
- False

How do I make my accept solution widget conditional on page load in Service Portal?

- Use ngApp
- Use ngShow
- **Use ng-if**

What is the output of below code snippet?

```
Var count = new GlideAggregate('Incident');
count.addAggregate('MIN','sys_mod_count');
count.addAggregate('MAX','sys_mod_count');
count.addAggregate('AVG','sys_mod_count');
count.groupBy('category');
count.query();
while(count.next()){
var min = count.getAggregate('MIN','sys_mod_count');
var max = count.getAggregate('MAX','sys_mod_count');
var avg = count.getAggregate('AVG','sys_mod_count');
var category = count.category.getDisplayValue();
gs.log(category + " Update counts: MIN = " + min + " MAX = " + max + " AVG = " + avg);
}
```

- Result is total number of times records have been created using the MIN, MAX, and AVG values.
- **Result is total number of times records have been modified using the MIN, MAX, and AVG values.**

While debugging security rules, what does the blue color indicate?

- Passed
- **Indicates the ACL is already in the cache and does not need to be re-evaluated**
- Access denied
- Access granted
- Failed

NOTE:

- **Red:** Access denied
- **Blue:** The rule did not have to be re-evaluated because the result is already in the cache
- **Purple:** The rule was evaluated because there was not a result in the cache
- **White:** Not evaluated, typically because part of the rule has already denied access

Which one of the following is the correct syntax for adding dynamic content to a notification's HTML message field?

- `${current.short_description}`
- `$short_description`
- `Current.short_description`
- **`${short_description}`**
- `$current.short_description`

What is the name of the intuitive development interface for building applications?

- **Guided Application Creator**
- ServiceNow Creator
- ServiceNow Studio
- App Engine Studio

Which of the following is not supported by Studio?

- Format code indentation with JS Beautify
- Download only the required session logs
- **Enable context menu options to modify data**
- Integrate with source control

Which of the following variables are NOT available in all Business Rules? (Select all that Apply)

- **G_scratchpad (Before, After, and Async does not have access)**
- GlideSystem
- **Previous (Display business rule does not have access)**
- current

Which of the following can be used to place a report on a Homepage?

- **Gauge**
- Tag
- Gadget
- Catalog

Which protects applications by identifying and restricting access to application files and data?

- **Application Scope**
- ACLs
- Roles

What are the core activities of a Workflow?

- **Timers**
- **Conditions**
- **Subflows**
- **Utilities**
- **Service Catalog**
- **Approvals**
- Test
- **Notifications**

Which of the following are NOT methods from the GlideRecord API?

- addEncodedQuery()
- **addOrQuery()**
- query()
- addQuery()
- **addAndQuery()**

Which role is required to access Guide Application Creator?

- sn_app_creator.app_creator
- sn_gac.app_creator
- **sn_g_app_creator.app_creator**
- sn_developer.app_creator

Which of the following are steps in the generalized process for working with events?

- Write a Business Rule
- Create a Scheduled script Execution
- **Generate the event**
- **Add an event to the Event Registry**
- **Respond to the event**

The option is Table configuration that allows this table to be extended from?

- **Extensible**

- Extended By
- Can be Extended

Which API provides methods to translate text into multiple languages in real life?

- **Dynamic Translation**

- Dynamic Result Answer
- Genius Result Answer
- Genius Translation

Which of the following would not be good fit for an application to run on the ServiceNow instance?

- A meeting room scheduling application
- Facilities management application
- **Virtual reality gaming application**
- Billing & Cost Management application

An application has a table named MyTable with the following three fields: field 1, field 2, and field 3.

Table.none is set for READ for the Admin and itil roles

Table.field3 is set for the READ by the ADMIN role only

What with the itil role be able to read? (Select one)

- field 1, field 2, and field 3
- **field 1, field 2**
- field 2, field 3
- field1, field 3

Assume a table called table exists and contains 3 fields: field1, field2, field3. Examine the Access Control list for table:

table.None read Access Control for users with the admin and itil roles

table.field3 read Access Control for users with the admin role

Which field or fields can a user with the itil role read?

- field3 only
- field1 and field3
- All fields
- **All fields except field3**

You are writing an Async Business Rule for a table in different scope than the Business Rule record. Which one of the following database operation CANNOT be part of the Async Business Rule's configuration?

- Update
- Insert
- **Query**
- Delete

Which of the following is NOT report type in ServiceNow reports?

- **Chart**
- Trend
- List
- Line

Which of the following is NOT report type in ServiceNow reports?

- Funnel
- Pyramid
- Trend
- **Breakdown**

The getCurrentDomainID() method is part of which scoped class?

- GlideRecord
- Scoped Domain
- **Scoped Glide Session**
- ScopedDCManager

What is not true about email notifications?

- When
- Who
- **How**
- What

Which steps are used in business rules without scripts?

- **Set field name and enter messages**
- Set field name and generate event
- Set field name and select system log
- Set field name and query into database

Which of the following are features of the ServiceNow integration with a git repository?

- Pull or commit individual application files
- **Create tags to permanently link to a version of an application**
- **Import application files from Git repository**
- **Commit all local changes for an application to the Git repository**

Which of the following is true about script Include?

- **Only one function can be stored in a classless script include**
- **A centralized location for reusable functions**
- A class-less script is callable from client side
- Most are called from client scripts

In servicenow studio once an application is linked to source control if default branch is set. What is the default value of it?

- Master
- **sn_instance/<instance_name>**
- sn_instance/master
- <instance-name>

Modified client script APIs

- GlideAjax
- g_form
- GlideDialogWindow()
- **All**

Which is not a valid field type?

- **Date**

Which gives the information to help users in filling the form?

- **ANS: Annotations**

Which of the following is NOT a feature of Flow Designer? Select and Two

- Consolidated design environment
- Domain separation support
- **Automated testing Functionality**
- **Testing with rollback**

Things that a flow designer does not do

- No code triggers, Use action designers
- **Automated testing, Testing with rollback, Multi path and multi parallel tasks**
- Workflow spokes, Code less automation
- Dynamic subflows, Role based management

Flow designer does not have capability (Choose three)

- **ATF**
- **Environment**
- **Flow testing with rollback**
- Notification

When troubleshooting and debugging notifications, where do you navigate to see if an email was sent in response to an event?

- System Logs > Events
- **System Logs > Emails**
- System Logs > Push Notifications
- System Logs > ICE Logs

An application called my app has a table,my app table, with this application access configuration

Accessible from: All application scopes

Can read: Selected

Can delete: Not Selected

Allow configuration: Selected

Which of the following is true based on this configuration?

- Any Application developer can write a business rule which successfully deletes all records from the My app Table.
- No business rule can be written which successfully deletes all records from my app Table table
- An application developer working in another privately scoped application can write a Business rule for the My app all records from the My App Table table
- **An application developer working in the my app scope can write a business rule for the My App Table table which My App Table table.**

What is the purpose of the coalesce field when importing data?

- It is used to determine if a record matches an existing record or is a new record
- IF a match is found, the existing record will be updated
- If a match is not found, a new record will be inserted
- **All the above**

How can an application link to a repository behind a firewall?

- This option is not supported.
- **Link an application to source control through a MID Server.**
- Link an application to source control through an access token.
- Link an application to source control with multi-factor authentication.

Which one of the following is NOT a Glideuser (gisc) method?

- hasRoleExactly()
- getFullName()
- hasRole()
- **userName()**

An application Owns its tables and determine whether other application can access resources from them

- **True**
- False

ServiceNow is good for media streaming

- True
- **False**

ServiceNow Desktop applications automatically run on which platform(s):

Smartphone

Desktop

Desktop and Smartphone

Desktop and Tablet

Ways an application can respond to a script action

- Email, Reports
- ClientScripts, BusinessRules
- **ScriptAction, Email**
- Workflows, Events

What is the purpose of the gs.isInteractive() function in business rules?

- The function returns false if the activity is performed by an interactive user
- **The function returns true if the activity is performed by an interactive user**
- To keep the current session alive

When script field is empty in ACL, its by default false

- True
- **False**

Task table is an example of what 2 classes?

- **Parent,Base**
- CMDB,Core
- Parent,Child
- **Base,Master**

How we can add the data to servicenow tables/database

- **Custom UI pages**
- Using forms
- **Import sets**
- Java code

Which of the following is supported by UI16
(In CAD Ebook , answer mentioned is Tablet Browser)

- **Desktop interfaces**
- Blackberry browser
- Laptop browsers
- Table Browsers

Data policies are form views?

- True
- **false**

System properties can use reference as a data type?

- True
- **false**

Adding a field to the table automatically adds it to the end of the form.

- **Ans – true**

Which of the following describes reasons for scripting in servicenow?

- **Enhance the user experience**
- **Used scripts to extend your instance beyond standard configurations**
- **Extend existing functionality or add new functionality to the applications**
- **With scripts, you may automate processes, add functionality, integrate your instance with an outside application and more**

Which of the following is supported by UI16

- **Desktop interfaces**
- Blackberry browser
- Laptop browser
- Table browser

Which of the following are allowed in client side scoped applications?

- Document
- **Glideajax**
- Anything starting with \$
- **G_form**

Which of the following is legitimate form annotation types?

- Info box yellow
- **Text**
- **Section details**
- **Info box blue**

In regards to ATFs Custom UI steps, why are form fields labels untestable field components.

- Form field labels are in accessible from the DOM
- Form field labels are not settable or clickable
- **Forms field labels are testable by other test step categories**
- Form fields are new platform feature

Using Custom UI test step in Automated Test Framework, which of the following is NOT a testable page component?

- Buttons
- UI controls
- UI pages
- **Form field values**

Flow Designer supports variable data types to store record data and complex data. Which of the following are supported variable data types? (Choose three.)

- **Choice data type**
- Array.Reference data type
- **Integer data type**
- Freedom data type
- **Array.Boolean data type**
- Label data type

Which of the following is NOT a Flow Designer feature?

- Run a flow from a Catalog item
- **Call a flow from another flow or subflow**
- Add stages to a flow
- Test a flow using the “Run as” feature

Access Control debug information identifies whether each element of an Access Control granted or denied access. The elements appear in the debug information in the order of evaluation. In which order are the elements of an Access Control evaluated?

- Conditions, Roles, Script
- Conditions, Script, Roles
- **Roles, Conditions, Script**
- Script, Conditions, Roles

What is the GlideForm Client-side scripting object?

- sn.form
- **g_form**
- gs.form
- gs_form

Which of the following can be an external data source for a ServiceNow application?

- Microsoft Excel File
- Data provided by a public web service using SOAP or REST
- CSV file
- **All of the above**

What plugin enables the Guided Application Creator?

- **com.glide.sn-guided-app-creator**
- com.glide.service_creator
- com.glide.snc.apps_creator
- com.snc.apps_creator_template

What records are used to track cross-scope applications or scripts that request access to an application, application resource, or event?

- **Restricted caller access records**
- Caller tracking records
- Access control level records
- Cross-scope access records

What are some benefits of developing private, scoped applications? (Choose two.)

- To avoid using a code repository like GitHub or GitLab
- **To reduce risk at code collisions**
- **To enable installation and uninstallation of an application**
- To replicate ServiceNow functions a private scope

What is the ServiceNow store?

- Downloadable content ServiceNow script archive
- Alternate name for the ServiceNow Developer Share site
- The source for ServiceNow Community created developer content
- **Marketplace for free and paid certified ServiceNow applications and integrations**

Which one of the following objects CANNOT be used in a Script Action script?

- **previous**
- GlideRecord
- event
- current

What are the steps to retrieve an Update Set?

- Verify Update Set is Complete, Retrieve, Preview, Apply
- Verify Update Set is Complete, Test Connection, Apply
- Verify Update Set is Complete, Test Connection, Commit
- **Verify Update Set is Complete, Retrieve, Preview, Commit**

Which server-side object provides methods for working with dates when writing a script in a privately scoped application?

- **GlideDateTime**
- GlideRecord
- GlideSystem
- Current

Which object does not exist on the mobile platform.

- Previous
- Current
- **G_scratchpad**

Table Access control rules are processed in the following order:

- Any table name (wildcard), table name, parent table name
- Parent table name, table name, any table name (wildcard)
- any table name (wildcard), parent table name, table name
- **table name, parent table name, any table name (wildcard)**

Which of the following are true statements about Dashboards? More than one response may be correct.

- **Dashboards can contain widgets and tabs**
- **Dashboards are configured using a drag and drop canvas**
- Dashboards can have a max of 4 widgets
- Applications are allowed to have only one Dashboard
- All users can view all Dashboard

UI Policy has access to a field's prior value?

- True
- **False**

How can a developer create test run data sets for parameterized tests? More than one response may be correct.

- Link to a table and run the test for every record in a table.
- **Manually create parameter value sets.**
- **Import a spreadsheet with the data.**
- Write a REST web service call to a data source.
- Write a JavaScript to generate random data.

When can UI Policies execute their logic?

- **When a record is loaded into a form**
- **When field values change on a form**
- When a form is saved, submitted, or updated
- When a Client Script executes
- When a record is loaded into a list

Which of these classes are part of the ServiceNow server-side API?

- **GlideSystem (gs)**
- GlideUser (g_user)
- **GlideDateTime**
- **GlideDate**
- GlideForm (g_form)

Which of the following modules enables security rule debugging?

- System Diagnostics > Debugging > Debug Security Rules
- System Diagnostics > Session Debug > Debug Security Rules
- System Security > Session Debug > Debug Security Rules
- **System Security > Debugging > Debug Security Rules**
- Access Control > Debugging > Debug Security Rule

Which of the following should you do before importing data into ServiceNow? More than one response may be correct.

- **Understand the data you plan to import**
- Play fetch with your dog
- **Decide what to do with incomplete or erroneous data**
- **Determine which source data maps to which target fields**
- Delete all the existing target table records to avoid conflicts

Removing a field from a form using the Form Designer deletes the field from the database table. True or False?

- True
- **False**

Which one of the following is **NOT** part of the Service Portal Configuration tools?

- **Theme Editor**
- Designer
- Page Editor
- Widget Editor
- New Portal

What executes first Client scripts or UI policies?

- **Client Scripts**

UI policies execute on list field value changes?

- **False**

Who can create and text fix scripts? –

- **Admins or users with the script_fix_admin role**

Which of the following describe what is configured in the Content Negotiation section?

- The available authentication methods.
- **The supported request formats.**
- The records available to the API.
- **The supported response formats.**
- The contract between the web service provider and consumer.

The x_12345_lego_set table extends the alm_asset table. Which Access Control is evaluated first when determining whether to grant access to the serial_number field?

A. x_12345_lego_set.serial_number

- B. x_12345_lego_set.*
- C. alm_asset.serial_number
- D. alm_asset.*
- E. *.serial_number

Which of these is used to control access to features and capabilities in applications and modules.

- Department
- Group
- **Role**
- Company
- Organization

Removing a field from a form using the Form Designer deletes the field from the database table. True or False?

- True
- **False**

Which of the following methods are server-side GlideSystem methods?

- **getUser()**
- **getUserID()**
- **hasRole()**
- hasRoleExactly()
- **isLoggedIn()**

Which of the following is NOT a database setting on the Application Access section of a Table?

- Can create
- Can read
- Can write
- **Can update**
- Can delete

What is the purpose of Embedded Help?

- Coach users on using a custom application
- Provide specific written or video-based instructions for a custom application
- Provide help in languages other than English
- Display content based on user role
- Display content based on query parameter values
- **All of the above**

Which of the following are true statements about the ServiceNow Agent mobile application?

- **There is no charge to install the ServiceNow Agent mobile application on mobile devices**
- When a developer creates a custom application for desktop, a mobile version of the custom application is automatically created
- **Developers can create mobile applications for the ServiceNow Agent mobile application without writing any scripts**
- Business Rules for custom app tables do not apply when records are modified using the ServiceNow Agent mobile application
- If a Mobile view is defined for a custom app table, the ServiceNow Agent mobile application uses the Mobile view to create a List screen

What happens if no Embedded Help is available for a page?

- **A default Embedded Help page is displayed.**
- The Toggle Help Sidebar button is grayed out.
- The No Help Available dialog appears.
- The requestor is redirected to the
- ServiceNow docs site.

How can a developer pause a flow?

- **Use the Wait for a duration of time flow logic.**
- Use the Wait for a duration of time action.
- **Use the Wait For Condition flow logic.**
- Use the Wait For Condition action.
- Use the Pause Flow button.

Which of the following are ways to generate an event in ServiceNow?

- **Create Event workflow activity**
- gs.eventQueueScheduled() method in a client-side script
- gs.eventQueue() method in a client-side script
- **gs.eventQueueScheduled() method in a server-side script**
- **gs.eventQueue() method in a server-side script**

Which one of the following describes the process to test the configured web service call to a ServiceNow instance?

- **Click the Send button and view the results.**
- Click the Test button and view the results.
- Click the Execute Now button and view the results.
- Click the Run Test button and view the results.
- Click the Test button, configure the input values, click the Run Test button, and view the results.

When can UI Policies execute their logic?

- **When a record is loaded into a form**
- **When field values change on a form**
- When a form is saved, submitted, or updated
- When a Client Script executes

Which of the following field attributes can be set by a Screen UI Policy?

- Read-only
- Color
- **Visible**
- Value
- **Mandatory**

Which Runtime Access Tracking option prevents a script from accessing resources until explicitly allowed?

- None
- Blocking
- **Enforcing**
- Tracking
- Validating

Which one of the following best describes a Transform Map?

- Matches columns from the data source to columns in the target table
- Determines which data source columns are important for the import
- Imports date fields when there is a format mismatch
- Uses scripts to remove or correct records that were mistakenly imported
- **Matches columns from the staging table to columns in the target table**

REST API Explorer creates code samples for which of the following languages? More than one response may be correct.

- CURL
- Perl
- Python
- JavaScript
- PowerShell
- **All of the above**

Which one the following best describes an Angular Providers?

- **Directive**
- Controller
- Widget API Class
- Event
- Function

Which one of the following is NOT a true statement about a workflow?

- **Can be modified by any user**
- Is a sequence of activities to automate processes
- Can be triggered by a field value on a record
- Executes server-side
- Contains activities and transitions

Which of the following describe ways to make a REST step dynamic?

- Write a script to build the endpoint.
- Set the HTTP Method to POST and the user will be prompted for any values required by the API.
- **Use a data pill in the Resource Path for any variable information described in the external API's documentation.**
- **Use a data pill in the Query Parameter value for any query parameters described in the external API's documentation.**
- Create Connection Attributes for any variables and set values for the Connection Attributes in the Connection record.

Which features of Analytics Hub send notifications?

- Comments
- **Thresholds**
- Forecasts
- **Targets**
- Comparisons

Transform Event Scripts use server-side scripts to modify a transform's behavior. When is Transform Event Script logic executed?

- When data is loaded from the data source into the staging table
- When a user launches a transform
- **When Transform Maps are saved**
- **When an import starts and before any staging table records are imported**
- When a record is about to be transformed

Which of the following are possible outcomes when coalescing detects a match between a record in the staging table and a record in the target table?

- **Create duplicate records**
- Halt the import and ask the user what to do
- **Keep the record already in the target table**
- **Overwrite the record in the target table with the source data**
- Stop the import and delete the previously imported records