

CIS-ITSM 03-2018

The ServiceNow Certified Implementation Specialist - IT Service Management (ITSM) Exam Specification defines the purpose, audience, testing options, exam content coverage, test framework, and prerequisites to become a ServiceNow ITSM Implementation Specialist.

ServiceNow Official Training

- ServiceNow Platform Fundamentals (formerly ServiceNow System Administration)
- ServiceNow ITSM Fundamentals
- ServiceNow ITSM Implementation

Exam Scope

- **Specific ITSM Applications**
 - Incident Management
 - Problem Management
 - Change Management
 - Configuration Management Database
 - Knowledge Management
 - Service Catalog / Request Fulfillment

- **Application Concepts**

For each ITSM application, know the following:

- **Basic and advanced operations performed by users and the system**
 - State model and default process flow
 - Functionality and features added or changed in the current release
 - Basic and advanced features in baseline installation of the current release
 - Baseline Application Functionality
- **Architecture and Security**
 - Key tables used in the application
 - Relationships among application tables
 - Roles and default Access Controls

- Primary application components (Script Includes, Business Rules, etc.)
- Integration capabilities
- **Business Cases / Use Cases**
 - Value proposition
 - Key Performance Indicators and Benchmarks
 - Selection of appropriate features and functions to meet business requirements
- **Proven Practices for Implementation**
 - Implementation approaches to meet requirements that preserve upgradability, scalability, and maintainability
 - Implementation solutions that work in conjunction with baseline application functionality

Learning Domain Percent of Exam

- **Incident Management** - 25%
- **Problem Management** - 10%
- **Change Management** - 25%
- **Knowledge Management** - 10%
- **Request Fulfillment** - 25%
- **Configuration Management Database** - 5%

Below you'll find the accumulation of knowledge around what questions you may find on the CIS-ITSM Exam. This is not a 100% comprehensive collection of exam questions but we feel it represents a probable representation of the exam content and experience.

After completing the exam (all questions answered) you will be able to submit the exam and will be presented with a total score as well as a grading for each question and explanation as to why the answer was chosen.

Congratulations to you for deciding to put in time preparing for this exam; preparation is going to make all the difference!

The exam:**Question #1 (1 point)**

True or False: Once an Incident is placed in a Resolved State, the Caller may no longer re-open the Incident.

- ☐ True
- ☐ False

Question #2 (1 point)

Common recurring Catalog Variables can be grouped and standardized using _____.

- ☐ Variable Choice Lists
- ☐ Update Sets
- ☐ Variable Sets
- ☐ Insert and Stay

Question #3 (1 point)

Which platform feature is used to track field value durations, such as the length of time an Incident spent in each State or the length of time an Incident was assigned to each group?

- ☐ Key Performance Indicator (KPI)
- ☐ Metric
- ☐ Database view
- ☐ Audit

Question #4 (1 point)

Fill in the blanks:

_____ is primarily focused on the details needed to manage and operate hardware and software.

_____ is primary focused on the financial aspects of hardware and software.

- ☐ Configuration Management, Asset Management
- ☐ Asset Management, Configuration Management
- ☐ IT Operations Management, IT Financial Management
- ☐ IT Service Management, IT Financial Management

Question #5 (1 point)

True or False:

In the baseline configuration, Service Level Agreements use percentages of SLA Duration to determine when to send Breach Warnings and Breach Notice notifications.

- ☐ True
- ☐ False

Question #6 (1 point)

In which phase of the Incident Management lifecycle do Incidents typically get escalated?

- ☐ Initial Analysis and Submission
- ☐ Creation and Classification
- ☐ Investigation and Diagnosis
- ☐ Resolution and Closure

Question #7 (1 point)

Which of the following is NOT a consideration when determining the need for multiple Service Catalogs?

- ☐ Audience
- ☐ Delegation of Catalog Administration
- ☐ Size of the company
- ☐ Services and Types of Service

Question #8 (1 point)

In Change Management, the Risk Calculator is used to:

- ☐ Determine just the Risk of the Change based on Risk Conditions
- ☐ Determine the Risk of the Change based on the responses to a Risk Assessment Survey
- ☐ Determine the priority of the Change
- ☐ Determine the Risk and Impact of the Change based on Risk Conditions

Question #9 (1 point)

Which of the following represents a benefit of implementing Knowledge Management?

- ☐ Deflecting the creation of Incidents so users may help themselves with common issues
- ☐ Provide continuous feedback loops to improve staff efficiency
- ☐ Automatic routing of Incidents to the appropriate Assignment Group
- ☐ Proactively suggest Knowledge Articles to users at key points in a process

Question #10 (1 point)

Problem Management Investigation and Diagnosis activities include

- ☐ Implement a Change
- ☐ Prioritize and Categorize the Problem
- ☐ Obtain Problem Manager Approval
- ☐ Conduct a Root Cause Analysis

Question #11 (1 point)

A Parent Incident is updated to reflect a new Priority and a new Assignment Group. Which of the following represents corresponding updates made automatically to child Incidents?

- ☐ Only the Priority is set on child Incidents
- ☐ No automatic updates are made to child Incidents
- ☐ The new Priority and Assignment Group are set on Active child Incidents
- ☐ The new Priority and Assignment Group are set on child Incidents

Question #12 (1 point)

A user has the VIP field set to true on their User [sys_user] record. When that user is selected as the Caller on an Incident, which of the following statements are true in a baseline platform configuration? Select all that apply.

- ☐ The user's name is shown in red in the Caller field
- ☐ A 'VIP' decoration is displayed next to the Caller field
- ☐ SLA workflow conditions for VIP trigger additional notifications to the manager of the Assignment Group
- ☐ The Priority field calculation is adjusted to increase Priority by 1

Question #13 (1 point)

Best Practices for using Service Catalog Categories include _____.

- ☐ Create many unique Categories to help organize your Catalog
- ☐ Organize Categories in a way that your audience will understand
- ☐ Create as few Categories as possible
- ☐ Use technical language that fulfillers will understand

Question #14 (1 point)

What is the name of the view that can be configured to control the fields displayed when a user hovers over the reference icon next to a reference field?

- ☐ mobile
- ☐ tool_tip
- ☐ reference_view
- ☐ sys_popup

Question #15 (1 point)

In the baseline platform configuration, a end-user with no assigned roles can read an Incident when they are _____.

- ☐ Caller or the Caller's Delegate
- ☐ Caller, Opened By or on the Work Notes List
- ☐ Caller, Opened By or on the Watch List
- ☐ Opened By or the Configuration Item's business owner

Question #16 (1 point)

An Order Guide can include multiple Items. Items have common variables, such as Shipping Location, and Requester. Which field on the Order Guide, when set to true, automatically copies the common variable values to corresponding variables on each included Item?

- ☐ Cascade Variables
- ☐

Global Variables

- ☐ Copy Repeat Variables
- ☐ Duplicate Variables

Question #17 (1 point)

When referring to the State of an Incident in server-side code (such as in a Script Include, Business Rule, or UI Action), which method is the preferred way to refer to the State field value?

- ☐ Use the `getDisplayValue()` method to retrieve the Label associated with the State field value
- ☐ Use the value of the choice option, such as 2 to refer to a State of In Progress
- ☐ If a Constant has been defined, such as `Incident.State.IN_PROGRESS`, use the Constant

Question #18 (1 point)

Which field on a Configuration Item record may be used to expedite Incident routing and resolution?

- ☐ Approval group [`change_control`]
- ☐ Support Group [`support_group`]
- ☐ Maintenance Schedule [`maintenance_schedule`]
- ☐ Due Date [`due`]

Question #19 (1 point)

Which of the following describes the way Changes may be related to Incidents?

- ☐ Incidents may be caused by Changes. Investigation of Incidents may indicate the need of a Change
- ☐ A Change is required to investigate the cause of an Incident
- ☐ Incidents cause Changes. Investigation of Changes may indicate the need of Incidents (?) to be generated

- ☐ Incidents and Changes are separate processes that have little interaction

Question #20 (1 point)

Which of the following actions on the Incident table require the itil_admin role?

- ☐ Update Incident
- ☐ Close Incident
- ☐ Archive Incident
- ☐ Delete Incident

Question #21 (1 point)

Which of the following statements reflects when the Actual Start and Actual End date fields are populated on a Change Request? Actual start is set when the _____.

- ☐ State changes to Implement. Actual End is set when the State changes to Closed
- ☐ First Implementation Change Task is updateActual End is set when the final Implementation Change Task is Closed
- ☐ State changes to Implement. Actual End is set when the State changes to Review
- ☐ State changes to ScheduleActual End is set when the State changes to Review

Question #22 (1 point)

In the baseline platform configuration, which of these are required when closing a Normal Change? Select all that apply.

- ☐ Post-Implementation Review
- ☐ CAB Approval
- ☐ Close Code
- ☐ Close Notes

Question #23 (1 point)

REVIEW

Which key performance indicators can be influenced by effective Problem Management? Select all that apply.

- ☐ Average Time to Resolve a High Priority Incident
- ☐ % of high priority Problems
- ☐ Average time to close a Problem
- ☐ % of Incidents Resolved on First Contact

Question #24 (1 point)

Which of the following ITIL terms refers to the cause of one or more Incidents that is typically unknown at the time of detection?

- ☐ Issue
- ☐ Problem
- ☐ Configuration Item
- ☐ Unknown Error

Question #25 (1 point)

In the baseline configuration, ONLY Emergency Changes require a Post-Implementation Review (PIR).

- ☐ True
- ☐ False

Question #26 (1 point)

The Change Management lifecycle steps, in order, include:

- ☐ Creation and Scoping -> Approval -> Implementation -> Closure
- ☐ Creation and Scoping -> Implementation -> Review -> Closure
- ☐ Creation and Scoping -> Approval -> Control -> Closure
- ☐ Creation and Scoping -> Approval -> Implementation -> Resolution -> Closure

Question #27 (1 point)

When the Change Management - Risk Management plugin is enabled, which of the following statements reflects how the Risk of a Change Request will be set?

- ☐ Risk will be set to the highest Risk value evaluated by the Risk Calculator and Risk Assessment
- ☐ Risk will be set to the lowest Risk value evaluated by the Risk Calculator and Risk Assessment
- ☐ Risk will be set to the average Risk value evaluated by the Risk Calculator and Risk Assessment

Question #28 (1 point)

On the Change Record form, the Process Flow Formatter is used to _____.

- ☐ Visually depict the Change Workflow
- ☐ Configure the Change Management lifecycle
- ☐ Show State history of a Change
- ☐ Show the current State of Change

Question #29 (1 point)

REVIEW

Which of the following features are available through the Change Management - CAB Workbench application? Select all that apply.

- ☐ Invite delegates to CAB meetings to discuss specific Changes
- ☐ Assign Changes
- ☐ Approve Changes in bulk (approve multiple Changes at once)
- ☐ Determine CAB agenda with a specified amount of time allocated to each Change
- ☐ Update Work Notes on Changes based on meeting minutes added while a Change is active agenda item
- ☐ Define filters to determine which Changes appear on CAB meeting agendas

Question #30 (1 point)

True or False:

Change Management uses the workflow engine by default to facilitate approvals and processing for each type of Change, including Emergency, Normal, and Standard.

- ☐ True
- ☐ False

Question #31 (1 point)

True or False:

In the baseline platform configuration, when a Knowledge Article is flagged by a user as being incomplete or incorrect, a notification is sent to the Knowledge Base Owner.

- ☐ True
- ☐ False

Question #32 (1 point)

Knowledge Ratings are stored in the _____ table.

- ☐ Knowledge Base [kb_knowledge_base]
- ☐ Knowledge Searches [ts_query_kb]
- ☐ Knowledge Feedback [kb_feedback]
- ☐ Knowledge [kb_knowledge]

Question #33 (1 point)

In a Service Catalog, Content Items can include each of the following **EXCEPT**:

- ☐ Templates
- ☐ Links to locations specified in a Application navigation module
- ☐ Cross-references to Catalog content
- ☐ Links to Knowledge Articles

Question #34 (1 point)

On an Incident, which of the following conditions will trigger the Reopen Count field value to be incremented?

- ☐ Submission of an Incident by the same Caller with an identical Short Description
- ☐ Assignment Group changes from Service Desk to Software Group
- ☐ State changes from Resolved to Open
- ☐ Update to an associated Problem Record

Question #35 (1 point)

When does a State of On Hold pause an SLA?

- ☐ Never
- ☐ Depends upon the SLA conditions

- ☐ Always

Question #36 (1 point)

Which of the following is NOT included in the Incident Management Lifecycle?

- ☐ Creation and Classification
- ☐ Investigation and Diagnosis
- ☐ Resolution and Closure
- ☐ Approval and Fulfillment

Question #37 (1 point)

How are Additional Comments and Work Notes intended to be used in notifications?

- ☐ Additional Comments - communicate with IT staff and end users; Work Notes - system generated log of updates
- ☐ ServiceNow merely offers both so customers may choose whether to use one, both, or neither
- ☐ Additional Comments - communicate with end users; Work Notes - communicate with IT staff
- ☐ Additional Comments - communicate with IT staff; Work Notes - communicate with end users

Question #38 (1 point)

Which mechanism is used to set the number of days (integer) after which Resolved Incidents are automatically closed?

- ☐ Script Include
- ☐ Workflow
- ☐ Business Rule
- ☐ System Property

Question #39 (1 point)

Which role is required to close a Problem?

- ☐ itil
- ☐ itil_admin
- ☐ The system automatically closes Problems
- ☐ problem
- ☐ puck_from_a_midsummer_nights_dream

Question #40 (1 point)

Which of the following is the GOAL of Problem Management?

- ☐ Prevent Problems and resulting Incidents from happening, to eliminate recurring Incidents, and to minimize impact of Incidents that cannot be prevented
- ☐ Detect and correlate operational alerts or communications generated by infrastructure items to manage operations and prevent problems in the environment
- ☐ Manage improvement to processes and services in order to increase efficiency, effectiveness, and cost effectiveness
- ☐ Restore normal service operation as quickly as possible and minimize the adverse impact of Incidents on business operations, thus ensuring that the best possible levels of service quality and availability are maintained

Question #41 (1 point)

In Problem Management, which element must be edited **to modify the field mappings** when Knowledge Articles are generated from ACTIVE Problem records?

- ☐ Post News or Post Knowledge UI Actions
- ☐ Problem Create Knowledge Business Rule
- ☐ Problem to Knowledge Transform Map
- ☐ ProblemUtil Script Include

Question #42 (1 point)

The Standard Change Template [std_change_record_producer] table is extended from the _____.

- ☐ Template [sys_template]
- ☐ Task [task]
- ☐ Change Request [change_request]
- ☐ Record Producer [sc_cat_item_producer]

Question #43 (1 point)

True or False:

In Change Management, manually added Change Tasks allow the Change owner to maintain accountability for a Change Request while assigning the individual implementation steps to other groups or individuals.

- ☐ True
- ☐ False

Question #44 (1 point)

What is the default number of days (integer) after which Resolved Incidents are automatically closed?

- ☐ Five working days
- ☐ One Day
- ☐ Three Days
- ☐ Five Days

Question #45 (1 point)

Which two fields are used to calculate priority on an Incident?

- ☐ Severity and Urgency
- ☐ VIP and Impact
- ☐ Impact and Urgency
- ☐ Business Criticality and Urgency

Question #46 (1 point)

Which one of the following is the GOAL of Incident Management?

- ☐ An unplanned interruption to IT service or reduction of the quality of an IT service
- ☐ Conduct root-cause analysis to determine and resolve the cause of events
- ☐ Prevent disruptions to normal service operations to maximize user productivity
- ☐ Restore normal service operation as quickly as possible with minimal disruption to the business

Question #47 (1 point)

In Incident Management , which of the following States are considered Active?

- ☐ New, In Progress, On Hold
- ☐ New, In Progress, On Hold, Resolved
- ☐ New, In Progress, On Hold, Resolved, Closed, Cancelled
- ☐ New, In Progress, Resolved

Question #48 (1 point)

Which ServiceNow feature allows users to contact the Service Desk agents using Chat Queues and allows Service Desk agents to open Incidents directly from Chat sessions with users?

- ☐ Connect Support
- ☐ Social Q&A
- ☐ Embedded Help

- ☐ Employee Self-Service

Question #49 (1 point)

True or False:

Users with the itil role can delete an Incident.

- ☐ True
- ☐ False

Question #50 (1 point)

Guided Setup provides step-by-step instructions for loading Foundational Data, which includes _____.

- ☐ Users, Roles, SLAs
- ☐ Companies, Users, Groups, Roles, Departments, Locations, and Catalog Items
- ☐ Companies, Users, Groups, Roles, Departments, Locations
- ☐ Groups, Group Members, Priorities

Question #51 (1 point)

Under which circumstances can a user with the itil role create a Problem record from an Incident record?

- ☐ When there is not already an existing Problem associated with the Incident
- ☐ An itil user can create a Problem record from an Incident at any time
- ☐ When the Incident is not Closed
- ☐ When the Incident is not Closed and when there is not already an existing Problem associated with the Incident

Question #52 (1 point)

The Incident Task [incident_task] table is extended from the _____ table.

- ☐ Task [task]
- ☐ Incident [incident]
- ☐ CMDB [cmdb]
- ☐ Application File [sys_metadata]

Question #53 (1 point)

When viewing a list of Tasks, which field identifies whether the Task is an Incident, Problem, Change, etc.?

- ☐ Correlation ID [correlation_id]
- ☐ Task Type [sys_class_name]
- ☐ Domain [sys_domain]
- ☐ Number [number]

Question #54 (1 point)

Which of the following is **NOT** a typical method to propose a new Standard Change?

- ☐ In the Standard Change Proposals Table, click 'New' and submit the record
- ☐ In the Standard Change Catalog, under Template Management, select 'Propose a new Standard Change Template'
- ☐ Toggle the Template Bar on an Existing Change and click + to add a new Template
- ☐ Right-click on an existing Change and select 'Propose a Standard Change Template'

Question #55 (1 point)

In the baseline platform configuration, if a Change approver rejects an approval for a Normal Change, what will the State of the Change be set to?

- ☐ Rejected

- ☐ Assess
- ☐ New

Question #56 (1 point)

In the baseline platform configuration for an Emergency Change, _____ is required before a Change can be scheduled.

- ☐ Configuration Item identified
- ☐ CAB Approval
- ☐ Peer Approval
- ☐ Justification, Change Plan, Test Plan, and Execute Plan

Question #57 (1 point)

In Problem Management, when using the Communicate Workaround Related Link, which of the following conditions must be met for the workaround to be communicated? Select all that apply.

- ☐ The Workaround field must be updated immediately before the user selects Communicate Workaround
- ☐ Incident is in a State of On Hold with an On Hold Reason of Pending Problem
- ☐ Incident must be Active
- ☐ Incident is associated with the Problem record

Question #58 (1 point)

In the baseline platform configuration, the Problem States include _____.

- ☐ New, Assess, Review, Closed
- ☐ New, In Progress, On Hold, Resolved, Closed, Canceled
- ☐ Open, In Progress, Closed
- ☐ Open, Pending Change, Known Error, Closed/Resolved

Question #59 (1 point)

True or False:

Conflict Detection must be triggered manually for Changes using the Check Conflicts UI action.

- ☐ True
- ☐ False

Question #60 (1 point)

Select the ServiceNow functionality that may be used in the Assess phase of Change Management to evaluate the potential impact of a Change.

- ☐ Risk Assessment
- ☐ Post-Implementation Review
- ☐ Social Q&A
- ☐ Knowledge Management

Question #61 (1 point)

What is the minimum role required for a user to create an Emergency Change?

- ☐ itil_admin
- ☐ cab_manager
- ☐ itil
- ☐ change_manager

Question #62 (1 point)

In Change Management, which record should be modified to restrict when a Change can move to a specific state?



ChangeRequestStateModelSNC Script Include

- ☐ ChangeRequestStateModel Script Include
- ☐ ChangeRequest Script Include
- ☐ UI Action for the State Transition

Question #63 (1 point)

A customer would like to modify the wording that appears when a user selects Change > Create New. Which type of record must be adjusted?

- ☐ Language File
- ☐ Interceptor
- ☐ Change Type Data Lookup
- ☐ Application Module

Question #64 (1 point)

Change Tasks generated by the Change Request - Normal Change tasks workflow should include:

- ☐ All implementation tasks for a specific Change
- ☐ Approval and scheduling tasks for Normal Changes
- ☐ Standard, administrative tasks common to all Normal Changes
- ☐ Automated tasks to be completed by the System Scheduler

Question #65 (1 point)

When evaluating Change Request States in a Script Include, which is the preferred method for referencing a State?

- ☐ Use the State field value, such as -2
- ☐ Use the .getDisplayValue function to retrieve the State field value
- ☐ Use the State name Constant, such as ChangeRequestStateHandler.SCHEDULED

- ☐ Use the g_form.getValue function to retrieve the State field value

Question #66 (1 point)

Which of the following statements is true when the Change Management - Risk Assessment plugin is enabled?

- ☐ Risk Assessment replaces the Risk Calculator to determine Risk for a Change
- ☐ Both the Risk Calculator and Risk Assessment are used to determine Risk for a Change
- ☐ Risk is automatically calculated on update of a Change
- ☐ A Risk Assessment is required for all Normal and Emergency Changes

Question #67 (1 point)

Which of the following is **NOT** a method for creating Knowledge Articles within ServiceNow?

- ☐ Generate from a Scheduled Report with a Target = Article
- ☐ Direct creation by a user with the 'knowledge' role
- ☐ Import from a Microsoft Word document
- ☐ Generated from Incident or Problem records

Question #68 (1 point)

Which of the following represents how Knowledge Management subscriptions and article versioning are enabled?

- ☐ Customizations to Knowledge Management
- ☐ Features are enabled by default in baseline Jakarta instances
- ☐ Knowledge Base setting on each Knowledge Base
- ☐ Activation of the Knowledge Management Advanced Plugin

Question #69 (1 point)

Which mechanism is used to specify who can read Articles and who can contribute Articles in a Knowledge Base?

- ☐ Knowledge Category Attributes
- ☐ User Criteria
- ☐ Filter Criteria
- ☐ Access Control Rules

Question #70 (1 point)

Which condition must be met to have a Knowledge Article display on the Knowledge Home Page in the Featured Content section?

- ☐ The Feature field on the Article must be set to true
- ☐ The Article must have a 4star rating and be among the top 10 articles most frequently attached to Tasks
- ☐ A record must be created in the Featured Content [kb_knowledge_keyword] table referencing the Article and a keyword of "featured_content"
- ☐ A record must be created in the Featured Content [kb_knowledge_keyword] table referencing the Article and a keyword of "homepage"

Question #71 (1 point)

What Knowledge Management capability allows users to ask and answer questions amongst peers within a Knowledge Base?

- ☐ Feedback
- ☐ Social Q&A
- ☐ Connect Chat
- ☐ Collaboration

Question #72 (1 point)

How is access to Knowledge Articles administered?

- ☐ User Roles
- ☐ User Criteria and Entitlements
- ☐ User Criteria and User Roles
- ☐ Filter Conditions on the Knowledge Base

Question #73 (1 point)

What are the primary record types in Configuration Management?

- ☐ Asset Item (AI) and Relationship Type
- ☐ Relationship Type and Configuration Item (CI)
- ☐ Business Service and Configuration Item (CI)
- ☐ Asset Item (AI) and Configuration Item (CI)

Question #74 (1 point)

Given the class structure below, which types of CIs will be included in a report run against the cmdb_ci_computer table?

```
- cmdb
---- cmdb_ci
---- ---- cmdb_ci_hardware
---- ---- ---- cmdb_ci_computer
---- ---- ---- ---- cmdb_ci_server
---- ---- ---- ---- ---- cmdb_ci_win_server
---- ---- ---- ---- ---- cmdb_ci_linux_server
---- ---- ---- ---- ---- cmdb_ci_unix_server
---- ---- ---- ---- ---- cmdb_ci_pc_hardware
```

- ☐ CIs defined directly in the cmdb_ci_computer and all child classes
- ☐ Just CIs defined directly in cmdb_ci_computer
- ☐ CIs defined directly in the cmdb_ci_computer and all parent classes

Question #75 (1 point)

A customer has a requirement to include a Catalog Item to order Microsoft Access in several Categories so that users can find it easily. What is the best way to do this?

- ☐ List the Categories in the Catalog Item's Description field
- ☐ Copy the Catalog Item and associate a copy with each Category
- ☐ Build the item as an Order Guide
- ☐ Add additional Categories in the Catalog Item's Categories Related List

Question #76 (1 point)

On a Service Catalog Item, a customer has a requirement that the start_date is before the end_date. Which approach is recommended to satisfy this requirement?

- ☐ Create a Catalog Client UI Policy that triggers on Load of the Item
- ☐ Create a Catalog Client Script that triggers on Submit of the Item
- ☐ Create a Business Rule that runs on Insert or Update of the Item
- ☐ Create a Validation Script and associate it to the Item

Question #77 (1 point)

Which of the following can be used as a 'non-code' alternative for some Catalog Client Scripts to populate data on an Item?

- ☐ Catalog Data Lookup
- ☐ Catalog Client Script
- ☐ Catalog UI Policy
- ☐ Variable Set

Question #78 (1 point)

For each Requested Item, a _____ enables the approval and delivery of that Item.

- ☐ User Criteria
- ☐ Work Order
- ☐ Catalog Item
- ☐ Workflow

Question #79 (1 point)

True or False:

A Requested Item may be associated with one or more Requests.

- ☐ True
- ☐ False

Question #80 (1 point)

Which of the following Service Catalog records may serve as a container for multiple Requested Items?

- ☐ Requested item
- ☐ Service Catalog Task
- ☐ Catalog Order
- ☐ Request

Question #81 (1 point)

True or False:

The Requested Item [sc_req_item] table is extended directly from the Task [task] table.



True

☐ False

Question #82 (1 point)

Primary tables associated with Request Fulfillment begin with the prefix _____.

☐ rm_

☐ rf_

☐ sc_

☐ req_

Question #83 (1 point)

Which one of the following represents the overall lifecycle of a Request?

☐ Submittal -> Approval -> Fulfillment -> Closure

☐ Approval -> Submittal -> Fulfillment -> Closure

☐ Approval -> Submittal -> Delivery -> Resolution

☐ Submittal -> Approval -> Resolution -> Closure

Question #84 (1 point)

In the baseline configuration for Service Catalog workflows, which of the following statements are true? Select all that apply.

☐ Requests with a value over \$1000 require manager approval

☐ Execution plans are used instead of Workflows

☐ Approvals will be skipped if there are no members in the approval group

☐ All Requested Items require manager approval

Question #85 (1 point)

Which type of records use the default Variables Editor (formatter) to display Catalog Item Variables on a form?

- ☐ Requested Item records, Catalog Task record, and all Tasks created by Record Producers
- ☐ Any type of record created from Record Producers
- ☐ Tasks created from Record Producers, Requests, Requested Items
- ☐ Requested Item records, Catalog Task records, and Request records

Question #86 (1 point)

Which of the following may NOT be published in a Service Catalog?

- ☐ Requested Item
- ☐ Record Producer
- ☐ Order Guide
- ☐ Content Item

Question #87 (1 point)

Which type of Service Catalog component allows a user to describe their needs, choose options, and then check out ordering multiple items at once according to their selections?

- ☐ Content Item
- ☐ Catalog Item
- ☐ Execution Plan
- ☐ Order Guide

Question #88 (1 point)

Which of the following is NOT a way Service Catalog Requests may be submitted in a baseline ServiceNow instance?

- ☐ From an Incident record
- ☐ From the Service Catalog
- ☐ From an inbound email
- ☐ From the Service

Question #89 (1 point)

In knowledge management, which conditions must be met before the 'Import from Word' icon/ button appears on the Knowledge management Home page?

- ☐ The user must have the knowledge or knowledge_admin
- ☐ The user must meet the conditions in the Can Contribute User Criteria for at least one Knowledge Base OR have the knowledge or Knowledge_admin role.
- ☐ The user must have one of the roles specified in the Knowledge System Property 'List of roles (comma separated) that can import Knowledge Articles'
- ☐ The Knowledge base must have the Enable Article Import field set to True

Question #90 (1 point)

When a user selects **Change > New**, they are presented with a _____ to select the type of change instead of being presented with a new Change form.

- ☐ Interceptor
- ☐ Splash Page
- ☐ Wizard
- ☐ Interrupter

Question #91 (1 point)

Change Conflict Detection Scheduled jobs run with increasing frequency as a Change approaches the Planned start date.

- ☐ True

- ☐ False

Question #92 (1 point)

For the majority of Catalog Items, the customer requires Quantity and Price to be displayed. However, for one Item, the customer would like to omit these two fields. Which of the following approaches should be used to satisfy this requirement?

- ☐ Set both 'No Quantity' and 'Omit Price in Cart' to true on the catalog item.
- ☐ Cart options are set using system properties and can not be changed for individual items.
- ☐ Set 'Use cart Layout ' to false on the Catalog Item and set both 'No Quantity' and 'Omit Price in Cart' to true.
- ☐ Write a catalog client script for the item and use `g_form.setDisplay()` to hide each field.

Question #93 (1 point)

True or False:

Database views must be used to report on Catalog Item Variables.

- ☐ True
- ☐ False

Question #94 (1 point)

Which of the following describes the purpose of User Criteria when used in the Service Catalog application?

- ☐ Determine who can see Catalogs and Items.
- ☐ Pre-fill user preferences on Catalog order forms.
- ☐ Replace Access Controls to provide security to Requests.
- ☐ Determine who can see Categories and Items

Question #95 (1 point)

Which role is required to edit the Type field on a Change

- ☐ change_manager
- ☐ admin
- ☐ itil
- ☐ nobody

Question #96 (1 point)

When evaluating Change request states in a script include, which is the preferred method for referencing a State?

- ☐ Use the g_form.getValue function to retrieve the State field value.
- ☐ Use the State name Constant, such as ChangeRequestStateHandler.SCHEDULED
- ☐ Use the .getDisplayValue function to retrieve the State field value.
- ☐ Use the state field value, such as -3.

Question #97 (1 point)

In the baseline platform configuration of Change Management, which of the following are controlled by the Change Request - Normal workflow?

- ☐ Risk Assessment, Change Task generation, Approvals
- ☐ CAB Approvals, Conflict checking, Notifications
- ☐ Approvals, Conflict Checking, Change Task Generation
- ☐ Approvals, Notifications, Rollback

Question #98 (1 point)

Which of the following statements are correct for Standard Changes. Select all that apply.

- ☐ Standard changes are typically low risk and have detailed procedures
- ☐ Standard changes don't have Change tasks
- ☐ Standard Change procedures must be stored in a Knowledge base
- ☐ Standard changes can be automated

Question #99 (1 point)

When can a user (who has no assigned roles in the system) close an Incident?

- ☐ When the user is the caller or on the Watch List and the Incident's state is
- ☐ When the user is the caller and the Incident's state is not already Resolved
- ☐ When the user is the caller and the Incident's state is not already Closed
- ☐ When the user is the caller and the Incident's state is Resolved

Question #100 (1 point)

Which of the following can be used to standardize the body of Outbound email notifications?

- ☐ Variable sets
- ☐ Email Client
- ☐ Inbound Action
- ☐ Email Templates

Question #101 (1 point)

For an incident, which of the following are used when calculating the value of the **Business Duration** field?

- ☐ Incident State Duration Metric
- ☐ Incident Auto-close system property
- ☐ Calendar duration

- ☐ SLA Schedule

Question #102 (1 point)

Which type of record may be used to initiate the process to deploy a fix to an incident?

- ☐ Service Request
- ☐ Change Request
- ☐ Incident Resolution
- ☐ Problem

Question #103 (1 point)

Which of the following DOES NOT describe the purpose of CMDB?

- ☐ Repository to store IT Service infrastructure components and relationships
- ☐ Centrally managed and controlled 'system of record'
- ☐ Critical analysis and decision-making tool to support impact analysis
- ☐ Inventory of IT assets in stock and available to Users

Question #104 (1 point)

Which of the following Service Catalog variable types are not supported in Mobile interfaces? Select all that apply.

- ☐ HTML
- ☐ Label
- ☐ UI Page
- ☐ Lookup selectbox
- ☐ IP Address
- ☐ Container Start

Question #105 (1 point)

The Requested Item table is extended directly from the Task table.

- ☐ True
- ☐ False

Question #106 (1 point)

Which of the following statements are correct for Standard Changes and Standard Change Templates? Select all that apply.

- ☐ Standard Changes do not require approvals
- ☐ Templates can be used only for Standard Changes
- ☐ Creation of a Standard Change Template requires approval
- ☐ Standard Change Templates cannot include standard tasks

Question #107 (1 point)

True or False:

The requested item table is extended directly from the task table

- ☐ True
- ☐ False

Question #108 (1 point)

Which of the following functions is NOT enabled by the Change advisory board (CAB) workbench?

- ☐ View a calendar of planned changes
- ☐ Document meeting notes and share with attendees
- ☐ Define a schedule and related logistics for CAB meetings

- ☐ Provide video and chat capabilities during CAB meetings

Question #109 (1 point)

In the baseline platform configuration, the appropriate Workflow to be attached to a Change Request is determined based on _____ ?

- ☐ The workflow defined on the Change type record
- ☐ System properties
- ☐ Workflow conditions matching Change request field values
- ☐ The workflow field on the change request record

Question #110 (1 point)

True or false:

XML exports of Knowledge Articles include Text but DO NOT include attachments.

- ☐ True
- ☐ False

Question #111 (1 point)

True or False:

When viewed through a Service Portal, Service Catalog Items may be formatted with a maximum of two columns.

- ☐ True
- ☐ False

Question #112 (1 point)

Which of the following conditions can be evaluated by Change Management Conflict Detection? Select all that apply.

- ☐ Conflicts for all Affected CIs
- ☐ Changes scheduled during blackout time periods
- ☐ Changes with overlapping schedules assigned to the same resource
- ☐ Changes schedule outside of a CI's maintenance window
- ☐ Changes scheduled outside of normal business hours

Question #113 (1 point)

Which two fields are used to calculate priority on an Incident?

- ☐ Impact and Urgency
- ☐ Severity and Urgency
- ☐ Business Criticality and Urgency
- ☐ VIP and Impact

Question #114 (1 point)

When an end-user (with no roles in the platform) submits an Incident using the Self-Service interface or Service Portal, Related Search Results automatically display search results from Knowledge Bases and Service Catalogs. These Related Search Results are a form of _____ ?

- ☐ Live Agent Intervention
- ☐ Incident Avoidance
- ☐ Service Marketing
- ☐ Incident Deflection

Question #115 (1 point)

Which type of record may be used to initiate the process to deploy a fix to an Incident?

- ☐ Service Request
- ☐ Incident Resolution
- ☐ Change Request
- ☐ Problem

Question #116 (1 point)

Which feature can Service Desk Agents use to ensure that Knowledge Articles they attach to Incidents are Article that are appropriate to share with Callers?

- ☐ System Property - Restrict Articles to Callers
- ☐ Search Groups - Caller Restrictions
- ☐ Global Search
- ☐ Contextual Search - Search as

Question #117 (1 point)

True or False:

In the baseline platform configuration, a Configuration Item must be specified before Approvals are requested for a Change Request.

- ☐ True
- ☐ False

Question #118 (1 point)

True or False:

A Problem can be created from an Incident.

- ☐ True
- ☐ False

Question #119 (1 point)

In the baseline configuration for Change Management, how do users access approved Standard Change templates?

- ☐ Browse for Standard Changes within the Technical Catalog
- ☐ Standard Change Proposal table
- ☐ Apply a template to a new Change form
- ☐ Standard Change Catalog

Question #120 (1 point)

Poorly managed and unplanned Changes often create high volumes of _____?

- ☐ Incidents
- ☐ Knowledge Articles
- ☐ Requests
- ☐ Problems

Question #121 (1 point)

Which process role is responsible for the smooth operation of the Change Management process within an organization?

- ☐ Change Sponsor
- ☐ Change Implementer
- ☐ Change Manager
- ☐ Change Advisory Board

Question #122 (1 point)

True or False:

Configuration changes to the Change Management - CAB Workbench Application must be done in the global scope.

- ☐ True
- ☐ False

Question #123 (1 point)

Which of the following is NOT a type of Article feedback that may be submitted by users?

- ☐ Rate Article
- ☐ Helpful (Yes / No)
- ☐ Endorsed
- ☐ Flag Article

Question #124 (1 point)

Which of the following represents how Knowledge Management Article publishing is managed?

- ☐ Each Knowledge Base follows its own Publish and Retire workflow
- ☐ Publish and Retire workflows are set in the Knowledge Management System Properties
- ☐ Each Knowledge Article follows its own Publish and Retire workflow
- ☐ Any article submitted is automatically published

Question #125 (1 point)

True or False:

ServiceNow is limited to a single Knowledge Base for all users of the platform to access.

- ☐ True

☐ False

Question #126 (1 point)

In the baseline platform configuration, the Post News Related Link on a Problem Record will generate Knowledge Article that includes information mapped from the Problem Record. What will be the Workflow state of the new Article?

- ☐ Draft
- ☐ Review
- ☐ Published
- ☐ New

Question #127 (1 point)

Under which circumstances would a Knowledge Article Author set the Display Attachments field to false on an Article that HAS attachments?

- ☐ The attachments are files that the Author would like to display as links for on the Article rather than having those files open / download automatically
- ☐ The attachments are images embedded and displayed within the Article text
- ☐ The attachments are referenced Knowledge Articles
- ☐ The attachments should be downloaded / opened immediately rather without the Article text being displayed

Question #128 (1 point)

Which of the following approaches is used to display a Variable from a Requested Item on a Catalog Task form?

- ☐ In the Catalog Task Activity within the Item's fulfillment workflow, select variables to be displayed in the Variables on the Task Form field
- ☐ In the Catalog Item, set Cascade Variables to true
- ☐ In the Catalog Task Activity within the Item's fulfillment workflow, write a Script to

retrieve and set Catalog Task field values

- ☐ In the Catalog Item, set Display Variables in Catalog Tasks to true

Question #129 (1 point)

Which of the following is a potential benefit of implementing Incident Management?

- ☐ Reduction in the time to fulfill Requests
- ☐ Reduction in the number of Incidents caused by Changes
- ☐ Reduction in the number of duplicate Configuration Items
- ☐ Reduction in the time Services are unavailable

Question #130 (1 point)

Which feature may be used to track trends related to the average resolution time by priority for Incidents compared to other customers in the same industry / number of users / region?

- ☐ Reporting
- ☐ Benchmarks
- ☐ Scheduled Reports
- ☐ Performance Analytics

Question #131 (1 point)

Which platform feature is used to determine whether an Incident meets the conditions for First Call Resolution?

- ☐ First Call Resolution field
- ☐ Metric
- ☐ Benchmark
- ☐ Business Rule

Question #132 (1 point)

Which field on the Incident table automatically tracks the TOTAL elapsed time between when an Incident is created until the time it is resolved?

- ☐ Duration [calendar_duration]
- ☐ Business Duration [business_duration]
- ☐ Business Resolve Time [business_stc]
- ☐ Resolve Time [calendar_stc]

Question #133 (1 point)

Which of the following can be used to standardize the body of outbound email notifications?

- ☐ Email Client
- ☐ Variable Sets
- ☐ Inbound Action
- ☐ Email Templates

Question #134 (1 point)

Which of the following outlines the ways Changes may be related to Incidents?

- ☐ Incidents and Changes are separate processes that have little interaction
- ☐ Incidents cause Changes. Investigation of Changes may indicate the need for Incidents to be generated
- ☐ Incidents may be caused by Changes. Investigation of Incidents may indicate the need for a Change
- ☐ A Change is required to investigate the cause of an Incident

Question #135 (1 point)

On an Incident form, Category and Subcategory fields include a drop-down list

of potential field values to allow users to categorize Incidents. Which table stores the list of potential field values displayed in these two fields?

- ☐ Category [category] table and the Subcategory [subcategory]
- ☐ Choice [sys_choice]
- ☐ Incident [incident]
- ☐ Variable Category [item_option_category]

Question #136 (1 point)

In the baseline platform configuration, which Incident Management function is limited to users with roles of either itil_admin or admin?

- ☐ Close Incident
- ☐ Delete Incident
- ☐ Reopen Incident
- ☐ Archive Incident

Question #137 (1 point)

In the baseline platform configuration, who can create Change Requests?

- ☐ Users with the itil role or Change-specific roles
- ☐ Only members of the Change Advisory Boards (CAB)
- ☐ Any logged in user
- ☐ Anyone, even those not registered / logged in

Question #138 (1 point)

In which situation would an Order Guide be used?

- ☐ Items have a complex fulfillment process
- ☐ Administrators choose not to use Workflow

- ☐ Administrators prefer user-friendly forms with questions and answers
- ☐ Multiple items are typically ordered together

Question #139 (1 point)

Which of the following components can be turned on or off in the Service Catalog Cart Layout?

- ☐ Delete Item
- ☐ Quantity
- ☐ Add to Wish List
- ☐ Calculate Shipping

Question #140 (1 point)

True or False:

User Criteria is used to determine who may order Items in a Service Catalog Category.

- ☐ True
- ☐ False

Question #141 (1 point)

Which table is the base class for the Configuration Management Database?

- ☐ Base Configuration Item [cmdb]
- ☐ Base Item [cmdb_base_item]
- ☐ Configuration Item [cmdb_ci]
- ☐ Asset [asset]

Question #142 (1 point)

True or False:

Change Management uses workflow engine by default to facilitate approvals and processing for each type of Change, including Emergency, Normal and Standard.

- ☐ True
- ☐ False

Question #143 (1 point)

Under which circumstances is it appropriate to leave a Problem record in a State of Known Error?

- ☐ The permanent fix is too costly and the documented workaround is sufficient
- ☐ A Change is pending implementation
- ☐ The root cause has not been established and approved
- ☐ A vendor is actively investigating the Problem

Question #144 (1 point)

In Problem Management, when the State of a Problem changes to Closed/Resolved, what updates are made to the associated Incidents? (Assume associated Incidents have a State of On Hold and On Hold Reason of Awaiting Problem.)

- ☐ The Work Notes field on each associated Incident is updated with details from the Problem Close Notes
- ☐ The State of each Incident is set to In Progress
- ☐ The State of each associated Incident is updated to Resolved. Resolution code is set to Solved (Permanently). Resolution notes are populated with details from the Problem Close Notes field
- ☐ No updates are made to associated Incidents. Service Desk agents must manually update all associated Incidents.

Question #145 (1 point)

In the baseline configuration of Change Management, which fields are included when the Copy Change UI action is used to copy a Change Request?

- ☐ Backout Plan, Category, Change Type, Attachments, Work Notes
- ☐ Configuration Item, Change Tasks, Approvals, Risk, Attachments
- ☐ Change Tasks, Impact, Attachments, Planned Start Date, Risk
- ☐ Configuration Item, Change Tasks, Risk, Backout Plan, Category

Question #146 (1 point)

In Change Management, what is the purpose of the Risk Assessment Survey?

- ☐ Determine the Risk of the Change based on user responses to a Risk Assessment
- ☐ Determine the Risk of the Change based on Risk Conditions
- ☐ Survey CAB members to collectively assess Risk of each Change reviewed
- ☐ Automatically survey the environment to analyze the continuity of services to assess Risk

Question #147 (1 point)

In the CAB Workbench application, meeting notes and minutes are documented at the CAB meeting level.

- ☐ True
- ☐ False

Question #148 (1 point)

True or False: Every Catalog Item uses the same workflow to manage approvals.

- ☐ True
- ☐ False

Question #149 (1 point)

Which of the following is considered a best practice for managing the Valid To date for Knowledge articles?

- ☐ Allow the authors of Articles to set the Valid To date of each individual Article
- ☐ Determine the Valid To timeframe of your articles based upon the type of article and volatility of information in the article
- ☐ Leave the Valid To dates to the default value of 2020-01-01
- ☐ Do not set Valid To dates for Knowledge Articles

Question #150 (1 point)

True or False: Within a Catalog Item, a 'Container Split' formatter is required between 'Container Start' and 'Container End' to split variables into columns.

- ☐ True
- ☐ False

Question #151 (1 point)

The Knowledge [kb_knowledge] table is extended from _____ .

- ☐ Knowledge Base [kb_knowledge_base]
- ☐ No table; It is a Base Table
- ☐ Configuration Item [cmdb_ci]
- ☐ Task [task]

Question #152 (1 point)

Which of the following statements is true when an Incident has several child Incidents?

- ☐ No updates are synchronized between parent and child Incidents
- ☐ All updates to parent Incident are reflected in child Incidents
- ☐ Parent Incident updates to State, Comments, Work Notes, and Resolutions Code are
- ☐ All updates to child Incidents are reflected in the parent Incident

Question #153 (1 point)

If you hover over the reference icon for a Caller, and a sys_popup view hasn't been configured, which view is used?

- ☐ mobile
- ☐ tool_tip
- ☐ reference_view
- ☐ default

Question #154 (1 point)

What is the minimum role required to delete a Problem?

- ☐ itil
- ☐ itil_admin
- ☐ admin
- ☐ problem

Question #155 (1 point)

What is the minimum role required to delete a CI?

- ☐ itil
- ☐ itil_admin
- ☐ ecmdb_admin
- ☐ admin

