



- Expert Verified, Online, **Free.**

 Custom View Settings

Topic 1 - Exam A

Question #1

Topic 1

Operation

Merge Table

* First Table

\$name_details

* Second Table

\$more_process_info

* Target Table

\$cmdb_ci_web_server

Merge Criteria

Condition

Meet

Any

Following condition

\$process.executablePath

Contains

"mongoose"

Unmatched Values

Remove

Based on this image, which of the following statements are true? (Choose three.)

- A. Attributes from two tables populate a table with the same name as a ServiceNow CMDB table.
- B. This operation is more than likely a part of a step on a pattern set to Application Pattern Type.
- C. If a value is unmatched, it is still merged into the Target Table.
- D. For this operation to run, there must be some data in the process.executablePath variable.
- E. This is a horizontal pattern of type "infrastructure."

Correct Answer: ABD

Community vote distribution

ABD (60%)

ADE (20%)

BDE (20%)

Khankhasim

3 months, 3 weeks ago

ABD is correct

upvoted 1 times

julianamendo

3 months, 3 weeks ago

Selected Answer: ABD

ABD is correct answer

upvoted 1 times

Laurys

5 months, 1 week ago

Selected Answer: ABD

ABD is correct answer

upvoted 1 times

itguy2023

5 months, 3 weeks ago

Selected Answer: ABD

ABD is correct considering that the table being merged to is the Web Server table

upvoted 1 times

itguy2023

5 months, 3 weeks ago

ABD might actually be correct considering that the table being merged to is the Web Server table

upvoted 1 times

itguy2023

5 months, 3 weeks ago

Selected Answer: ADE

I think ADE

upvoted 1 times

  **stophs** 6 months, 2 weeks ago

Selected Answer: BDE

BDE ARE CORRECT

upvoted 1 times

Reconciliation Definitions

New

Search

for text

Search

1

to 3 of 3

		All					

Data Source Precedentes

New

Go to

Order

Search

1

to 3 of 3

		All					

Based on the following images, which choice best describes what occurs if Discovery sets the name attribute of a discovered Windows Server CI to 'Windows1' and then Altiris discovery runs detecting 'Windows2' for the name attribute on the same CI?

- A. The name of the CI stays 'Windows1'.
- B. The name of the CI changes to 'Windows2'.
- C. The name of the CI does not populate with either discovery.
- D. The CI is not discovered because Discovery is not listed in either image.

Correct Answer: B

Community vote distribution

A (100%)

Raj_95 1 month ago

Selected Answer: A

The answer is "A", no question about it. Why do they have marked "B" as Correct answer ??
upvoted 1 times

Laurys 5 months, 1 week ago

Selected Answer: A

The answer is A.
upvoted 1 times

- Mayur444

5 months, 1 week ago

Answer is A

upvoted 1 times
- doode

6 months, 2 weeks ago

I agree the answer should be A, this is based on the ranking of 100 for ServiceNow(higher than 300 for Altrium)

upvoted 1 times
- atlfmv7

7 months, 1 week ago

Selected Answer: A

The answer is A.

upvoted 2 times
- seniortech

8 months, 1 week ago

Should be A

upvoted 1 times
- HDMC

9 months, 1 week ago

Selected Answer: A

Think it should be A

upvoted 1 times
- hiro777

9 months, 2 weeks ago

should be A?

upvoted 3 times

Question #3

Topic 1

For the Parse Variable pattern operation, what is required to have two different parsing methods to populate variables?

- A. Two different Debug Mode sessions.
- B. A tabular and a scalar variable.
- C. Two different steps.
- D. Two different Define Parsing selections on the same step.

Correct Answer: C

Community vote distribution

C (100%)

- Laurys

5 months, 1 week ago

Selected Answer: C

one step = 1 parsing method, you cant have 2 (try it in discovery pattern)

upvoted 2 times

Question #4

Topic 1

Which best describes Discovery schedule of type Configuration Item?

- A. Verifies Configuration Item data from the scanned IP ranges against the data in the CMDB.
- B. Creates only a list of discovered IPs in both IPv4 and IPv6 formats.
- C. Collects complete information from the scanned IP ranges and sends it to the CMDB.
- D. Directly populates records in the assets table.

Correct Answer: C

  **atshakar** 5 months, 3 weeks ago
Correct Answer A
upvoted 1 times

  **doode** 6 months, 2 weeks ago
A and C are very close, the only ambiguity is the verification (Does CMDB do verification accepting CI's)
upvoted 1 times

Question #5

Topic 1

When installing a MID Server on a Windows platform, which right must be associated when creating a Service Account?

- A. Root
- B. Domain Admin
- C. MID Server User Role
- D. Log on as service

Correct Answer: B

Community vote distribution

D (100%)

  **FQuaresma25** 1 day, 23 hours ago

Selected Answer: D

D in my opinion
upvoted 1 times

 MrNice2028 1 month, 1 week ago

Selected Answer: D

D - 100%
upvoted 1 times

  **JBurns1979** 1 month, 3 weeks ago

Selected Answer: D

Know this one from setting up multiple MID servers
upvoted 1 times

 Laurys 5 months, 1 week ago

Selected Answer: D

DDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDD
upvoted 1 times

 Mayur444 5 months, 1 week ago

D is correct
upvoted 1 times

 seniortech 7 months ago

Looks to be D
upvoted 2 times

  **Amit12345** 7 months, 3 weeks ago

Selected Answer: D

D is correct
upvoted 1 times

 seniortech 8 months, 1 week ago

It is D
upvoted 1 times

 Laurys 8 months, 3 weeks ago

Selected Answer: D

Should be D
upvoted 1 times

 HDMC 9 months, 1 week ago

Selected Answer: D

Username of the service account that will be used to run the MID Server service. For information on creating service accounts, see [Create a Windows service account with "Log on as Service" \[KB0867669\]](#).

upvoted 4 times

 it0m_man 9 months, 4 weeks ago

Selected Answer: D

D should be right.

upvoted 3 times

  **Kaimu** 10 months ago

probably D.
https://support.servicenow.com/kb?id=kb_article_view&sysparm_article=KB0867669
upvoted 3 times


Question #6

Topic 1

Which of the below choices are needed for Quick Discovery? (Choose two.)

- A. MID Server
- B. Discovery Schedule
- C. PID
- D. Target IP

Correct Answer: AD



  **Amit12345** 7 months, 3 weeks ago

Selected Answer: AD
AD correct
upvoted 2 times

  **it0m_man** 9 months, 4 weeks ago

Selected Answer: AD
AD is the right answer
upvoted 3 times

Question #7

Topic 1

In order to use Debug from the Pattern Designer, you must have what?

A. a proxy server

B. a discoverable CI

C. the admin role

D. Service Mapping installed

Correct Answer: B

Community vote distribution

B (83%)

C (17%)

MrNice2028

1 month, 1 week ago

Selected Answer: B

B is the right answer

upvoted 1 times

JBurns1979

1 month, 3 weeks ago

Selected Answer: C

https://docs.servicenow.com/bundle/utah-it-operations-management/page/product/service-mapping/task/t_ActivateDebugMode.html

'Before starting this procedure, verify that the Debug mode is not activated. If the Debug mode is activated, the debug button appears with a green dot: .

Role required: pd_admin

Basic knowledge of programming is desirable.'

upvoted 1 times

Amit12345

7 months, 3 weeks ago

Selected Answer: B

B Correct

upvoted 2 times

itOm_man

9 months, 4 weeks ago

Selected Answer: B

B is correct.

upvoted 2 times

https://www.examtopycs.com/exams/servicenow/cis-discovery/custom-view/

9/61

Question #8

Topic 1

A discovery runs against a Windows Server returning the following attribute values for the first time: name = WindowsSN1 serial_number = 12321
A subsequent discovery runs against a different Windows Server returning the following attribute values: name = WindowsSN2 serial_number = 12321
With only base system CI Identifiers configured, which of the following is true?

- A. A Windows Server CI is created, then updated with WindowsSN2 as the name.
- B. Two Windows Sewer CIs are created, with WindowsSN1 AND WindowsSN2 for names.
- C. Two Windows Server CIs are created, without serial_number values.
- D. A Windows Server CI is created, then updated with WindowsSN1 as the name.

Correct Answer: B

Community vote distribution

A (88%)13%

  **FQuaresma25** 1 day, 23 hours ago

Selected Answer: A

I believe A is the correct answer
upvoted 1 times

  **MrNice2028** 1 month, 1 week ago

Selected Answer: A

A is correct
upvoted 1 times

  **carstenschnorr** 3 months ago

the OOB IRE rule has a higher priority for the serial number (derived from the Hardware Class), IRE will stop with the first matching condition that delivery a unique identification, therefore it would consider the serialnumber as significant. Thus I opt for A
upvoted 2 times

  **doode** 6 months, 2 weeks ago

I would say the answer is A, it would only NOT update the name if a less authoritative data source was used.
upvoted 1 times

  **seniortech** 7 months ago

looks to be A as unique serial
upvoted 1 times

  **atlfmv7** 7 months, 1 week ago

Selected Answer: A

The answer is A.
upvoted 1 times

  **Amit12345** 7 months, 3 weeks ago

Selected Answer: B

B i guess
upvoted 1 times

  **seniortech** 8 months, 1 week ago

A as the serial number unique.
upvoted 1 times

  **HDMC** 9 months, 1 week ago

Selected Answer: A

I say A as well.
upvoted 2 times

  **it0m_man** 9 months, 4 weeks ago

Selected Answer: A

A is correct.
upvoted 2 times

  **Kaimu** 10 months ago

Probably A.
<https://www.servicenow.com/community/itom-forum/discovery-query/td-p/2438213>
upvoted 2 times

  **sydneyaaaa** 1 year ago

NOT sure why 2 new data needs to be created
upvoted 2 times

Question #9

Topic 1

Which choice represents the three best ways of extending Discovery?

A. Orchestration, Classifiers, Discovery Patterns

B. Fingerprinting, Classifiers, Discovery Patterns

C. Orchestration, Classifiers, Probes & Sensors

D. Classifiers, Probes & Sensors, Discovery Patterns

E. Classifiers, Fingerprinting, Probes & Sensors

Correct Answer: D

Community vote distribution

D (100%)

  **carstensch norr** 3 months ago

I go with D

upvoted 1 times

  **seniortech** 5 months, 2 weeks ago

I went for D

upvoted 1 times

  **atlfmv7** 7 months, 1 week ago

Selected Answer: D

D is the correct answer

upvoted 2 times

  **seniortech** 8 months, 1 week ago

I think D

upvoted 2 times

  **tonnesofun666** 9 months, 3 weeks ago

A is the correct answer

upvoted 1 times

  **it0m_man** 9 months, 4 weeks ago

Selected Answer: D

D is correct.

upvoted 4 times

<https://www.examt topics.com/exams/servicenow/cis-discovery/custom-view/>

11/61

Question #10

Topic 1

SNMP Credentials require which of the following?

A. write community strings

B. usernames

C. read community strings

D. port 135 access

Correct Answer: C

Community vote distribution

C (100%)

seniortech

5 months, 2 weeks ago

Read C - no need to write

upvoted 1 times

Amit12345

7 months, 3 weeks ago

Selected Answer: C

C correct

upvoted 2 times

seniortech

8 months, 1 week ago

C is correct

upvoted 2 times

Question #11

Topic 1

Which choice will populate the Location field for a discovered CI?

A. Location field for a Discovery Schedule

B. Location field for a parent CI Type

C. Location field for a Port Probe

D. Location report from the Discovery Dashboard

Correct Answer: A

Community vote distribution

A (100%)

mcw87r

3 months, 2 weeks ago

Selected Answer: A

A is correct. See https://support.servicenow.com/kb?id=kb_article_view&sysparm_article=KB0864114

upvoted 1 times

Question #12

Topic 1

What role is needed by the MID Server's user account to interact with a ServiceNow instance?

A. mid_server

B. discovery_admin

C. sm_mid

D. mid_discovery

Correct Answer: A

Community vote distribution

A (100%)

Amit12345

7 months, 3 weeks ago

Selected Answer: A

Its A....

upvoted 1 times

it0m_man

9 months, 4 weeks ago

Selected Answer: A

A is correct.

upvoted 1 times

Question #13

Topic 1

Which operation is used to change from the default credentials to any other appropriate credentials in a horizontal pattern?

A. Change credentials

B. Change user

C. Alternate credentials

D. Alternate user

Correct Answer: B

Community vote distribution

B (100%)

J64DevTeam

2 months, 2 weeks ago

Selected Answer: B

Change User

https://docs.servicenow.com/en-US/bundle/vancouver-it-operations-management/page/product/service-mapping/task/t_ChangeUserPatDef.html

upvoted 2 times

Adi_00123

2 months, 2 weeks ago

might be A

upvoted 1 times

<https://www.examtopycs.com/exams/servicenow/cis-discovery/custom-view/>

13/61

Question #14

Topic 1

After navigating to an Automaton Error Messages list from Discovery > Home, how are the options on the right navigation pane categorized? (Choose two.)

A. SELECT ALL

B. SELECT ONE

C. ACTION ON SELECTED

D. ACTION ON ALL

Correct Answer: CD

Question #15

Topic 1

Which of the following can be used in the Debug Identification Section in Debug Mode for an infrastructure pattern? (Choose two.)

A. IP

B. AWS Endpoint

C. PID

D. Host Name

Correct Answer: AD

Question #16

Topic 1

With multiple CI data sources, which choice is the best for determining which source can update a CI attribute?

A. Business Rules

B. Data Certification

C. Transform Maps

D. Reconciliation Rules

Correct Answer: D

J64DevTeam

2 months, 2 weeks ago

Selected Answer: D

https://docs.servicenow.com/bundle/vancouver-servicenow-platform/page/product/configuration-management/reference/r_ReconciliationRulesPrinciples.html

upvoted 1 times

Question #17

Topic 1

One method for deleting specific CIs not discovered in 30 days is:

A. Scheduled Job

B. UI Policy

C. Service Mapping

D. Data Policy

Correct Answer: A

JBurns1979

1 month, 3 weeks ago

Never mind, my Discovery Admin is telling me it is A

upvoted 2 times

JBurns1979

1 month, 3 weeks ago

Selected Answer: D

Most other sites say D

upvoted 1 times

Question #18

Topic 1

Which of the following choices must be installed on a MID Server to run Credential-less Discovery?

A. Credential-less Extension

B. Nmap

C. Advanced IP Scanner

D. Defender

Correct Answer: B

JBurns1979

1 month, 3 weeks ago

Selected Answer: B

<https://docs.servicenow.com/bundle/sandiego-it-operations-management/page/product/discovery/reference/credential-less-app-discovery.html>

upvoted 1 times

Tam_12

5 months, 1 week ago

B -

Nmap

upvoted 1 times

https://www.examtopycs.com/exams/servicenow/cis-discovery/custom-view/

15/61

Question #19

Topic 1

A network device has both an SSH port and an SNMP port open. Discovery tries the SSH probe first and it fails. This triggers the SNMP probe, which succeeds. Discovery uses SNMP first for subsequent discoveries on that device.

What discovery functionality allows the above to happen?

- A. Classification
- B. Credential affinity
- C. MID Server affinity
- D. IP service affinity

Correct Answer: B

- FQuaresma25

1 day, 23 hours ago

Selected Answer: D

I believe it is an IP Service Affinity, so I would say D

upvoted 1 times
- stophs

6 months, 2 weeks ago

Selected Answer: D

D IS CORRECT

https://docs.servicenow.com/en-US/bundle/utah-it-operations-management/page/product/credentials/task/t_CheckIPServiceAffinity.html

upvoted 1 times
- atlfmv7

7 months, 1 week ago

Selected Answer: D

D is correct.

upvoted 1 times
- it0m_man

9 months, 4 weeks ago

Selected Answer: D

D seems right

upvoted 3 times
- Kaimu

10 months ago

Probably D.

https://docs.servicenow.com/ja-JP/bundle/tokyo-it-operations-management/page/product/discovery/concept/c_GetStartedWithDiscovery.html

upvoted 2 times

Question #20

Topic 1

The CMDB contains which of the following record types? (Choose two.)

A. Model

B. Configuration Item (CI)

C. Asset

D. Relation Type

Correct Answer: *BD*

Slowacki

1 month, 2 weeks ago

Selected Answer: **BD**

https://docs.servicenow.com/en-US/bundle/vancouver-servicenow-platform/page/product/configuration-management/reference/r_CMDBRecordTypes.html

upvoted 1 times

Egweimai

1 month, 2 weeks ago

Selected Answer: **B**

Only B is part of the CMDB. none of the other tables is extending CMDB

upvoted 1 times

Question #21

Topic 1

When is the Extension section in a horizontal pattern executed?

A. As part of the post sensor processing script

B. After the Identification sections

C. As part of the port scan

D. Before the Identification sections

Correct Answer: *B*

J64DevTeam

2 months, 2 weeks ago

Selected Answer: **B**

<https://docs.servicenow.com/en-US/bundle/vancouver-it-operations-management/page/product/discovery/concept/c-UsingPatternsForHorizontalDiscovery.html>

upvoted 1 times

Question #22

Topic 1

For CMDB Health, relationships can be which of the following choices? (Choose three.)

A. Duplicate

B. Stale

C. Orphan

D. Required

E. Recommended

Correct Answer: ABC

JBurns1979

1 month, 3 weeks ago

Selected Answer: ABC

https://docs.servicenow.com/bundle/vancouver-servicenow-platform/page/product/configuration-management/task/t_ViewRelationshipsHealth.html
upvoted 1 times

Question #23

Topic 1

Which of the choices provides active discovery errors with a help link for each error?

A. Discovery Dashboard

B. IP Address Failure Report

C. Discovery Schedule

D. MID Server Dashboard

Correct Answer: A

Checwes

2 weeks, 4 days ago

Selected Answer: A

https://docs.servicenow.com/bundle/vancouver-it-operations-management/page/product/discovery/concept/c_DiscoveryDashboard.html
upvoted 1 times

Question #24

Topic 1

What related list on a classifier dictates which Horizontal Pattern probe is launched?

A. Discovery Log

B. Classification Criteria

C. Pattern probes

D. Triggers probes

Correct Answer: D

J64DevTeam

2 months, 2 weeks ago

Selected Answer: D

<https://docs.servicenow.com/en-US/bundle/vancouver-it-operations-management/page/product/discovery/concept/c-UsingPatternsForHorizontalDiscovery.html>

upvoted 1 times

Tam_12

5 months, 1 week ago

D - TRIGGER PROBES

upvoted 1 times

jbranger

7 months, 1 week ago

D. After the Classification stage completes, Discovery looks at the trigger probes on the classifier to see which probe to launch.

upvoted 1 times

Question #25

Topic 1

Which of the following does the ECC Queue provide? (Choose two.)

A. Login credentials for the MID Server host.

B. The actual XML payload that is sent to or from an instance.

C. A connected flow of probe and sensor activity.

D. The process responsible for defining, analyzing, planning, measuring, and improving all aspects of the availability of IT services.

Correct Answer: BC

J64DevTeam

2 months, 2 weeks ago

Selected Answer: BC

https://docs.servicenow.com/bundle/vancouver-it-operations-management/page/product/discovery/reference/r_DiscoveryStatusECCQueue.html

upvoted 1 times

SWATHIT12

4 months, 1 week ago

B and C

https://docs.servicenow.com/en-US/bundle/utah-it-operations-management/page/product/discovery/reference/r_DiscoveryStatusECCQueue.html#:~:text=The%20ECC%20queue%20contains%20records,the%20instance%2C%20classified%20as%20input.

upvoted 2 times

Question #26

Topic 1

Which of the following choices are only used for the Application Pattern Type? (Choose two.)

A. Run Order

B. Identification Section

C. CI Type

D. Operating System

Correct Answer: AD

J64DevTeam

2 months, 2 weeks ago

Selected Answer: AD

https://docs.servicenow.com/bundle/vancouver-it-operations-management/page/product/service-mapping/task/t_PatternExamplePatDef.html

upvoted 1 times

SPDV

3 months ago

CI type and Operating system

upvoted 1 times

J64DevTeam

2 months, 2 weeks ago

No its A and D.

https://docs.servicenow.com/bundle/vancouver-it-operations-management/page/product/service-mapping/task/t_PatternExamplePatDef.html

upvoted 1 times

SWATHIT12

4 months, 1 week ago

Correct answer: AD

upvoted 4 times

Question #27

Topic 1

By default, which of the following are automatically available as variables for horizontal discovery patterns? (Choose two.)

A. infrastructure_system

B. The CI Type on the Discovery Pattern form

C. windows_cmdb_ci

D. computer_system

Correct Answer: BD

SWATHIT12

4 months, 1 week ago

Look at global parameters here for 4 options

https://docs.servicenow.com/bundle/tokyo-it-operations-management/page/product/service-mapping/reference/r_PatternVariables.html

upvoted 2 times

Question #28

Topic 1

Which choices are necessary to launch any pattern? (Choose two.)

A. CI Classification

B. CI Serial Number Attribute

C. Data Certification

D. CI Type

Correct Answer: AD

Question #29

Topic 1

Which of the below choices are horizontal pattern types? (Choose two.)

A. Hardware

B. Software

C. Infrastructure

D. Application

Correct Answer: CD

JBurns1979

1 month, 3 weeks ago

Selected Answer: CD

A pattern is a sequence of commands whose purpose it is to detect attributes of a CI and its outbound connections. Service Mapping and Discovery share a set of preconfigured patterns that cover most of the commonly used devices and applications. Patterns can be of the infrastructure or application type. Infrastructure patterns are used only by Discovery for creating lists of devices. Application patterns serve both Service Mapping and Discovery, which use the same application patterns for their purposes. For example, Discovery runs the horizontal discovery with the Apache Web Server pattern to find and list all Apache Web Servers in your organization. Service Mapping runs the top-down discovery using the same pattern to discover a specific Apache Web Server and place it on an application service map.

https://docs.servicenow.com/bundle/vancouver-it-operations-management/page/product/service-mapping/concept/c_MappingPatternsCustomization.html

upvoted 1 times

Question #30

Topic 1

What does the MID Server need to collect vCenter events?

A. vCenter Event Collector extension

B. MID SNMP Trap Listener extension

C. Firewall

D. vCenter probes

Correct Answer: A

J64DevTeam

2 months, 2 weeks ago

Selected Answer: A

https://docs.servicenow.com/en-US/bundle/vancouver-servicenow-platform/page/product/mid-server/concept/c_VCenterEventProcessorExtension.html

upvoted 2 times

SWATHIT12

4 months, 1 week ago

Correct ans: A

upvoted 1 times

Question #31

Topic 1

A Discovery Schedule contains a /24 subnet IP Range and a Shazzam batch size of 5000.
How many times will a Shazzam probe be launched during discovery?

A. 1

B. 2

C. 5000

D. 254

Correct Answer: A

https://www.examttopics.com/exams/servicenow/cis-discovery/custom-view/

22/61

Which method is used by Discovery to determine if a Host IP is active or alive?

- A. Port Scan
- B. Traceroute
- C. Ping
- D. Classification

Correct Answer: C

  **FQuaresma25** 1 day, 23 hours ago

Selected Answer: A

I think Discovery no longer pings devices, so I think the (most) correct answer here is A
upvoted 1 times

  **MrNice2028** 1 month ago

Selected Answer: A

A is correct
upvoted 1 times

  **YARON_R** 3 months ago

Selected Answer: A

correct
upvoted 1 times

  **Mayur444** 5 months, 1 week ago

Port Scan - A
upvoted 1 times

  **itguy2023** 5 months, 3 weeks ago

Selected Answer: A

Port Scan - A
upvoted 1 times

  **seniortech** 8 months, 1 week ago

I would say A - first stage
upvoted 1 times

  **Kaimu** 10 months ago

Probably A.
https://docs.servicenow.com/bundle/tokyo-it-operations-management/page/product/discovery/reference/r_DiscoveryPortsAndProtocols.html
upvoted 3 times

Question #33

Topic 1

Discovery finds and maps dependencies for the following types of storage devices. (Choose three.)

A. Direct-attached storage (DAS)

B. Network-attached storage (NAS)

C. Storage area network (SAN)

D. Multiple area network (MAN)

E. Redundant Array of Independent Disks (RAID)

Correct Answer: *ABC*

SWATHIT12

4 months, 1 week ago

Answer: ABC
https://docs.servicenow.com/en-US/bundle/vancouver-it-operations-management/page/product/discovery/concept/c_Storage.html
upvoted 1 times

Question #34

Topic 1

Which choice allows the following functionality to occur?
If this value is set to 1000 and a discovery must scan 10,000 IP addresses using a single MID Server, it creates 10 Shazzam probes with each probe scanning 1000 IP addresses.

A. MID Server Clusters

B. MID Server selection method

C. Shazzam Batch Size

D. Behaviors

Correct Answer: *C*

Currently there are no comments in this discussion, be the first to comment!

Question #35

Topic 1

Which choice best describes how to use a Behavior for discovery?

A. The MID Server selection method on a Discovery Schedule.

B. The Behavior drop-down menu on a Discovery IP Range.

C. The Behavior drop-down menu on a Discovery Status.

D. The Behavior checkbox on a CI.

Correct Answer: A

J64DevTeam

2 months, 2 weeks ago

Selected Answer: A

https://docs.servicenow.com/en-US/bundle/vancouver-it-operations-management/page/product/discovery/concept/c_DiscoveryBehaviors.html
upvoted 1 times

SWATHIT12

4 months, 1 week ago

Correct Ans: A

upvoted 2 times

Question #36

Topic 1

Which of the following pattern operations query targets? (Choose two.)

A. WMI Query

B. Merge Table

C. Get Process

D. Parse Variable

Correct Answer: AC

J64DevTeam

2 months, 2 weeks ago

Selected Answer: AC

Get Process:
https://docs.servicenow.com/bundle/vancouver-it-operations-management/page/product/service-mapping/task/t_GetProcessPatDef.html
WMI Query:
https://docs.servicenow.com/en-US/bundle/vancouver-it-operations-management/page/product/service-mapping/task/t_WMIQueryPatDef.html
upvoted 1 times

File-based Discovery is triggered during the _____.

- A. Classify Phase
- B. Scan Phase
- C. Exploration Phase
- D. Pattern Phase
- E. Identification Phase

Correct Answer: A

- FQuaresma25** 1 day, 23 hours ago

Selected Answer: C

I believe it is triggered during the Exploration phase

upvoted 1 times
- YARON_R** 3 months ago

Selected Answer: C

c correct

upvoted 1 times
- SPDV** 3 months ago

Exploration phase

upvoted 1 times
- Mayur444** 5 months, 1 week ago

C - Exploration phase

upvoted 2 times
- itguy2023** 5 months, 3 weeks ago

Selected Answer: C

C - Exploration phase

<https://docs.servicenow.com/en-US/bundle/utah-it-operations-management/page/product/discovery/concept/file-based-discovery.html#:~:text=File%2Dbased%20Discovery%20is%20triggered,exploration%20phase%20of%20normal%20Discovery.>

upvoted 3 times
- stophs** 6 months, 2 weeks ago

Selected Answer: C

c is correct

upvoted 3 times
- Kaimu** 10 months ago

Probably C

<https://docs.servicenow.com/ja-JP/bundle/tokyo-it-operations-management/page/product/discovery/concept/file-based-discovery.html>

upvoted 2 times

Question #38

Topic 1

Given a custom column named u_custom_column on table cmdb_ci_linux_server, which variable syntax should be used to populate the column in a horizontal discovery pattern using the Set Parameter Value operation?

A. \$user_var_custom_column

B. \$cmdb_ci_linux_server.u_custom_column.INSERT

C. \$u_custom_column[1].cmdb_ci_linux_server

D. \$cmdb_ci_linux_server[*].u_custom_column

Correct Answer: D

JBurns1979

1 month, 3 weeks ago

Selected Answer: D

https://docs.servicenow.com/bundle/sandiego-it-operations-management/page/product/service-mapping/reference/r_UsefulShortcutsPatDef.html
upvoted 1 times

Question #39

Topic 1

What entry point type must a horizontal pattern have to execute from a process classifier?

A. A subnet entry point type.

B. HTTP(S) entry point type if the pattern is running on a web server application.

C. TCP entry point type or ALL entry point type.

D. It does not matter, it is triggered for all entry point types.

Correct Answer: C

J64DevTeam

2 months, 2 weeks ago

Selected Answer: C

<https://docs.servicenow.com/en-US/bundle/vancouver-it-operations-management/page/product/discovery/concept/c-UsingPatternsForHorizontalDiscovery.html>
upvoted 1 times

Question #40

Topic 1

Which metrics comprise the Completeness KPI for CMDB Health? (Choose two.)

A. Required

B. Recommended

C. Audit

D. Overall

Correct Answer: AB

J64DevTeam

2 months, 2 weeks ago

Selected Answer: AB

https://docs.servicenow.com/bundle/vancouver-servicenow-platform/page/product/configuration-management/concept/c_CMDBHealth.html

upvoted 1 times

Question #41

Topic 1

Which of the following choices explain differences between Service Mapping and Discovery? (Choose two.)

A. Discovery requires agent installation to find hardware devices, Service Mapping requires agents for software.

B. Discovery finds applications and devices on your network, Service Mapping monitors those devices.

C. Discovery utilizes IP address ranges for initial discovery, Service Mapping uses entry points.

D. Discovery addresses inventory-related use-cases, while Service Mapping allows for the creation of accurate maps of application service topologies.

Correct Answer: BC

FQuaresma25

1 day, 23 hours ago

Selected Answer: CD

I would say C and D

upvoted 1 times

MrNice2028

1 month, 1 week ago

Selected Answer: CD

C and D

upvoted 1 times

MrNice2028

1 month, 2 weeks ago

It is C and D

upvoted 1 times

Laurys

5 months, 1 week ago

Selected Answer: CD

should be C and D, event management is used to monitor

upvoted 3 times

Question #42

Topic 1

What are the two main options within a Parse File operation?

A. Discover Now and Quick Discovery

B. Select Operating System and Method

C. Select File and Define Parsing

D. Match and Select File

Correct Answer: C

J64DevTeam

2 months, 2 weeks ago


Selected Answer: C

https://docs.servicenow.com/en-US/bundle/vancouver-it-operations-management/page/product/service-mapping/task/t_ParseFilePatDef.html#:~:text=You%20can%20use%20the%20Parse%20File%20operation%20to%20extract%20data,the%20XML%20File%20parsing%20strategy.&text=Discovery%20also%20collects%20cloud%20tags,Key%20Value%20%5Bcmdb_key_value%5D%20table.

upvoted 1 times

Question #43

Topic 1



Based on the following image, which of the following choices is also true about London Linux Servers?

A. It is a CMDB Group with Dashboard Group type.

B. It is a CMDB Group with Health Group type.

C. It is a Datacenter Group in London.

D. It is a CMDB Group with Default Group type.

Correct Answer: B

JBurns1979

1 month, 3 weeks ago

Selected Answer: B

https://docs.servicenow.com/bundle/utah-servicenow-platform/page/product/configuration-management/concept/cmdb-groups.html

upvoted 1 times

Question #44

Topic 1

For the Set Parameter Value operation, which of the following is used in the syntax to declare a constant, unchanging Value?

A. Hash tag

B. Brackets

C. Quotes

D. Dollar sign

Correct Answer: C

JBurns1979

1 month, 3 weeks ago

Selected Answer: C

https://docs.servicenow.com/bundle/sandiego-it-operations-management/page/product/service-mapping/reference/r_UsefulShortcutsPatDef.html
upvoted 1 times

Question #45

Topic 1

From an SNMP Query pattern operation, which of the choices are valid Variable Types? (Choose two.)

A. Test

B. Table

C. Scalar

D. CI Type

Correct Answer: BC

J64DevTeam

2 months, 2 weeks ago

Selected Answer: BC

https://docs.servicenow.com/en-US/bundle/vancouver-it-operations-management/page/product/service-mapping/task/t_SNMPQueryPatDef.html
upvoted 1 times

Question #46

Topic 1

Which choice best describes what happens when, by default, duplicate CIs are detected during identification and reconciliation?

A. A notification is sent to the CI owner.

B. An associated identification rule is created automatically.

C. Each set of duplicate CIs is added to a de-duplication task.

D. The next discovery is stopped for the CI that is duplicated.

Correct Answer: C

J64DevTeam

2 months, 2 weeks ago

Selected Answer: C

<https://docs.servicenow.com/en-US/bundle/vancouver-servicenow-platform/page/product/configuration-management/concept/id-detect-dup-ci.html>

upvoted 1 times

Question #47

Topic 1

Which choice best describes a horizontal discovery pattern?

A. Steps that execute operations

B. Credential depot

C. Port scanning tool

D. Classifiers that execute probes

Correct Answer: A

FQuaresma25

1 day, 23 hours ago

Selected Answer: A

Discovery still uses probes to trigger the Pattern, but I believe that the Pattern itself is a series of steps that execute operations, so I think A is the correct answer

upvoted 1 times

Checwes

2 weeks, 3 days ago

A. is the correct answer

upvoted 1 times

J64DevTeam

2 months, 2 weeks ago

Selected Answer: D

<https://docs.servicenow.com/en-US/bundle/vancouver-it-operations-management/page/product/discovery/concept/c-UsingPatternsForHorizontalDiscovery.html#:~:text=discovery%20with%20probes-,Horizontal%20discovery%20with%20patterns,probes%20to%20kick%20off%20discovery.>

upvoted 1 times

Question #48

Topic 1

A config file for an application has the following three lines:

Line 1: app build 1.2.3.4 version 5.14

Line 2: installation_dir=c:\opt\bin

Line 3: build_type=Server.

Which methods below will extract the build and version numbers from these lines using a horizontal discovery pattern? (Choose two.)

A. Get Process operation with correct Port

B. Find Matching URL operation with Target Variable

C. Parse File operation with Delimited Text parsing strategy

D. Parse File operation with Regular Expression parsing strategy

Correct Answer: AD

FQuaresma25

1 day, 23 hours ago

Selected Answer: CD

C and D do sound like the correct answer

upvoted 1 times

MrNice2028

1 month, 1 week ago

Selected Answer: CD

Agree. C and D

upvoted 1 times

Mayur444

5 months, 2 weeks ago

CD should be correct one

upvoted 2 times

itguy2023

5 months, 3 weeks ago

Selected Answer: CD

I think this is C and D actually

upvoted 4 times

Question #49

Topic 1

The following shows part of the Windows OS - Servers pattern in Pattern Designer:

Steps

25. Windows - Storage

26. Insert total disk space of the server

Which of the steps above use(s) a shared library?

A. Step 26

B. Neither step

C. Step 25

D. Both steps

Correct Answer: C

https://www.examttopics.com/exams/servicenow/cis-discovery/custom-view/

32/61

Question #50

Topic 1

Which of the following is required for a MID Server to have access to automatically stay up-to-date with instance versions?

A. install.service-now.com

B. docs.servicenow.com

C. developer.service-now.com

D. service-now.com

Correct Answer: A

J64DevTeam

2 months, 2 weeks ago

Selected Answer: A

https://docs.servicenow.com/en-US/bundle/vancouver-servicenow-platform/page/product/mid-server/concept/c_UpgradeAndTestMIDServer.html

upvoted 2 times

Question #51

Topic 1

When designing steps with operations requiring variables, it is best practice to do what?

A. hard core variables

B. always use scalar variables

C. query targets for variables

D. design for a static environment

Correct Answer: B

FQuaresma25

1 day, 23 hours ago

Selected Answer: C

I would also say C

upvoted 1 times

examtp1

1 week, 1 day ago

Selected Answer: C

C is correct

upvoted 1 times

Checwes

2 weeks, 4 days ago

Selected Answer: C

C is correct

upvoted 1 times

Mayur444

5 months, 2 weeks ago

C is the correct answer

upvoted 2 times

itguy2023

5 months, 3 weeks ago

Selected Answer: C

C is the correct answer

upvoted 3 times

Question #52

Topic 1

For what is File Based Discovery used?

A. To discover the checksum of a file and store it to track for changes

B. To discover the contents of flat files such as configuration files

C. To discover that file names conform to a defined naming standard

D. To discover file paths to recognize the signature of installed software

Correct Answer: C

FQuaresma25

1 day, 23 hours ago

Selected Answer: D

I would say D

upvoted 1 times

MrNice2028

1 month, 1 week ago

Selected Answer: D

Has to be D

upvoted 1 times

Mayur444

5 months, 2 weeks ago

d is correct

upvoted 1 times

itguy2023

5 months, 3 weeks ago

Selected Answer: D

D

https://docs.servicenow.com/bundle/utah-it-operations-management/page/product/discovery/concept/file-based-discovery.html

upvoted 2 times

stophs

6 months, 2 weeks ago

Selected Answer: D

d is correct

upvoted 2 times

Kaimu

10 months ago

Probably D.

https://docs.servicenow.com/ja-JP/bundle/tokyo-it-operations-management/page/product/discovery/concept/file-based-discovery.html

upvoted 3 times

https://www.examtomics.com/exams/servicenow/cis-discovery/custom-view/

34/61

Question #53

Topic 1

Which of the following properties define the maximum overall size for the returned payload that comes from patterns?

A. cmdb.properties.payload_max_size

B. glide.discovery.payload_max

C. mid.discovery.max_payload_size

D. mid.discovery.max_pattern_payload_size

Correct Answer: D

J64DevTeam

2 months, 2 weeks ago

Selected Answer: D

https://docs.servicenow.com/en-US/bundle/vancouver-servicenow-platform/page/product/mid-server/reference/r_MIDServerProperties.html
upvoted 1 times

Question #54

Topic 1

Based on this image, which of the following choices is true?

Value

`$name_details[1].exec_info+"-"+$process.executableDir`

A. This is from a WMI query operation step.

B. There is a scalar variable labeled '1'.

C. This Value cannot be used in a pattern step.

D. There is a tabular variable named 'name_details'.

Correct Answer: A

Kaimu

Highly Voted

10 months ago

Probably D.

<https://www.servicenow.com/community/itom-forum/which-of-the-following-statements-are-true-for-the-below-value/m-p/953132>
upvoted 7 times

MrNice2028

Most Recent

1 month, 1 week ago

Selected Answer: D

It is D

upvoted 1 times

Mayur444

5 months, 2 weeks ago

Probably D.

upvoted 1 times

Question #55

Topic 1

Using the SNMP Query operation on a pattern for a custom device query, it is best practice to do what?

A. Modify the default MIB information

B. Enable SSH as a secondary protocol

C. Use live devices in production

D. Use the publish manufacturer’s device MIB

Correct Answer: D

Question #56

Topic 1

After running Discovery and viewing the ECC Queue tab, what are some of the displayed default fields? (Choose three.)

A. Details

B. Topic

C. Pattern log link

D. CMDB CI

E. Queue

F. Source

G. Discovery schedule name

Correct Answer: BEF

J64DevTeam

2 months, 2 weeks ago

Selected Answer: BEF

<https://docs.servicenow.com/en-US/bundle/utah-servicenow-platform/page/product/mid-server/concept/ecc-queue-mid-server.html>

upvoted 1 times

stophs

6 months, 2 weeks ago

Selected Answer: BEF

BEF

<https://docs.servicenow.com/en-US/bundle/utah-servicenow-platform/page/product/mid-server/concept/ecc-queue-mid-server.html>

upvoted 1 times

https://www.examttopics.com/exams/servicenow/cis-discovery/custom-view/

36/61

Question #57

Topic 1

Hardware Models can have a one-to-many relationship with the following:
(Choose three.)

A. Assets

B. Manufacturer

C. Configuration Items

D. Product owner

E. Model Categories

Correct Answer: ACE

Which choice best represents how to modify the functionality shown in this image?

Related Items

 **Contains - Tracked Configuration files**



 [L1] C:\Windows\System32\drivers\etc\hosts



 [L1] C:\Windows\System32\drivers\etc\networks



 [L1] C:\Windows\System32\drivers\etc\protocol



 [L1] C:\Windows\System32\drivers\etc\services

- A. From a Classifier
- B. From a Discovery Pattern
- C. From the MID Server
- D. From a Probe

Correct Answer: D

  **MrNice2028** 1 month, 1 week ago

Selected Answer: B

It is B

upvoted 1 times

  **Mayur444** 5 months ago

B should be the correct answer

upvoted 1 times

  **Laurys** 8 months, 2 weeks ago

Selected Answer: B

B should be the correct answer

upvoted 1 times

  **it0m_man** 9 months, 2 weeks ago

Selected Answer: B

B is the correct answer

upvoted 1 times

  **Kaimu** 10 months ago

Probably B.

<https://docs.servicenow.com/ja-JP/bundle/tokyo-it-operations-management/page/product/discovery/concept/tracked-config-files.html>

upvoted 1 times

Question #59

Topic 1

What is the recommended method of consolidating duplicate CIs?

A. Duplicate CI Remediator

B. Event CI Remediation

C. Ignore Duplicate CI

D. Manual CI Remediation

Correct Answer: A

Question #60

Topic 1

During the Discovery process, what determines if an Asset record is created?

A. CMDB

B. Model Category

C. Model Product

D. ECC Queue

E. Configuration Item

Correct Answer: B

Question #61

Topic 1

What pattern operation allows the transfer of a file from the MID Server to a target?

A. Parse file

B. Create Connection

C. Put file

D. Manage Attachments

Correct Answer: D

MrNice2028

1 month, 1 week ago

Selected Answer: C

C is the right answer

upvoted 1 times

J64DevTeam

2 months, 2 weeks ago

Selected Answer: C

https://docs.servicenow.com/en-US/bundle/vancouver-it-operations-management/page/product/service-mapping/task/t_TransferFilePatDef.html

upvoted 1 times

Mayur444

5 months, 2 weeks ago

C - Put File

upvoted 1 times

itguy2023

5 months, 3 weeks ago

Selected Answer: C

C - Put File

https://docs.servicenow.com/en-US/bundle/utah-it-operations-management/page/product/service-mapping/task/t_TransferFilePatDef.html

upvoted 2 times

Question #62

Topic 1

On the ECC Queue, sensor records have a Queue value of _____ and probe records have a Queue value of _____.

A. input, output

B. started, ready

C. ready, started

D. output, input

Correct Answer: A

Question #63

Topic 1

In Discovery, what table associates an IP address and a credential?

A. Credential Affinity

B. Service Affinity

C. Service CI Association

D. Tags

Correct Answer: B

MrNice2028

1 month, 1 week ago

Selected Answer: A

Agree. The answer is A

upvoted 1 times

Mayur444

5 months, 2 weeks ago

A should be

upvoted 1 times

Laurys

8 months, 2 weeks ago

Selected Answer: A

I would have said A

upvoted 1 times

Kaimu

10 months ago

Probably A.

https://docs.servicenow.com/ja-JP/bundle/rome-servicenow-platform/page/product/credentials/concept/c_CredentialAffinity.html

upvoted 2 times

Question #64

Topic 1

If the WMI service is not running on a host, it will prevent the discovery of which devices?

A. Network

B. Windows

C. Storage

D. Unix

Correct Answer: B

In general, Discovery can provide which of the following kinds of application relationships? (Choose two.)

- A. tcp to udp
- B. application to application
- C. mid server to target
- D. host to application

Correct Answer: B

  **MrNice2028** 1 month, 1 week ago

Selected Answer: B

B and D
upvoted 1 times

  **Mayur444** 5 months, 2 weeks ago

B and D.
upvoted 1 times

  **itguy2023** 5 months, 3 weeks ago

Selected Answer: D

B and D
upvoted 1 times

  **it0m_man** 9 months, 2 weeks ago

Selected Answer: D

B and D
upvoted 1 times

  **Kaimu** 10 months ago

B and D.
upvoted 1 times

Which of the following must be configured to allow a MID Server to access servers using WinRM? (Choose two.)

- A. JEA Properties set to True
- B. MID Servers must be configured as a trusted source with DNS
- C. MID Servers need to be added to the WinRM Group policy on the Servers
- D. MID Server Parameters Add WinRM

Correct Answer: *CD*

  **MrNice2028** 1 month, 1 week ago

Selected Answer: BC

B and C.
upvoted 1 times

  **itguy2023** 5 months, 3 weeks ago

Selected Answer: BC

B and C
<https://docs.servicenow.com/bundle/utah-servicenow-platform/page/product/mid-server/task/enable-winRM-MID-servers.html>
https://docs.servicenow.com/en-US/bundle/utah-it-operations-management/page/product/mid-server/task/t_EnableDeviceClassWinRemoteMgmt.html
upvoted 1 times

Question #67

Topic 1

For a pattern operation, which of the below choices could be a valid replacement for <_>? (Choose three.)
\$IfTable<_>.InstanceID

- A. [3]
- B. [X]
- C. [&]
- D. [.]
- E. [*]
- F. []

Correct Answer: CEF

  **MrNice2028** 1 month, 1 week ago

Selected Answer: AEF

A, E and F. Confimed

https://docs.servicenow.com/bundle/utah-it-operations-management/page/product/service-mapping/reference/r_UsefulShortcutsPatDef.html
upvoted 1 times

  **Mayur444** 5 months, 2 weeks ago

Should be AEF
upvoted 1 times

  **itguy2023** 5 months, 3 weeks ago

Selected Answer: AEF

Should be AEF

https://docs.servicenow.com/bundle/utah-it-operations-management/page/product/service-mapping/reference/r_UsefulShortcutsPatDef.html
upvoted 2 times

  **jbranger** 6 months, 3 weeks ago

I believe it is AEF.
upvoted 2 times

Which of the below choices are the most probable results of the following image? (Choose three.)

Operation

WMI Query

☐ Precondition

1. Namespace

"root\CIMV2"

Statement Accelerator

2. Select Table Name And Fields

Tables

win32_pro

Win32_Process

Win32_Processor

Win32_ProcessStartTrace

Win32_ProcessStartup

Win32_ProcessStopTrace

Win32_ProcessTrace

Fields

OtherTransferCount

PageFaults

PageFileUsage

ParentProcessId

PeakPageFileUsage

PeakVirtualSize

3. Add Condition Clause

Name like 'mongoose%'

✱ 4. Get Full Statement

"SELECT MaximumWorkingSetSize,PageFaults FROM Win32_Process WHERE" + "Name like 'mongoose%'"

✱ 5. Target Table

\$more_process_info

☐ Use cache

☒ Terminate if not found

- A. A tabular variable named 'WMI Query'.
- B. A scalar variable named 'MaximumWorkingSetSize'
- C. A scalar variable named 'PageFaults'.
- D. A scalar variable named 'PeakVirtualSize'.
- E. A tabular variable named 'more_process_info'.
- F. A tabular variable named 'Win32_Process'.

Correct Answer: CEF

Question #69

Topic 1

What is found on the far-right section of the Pattern Designer for horizontal patterns? (Choose two.)

A. CI Attributes

B. Operations

C. Temporary Variables

D. CMDB Dashboard

Correct Answer: BD

MrNice2028

1 month, 1 week ago

Selected Answer: AC

A and C for sure.

upvoted 1 times

Mayur444

5 months, 2 weeks ago

Should be A and C

upvoted 1 times

itguy2023

5 months, 3 weeks ago

Selected Answer: AC

Should be A and C

upvoted 1 times

Ramyakaarthik

8 months ago

Should this be A and C ?

upvoted 3 times

Question #70

Topic 1

Which of the choices below best represent key capabilities of a ServiceNow ITOM Enterprise solution? (Choose two.)

A. Create an Engaging User Experience

B. Build New Apps Fast

C. Manage Hybrid Clouds

D. Proactively Eliminate Service Outages

Correct Answer: AD

MrNice2028

1 month ago

Selected Answer: CD

C and D

upvoted 1 times

Laurys

5 months, 1 week ago

Selected Answer: CD

itom optimization includes cloud management

upvoted 1 times

Question #71

Topic 1

Which choices best describe what is necessary to create a custom horizontal pattern to discover an operating system that is not discovered by the base installation patterns? (Choose two.)

A. Select a CI Type

B. Define Process Strategy

C. Select Infrastructure Pattern Type

D. Select Application Pattern Type

Correct Answer: AD

Question #72

Topic 1

Which of the following best describes the relationship between the Tomcat [cmdb_ci_app_server_tomcat] table and the Application Server [cdmb_ci_app_server] table? (Choose two.)

A. Tomcat does not extend the Application Server table

B. Tomcat table extends the Application Server table

C. Tomcat table is a child of the Application Server table

D. Tomcat table is a parent of the Application Server table

Correct Answer: BC

Question #73

Topic 1

In a discovery pattern, which types are available with CI Attributes in the Pattern Designer? (Choose two.)

A. Global CI types

B. Main pattern CI type

C. Related CI types

D. All CI types

Correct Answer: BC

MrNice2028

1 month, 1 week ago

Selected Answer: BC

B and C

https://docs.servicenow.com/bundle/vancouver-it-operations-management/page/product/service-mapping/reference/r_PatternVariables.html#:~:text=There%20are%20several%20kinds%20of,attribute%20variables%2C%20and%20temporary%20v

ariables.

upvoted 1 times

J64DevTeam

2 months, 1 week ago

Selected Answer: BC

https://docs.servicenow.com/en-US/bundle/vancouver-it-operations-management/page/product/service-mapping/task/add-related-cis-to-the-main-ci-pattern.html

upvoted 1 times

https://www.examttopics.com/exams/servicenow/cis-discovery/custom-view/

47/61

Question #74

Topic 1

Which of the below choices are benefits of Tracked Configuration Files? (Choose two.)

A. Content version comparison

B. Files tracked as CIs

C. Unwanted files removed from target

D. No credentials needed

Correct Answer: AB

Question #75

Topic 1

Which choice best describes a Functionality Definition?

A. Defines what CI identifiers to use.

B. Defines the IP addresses to discover.

C. Defines what Behavior to use from a Discovery Schedule.

D. Defines what protocols to detect from within a Behavior.

Correct Answer: C

Laurys 8 months, 2 weeks ago

Selected Answer: D

It should be D

upvoted 1 times

it0m_man 9 months, 2 weeks ago

Selected Answer: D

Answer is D

"pre-configured functionality that defines the protocol or list of protocols that each MID Server scans."

upvoted 1 times

Kaimu 10 months ago

Probably D.

<https://docs.servicenow.com/bundle/utah-it-operations-management/page/product/discovery/task/create-disco-behavior.html>

upvoted 2 times

Question #76

Topic 1

As a first step in horizontal discovery, which of the following is where the Shazzam probe is placed in a request?

A. Target

B. Pattern Log

C. ECC queue

D. Discovery Log

Correct Answer: C

J64DevTeam

2 months, 1 week ago

Selected Answer: C

https://docs.servicenow.com/en-US/bundle/vancouver-it-operations-management/page/product/discovery/concept/c_DiscoProcessFlows.html
upvoted 1 times

Question #77

Topic 1

Which of the choices have a higher chance of leading to lost data during CI reclassification? (Choose two.)

A. Switching

B. Identifying

C. Downgrading

D. Upgrading

Correct Answer: AC

J64DevTeam

2 months, 1 week ago

Selected Answer: AC

https://docs.servicenow.com/en-US/bundle/vancouver-servicenow-platform/page/product/configuration-management/task/t_ManuallyReclassifyCI.html
upvoted 1 times

Question #78

Topic 1

Which of the below choices are kinds of variables used in discovery patterns? (Choose three.)

A. CI attributes

B. Prefix

C. Temporary

D. Fixed

E. Global

Correct Answer: ACE

J64DevTeam

2 months, 1 week ago

Selected Answer: ACE

https://docs.servicenow.com/en-US/bundle/vancouver-it-operations-management/page/product/service-mapping/reference/r_PatternVariables.html#:~:text=There%20are%20several%20kinds%20of,attribute%20variables%2C%20and%20temporary%20variables.

upvoted 1 times

Question #79

Topic 1

Which of the following choices may be global variables for steps in horizontal discovery patterns? (Choose two.)

A. system

B. computer_system

C. process

D. baseline

Correct Answer: BD

MrNice2028

1 month, 1 week ago

Selected Answer: BC

B and C

upvoted 1 times

Question #80

Topic 1

Which ECC Queue message contains the XML payload returned from the MID Server?

A. Ready

B. Output

C. Pending

D. Input

Correct Answer: D

Question #81

Topic 1

Which of the following executes the osquery commands on agents to gather attribute details from a CI?

A. Agent Collector

B. Agent listener

C. ACC for Discovery

D. Check Definitions

E. Policies

Correct Answer: E

Checwes

2 weeks, 3 days ago

I wanted to make a correction. I found the answer in Module 7 of the lab. If you watch that module at the portion where it talks about Check Definitions, it says word for word "executes the osquery command on agents." and "osquery commands are used to gather specific attribute details..."

That being said the correct answer is actually D. Check Definitions

upvoted 1 times

Checwes

2 weeks, 4 days ago

Selected Answer: C

I also believe it is C

upvoted 1 times

Checwes

2 weeks, 3 days ago

The answer is D not C.

upvoted 1 times

MrNice2028

1 month, 1 week ago

Selected Answer: C

Could be C

Check site number 2 in the link

<https://www.servicenow.com/content/dam/servicenow-assets/public/en-us/doc-type/resource-center/data-sheet/ds-itom-acc.pdf>

upvoted 1 times

Question #82

Topic 1

What is the advantage of Discovery Range Sets?

A. Range Sets are the only way to have more than one IP Range defined within a Discovery Schedule.

B. Range Sets show the number of IPs in a subnet.

C. All the necessary Range Sets are installed in the base installation of Discovery.

D. Range Sets provide flexibility in management and identification of known networks for simplicity of administration.

Correct Answer: D


https://www.examtopycs.com/exams/servicenow/cis-discovery/custom-view/

51/61

Question #83

Topic 1

From Pattern Designer, which horizontal pattern type is the image below showing?

A screenshot of the 'Temporary Variables' section in a software interface. A dropdown menu is open, showing a list of variables. The variable 'computer_system' is highlighted with a blue background and a white arrow pointing to it.

A. Application

B. Computer System

C. Infrastructure

D. Service Mapping

Correct Answer: C

Question #84

Topic 1

Which of the following fields are editable from a Merge Table pattern operation? (Choose three.)

A. Target Table

B. Second Table

C. Primary Table

D. First Table

Correct Answer: ABD

Question #85

Topic 1

While discovering a new SNMP network device, which choice could cause the error “Active, couldn’t classify” to occur on a Discovery Status?

A. A firewall blocking the communication between the MID Server and the target device.

B. SNMP credentials are incorrect.

C. SNMP only behavior is not configured.

D. An SNMP Classification must be updated or created for the new device.

Correct Answer: B

Question #86

Topic 1

The deletion strategy is set to ‘Mark as absent’ for related Disk CIs discovered via the Linux Server pattern. If a related Disk CI is discovered during the Linux Server discovery and then the same related Disk CI is not found the next time the Linux Server is discovered, the following will happen:

A. The Disk Status CI (install_status) is set to Absent.

B. The Disk CI Operational Status (operational_status) is set to Non-Operational.

C. The Linux Server CI Operational Status (operational_status) is set to Non-Operational.

D. The Linux Server CI Status (install_status) is set to Absent.

Correct Answer: A

Question #87

Topic 1

What would you see in the Discovery pattern log that you would not see in the ECC Queue?

A. Success or failure of the individual pattern steps

B. Payload of CI attributes and relationships

C. Shazzam probe payload

D. Relationships created

Correct Answer: C

👤

Checwes

2 weeks, 3 days ago

The correct answer is A.

upvoted 1 times

Question #88

Topic 1

What do most Discovery properties start with?

A. discovery.prop

B. disco.release

C. glide.itom

D. glide.discovery

Correct Answer: D

Question #89

Topic 1

What is the default thread count for a MID Server?

A. 5

B. 1

C. 50

D. 25

Correct Answer: A

👤

Checwes

2 weeks, 4 days ago

25 is Correct

upvoted 1 times

👤

MrNice2028

1 month, 1 week ago

Selected Answer: D

D - 25 is correct. - 500 (25*Threads)

https://support.servicenow.com/kb?id=kb_article_view&sysparm_article=KB0743566

upvoted 1 times

👤

MrNice2028

1 month, 2 weeks ago

25 is correct.

upvoted 1 times

Question #90

Topic 1

For a pattern operation, which of the following choices is used to combine variables into a single variable in Value fields?

A. [*]

B. AND

C. +

D. ==

Correct Answer: C

Question #91

Topic 1

What is the recommended method for excluding specific software from discovery on Windows and Unix Servers?

A. Pattern Modification

B. Probe Modification

C. Configuration Console

D. Discovery Properties

Correct Answer: C

https://www.examttopics.com/exams/servicenow/cis-discovery/custom-view/

54/61

Question #92

Topic 1

Which of the choices best describes a tabular variable in a discovery pattern?

A. A single column

B. A single string

C. Each cell is a CI attribute

D. Each cell is a scalar variable

Correct Answer: D

Question #93

Topic 1

When configuring the MID Server Service Settings, which of the following is not a valid MID Server name?

A. my_mid_server1

B. mid_server1

C. mid.server1

D. midserver1

Correct Answer: C

Question #94

Topic 1

Which one of the following is not used in a horizontal discovery pattern?

A. Variables

B. Connectivity section

C. Operations

D. Identification section

Correct Answer: B

👤 Checwes

2 weeks, 3 days ago

Selected Answer: B

I want to again correct my first answer. I think the correct answer is actually conectivity section. When you go to the pattern and select Infrastructure as the type, it shows two sections the "Identification section" and the "extension section". When you select application, it show both of those as well as a "Connection Section" not "Connectivity" I think this is a trick question.

upvoted 1 times

👤 Checwes

2 weeks, 4 days ago

D is the answer

upvoted 1 times

👤 MrNice2028

1 month, 1 week ago

Selected Answer: D

Should be D.

upvoted 1 times

Question #95

Topic 1

During the Port Scan phase what could the Warning level error “No results returned from probe.” mean?

A. Process Classifier incorrectly configured

B. Logical or physical firewall preventing connectivity

C. Wrong credentials

D. Incorrect Datasource Precedence

Correct Answer: B

Question #96

Topic 1

Which of the choices are types of temporary variables in a discovery pattern? (Choose two.)

A. SQL statement

B. Tabular/Table

C. Command


D. Scalar/List

Correct Answer: BD

Question #97

Topic 1

What operation is shown in this image?



A. Put File

B. Parse Variable

C. Transform Table

D. Union Table

Correct Answer: C

Question #98

Topic 1

Which of the following describes the recommended permission level for credentials to discover Windows Servers?

A. A standard domain user with read access

B. A domain user with local administrator access

C. A user with root access across the domain

D. A domain administrator with sudo access

Correct Answer: B

Question #99

Topic 1

Which choice best describes the Reconciliation process?

A. The process of reconciling a deleted CI, if it is identified as a duplicate. The result is stored in de-duplication tasks.

B. The process of reconciling uniquely identifying CIs, to determine if the CI already exists in the CMDB or if it is a newly discovered CI.

C. The process of reconciling CIs and CI attributes by allowing only designated authoritative data sources to write to the CMDB at the CI table and attribute level.

D. The process of normalizing applications, to allow the data to be used by Software Asset Management.

Correct Answer: C

Question #100

Topic 1

Which of the following related lists can assist with troubleshooting discovery from a discovery status? (Choose three.)

A. ECC Queue

B. Devices

C. Running Processes

D. Discovery Log

Correct Answer: ABD

Question #101

Topic 1

Which of the following are contained in an extension section of a discovery pattern?

A. Shared libraries

B. Connection sections

C. Identification sections

D. Network libraries

Correct Answer: A

Question #102

Topic 1

Which of the below choices are possible options under ACTION ON ALL in the Recommended Actions pane for an Automated Error Messages list within Discovery > Home? (Choose two.)

A. Ping IP Addresses

B. Retry Discovery

C. View instructions

D. Make Ranges

Correct Answer: BC

Question #103

Topic 1

From the Discovery Status record, which of the following does a Device record contain?

A. the contents of the discovered CI

B. contains a link to the discovered CI

C. the CMDB Health Dashboard link

D. contains a link to the discovered Asset

Correct Answer: B

Question #104

Topic 1

In a pattern operation, which of the following correctly calls the value of the executableDir variable from the tabular process variable?

A. process(executableDir)

B. \$process_executableDir

C. "process_executableDir"

D. \$process.executableDir

Correct Answer: D

Question #105

Topic 1

For a Parse Variable operation, when using the Delimited Text parsing strategy, which options are available in a step? (Choose two.)

A. Positions

B. Use SNMP Browser

C. Delimiters

D. Merge Criteria

Correct Answer: AC

Question #106

Topic 1

How do you create relationships between CIs in a horizontal pattern?

A. Relationships are created automatically for each successful connection section.

B. By using the Create Connections operation.

C. By using the Create Relation/Reference operation.

D. Relationships cannot be created via patterns.

Correct Answer: C

Question #107

Topic 1

CI identifiers can be viewed under which of the following?

A. Discovery Dashboard

B. CI Class Manager

C. Process Handlers

D. Processes and Classification

E. CI record

Correct Answer: B

MrNice2028

1 month, 1 week ago

Selected Answer: B

B. is correct.

https://docs.servicenow.com/en-US/bundle/vancouver-servicenow-platform/page/product/configuration-management/task/t_CreateCIIdentificationRule.html

upvoted 1 times

Question #108

Topic 1

Which choice best describes the main KPIs for CMDB Health?

A. Correctness, Completeness, Compliance

B. Compliance, Ownership, Reconciliation

C. Speed of Discovery, Type of CI Class, Staleness

D. Last discovered CIs, Correctness Required

Correct Answer: A

Question #109

Topic 1

Which of the following best describes what may also be required when increasing the max number of threads for a MID Server?

A. updating the acl rules for the CMDB tables in ServiceNow

B. increase the amount of disk space on the MID Server host

C. increasing the memory allocated to the MID Server app.

D. increase the MID Server max payload size

Correct Answer: D

