MeasureUp

ServiceNow Official Practice Test

120 Comprehensive Practice Questions

Designed to Help You Pass the CSA Exam

Last updated: May 2026

Abstract

The ServiceNow CSA practice test contains **120 comprehensive questions** designed to help you prepare for and successfully pass the exam. It covers the following objectives:

📋 **Real Exam Details**

📝 **Format:** 60 Multiple-choice and multiple-select questions

⏱️ **Time Limit:** 90 minutes

💡 **Note:** If you want to access the questions as images from MeasureUp, use the following link:

View Questions

Platform Overview and Navigation (6 Questions)
- ServiceNow Platform overview
- Platform capabilities and services
- The ServiceNow Instance
- Next Experience Unified Navigation

Instance Configuration (12 Questions)
- Installing applications and plugins
- Personalizing and customizing the instance
- Common user interfaces in the platform

Configuring Applications for Collaboration (26 Questions)
- Lists, Filters, and Tags
- List and Form anatomy
- Form Configuration
- Form templates and saving options
- Advanced Form Configuration
- Task Management
- Visual Task Boards (VTBs)
- Visualizations, Dashboards, and Platform Analytics
- Notifications

Self-Service and Automation (23 Questions)
- Knowledge Management
- Service Catalog
- Workflow Studio
- Virtual Agent

Database Management and Platform Security (33 Questions)
- Data Schema
- Application and Access Control
- Importing Data
- CMDB and CSDM
- Security Center
- Shared Responsibility Model

Data Migration and Integration (20 Questions)

- UI Policies
- Business Rules
- System Update Sets
- Scripting in ServiceNow

Table of Contents

1. Questions 1
2. Questions With Answers and Explanation 32

Questions

Q1 In What state is a knowledge article when it becomes visible to end users?

Single Choice

- A Published
- B Retired
- C Draft
- D Review

Q2 What determines the sequence in which notifications are evaluated and sent when multiple notifications meet the same conditions?

Single Choice

- A Email Template
- B Notification Conditions
- C Subscription
- D Weight

Q3 What are record triggers in Flow Designer? - (Select two)

Multi-Select

- A Created
- B Before
- C Updated
- D Retired
- E On Change

Q4 Which role is required to add a related list to a form?

Single Choice

- A Form Admin [form_admin]
- B ITIL User [itil]
- C Personalize Form [personalize_form]
- D Template Editor [template_editor]

Q5 **Which application in ServiceNow is used to load data into the platform?** Single Choice

- A Data Lookup Rules
- B System update sets
- C Import Sets
- D Configuration Management Database (CMDB)

Q6 **Which data visualization types are allowed in reports or dashboards? - (Select two)** Multi-Select

- A Guided
- B Freeform
- C Pie
- D Heatmap

Q7 **What does an Administrator use to view, install and manage applications in the instance?** Single Choice

- A System Logs
- B Application Manager
- C Scheduled Jobs
- D Data Policies

Q8 **What is a user allowed to do within the User menu of the Next Experience Unified Navigation? - (Select two)** Multi-Select

- A Update their User Profile
- B Edit a favorite
- C Edit preferences
- D Change the Application Scope

Q9 **Which use case is best suited for a business rule?** Single Choice

- **A** Modifying the options in a choice list based on user's role
- **B** Making a field mandatory based on another field value
- **C** Dynamic making a field read-only based on another field
- **D** Enforcing data validation at the database level

Q10 **What does the Virtual Agent messaging inteface provide?** Single Choice

- **A** A place for users to update ACL roles
- **B** A conservational self-service experience
- **C** A tool for building integrations
- **D** A workspace for fulfillment teams

Q11 **What is assigned to a user to grant permission to access features within the platform?** Single Choice

- **A** Role
- **B** Access Control List Rule
- **C** UI Policy
- **D** Group

Q12 **What provides a single place to view multiple reports and visualizations together?** Single Choice

- **A** Table
- **B** Workspace
- **C** Form
- **D** Dashboard

Q13 **Which value is stored in the child task record when a parent-child relationship is created between tasks?** Single Choice

- **A** Multiple records stored in a Glide list field
- **B** A record reference stored in a Document ID field
- **C** A user reference stored in a Reference field
- **D** A task record reference stored in the Parent reference field

Q14 **Which icon provides access to configuration options such as Form Layout and Related Lists?** Single Choice

- **A** More actions
- **B** Activity stream
- **C** Form context menu
- **D** Application Navigator

Q15 **Which field behaviors are controlled using a UI Policy? - (Select two)** Multi-Select

- **A** Encrypt
- **B** Mandatory
- **C** Read-only
- **D** Audit

Q16 **What does a System Administrator create to make the Assigned to field on a form mandatory when the State field is set to Resolved?** Single Choice

- **A** A UI policy
- **B** A security rule
- **C** A business rule
- **D** A data policy

Q17 What is the hardening compliance score calculated in Security Center? - (Select two)

Multi-Select

- **A** On the first day of each month
- **B** After the clone of the instance
- **C** After the application of a hotfix patch
- **D** After every upgrade of the platform
- **E** After the installation of the instance

Q18 Which feature does a System Adminstrator use to test functionality as another user?

Single Choice

- **A** Application Navigator
- **B** History
- **C** User Menu
- **D** Global Search

Q19 Which features does an Administrator user to visualize CI connections? - (Select two)

Multi-Select

- **A** Relationship Editor
- **B** Mapping Assist Utility
- **C** CI Class Manager
- **D** Dependency Views map
- **E** CMDB Query Builder

Q20 What happens if a user fails a table-level Read ACL rule?

Single Choice

- **A** Thee system logs a warning but still allows the user to access the record
- **B** The system denies to the record and prevents the user from viewing it
- **C** The system denies access to the field but still allows access to the rest of the record
- **D** The system displays a warning message asking the user if they want to continue

Q21 What are the behaviors that occur once a flow has been triggered? Single Choice

- A Triggers
- B Actions
- C Catalog Client Scripts
- D Filters

Q22 Which domain layer of the CSDM contains customer-facing service offerings that users can request or subscribe to? Single Choice

- A Build
- B Foundation
- C Design
- D Consume

Q23 What does the Administrator use to add custom modules to the Application Navigator? Single Choice

- A Application Menu
- B Dictionary
- C Application Registry
- D Data Policies

Q24 Which statement is true about moving a task card from one lane to another? Single Choice

- A A user has to have an admin role to move a card
- B The move cannot be cancelled
- C All fields have to completed before moving
- D A field value on the underlying task record is updated

Q25 **What lists the items and modules available in the instance?** Single Choice

- **A** Globe
- **B** All menu
- **C** Favorites menu
- **D** Workspaces menu

Q26 **Who is responsible for backup and restoration under the Shared Responsibility Model in ServiceNow?** Single Choice

- **A** The cloud service provider
- **B** The customer
- **C** The colocation facility
- **D** ServiceNow

Q27 **In an instance configured with Default Deny (glide.sm.default_mode = Deny), what happens when no explicit table or field ACL matches a requested record operation?** Single Choice

- **A** The system blocks the request until the user elevates to the security_admin role
- **B** The wildcard table ACLs deny the operation unless admin access or another ACL explicitly grants it
- **C** The platform prompts an administrator to create a new ACL before processing the request
- **D** The platform grants the operation because no specific ACL exists to restrict the action

Q28 **What does the REQ number represent in the Service Catalog Fulfillment Process?** Single Choice

- **A** The entire request submitted by the user
- **B** The tasks assigned to fulfillment teams
- **C** The set of questions the requester answers to provide item details
- **D** The individual items that were ordered

Q29 Which file formats are imported using Import Sets? - (Select two) — Multi-Select

- A ZIP
- B PDF
- C CSV
- D JPG/PNG
- E XML

Q30 Which language is primarily used in ServiceNow? — Single Choice

- A JavaScript
- B Python
- C HTML
- D Jelly Script

Q31 Which table stores the configuration change records that are used to move changes between instances? — Single Choice

- A Schedule Job [sysauto]
- B Customer Update [sys_update_xml]
- C Dictionary Entries [sys_dictionary]
- D Update Set [sys_update_set]

Q32 How is access to a knowledge base managed? — Single Choice

- A Client Scripts
- B UI Policies
- C Business Rules
- D User Criteria

Q33 **Where are UI Policies evaluated when a user interacts with a form?** Single Choice

- A Client side
- B System log
- C Server side
- D Global scope

Q34 **Which events occur on the client side? - (Select two)** Multi-Select

- A When a form is submitted
- B When table data is modified
- C When a database record is accessed
- D When a form loads

Q35 **Which interface displays visualizations to allow users to make data-driven decisions?** Single Choice

- A Knowledge Article
- B Service Catalog
- C Dashboard
- D Activity Stream

Q36 **Where do users switch their instance to display a different colored theme?** Single Choice

- A User Menu > Preferences > Theme
- B User Menu > Profile
- C All > My Company Applications > Create New
- D All > Process Automation > Workflow Studio

Q37 What are valid states of an update set? - (Select two) Multi-Select

- A Draft
- B Ignore
- C Published
- D Complete

Q38 Which statement best describes an Update Set? Single Choice

- A A collection of team members based on specific requirements
- B A collection of field mappings that define relationships between import set fields and fields in a target table
- C A collection of configuration changes that can be moved between instances
- D Protection for applications by identifying and restricting access to application files and data

Q39 What is used to store JavaScript that runs on the server? Single Choice

- A UI Actions
- B UI Scripts
- C Client Scripts
- D Script Includes

Q40 Which feature organizes fields on a form into collapsible groups? Single Choice

- A Activity Stream
- B Related List
- C Form Sections
- D List Layout

Q41 **Which statement describes Security Center?** Single Choice

- A Security Center can improve security posture and strengthen compliance levels
- B Security Center replaces role-based access control with a user friendly UI
- C Security Center seamlessly manages MFA for the instance
- D Security Center can automate recommended security changes

Q42 **Which ACL operation allows users to insert new records into a table?** Single Choice

- A Write
- B Delete
- C Create
- D Read

Q43 **Which statement describes the function of the Application Navigator?** Single Choice

- A Displaying the main interface where records and lists appear for the selected module
- B Providing access to all applications and modules a user is permitted to use
- C Allowing a user to impersonate another user for testing
- D Capturing and displaying fields for individual records within a table

Q44 **What is the purpose of Customer Actions in Security Center?** Single Choice

- A Review customizations that may require backout after an upgrade
- B Address security risks that remain unresolved after an upgrade
- C Log fixes that the system applies automatically
- D Create Security Tasks that remain unresolved after an upgrade

Q45 **Which tab allows a board owner to edit the settings for a Visual Task Board?** Single Choice

- **A** Info
- **B** Labels
- **C** Activity
- **D** Configuration

Q46 **When importing data, what does coalesce a field mean?** Single Choice

- **A** The field is auto-mapped to the target table during the transform
- **B** The field determines if the transform updates a record or inserts a new one
- **C** The field is set to read-only so users cannot modify its value
- **D** The field is encrypted before being written to the staging table

Q47 **Which interface displays multiple records from a table in rows and columns?** Single Choice

- **A** List
- **B** Global Search
- **C** Form
- **D** History

Q48 **Which component is part of the core architecture of a ServiceNow instance?** Single Choice

- **A** Load Balancer
- **B** MID Server
- **C** Service Portal
- **D** Update Set

Q49 **Which type of Business Rule runs after data is read from the database, but before the form is shown?** Single Choice

- A Display
- B onLoad
- C After
- D onChange

Q50 **What are key aspects of a Service in the CSDM? - (Select two)** Multi-Select

- A Interaction
- B Asset
- C Operating model
- D Portfolio
- E Offering

Q51 **Which resource does an Administrator use as a blueprint to map IT Services?** Single Choice

- A CSDM
- B Mapping Assist Utility
- C CMDB
- D Data policy

Q52 **Which options are states in the knowledge article lifecycle? - (Select two)** Multi-Select

- A Test
- B Archive
- C Preview
- D Draft
- E Retired

Q53 **Which components are included in the list interface? - (Select two)** Multi-Select

- A Columns
- B Activity stream
- C Sections
- D Fields
- E Related lists

Q54 **What can a user create for items they access often and want to return to quickly?** Single Choice

- A Dashboard
- B Filter
- C Favorite
- D Tag

Q55 **Which interface displays one record from a table?** Single Choice

- A Dashboard
- B Form
- C Report
- D Workspace

Q56 **Which type of Visual Task Board is used to manage a filtered set of task records?** Single Choice

- A Freeform
- B Line
- C Flexible
- D Guided

Q57 **Which information does the Security Configuration page in Security Center display? - (Select two)** Multi-Select

- A The instance's configuration compliance score
- B Guidance for addressing configuration risks
- C Incoming email filtering details
- D Real-time authentication and login activity
- E Audit history of all administrative changes

Q58 **What displays comments, work notes, and record history on a form?** Single Choice

- A Activity stream
- B Fields
- C Related lists
- D Related links

Q59 **When running a transform, how does an Administrator force the system to create a new record for every import set row?** Single Choice

- A Use single-field coalesce
- B Use multiple-field coalesce
- C Ensure no coalesce field is selected
- D Use a conditional coalesce script

Q60 **Which feature provides server-side and client-side JavaScript classes and methods for building custom functionality?** Single Choice

- A UI Policies
- B Client Scripts
- C Business Rules
- D APIs

Q61 **Which features can be used to activate or implement applications or application features in the ServiceNow Platform? - (Select two)** Multi-Select

- A Plugins
- B Business Rules
- C UI Policies
- D Access Controls
- E ServiceNow store

Q62 **Which interface offers a guided experience to users as they create a Record Producer and another catalog item?** Single Choice

- A Catalog Builder
- B Employee Center
- C Knowledge Homepage
- D Flow Designer

Q63 **Who shares responsibility for platform email security under the Shared Responsibility Model? - (Select two)** Multi-Select

- A Cloud service provider
- B Colocation facility
- C ServiceNow
- D The customer
- E Email system administrators

Q64 **Which feature allows users to narrow down the records displayed in a list by applying specific conditions?** Single Choice

- A Activity Stream
- B Favorite
- C Tag
- D Filter

Q65 **Which area of responsibility is shared by all partners under the Shared Responsibility Model?** Single Choice

- A Identity and access management
- B Configuration and change management
- C Monitoring and incident response
- D Compliance: regulatory and legal

Q66 **What are types of Visual Task Boards? - (Select two)** Multi-Select

- A Freeform
- B Column
- C Pivot table
- D Guided

Q67 **Which statement about coalesce in Import Sets is true?** Single Choice

- A Coalesce requires the sys_id field to be used as the match criteria.
- B Coalesce prevents new records from being created during a transform.
- C Coalesce deletes the existing record when the values do not match.
- D Coalesce updates an existing record when a matching value is found in the target table.

Q68 **Which capability does a Manager use to automate the approval process?** Single Choice

- A Virtual Agent
- B Flow Designer
- C UI Builder
- D Catalog Builder

Q69 What does an Administrator do if a plugin does not appear in the Application Manager? — Single Choice

- A Request the plugin activation through Now Support
- B Create an update set to download the plugin
- C Clone the instance
- D Activate the plugin from the Plugins module

Q70 Which fields are inherited by tables that extend from the Task table? - (Select two) — Multi-Select

- A Knowledge Base
- B Workflow
- C State
- D Work notes

Q71 What does the maturity level represent for a Security Best Practice? — Single Choice

- A The order of impact and effort required to implement the best practice
- B The number of security tasks associated with the best practice
- C The access control requirements needed to complete the best practice
- D The level of encryption required for data protected by the best practice

Q72 Which configuration checkbox enables scripting within a Business Rule? — Single Choice

- A Advanced
- B Order
- C Filter Conditions
- D Accessible from

Q73 What are types of Service Catalog items? - (Select two) Multi-Select

- A Catalog client script
- B Order guide
- C Variable set
- D Record producer

Q74 What is automatically inherited from the Task table? - (Select two) Multi-Select

- A Fields
- B Related links
- C UI policies
- D Business rules
- E Views

Q75 How is a set of predefined options for a field configured on a form? - (Select two) Multi-Select

- A By navigating to the variable and modifying the question choices
- B By right -clicking on the form header and selecting Configure Related Lists
- C By navigating to the Dictionary Entry and modifying the Choice List Specification
- D By right -clicking on the field and selecting Configure Choices

Q76 Which modules are used to change the banner image? - (Select two) Multi-Select

- A My Company
- B CSS
- C Basic Configuration UI16
- D UIPolicies
- E Maintain items

Q77 Which feature enables a user to complete a form with predefined values? — Single Choice

- A Favorites
- B Templates
- C Related List
- D Tags

Q78 Which components of an Access Control rule are mandatory when defining an ACL? - (Select two) — Multi-Select

- A Admin overrides
- B Name
- C Advance
- D Applies To
- E Type

Q79 Which module in the Service Catalog application is used to create catalog items? — Single Choice

- A Variable Sets
- B User Criteria
- C Maintain Items
- D Catalog Client Scripts

Q80 Which interfaces does an Administrator use to configure a form? - (Select two) — Multi-Select

- A Form template
- B Form formatter
- C Form design
- D Form builder

Q81 What do users use to interact with Virtual Agent? - (Select two) — Multi-Select

- A Slack
- B Microsoft Teams
- C Google Chat
- D Connect Chat

Q82 Who is responsible for the data within a ServiceNow instance under the Shared Responsibility Model? — Single Choice

- A The customer
- B A colocation facility
- C ServiceNow
- D The cloud service provider

Q83 Which role is required to create or modify Access Control rules? — Single Choice

- A snc_internal
- B Administrator [admin]
- C Security Administrator [security_admin]
- D ITIL [itil]

Q84 In which order does ServiceNow evaluate ACL rules when determining access to a record and its fields? — Single Choice

- A ServiceNow evaluates field first, from most general to most specific, then table, from most general to most specific.
- B ServiceNow evaluates table first, from most general to most specific, then field, from most general to most specific.
- C ServiceNow evaluates field first, from most specific to most general, then table, from most specific to most general.
- D ServiceNow evaluates table first, from most specific to most general, then field, from most specific to most general.

Q85 What allows different versions of a form layout to be displayed to users based on conditions such as role or table values? Single Choice

- A UI Policy
- B Related list
- C Dictionary Overrides
- D View

Q86 Who is responsible for the platform infrastructure under the Shared Responsibility Model? Single Choice

- A The colocation facility
- B The customer
- C ServiceNow
- D The cloud service provider

Q87 Which table does the Incident table extend from? Single Choice

- A cmdb_ci
- B Problem
- C Change
- D Task

Q88 Which components are built using Workflow Studio? - (Select two) Multi-Select

- A UI Policy
- B Dashboard
- C Workspace
- D Playbook
- E Flow

Q89 **Which field on a template record determines whether the template is ready for use?** Single Choice

- A User
- B Table
- C Active
- D Short Description

Q90 **What are variable types in the Service Catalog? - (Select two)** Multi-Select

- A String
- B Choice
- C Select Box
- D Date

Q91 **What is the best practice for an Administrator who has marked an Update Set as Complete but needs to make additional changes?** Single Choice

- A Add changes to the default update set
- B Merge updates by modifying [sys_update_xml] records
- C Create an entirely new update set
- D Change the state back to In Progress

Q92 **Which scripting type is used to control how a form behaves when a user interacts with it?** Single Choice

- A Transform map
- B Scheduled job
- C Server-side script
- D Client-side script

Q93 **In which table do users create auto-generated follow-up entries for tasks or records they need to return to later?** Single Choice

- A My Work
- B Reminder
- C Task SLA
- D Incident

Q94 **What are ServiceNow core actions in Flow Designer? - (Select two)** Multi-Select

- A Create Record
- B Create Event
- C Send Report
- D Ask for Approval
- E Send Notifications

Q95 **Which roles manage multiple Knowledge Bases? - (Select two)** Multi-Select

- A Knowledge administrator [knowledge_admin]
- B ITIL
- C Administrator [admin]
- D Catalog manager [catalog_manager]

Q96 **What tracks and measures a specific metric over time using historical snapshots and trend data?** Single Choice

- A Data Visualization
- B Performance Analytics Indicator
- C Dashboard
- D Table

Q97 What allows an inherited field to behave differently on a child table? Single Choice

- A Client script
- B Form layout
- C Dictionary override
- D UI policy

Q98 Which feature enforces field rules regardless of whether data is entered through a form? Single Choice

- A Client script
- B Dictionary Attribute
- C Data policy
- D UI policy

Q99 How do Virtual Agent help users? - (Select two) Multi-Select

- A Submitting catalog requests
- B Building dashboards
- C Resetting passwords
- D Configuring access control list (ACL) rules
- E Writing knowledge articles.

Q100 Which capability helps Virtual Agent understand user intent through natural language? Single Choice

- A UI Policies
- B NLU models
- C Flows
- D Localization

Q101 **Where do users navigate when they need to order a new laptop?** Single Choice

- A Flow Designer
- B Service Catalog
- C CMDB Workspace
- D Knowledge Base

Q102 **What allows a user to navigate back to a page record they were recently on?** Single Choice

- A Application Picker
- B User Menu
- C History
- D Favorites

Q103 **What does Virtual Agent use to define conversations that users can interact with?** Single Choice

- A Catalog items
- B Topics
- C Actions
- D Knowledge Articles

Q104 **Which table stores connection data for CI?** Single Choice

- A cmdb_class_info
- B cmdb_ci
- C cmdb
- D cmdb_rel_ci

Q105 **Which Security Center role grants create permission, read access to all records, and write access limited to the user's own entries?** Single Choice

- **A** Security Center Viewer [sn_vsc_security_center_viewer]
- **B** System Administrator [admin]
- **C** Security Task Manager [sn_vsc_task_manager]
- **D** ITIL [itil]

Q106 **Which items are mandatory when creating an email notification? - (Select two)** Multi-Select

- **A** What it will contain
- **B** When to send
- **C** Email template
- **D** Email Digest

Q107 **Which capability offers employees an automated conversational experience to help them find answers and complete basic tasks?** Single Choice

- **A** Record Producer
- **B** Connect Chat
- **C** Notifications
- **D** Virtual Agent

Q108 **An Administrator wants to verify records as part of the save operation, prior to the database commit. Which 'When to run' option does the Administrator use for the business rule?** Single Choice

- **A** After
- **B** Async
- **C** Display
- **D** Before

Q109 **What happens when an Administrator sets the default set field to true on an update set? - (Select two)** Multi-Select

- **A** All other update sets in the same scope are set to default set = true
- **B** Multiple default update sets are created for the same scope
- **C** The update set becomes active across all application scopes
- **D** All other update sets in the same scope are set to default set = false
- **E** The update set becomes the default for its scope

Q110 **Which table relationships are represented as many-to-many relationships in the ServiceNow data schema? - (Select two)** Multi-Select

- **A** User and Role
- **B** User and Group
- **C** Location and Asset
- **D** Catalog Item and Requested Item
- **E** Incident and Task

Q111 **What allows an administrator to view the list of plugins that are currently installed on the instance?** Single Choice

- **A** Script includes
- **B** System Diagnostics
- **C** Data sources
- **D** System Definition

Q112 **How does a user leave feedback on a knowledge article? - (Select two)** Multi-Select

- **A** Impersonating a User
- **B** Subscribing to the Article
- **C** Flagging the Article
- **D** Rating with Stars

Q113 **What is the goal of the Shared Responsibility Model in ServiceNow?** Single Choice

- A To clarify accountability and uphold security and privacy
- B To assess configuration risk and recommend remediation
- C To automate tests and validate the instance after changes
- D To preserve CMDB integrity and sustain effectiveness

Q114 **What happens when a user fails a field-level Read ACL?** Single Choice

- A The system displays a warning message asking the user if they want to continue.
- B The system hides the field and prevents the user from viewing its value.
- C The system denies access to the entire record and prevents the user from viewing it.
- D The system logs a warning but still allows the user to view and update the field.

Q115 **Which module displays a visual representation of table inheritance?** Single Choice

- A CI Class Manager
- B Localization Framework
- C Transform Map
- D Schema Map

Q116 **Which feature dynamically makes a field mandatory on a form when a specific condition is met?** Single Choice

- A UI policy conditions
- B UI Policy Actions
- C On Load
- D Run scripts

Q117 **Which options determine when a Business Rule runs? - (Select two)** Multi-Select

- A Async
- B Display
- C onSubmit
- D Table

Q118 **Which field causes a UI Policy to execute the opposite of its defined actions when the condition is not met?** Single Choice

- A Run scripts
- B Execute if false
- C Execute if true
- D Reverse if false

Q119 **Which feature allows Administrators to pass information from one action to another when building automated logic?** Single Choice

- A Filter
- B Data Pill
- C Trigger
- D Activity Stream

Q120 **What is the purpose of a Workspace?** Single Choice

- A To give agents a streamlined interface for managing and completing their work
- B To build application files
- C To create a conversational experience to increase user's ability to troubleshoot problems
- D To order items and services

Questions With Answers and Explanation

Q1 **In What state is a knowledge article when it becomes visible to end users?** Single Choice

- **A** **Published** ✅
- **B** Retired
- **C** Draft
- **D** Review

💡 **Explanation:** A knowledge article must be in the Published state to be visible to end users. The Published state makes the article active and available through the knowledge base.

Articles in the Retired state do not appear to end users. This state indicates the article is no longer relevant or has been removed from general availability.

Articles in the Draft state are not visible to end users. Draft is used for authors to begin creating or updating an article before it is reviewed or published.

Articles in the Review state are not shown to end users. Review is used when an article is awaiting approval or edits before it can be published.

Q2 **What determines the sequence in which notifications are evaluated and sent when multiple notifications meet the same conditions?** Single Choice

- **A** Email Template
- **B** Notification Conditions
- **C** Subscription
- **D** **Weight** ✅

💡 **Explanation:** Weight determines the sequence in which notifications are evaluated and sent when multiple notifications meet the same conditions. Notifications with a higher weight are processed first.

Notification conditions do not determine the sequence in which notifications are evaluated and sent. Notification conditions define the event or record state that triggers the notification.

An email template does not determine the sequence in which notifications are evaluated and sent. Email templates are used to format the content and layout of notification messages.

Subscription does not determine the sequence in which notifications are evaluated and sent. Subscriptions allow users to opt in to receive notifications based on selected activity or preferences.

Q3 **What are record triggers in Flow Designer? - (Select two)** Multi-Select

- **A** **Created** ✅
- **B** Before
- **C** **Updated** ✅
- **D** Retired
- **E** On Change

💡 **Explanation:** The Created record trigger is available in Flow Designer. The Created trigger fires a flow when a new record is added to a table. This behavior is specific to Flow Designer triggers and initiates automation when records are first generated.

The Updated record trigger is available in Flow Designer. It fires a flow when an existing record is modified. This ensures actions run in response to changes made to a record.

The Retired state is not a record trigger available in Flow Designer. This term applies to the lifecycle of knowledge articles, indicating an article is no longer available to end users.

The Before condition is not a record trigger available in Flow Designer. This condition is a Business Rule timing option that determines when a business rule runs relative to the database action.

onChange is not a record trigger available in Flow Designer. onChange belongs to Client Scripts and controls actions that occur when a field value changes on the client-side form.

Q4 **Which role is required to add a related list to a form?** Single Choice

- **A** Form Admin [form_admin]
- **B** ITIL User [itil]
- **C** **Personalize Form [personalize_form]** ✅
- **D** Template Editor [template_editor]

💡 **Explanation:** The Personalize Form [personalize_form] role is required to configure a form layout, including adding, removing, or rearranging related lists on a form.

The Form Admin [form_admin] is not the role that grants permission to add related lists. The form_admin roles allows users to create a form section.

The ITIL User [itil] role does not grant permissions to modify form configuration. The itil role is used for users who work on task-based records such as incidents and changes.

The Template Editor [template_editor] role does not control form configuration. The

template_editor role is used to create and manage templates that populate form fields with predefined values.

Q5 **Which application in ServiceNow is used to load data into the platform?** Single Choice

- A Data Lookup Rules
- B System update sets
- C **Import Sets** ✅
- D Configuration Management Database (CMDB)

💡 **Explanation:** Import Sets is used to load data from different data sources and then maps that data into ServiceNow tables.

The Configuration Management Database (CMDB) is not used to load external data. CMDB stores configuration item (CI) records rather than staging data for imports.

Data Lookup Rules are not used to load external data. They adjust field values during form population or record creation, but they do not import or stage data.

System update sets are not used to load external data. Update Sets capture configuration changes for migration between instances. They do not support importing data files or staging data for transforms.

Q6 **Which data visualization types are allowed in reports or dashboards? - (Select two)** Multi-Select

- A Guided
- B Freeform
- C **Pie** ✅
- D **Heatmap** ✅

💡 **Explanation:** Pie is a valid data visualization type in reports or dashboards. It displays data as proportional slices of a circular chart to compare parts of a whole.

Heatmap is a valid data visualization type that in reports or dashboards. It represents values using color intensity to highlight trends or concentration patterns.

Guided Board is not a data visualization used in reports or dashboards. Guided Board is a type of Visual Task Board used to organize and track tasks in a guided workflow format.

Freeform is not a data visualization used in reports or dashboards. Freeform is a type of Visual Task Board that allows users to manually arrange and manage tasks in a flexible layout.

Q7 **What does an Administrator use to view, install and manage applications in the instance?** Single Choice

- A System Logs
- B **Application Manager** ✅
- C Scheduled Jobs
- D Data Policies

💡 **Explanation:** The Application Manager module allows administrators to view, install, and manage applications in the instance. It provides tools for managing app versions, dependencies, and installation status.

The System Logs module does not allow administrators to view, install, or manage applications. The system logs module provides access to log records such as system events, warnings, and errors.

Scheduled jobs do not allow administrators to manage applications. Scheduled jobs are used to view and run automated background jobs on a scheduled basis.

Data policies do not allow administrators to view, install, or manage applications. Data policies enforce field requirements when data is entered into the platform.

Q8 **What is a user allowed to do within the User menu of the Next Experience Unified Navigation? - (Select two)** Multi-Select

- A **Update their User Profile** ✅
- B Edit a favorite
- C **Edit preferences** ✅
- D Change the Application Scope

💡 **Explanation:** Within the User menu of the Next Experience Unified Navigation, a user can update their user profile. Users can view and modify personal details.

Within the User menu of the Next Experience Unified Navigation, a user can edit preferences. Users can adjust settings.

Within the User menu of the Next Experience Unified Navigation, a user cannot change the application scope. This action is performed from Studio or Application Picker when developing or configuring applications.

Within the User menu of the Next Experience Unified Navigation, a user cannot edit a favorite. Favorites are managed directly from the navigation bar where users can add, reorder, or remove favorite modules.

Q9 Which use case is best suited for a business rule? Single Choice

- A Modifying the options in a choice list based on user's role
- B Making a field mandatory based on another field value
- C Dynamic making a field read-only based on another field
- **D Enforcing data validation at the database level** ✅

💡 **Explanation:** Enforcing data validation at the database level is best suited for a business rule. Business rules run on the server and apply regardless of how a record is created or updated.

Dynamically making a field read-only is not best suited for a business rule. UI Policies dynamically control read-only, visible, and mandatory behaviors on form fields.

Modifying choice list options based on a user's role is not best suited for a business rule. Client scripts are used to dynamically control available choice values on a form at runtime.

Making a field mandatory based on another field value is not best suited for a business rule. UI Policies are used to dynamically enforce mandatory, visible, and read-only behaviors on form fields.

Q10 What does the Virtual Agent messaging inteface provide? Single Choice

- A A place for users to update ACL roles
- **B A conservational self-service experience** ✅
- C A tool for building integrations
- D A workspace for fulfillment teams

💡 **Explanation:** The Virtual Agent messaging interface provides a conversational self-service experience. It gives users an automated chat that helps them find information and complete simple tasks through guided interactions.

The Virtual Agent messaging interface does not allow users to update access control list (ACL) roles. ACL management happens in the System Security application, where admins configure role-based access controls.

The Virtual Agent messaging interface does not provide tools for building integrations. Integrations are created using IntegrationHub.

The Virtual Agent messaging interface does not serve as a workspace for fulfillment teams. Fulfillment teams typically work in Workspaces like Agent Workspace or Customer Service Management (CSM) Workspace.

Q11 **What is assigned to a user to grant permission to access features within the platform?** Single Choice

- **A** **Role** ✅
- **B** Access Control List Rule
- **C** UI Policy
- **D** Group

💡 **Explanation:** Roles are assigned to users to grant permission to access features within the ServiceNow platform. Roles define what a user can see and do across applications and modules.

Groups do not grant users access to platform features. Groups organize users for task assignments and approvals, and while they can contain roles, the roles themselves provide access.

Access Control List (ACL) Rules do not grant users access to platform features. ACL Rules enforce record-level security by determining who can create, read, update, or delete data.

UI Policies do not grant users access to platform features. UI Policies control client-side form behavior by making fields visible, mandatory, or read-only.

Q12 **What provides a single place to view multiple reports and visualizations together?** Single Choice

- **A** Table
- **B** Workspace
- **C** Form
- **D** **Dashboard** ✅

💡 **Explanation:** A dashboard provides a single place to view multiple reports and visualizations together. Dashboards allow users to monitor key metrics and insights in one consolidated view.

A table does not provide a single place to view multiple reports and visualizations together. A table stores and organizes records and fields that hold the underlying data used in reports and visualizations.

A form does not provide a single place to view multiple reports and visualizations together. A form displays a single record from a table so users can view or update its field values.

A workspace does not provide a place to view multiple reports and visualizations together. A workspace is a modern interface that agents use to work with records, tasks, and related data.

Q13 **Which value is stored in the child task record when a parent-child relationship is created between tasks?** Single Choice

- A Multiple records stored in a Glide list field
- B A record reference stored in a Document ID field
- C A user reference stored in a Reference field
- D **A task record reference stored in the Parent reference field** ✅

💡 **Explanation:** When a parent–child relationship is created, the child task stores a reference to the parent task in the Parent field.

A user reference stored in a Reference field is not the value stored in the child task record to create a parent–child relationship. Reference fields store a link to a record on another table.

Multiple records stored in a Glide list field are not the value stored in the child task record to create a parent–child relationship. Glide list fields store multiple related records.

A record reference stored in a Document ID field is not the value stored in the child task record to create a parent–child relationship. Document ID fields store a reference to a record on any table in the instance.

Q14 **Which icon provides access to configuration options such as Form Layout and Related Lists?** Single Choice

- A More actions
- B Activity stream
- C **Form context menu** ✅
- D Application Navigator

💡 **Explanation:** The form context menu icon provides access to configuration options such as Form Layout, Related Lists, and other form personalization settings. The form context menu icon allows Administrators to customize how fields, sections, and related information appear on a form.

The Application Navigator icon does not provide form configuration options. It is used to browse and open applications and modules in the platform.

The More actions icon does not provide form configuration options. It is used to toggle the template bar or annotations.

The Activity Stream icon does not provide form configuration options. It is used to view comments, work notes, and record history on a form.

Q15 **Which field behaviors are controlled using a UI Policy? - (Select two)** Multi-Select

- A Encrypt
- B **Mandatory** ✅
- C **Read-only** ✅
- D Audit

Explanation: The mandatory behavior of a field can be controlled using a UI Policy. UI Policies can require users to enter a value before saving a record.

The read-only behavior of a field can be controlled using a UI Policy. UI Policies can prevent users from editing a field on a form.

The encrypted behavior of a field can not be controlled by a UI Policy. Encryption is defined at the dictionary level.

The audited behavior of a field can not be controlled by a UI Policy. Auditing tracks changes to field values.

Q16 **What does a System Administrator create to make the Assigned to field on a form mandatory when the State field is set to Resolved?** Single Choice

- A **A UI policy** ✅
- B A security rule
- C A business rule
- D A data policy

Explanation: The System Administrator uses a UI policy to make the Assigned to field mandatory when the State is set to Resolved. They can create a UI policy to dynamically modify a form behavior based on conditions.

The System Administrator can create a data policy to enforce rules at the server level, but a data policy does not control real-time form behavior.

The System Administrator can create a business rule to run server-side logic, but a business rule cannot dynamically change form behavior.

The System Administrator can create a security rule to control access to data, but a security rule cannot modify form behavior or apply conditional field requirements.

Q17 **What is the hardening compliance score calculated in Security Center? - (Select two)**

Multi-Select

- **A** **On the first day of each month** ✅
- **B** After the clone of the instance
- **C** After the application of a hotfix patch
- **D** After every upgrade of the platform
- **E** **After the installation of the instance** ✅

💡 **Explanation:** The hardening compliance score is calculated in Security Center when the application is installed or reinstalled, ensuring the system immediately evaluates how closely the instance aligns with recommended security hardening settings. This initial calculation provides a baseline compliance score and confirms whether critical hardening controls are enabled or require adjustments.

The hardening compliance score is calculated in Security Center when the monthly cycle runs on the first day of each month. This scheduled recalculation ensures continuous monitoring of compliance by reassessing all hardening rules and identifying new deviations that may have appeared since the previous month.

The hardening compliance score is calculated in Security Center when users manually trigger the Update score button. This option allows administrators to immediately refresh the score after making configuration changes, enabling quick validation of improvements or detection of new compliance gaps without waiting for the monthly run.

The hardening compliance score is not calculated in Security Center when an instance clone occurs. Cloning does not automatically initiate a recalculation, which means that the compliance score may not reflect the current state unless the system reaches the monthly recalculation point or the administrator initiates a manual update.

The hardening compliance score is not calculated in Security Center when a hotfix patch is applied. Hotfixes do not trigger the compliance scoring process, so recalculation still depends on the scheduled monthly run or a manual refresh initiated by the administrator.

The hardening compliance score is not calculated in Security Center when a platform upgrade completes. Upgrades alone do not trigger recalculation, and administrators must rely on the standard monthly recalculation or manually update the score if an immediate assessment is required.

Q18 **Which feature does a System Adminstrator use to test functionality as another user?** Single Choice

- A Application Navigator
- B History
- C **User Menu** ✅
- D Global Search

💡 **Explanation:** The System Administrator uses the User Menu feature to impersonate another user. Impersonation lets the admin test functionality and validate access exactly as that user would experience it.

The System Administrator does not use the Global Search feature to impersonate another user. Global Search is used to find records and information across the platform.

The System Administrator does not use The Application Navigator feature to impersonate another user. Application Navigator is used to browse and open applications and modules in the platform.

The System Administrator does not use the History feature to impersonate another user. History provides a list of recently accessed records and modules for quick navigation.

Q19 **Which features does an Administrator user to visualize CI connections? - (Select two)** Multi-Select

- A **Relationship Editor** ✅
- B Mapping Assist Utility
- C CI Class Manager
- D **Dependency Views map** ✅
- E CMDB Query Builder

💡 **Explanation:** The Administrator uses Dependency Views to visualize configuration item (CI) relationships. This feature generates dynamic and interactive maps that represent how configuration items depend on, influence, or impact one another across services and infrastructure. It allows administrators to trace upstream and downstream dependencies, analyze potential service impacts, and understand relationship paths through an intuitive graphical interface designed specifically for Configuration Management Database (CMDB) relationship visualization.

The Administrator uses Relationship Editor to visualize and modify CI relationships. This tool provides a structured interface for viewing the existing relationship links between configuration items and for creating, editing, or removing these connections directly. It supports clear inspection of each CI's relationship network and enables administrators to manage dependencies at record level without needing advanced mapping tools.

The Administrator does not use CI Class Manager to visualize CI relationships. This tool focuses solely on viewing and managing CMDB class schemas, inheritance models, class attributes, and hierarchy structures rather than relationship data between individual CI records. Although it shows how classes relate conceptually, it does not provide a graphical or record-level view of actual CI dependencies.

The Administrator does not use CMDB Query Builder to visualize CI relationships. While CMDB Query Builder enables users to construct, run, and analyze complex relationship-based queries across the CMDB, it is designed for data retrieval and reporting rather than graphical mapping. It displays relationship information as query results instead of interactive dependency maps, making it unsuitable for visual CI relationship analysis.

The Administrator does not use Mapping Assist Utility to visualize CI relationships. This tool is intended to simplify field mapping during import set transformation using drag-and-drop assistance. It plays a role in data ingestion workflows but has no functionality related to exploring, viewing, or managing relationships between configuration items in the CMDB.

Q20 **What happens if a user fails a table-level Read ACL rule?** Single Choice

- A Thee system logs a warning but still allows the user to access the record
- B **The system denies to the record and prevents the user from viewing it** ✅
- C The system denies access to the field but still allows access to the rest of the record
- D The system displays a warning message asking the user if they want to continue

💡 **Explanation:** The system denies access to the record and prevents the user from viewing it. This is because failing a table Access Control rule (ACL) blocks all access to the record itself. Table ACLs control permissions at the record level, and a failed check stops the user from retrieving or viewing the record.

The system does not deny access to the field but still allows access to the rest of the record. This only happens when a user fails a field-level ACL, not a table ACL. A failed table ACL blocks access to the entire record, not just individual fields.

The system does not display a warning message asking the user if they want to continue. ACL rule failures do not generate user prompts or warnings. ACLs enforce access automatically and do not allow users to bypass or confirm access.

The system does not log a warning but still allows the user to access the record. ACL evaluation does not permit access when a table ACL fails. The system stops the access request and does not allow record retrieval.

Q21 **What are the behaviors that occur once a flow has been triggered?** Single Choice

- A Triggers
- B **Actions** ✅
- C Catalog Client Scripts
- D Filters

💡 **Explanation:** Actions are the operations a flow performs after it has been triggered. They represent the actual behavior or work the flow carries out.

Filters do not describe behaviors inside a flow. Filters limit which records are included or displayed in lists and reports, but they do not run after a flow is triggered.

Triggers do not represent behaviors after a flow starts. A trigger only defines the condition or event that starts a flow.

Catalog Client Scripts do not represent behaviors that occur after a flow is triggered. They control client-side logic on catalog item forms.

Q22 **Which domain layer of the CSDM contains customer-facing service offerings that users can request or subscribe to?** Single Choice

- A Build
- B Foundation
- C Design
- D **Consume** ✅

💡 **Explanation:** The Consume domain represents customer-facing services and service offerings that users can request or subscribe to.

The Foundation domain contains core Configuration Management Database (CMDB) elements such as locations, groups, and users; it does not represent customer-facing offerings.

The Build domain includes technical services and deployment components used to support applications, not the services consumed by end users.

The Design domain contains application and service design elements, including logical models and architectural components, rather than user-facing offerings.

Q23 **What does the Administrator use to add custom modules to the Application Navigator?** Single Choice

- **A** **Application Menu** ✅
- **B** Dictionary
- **C** Application Registry
- **D** Data Policies

💡 **Explanation:** The Application Menu module allows Administrators to add custom modules to the Application Navigator. It defines the application structure and controls which modules appear within it.

The Dictionary module does not allow Administrators to add custom modules. The Dictionary module is used to manage field definitions, table schema, and field attributes.

Data policies do not allow Administrators to add custom modules. Data policies enforce field requirements and data consistency during data entry.

The Application Registry module does not allow Administrators to add custom modules. The Application Registry module is used to configure OAuth settings and register applications for integration.

Q24 **Which statement is true about moving a task card from one lane to another?** Single Choice

- **A** A user has to have an admin role to move a card
- **B** The move cannot be cancelled
- **C** All fields have to completed before moving
- **D** **A field value on the underlying task record is updated** ✅

💡 **Explanation:** When a user moves a task card to a different lane, the field that the lanes are based on is updated on the underlying task record to match the new lane value.

The move can indeed be cancelled. Users can reverse a move by dragging the card back to the previous lane or pressing escape during the move.

All fields do not need to be completed before moving. Only mandatory fields are required to be completed when a task is going through a lane change.

An admin role is not needed to move a card. Users can move cards as long as they have permission to update the underlying task record.

Q25 **What lists the items and modules available in the instance?** Single Choice

- A Globe
- B **All menu** ✅
- C Favorites menu
- D Workspaces menu

💡 **Explanation:** The All menu lists all menu items and modules available in the instance. Users can navigate to all applications and modules from the All menu.

The Favorites menu does not list all menu items and modules. The Favorites menu displays only items a user has saved for quick access.

The Workspaces menu does not list all menu items and modules. The Workspaces menu provides access to role-based workspaces.

The History menu does not list all menu items and modules. The History menu displays recently visited modules and records.

Globe does not list all menu items and modules. Globe is the application scope indicator in ServiceNow, showing which application scope you are currently working in.

Q26 **Who is responsible for backup and restoration under the Shared Responsibility Model in ServiceNow?** Single Choice

- A The cloud service provider
- B The customer
- C The colocation facility
- D **ServiceNow** ✅

💡 **Explanation:** In the Shared Responsibility Model, the ServiceNow team is responsible for performing platform-level backup and restoration tasks as part of its operational and infrastructure management duties. This includes maintaining reliable backup processes, ensuring recoverability, and safeguarding customer data within the managed ServiceNow environment so that customers benefit from a secure and resilient platform without needing to handle these technical operations themselves.

In the Shared Responsibility Model, the customer is responsible for data quality, data governance, and proper configuration within the instance, but they do not manage any of the platform's underlying backup or restoration operations. Their responsibilities focus on how data is entered, maintained, and used; not on the technical mechanisms that protect or restore the platform's data.

In the Shared Responsibility Model, the colocation facility provides and maintains the physical hosting environment, including power, cooling, and building security, but it has no involvement in performing platform data backup or restoration tasks. Its role is strictly limited to the physical infrastructure layer, far removed from the application-level processes that handle customer data protection.

In the Shared Responsibility Model, the cloud service provider maintains and secures the underlying cloud infrastructure that supports the ServiceNow platform, but it does not perform ServiceNow-specific application backup or restoration. While it ensures infrastructure availability and robustness, it does not manage the platform's operational data protection processes, which remain the responsibility of ServiceNow.

Q27 **In an instance configured with Default Deny (glide.sm.default_mode = Deny), what happens when no explicit table or field ACL matches a requested record operation?** Single Choice

- **A** The system blocks the request until the user elevates to the security_admin role
- **B** **The wildcard table ACLs deny the operation unless admin access or another ACL explicitly grants it** ✅
- **C** The platform prompts an administrator to create a new ACL before processing the request
- **D** The platform grants the operation because no specific ACL exists to restrict the action

💡 **Explanation:** With Default Deny enabled, when no explicit table or field ACL matches a requested operation, the platform falls back to the out-of-box wildcard table ACLs for that operation. In this mode, those wildcard ACLs restrict CRUD on all tables and the operation is denied unless the user is admin or another specific ACL grants access to the target object. The admin role can override access controls in the base system, which is why admins typically pass this check while non-admin users do not.

By default, the wildcard ACLs are the only rules that read the glide.sm.default_mode setting; administrators may extend similar behavior to other operations only by creating additional ACLs that explicitly check the property. Note that in modern instances this property is set to Deny by default, and once set to Deny you cannot revert it to Allow.

The platform does not prompt administrators to auto-create ACLs. Instead, administrators manually configure ACLs and related high-security settings, and must elevate to the security_admin role to make those changes.

The security_admin role is an elevated configuration role used to modify ACLs; it is not a runtime requirement evaluated by the ACL engine when deciding access to a record or field.

Q28 **What does the REQ number represent in the Service Catalog Fulfillment Process?** Single Choice

- **A** **The entire request submitted by the user** ✅
- **B** The tasks assigned to fulfillment teams
- **C** The set of questions the requester answers to provide item details
- **D** The individual items that were ordered

💡 **Explanation:** The REQ number identifies the overall Service Catalog request. It serves as the parent record that tracks the entire order the user submitted.

The REQ number does not represent the individual items that were ordered. This is actually describing a Requested Item (RITM) record. An RITM reflects each specific catalog item included within a request.

The REQ number does not represent the tasks assigned to fulfillment teams. This is actually describing Service Catalog Task (SCTASK) records. SCTASKs are the tasks created from an RITM and assigned to groups or individuals.

The REQ number does not represent the set of questions the requester answers to provide item details. This is actually describing variables. Variables capture user input on the catalog item form, not the REQ itself.

Q29 **Which file formats are imported using Import Sets? - (Select two)** Multi-Select

- **A** ZIP
- **B** PDF
- **C** **CSV** ✅
- **D** JPG/PNG
- **E** **XML** ✅

💡 **Explanation:** Import Sets support XML. XML is a structured data format that can be parsed and converted into Import Set rows for processing.

Import Sets support CSV. CSV files are structured, delimited text files that can be imported into staging tables for transformation.

Import Sets cannot load PDF files. PDF is not a structured data format that the system can convert into Import Set rows. PDF files cannot be parsed into staging tables.

Import Sets cannot load image files (JPG/PNG). The system requires structured data formats for staging table creation.

Import Sets cannot load ZIP files. Compressed archive files are not supported as direct structured data sources for Import Sets.

Q30 **Which language is primarily used in ServiceNow?** Single Choice

- **A** **JavaScript** ✅
- **B** Python
- **C** HTML
- **D** Jelly Script

💡 **Explanation:** JavaScript is the primary scripting language used across the ServiceNow platform. It powers both client-side logic, such as Client Scripts, UI Policies with script actions, and Catalog Client Scripts, and server-side logic including Business Rules, Script Includes, Scheduled Jobs, and Workflow Scripts. ServiceNow's official scripting model, including its Glide APIs, is built entirely around JavaScript, making it the foundational language for customization and automation on the platform.

Python is not used as a scripting language within the ServiceNow platform. Instead, Python is used externally when integrating with ServiceNow through REST or SOAP web services. ServiceNow provides examples of Python clients for interacting with platform APIs, demonstrating Python's role as an integration tool rather than a native scripting language.

Jelly Script is not the primary scripting language in ServiceNow. Jelly is a markup-based templating technology used mainly in older or legacy UI components such as UI Pages and UI Macros. It serves as a rendering layer for generating HTML and form layouts rather than for process automation or business logic.

HTML is not a scripting language in ServiceNow. HTML is a markup language used strictly for structuring and presenting content within UI Pages, Now Experience components, or catalog HTML variables. It provides visual layout capabilities but does not control platform logic or automation.

Q31 **Which table stores the configuration change records that are used to move changes between instances?** Single Choice

- **A** Schedule Job [sysauto]
- **B** **Customer Update [sys_update_xml]** ✅
- **C** Dictionary Entries [sys_dictionary]
- **D** Update Set [sys_update_set]

Explanation: The Customer Update [sys_update_xml] table stores the individual configuration change records captured within an update set. These records represent the actual changes, such as modified fields, scripts, UI policies, and other configuration elements that are transported between instances when an update set is moved.

The Update Set [sys_update_set] table does not store the individual configuration change records that are moved between instances. It stores the update set header record, including details such as the name, state, and application scope, and serves as a logical container that groups captured changes together.

The Scheduled Job [sysauto] table does not store update set records, as it is used to define and manage scheduled system jobs. Scheduled jobs are operational automation components unrelated to the tracking or movement of configuration changes between instances.

The Dictionary Entries [sys_dictionary] table does not store update set records. This table contains metadata that defines table structures, field attributes, and schema information. While some dictionary changes may be captured in customer update records, the sys_dictionary table itself is not where update sets are stored.

Q32 **How is access to a knowledge base managed?** Single Choice

- A Client Scripts
- B UI Policies
- C Business Rules
- D **User Criteria** ✅

Explanation: User Criteria control access to a knowledge base and its articles. They determine which users can view, contribute to, or manage knowledge content based on specific attributes such as roles, groups, or user fields.

Managing access to a knowledge base is not a functionality of UI Policies. UI Policies change the visibility, ability to edit, and mandatory status of fields on forms based on conditions.

Managing access to a knowledge base is not a functionality of Client Scripts. Client Scripts run in the user's browser to validate data or modify form behavior.

Managing access to a knowledge base is not a functionality of Business Rules. Business Rules run on the server to enforce data logic or automation.

Q33 **Where are UI Policies evaluated when a user interacts with a form?** Single Choice

- **A** **Client side** ✅
- **B** System log
- **C** Server side
- **D** Global scope

💡 **Explanation:** UI Policies are evaluated on the client side when a user interacts with a form. UI Policies control form behavior in real time as the user views or edits a record.

UI Policies are not evaluated server side. Server-side processing occurs after data is submitted, such as through Business Rules or Flows.

The Global scope does not determine where UI Policies are evaluated. Global scope controls application availability and access, not form behavior.

The System Log does not determine where UI Policies are evaluated. The System Log records system events, errors, and warnings for troubleshooting purposes.

Q34 **Which events occur on the client side? - (Select two)** Multi-Select

- **A** **When a form is submitted** ✅
- **B** When table data is modified
- **C** When a database record is accessed
- **D** **When a form loads** ✅

💡 **Explanation:** Form loading occurs on the client side. onLoad client scripts execute in the user's browser when a form is first displayed. ServiceNow defines onLoad as a client-side script type that runs as soon as the form loads, before the user interacts with it.

Form submission also occurs on the client side. onSubmit client scripts run in the user's browser when the user submits a form, allowing the system to validate or stop the submission before data is sent to the server.

Database records being accessed does not occur on the client side. Database operations, including reading, querying, and loading records, are executed server-side by Business Rules and other server-side scripts, not by the browser.

Table data being modified does not occur on the client side. Table updates and database writes occur on the server using server-side logic, not on the client. Client-side scripts cannot modify database tables directly.

Q35 **Which interface displays visualizations to allow users to make data-driven decisions?** Single Choice

- A Knowledge Article
- B Service Catalog
- C **Dashboard** ✅
- D Activity Stream

💡 **Explanation:** A dashboard displays visualizations to help users make data-driven decisions. It shows reports, charts, and widgets in a consolidated view.

The activity stream does not display visualizations for data-driven decisions. The activity stream shows real-time updates, comments, and field changes on a record.

The Service Catalog does not display visualizations for data-driven decisions. The service catalog enables users to request items and services through structured catalog items.

A Knowledge Article does not display visualizations to support data-driven decisions. Knowledge articles provide informational content that users read to learn about the company's procedures, troubleshooting steps, or reference material.

Q36 **Where do users switch their instance to display a different colored theme?** Single Choice

- A **User Menu > Preferences > Theme** ✅
- B User Menu > Profile
- C All > My Company Applications > Create New
- D All > Process Automation > Workflow Studio

💡 **Explanation:** Navigating to the Theme Module from the User Menu allows users to update their personal display settings, including choosing a different colored theme. The Theme preference lives inside user level UI settings.

Navigating to the Profile module from the User Menu does not allow users to change their theme. The Profile area is focused on user information and related settings.

Navigating to Workflow Studio does not allow users to change their theme. Workflow Studio is used to design and manage flows, playbooks, and related automation assets.

Navigating to My Company Applications > Create New does not allow users to change their theme. The My Company Applications area is used for managing and configuring company applications.

Q37 **What are valid states of an update set? - (Select two)** Multi-Select

- A Draft
- **B Ignore** ✅
- C Published
- **D Complete** ✅

💡 **Explanation:** The Complete state indicates that an update set is finished and no longer captures changes. Completed update sets are ready to be moved to another instance.

The Ignore state indicates that an update set or individual update should not be applied. Ignored updates are skipped during the commit process.

The Draft state is not a valid update set state. Draft is a publication state used for knowledge articles.

The Published state is not a valid update set state. Published is a publication state used for knowledge articles.

Q38 **Which statement best describes an Update Set?** Single Choice

- A A collection of team members based on specific requirements
- B A collection of field mappings that define relationships between import set fields and fields in a target table
- **C A collection of configuration changes that can be moved between instances** ✅
- D Protection for applications by identifying and restricting access to application files and data

💡 **Explanation:** An update set is a group of configuration changes that can be moved from one instance to another. This allows administrators to promote configuration between environments.

An update set is not a set of team members defined to meet specific requirements. This description corresponds to user groups or assignment groups.

Protection for applications by identifying and restricting access to application files and data does not describe an update set. This behavior aligns with application scoping, which controls access to application resources.

Field mappings that define relationships between import set fields and fields in a target table do not describe an update set. This behavior aligns with transform maps used during data imports.

Q39 **What is used to store JavaScript that runs on the server?** Single Choice

- A UI Actions
- B UI Scripts
- C Client Scripts
- D **Script Includes** ✅

💡 **Explanation:** Script Includes are used to store JavaScript that runs on the server. Script Includes contain reusable server-side logic that can be called from other scripts.

Client Scripts are not used to store JavaScript that runs on the server. Client Scripts control form behavior during user interaction in the browser.

UI Actions are not used to store JavaScript that runs on the server. UI Actions define user-triggered actions and may run client-side or server-side, but they are not intended for shared logic.

UI Scripts are not used to store JavaScript that runs on the server. UI Scripts store client-side JavaScript that runs in the user's browser.

Q40 **Which feature organizes fields on a form into collapsible groups?** Single Choice

- A Activity Stream
- B Related List
- C **Form Sections** ✅
- D List Layout

💡 **Explanation:** The Sections feature organize fields on a form into collapsible groups. Sections help structure the form so users can view related fields together.

A related list does not organize fields on a form into collapsible groups. Related Lists display records from other tables that are associated with the current record.

The activity stream does not organize fields on a form into collapsible groups. The activity stream displays comments, work notes, and system updates related to the record.

List Layout does not organize fields on a form into collapsible groups. List Layout configures which fields appear as columns in a list view.

Q41 **Which statement describes Security Center?** Single Choice

- **A** **Security Center can improve security posture and strengthen compliance levels** ✅
- **B** Security Center replaces role-based access control with a user friendly UI
- **C** Security Center seamlessly manages MFA for the instance
- **D** Security Center can automate recommended security changes

💡 **Explanation:** Security Center centralizes risk insights, security scoring, and actionable recommendations, enabling administrators to continuously improve their instance's security posture and strengthen compliance. Security Center provides a unified, intuitive view of critical issues, recommended remediations, and configuration gaps, helping teams proactively address risks without manually searching across disparate security settings. By consolidating visibility and guidance into a single workspace, Security Center supports a more consistent and efficient approach to maintaining a secure and compliant ServiceNow environment.

Security Center provides prioritized recommendations and step-by-step remediation guidance but does not automatically apply or enforce configuration changes. Administrators remain responsible for reviewing each recommendation, deciding whether it is appropriate for their environment, and manually performing the required updates. This design ensures full administrative control and prevents unintentional automatic changes that could affect business logic or security configurations.

Security Center does not alter or replace role-based access control (RBAC), nor does it override Access Control Lists (ACLs). Standard ACL rules continue to determine which users can view or modify data, regardless of the Security Center interface. Although Security Center provides an improved, consolidated user experience for assessing security risks, it does not change the underlying access control mechanisms that govern permissions throughout the platform.

Security Center does not manage multi-factor authentication (MFA) or oversee authentication workflows. All authentication functions, including MFA configuration, single sign-on (SSO), and identity provider integrations, remain part of Access Management. While Security Center helps administrators monitor security posture, MFA settings are still controlled independently through authentication configuration pages and are not part of Security Center's capabilities.

Q42 **Which ACL operation allows users to insert new records into a table?** Single Choice

- **A** Write
- **B** Delete
- **C** **Create** ✅
- **D** Read

💡 **Explanation:** The Create Access Control List (ACL) operation allows users to insert new records because it grants permission to add records to a table. Without Create permission, a user cannot submit new entries.

The Read ACL operation does not allow inserting records because it only controls whether a user can view records in the table. Creating new records requires the Create operation.

The Write ACL operation does not allow inserting new records because it controls the ability to update existing records. A user must have the Create operation to add new records to a table.

The Delete ACL operation does not allow inserting records because it governs the ability to remove existing records from a table. It does not provide permissions to add new ones.

Q43 **Which statement describes the function of the Application Navigator?** Single Choice

- A Displaying the main interface where records and lists appear for the selected module
- B **Providing access to all applications and modules a user is permitted to use** ✅
- C Allowing a user to impersonate another user for testing
- D Capturing and displaying fields for individual records within a table

💡 **Explanation:** The function of the Application Navigator is to provide access to all applications and modules a user is permitted to use. The Application Navigator lists all applications and modules available to the logged-in user. It allows users to browse, filter, and favorite navigation items, and serves as the main entry point to features and records in the platform.

Displaying the main interface where records and lists appear for the selected module is not a functionality of the Application Navigator. This is actually describing the content frame. The content frame is the main area of the interface where forms, lists, and pages are displayed.

Allowing a user to impersonate another user for testing is not a functionality of the Application Navigator. This is actually describing the user impersonation. User impersonation is a separate function accessible through the user menu in the banner. It is not part of the Application Navigator's functionality.

Capturing and displaying fields for individual records within a table is not a functionality of the Application Navigator. This is actually describing a form. A form is used to view and edit the fields of a single record in a table. It also appears in the content frame and not in the Application Navigator.

Q44 **What is the purpose of Customer Actions in Security Center?** Single Choice

- A Review customizations that may require backout after an upgrade
- B **Address security risks that remain unresolved after an upgrade** ✅
- C Log fixes that the system applies automatically
- D Create Security Tasks that remain unresolved after an upgrade

💡 **Explanation:** The purpose of Customer Actions in Security Center is to help administrators address security risks that remain unresolved after an upgrade. The platform cannot automatically apply certain fixes without risking disruption to custom configurations. Customer Actions highlights these items so that administrators can manually review and apply the required remediations in a controlled manner, ensuring their instance remains secure while preserving any customizations that could otherwise be overwritten or broken by automated updates.

The purpose of Customer Actions in Security Center is not to create unresolved Security Tasks after an upgrade. Security Tasks are customer-created items used to monitor, prioritize, and manage security-related work in one central place, but they are not generated automatically through upgrades. Customer Actions focuses on upgrade-related risks requiring customer attention, not on generating tasks on behalf of the system.

The purpose of Customer Actions in Security Center is not to evaluate or review customizations that might need to be backed out after an upgrade. Customizations are tracked through update sets, which provide their own dedicated backout mechanism. Customer Actions is instead centered on identifying unresolved security risks; not analyzing configuration changes or determining whether a customization should be reverted.

The purpose of Customer Actions in Security Center is not to log automatically applied fixes. ServiceNow does not automatically implement certain security-related changes because doing so could conflict with or break existing custom configurations. Instead, Customer Actions provides clear, step-by-step guidance so administrators can apply the necessary fixes themselves in a safe and controlled manner.

Q45 **Which tab allows a board owner to edit the settings for a Visual Task Board?** Single Choice

- A Info
- B Labels
- C Activity
- D **Configuration** ✅

Explanation: The Configuration tab allows the board owner to edit and configure the settings of a Visual Task Board. It is specifically used to modify board-level settings and customize the board's behavior.

The Info tab does not allow editing task board settings. The Info tab displays information about the board, such as name, type, owner, and filter details.

The Labels tab does not allow editing task board settings. The Labels tab is used to apply and manage labels to visually distinguish and filter tasks.

The Activity tab does not allow editing task board settings. The Activity tab displays all activities related to the cards on the board.

Q46 **When importing data, what does coalesce a field mean?** Single Choice

- A The field is auto-mapped to the target table during the transform
- B **The field determines if the transform updates a record or inserts a new one** ✅
- C The field is set to read-only so users cannot modify its value
- D The field is encrypted before being written to the staging table

Explanation: Coalesce a field means the transform map uses that field to decide whether an incoming import set row updates an existing record in the target table or creates a new one. When a field is marked as coalesce, ServiceNow compares the incoming value with existing records; if it finds a match, the system updates that record, and if it finds no match, it inserts a new one. This mechanism is central to import reconciliation and prevents data duplication by ensuring that unique identifiers, such as serial numbers, email addresses, or other distinctive attributes, serve as the basis for record matching.

Coalesce a field does not mean the system encrypts the field before writing it to the staging table. Coalescing plays no role in encryption and does not affect how data is protected in the staging or target tables. Encryption in ServiceNow operates through dedicated mechanisms such as column-level encryption, which administrators configure in the dictionary and manage through encryption contexts and key management. These controls function independently of transform map logic, so marking a field as coalesce does not trigger encryption or influence how encrypted values are created, processed, or stored.

Coalesce a field does not mean the system auto-maps the field to the target table during a transform. Auto-mapping is a separate import set feature that attempts to match source and target fields based on name similarities. This automated mapping has no connection to the system's decision to update or insert records. Selecting a field as coalesce only instructs the transform map to use that field's value to identify existing records.

Coalesce a field does not mean the system sets the field to read-only. Read-only behavior is controlled through dictionary attributes, such as read_only, UI policies, client scripts, or ACLs; none of which interact with or depend on coalesce settings in a transform map. Although coalesce influences data reconciliation during imports, it does not affect form behavior, field accessibility, or how users view or edit data.

Q47 **Which interface displays multiple records from a table in rows and columns?** Single Choice

- **A** **List** ✅
- **B** Global Search
- **C** Form
- **D** History

💡 **Explanation:** A list displays multiple records from a table in rows and columns. Users can sort, filter, and edit records directly from a list.

Global Search does not display multiple records from a table in rows and columns. Global Search allows users to search across multiple tables and records throughout the platform.

History does not display multiple records from a table in rows and columns. History allows users to return to recently viewed records, lists, or modules.

A form does not display multiple records from a table in rows and columns. A form displays a single record from a table so users can view or update its field values.

Q48 **Which component is part of the core architecture of a ServiceNow instance?** Single Choice

- **A** **Load Balancer** ✅
- **B** MID Server
- **C** Service Portal
- **D** Update Set

💡 **Explanation:** A load balancer is a core infrastructure component of a ServiceNow instance. It distributes incoming user requests across multiple application nodes to ensure high availability, reliability, and performance. By managing traffic efficiently, it helps prevent any single node from becoming overloaded and supports failover if a node becomes unavailable.

A Management, Instrumentation, and Discovery (MID) Server is not part of the core cloud architecture of a ServiceNow instance. It is an optional, customer-installed agent that runs inside the organization's network to facilitate communication between the ServiceNow instance and on-premises systems, such as for Discovery, Orchestration, or IntegrationHub activities.

An Update Set is an application-level mechanism used to capture and migrate configuration changes (such as customizations to forms, fields, or business rules) from one instance to another. It is not an infrastructure component, but rather a development and deployment tool within the ServiceNow platform.

Service Portal is a configurable web interface framework used to create user-friendly front-end experiences for end users. While it runs on the ServiceNow platform, it is a feature or application layer capability rather than a core infrastructure component of the instance architecture.

Q49 **Which type of Business Rule runs after data is read from the database, but before the form is shown?** Single Choice

- **A** **Display** ✅
- **B** onLoad
- **C** After
- **D** onChange

💡 **Explanation:** The display option determines when a business rule runs after data is read from the database but before the form is presented to the user. A display business rule is used to prepare data for form display.

The onChange option does not determine when a business rule runs. The onChange option is a client script type that runs when a field value changes on a form.

The onLoad option does not determine when a Business Rule runs. The onLoad option is a client script type that runs when a form loads in the browser.

The after option does not determine when a business rule runs before the form is shown. An after business rule runs after actions are taken on the record in the database.

Q50 **What are key aspects of a Service in the CSDM? - (Select two)** Multi-Select

- **A** **Interaction** ✅
- **B** Asset
- **C** Operating model
- **D** Portfolio
- **E** **Offering** ✅

💡 **Explanation:** Interaction represents how users engage with the service and is one of the three components defined in the Common Service Data Model (CSDM) service model.

Offering represents the units of value delivered to customers and is defined as a core component of a service in the CSDM.

A portfolio organizes and categorizes services but is not one of the three foundational components of a service in the CSDM.

Operating models describe organizational structures and processes but are not components of a service in the CSDM.

An asset is a tracked resource, not one of the three conceptual components of a service.

Q51 **Which resource does an Administrator use as a blueprint to map IT Services?** Single Choice

- **A** **CSDM** ✅
- **B** Mapping Assist Utility
- **C** CMDB
- **D** Data policy

💡 **Explanation:** The Administrator uses the Common Service Data Model (CSDM) as a blueprint to map IT Services. This model provides a standardized and structured framework for modeling and mapping IT services across the ServiceNow platform. CSDM acts as the blueprint that defines how service-related data should be organized, how IT services relate to applications and infrastructure, and how these relationships support ServiceNow products such as Service Mapping, Configuration Management Database (CMDB), and IT Operations Management (ITOM). By following the CSDM, administrators ensure consistent service modeling practices, better data quality, and a unified view of service dependencies that align with industry best practices.

The Administrator does not use the Configuration Management Database (CMDB) as a blueprint to map IT Services. The CMDB is a repository that stores configuration items (CIs) and their relationships but does not provide a service modeling framework. While the CMDB supports service modeling by housing the underlying data, it does not define how services should be structured or mapped; instead, it relies on frameworks like CSDM to give meaning and organization to the stored configuration data.

The Administrator does not use a data policy as a blueprint to map IT Services. Data policies are designed to enforce data quality rules and field-level consistency, not to define or structure IT services. Data policies help ensure correct data entry and maintain uniformity across forms and APIs, but they play no role in mapping IT services or modeling service relationships within the CMDB or service architecture.

The Administrator does not use the Mapping Assist utility as a blueprint to map IT Services. This feature is intended to help create and automate field mappings in transform maps during data imports. Mapping Assist simplifies data integration tasks by suggesting or generating field correspondences, but it does not provide capabilities for defining service models, building service hierarchies, or creating a blueprint for IT service mapping.

Q52 **Which options are states in the knowledge article lifecycle? - (Select two)** Multi-Select

- A Test
- B Archive
- C Preview
- D **Draft** ✅
- E **Retired** ✅

Explanation: Draft is the initial state the knowledge article enters after it is submitted.

Retired is a state in the knowledge article lifecycle. Retired means the article has been removed from active use but is still stored in the system.

Archive is not a state in the knowledge article lifecycle. The state where the functionality of removing an article from being available for use from an end user is called Retired.

Test is not a state in the knowledge article lifecycle. Test is used in Flow Designer to ensure a flow is working as designed.

Preview is not a state in the knowledge article lifecycle. A preview allows a user to see components like a form or new service catalog item before it is saved.

Q53 **Which components are included in the list interface? - (Select two)** Multi-Select

- A **Columns** ✅
- B Activity stream
- C Sections
- D **Fields** ✅
- E Related lists

Explanation: Fields are components of the list interface. They display the values stored in each record within a column.

Columns are components of the list interface. They define which fields are displayed across all records in the list.

Related lists are not components of the list interface. Related lists appear on forms and display records that are related to the current record.

Sections are not components of the list interface. Sections organize fields on a form into collapsible

groups.

An activity stream is not a component of the list interface. Activity stream displays comments, work notes, and record history on a form.

Q54 **What can a user create for items they access often and want to return to quickly?** Single Choice

- A Dashboard
- B Filter
- C **Favorite** ✅
- D Tag

💡 **Explanation:** A user can create a favorite to allow them to navigate quickly to items that they use often.

A user cannot create a dashboard to navigate quickly to items they use often. A dashboard is used to display a collection of widgets to analyze data.

A user cannot create a filter to navigate quickly to items they use often. A filter allows the user to reduce the amount of records being shown based on defined conditions.

A user cannot create a tag to navigate quickly to items they use often. A tag is a collection of key words to identify records.

Q55 **Which interface displays one record from a table?** Single Choice

- A Dashboard
- B **Form** ✅
- C Report
- D Workspace

💡 **Explanation:** A form displays one record from a table. It allows users to view and edit the fields and details of a single record.

A dashboard does not display one record from a table. A dashboard shows visualizations such as reports and widgets for monitoring data.

A report does not display one record from a table. A report presents aggregated data using charts, lists, and visual summaries.

A workspace does not display one record from a table. A workspace provides a modern interface that centralizes tasks, records, and tools for agents.

Q56 **Which type of Visual Task Board is used to manage a filtered set of task records?** Single Choice

- A Freeform
- B Line
- C **Flexible** ✅
- D Guided

💡 **Explanation:** A Flexible Board is used to manage a filtered set of task records. Flexible Boards are created from a list or filter so the cards remain linked to the underlying task records.

A Freeform Board is not used to manage a filtered set of task records. Freeform Boards are manually created and are not tied to a list or filter of records.

A Guided Board is not used to manage a filtered set of task records. Guided Boards are designed to support a structured workflow process with predefined lanes.

Line is not a type of Visual Task Board. Line is a data visualization type used in reports and dashboards to display trends over time.

Q57 **Which information does the Security Configuration page in Security Center display? - (Select two)** Multi-Select

- A **The instance's configuration compliance score** ✅
- B **Guidance for addressing configuration risks** ✅
- C Incoming email filtering details
- D Real-time authentication and login activity
- E Audit history of all administrative changes

💡 **Explanation:** Guidance for addressing configuration risks includes the remediation recommendations that Security Center provides when it detects configuration issues. These recommendations outline the steps an administrator can take to resolve identified risks, including configuration adjustments, activation or deactivation of features, or changes to system settings. This guidance helps ensure that customers can take informed action to improve their security posture without relying solely on automated corrections or external documentation.

The instance's configuration compliance score represents the calculated percentage of configuration settings that adhere to recommended Security Center hardening guidelines. This

score summarizes the instance's alignment with best-practice configurations, reflects improvements or degradations in configuration health over time, and provides administrators with a measurable indicator of compliance. By highlighting the degree of adherence to recommended settings, the score helps guide prioritization of remediation activities.

Real-time authentication and login activity refers to monitoring user sign-ins, failed login attempts, and authentication-related behaviors. These events are not displayed on the Security Configuration page; instead, they are tracked through identity and authentication-focused modules, such as Identity Center or login history records. Authentication data is operational rather than configuration-based, and therefore falls outside the scope of the configuration risk analysis performed in Security Center.

Audit history of administrative changes captures system modifications such as updates to configurations, script changes, table alterations, or other administrative actions. These changes are recorded in platform update logs, including the Customer Updates table, and can be reviewed through update set history, audit logs, or change tracking tools. Because audit activity documents administrative modification history rather than configuration compliance, it is not included on the Security Configuration page.

Incoming email filtering details include information related to email processing, spam detection, and filtering rules applied to inbound messages. These capabilities are provided through the platform's email and notification subsystems, which manage address filtering, spam scoring, and email rule evaluation. Because email filtering pertains to message processing rather than configuration compliance or instance hardening, this information is not presented on the Security Configuration page.

Q58 **What displays comments, work notes, and record history on a form?** Single Choice

- **A** **Activity stream** ✅
- **B** Fields
- **C** Related lists
- **D** Related links

💡 **Explanation:** An activity stream displays comments, work notes, and record history on a form. Using an activity stream, users can review past activity on the record.

Related lists do not display comments or record history. A related list displays records that have a relationship to the record shown on the form.

Related links do not display comments or record history. Related links provide quick actions or navigation options associated with the current record.

Fields do not display comments, work notes, or record history. A field is a data entry element used to capture a specific value on the form.

Q59 **When running a transform, how does an Administrator force the system to create a new record for every import set row?** Single Choice

- **A** Use single-field coalesce
- **B** Use multiple-field coalesce
- **C** **Ensure no coalesce field is selected** ✅
- **D** Use a conditional coalesce script

💡 **Explanation:** An Administrator ensures that every import set row becomes a new record by selecting no coalesce field. This approach gives the system no criteria to match against existing target records.

An Administrator does not use single-field coalesce. This approach allows the transform to update an existing target record when the field value matches, preventing every import set row from being inserted as a new record.

An Administrator does not use multiple-field coalesce. This approach provides broader matching criteria, allowing the system to update an existing record when all coalesce field values match, rather than inserting a new one.

An Administrator does not use a conditional coalesce script. This still enables the system to evaluate matching criteria during transformation, allowing updates to existing records instead of forcing all rows to be inserted as new ones.

Q60 **Which feature provides server-side and client-side JavaScript classes and methods for building custom functionality?** Single Choice

- A UI Policies
- B Client Scripts
- C Business Rules
- D **APIs** ✅

💡 **Explanation:** Application Programming Interfaces (APIs) provide JavaScript classes and methods that can be used within scripts to define functionality and interact with the ServiceNow platform. APIs such as GlideRecord and GlideSystem allow developers to query tables, manipulate records, and access system information programmatically.

UI Policies do not provide scripting classes or methods. UI Policies conditionally control form field behavior such as visibility, mandatory status, and read-only state.

Business rules do not provide reusable scripting methods. Business Rules define when server-side scripts execute during database operations such as insert, update, or delete, but they rely on existing APIs rather than creating them.

Client Scripts do not provide JavaScript classes or methods. Client Scripts execute JavaScript in response to form events such as onLoad, onChange, or onSubmit, and they use available client-side APIs like g_form.

Q61 **Which features can be used to activate or implement applications or application features in the ServiceNow Platform? - (Select two)** Multi-Select

- A **Plugins** ✅
- B Business Rules
- C UI Policies
- D Access Controls
- E **ServiceNow store** ✅

💡 **Explanation:** Plugins allow users to access applications and application functionality on the ServiceNow platform.

The ServiceNow store has a catalog of applications that can be downloaded and used on the ServiceNow platform.

UI Policies cannot be used to activate or implement applications or application features. UI Policies are used to conditionally make fields displayed, hidden, or mandatory.

Access Controls cannot be used to activate or implement applications or application features. Access Controls are used for application security.

Business Rules cannot be used to activate or implement applications or application features. Business Rules execute server-side logic when records are inserted, updated, or deleted.

Q62 **Which interface offers a guided experience to users as they create a Record Producer and another catalog item?** Single Choice

- **A** **Catalog Builder** ✅
- **B** Employee Center
- **C** Knowledge Homepage
- **D** Flow Designer

💡 **Explanation:** Catalog Builder provides a guided, visual experience for creating catalog items, record producers, and service request components. Catalog Builder explicitly supports delegated catalog creation, enabling non-technical users to build catalog items based on administrator-defined templates. It is designed to streamline catalog item creation through structured templates, variable configuration, and controlled publishing workflows.

They should not use the Knowledge Homepage. The Knowledge Homepage is designed exclusively for viewing, browsing, and searching published knowledge articles, best practices, and troubleshooting content. It serves as an information repository rather than a tool for building catalog items or service request components.

They should not use the Employee Center. Employee Center functions as a unified employee portal where users access services, tasks, knowledge, and organizational resources. It is as an experience layer for consumption, not a builder or design environment for catalog items.

They should not use the Flow Designer. Flow Designer is designed to build automated workflows, logic, integrations, and process automation through no-code/low-code actions. It is as an automation engine rather than a catalog-authoring tool.

Q63 **Who shares responsibility for platform email security under the Shared Responsibility Model? - (Select two)** Multi-Select

- A Cloud service provider
- B Colocation facility
- C **ServiceNow** ✅
- D **The customer** ✅
- E Email system administrators

💡 **Explanation:** In the Shared Responsibility Model, the customer shares responsibility for platform email security. They configure security when they integrate ServiceNow email. They set up accounts and protocols (SMTP/IMAP/POP3). They enable authentication and TLS. They define routing and allowlists. They align instance settings with their security and compliance policies.

In the Shared Responsibility Model, ServiceNow shares responsibility by securing the underlying platform components that process and relay email, including the SaaS platform's infrastructure, mail-handling services, availability, patching, and baseline security controls. ServiceNow hardens and monitors the platform so that email messages handled by the instance are protected by the platform's built-in security posture and compliance practices.

In the Shared Responsibility Model, the colocation facility is limited to the physical layer; power, cooling, racks, and building access controls, and does not participate in configuring or enforcing email security controls within a ServiceNow instance, so it is not a party to platform email security responsibilities.

In the Shared Responsibility Model, the cloud service provider operates the cloud infrastructure; compute, storage, network fabric, and hypervisors, that hosts the SaaS environment but does not manage or set email security policies inside the ServiceNow instance; platform- and tenant-level email security responsibilities sit with ServiceNow and the customer, respectively.

In the Shared Responsibility Model, email system administrators manage the organization's external mail systems and services and may provide SMTP credentials used by ServiceNow to those systems, but they do not configure or secure the ServiceNow platform's internal email security controls; their scope remains outside the platform boundary and does not replace the shared responsibilities between ServiceNow and the customer.

Q64 **Which feature allows users to narrow down the records displayed in a list by applying specific conditions?** Single Choice

- A Activity Stream
- B Favorite
- C Tag
- D **Filter** ✅

Explanation: The filter feature allows users to narrow down the records displayed in a list by applying specific conditions. Filters let users define criteria so only matching records are shown.

A tag does not narrow down the records displayed in a list. Tags are used to label or categorize records so users can easily find or group them later.

The activity stream does not narrow down the records displayed in a list. The activity stream shows comments, work notes, and record history for a specific record.

A favorite does not narrow down the records displayed in a list. Favorites allow users to bookmark frequently accessed lists, modules, or records for quick navigation.

Q65 **Which area of responsibility is shared by all partners under the Shared Responsibility Model?** Single Choice

- A Identity and access management
- B Configuration and change management
- C Monitoring and incident response
- D **Compliance: regulatory and legal** ✅

Explanation: Compliance with regulatory and legal requirements is the only area shared by all partners in the Shared Responsibility Model. The matrix indicates that the customer, ServiceNow, the colocation facility, and the hyperscale cloud provider all hold responsibility in this domain. Each must ensure that their portion of the service stack, whether operational, infrastructural, or physical, meets regulatory expectations. Because all partners share accountability for compliance, this is the correct answer

Identity and access management is not shared by all partners. According to the responsibility matrix, only the customer is responsible for IAM. ServiceNow, the colocation facility, and the hyperscaler CSP do not participate in identity and access management activities. Because this responsibility is not distributed across all partners, it is not the correct answer

Monitoring and incident response are not shared by all partners. The matrix shows that both the customer and ServiceNow participate in incident management and logging/monitoring. Since not all partners share responsibility in this area, this choice is incorrect.

Configuration and change management responsibilities fall primarily to the customer. The customer controls instance configuration, application settings, and customizations, while ServiceNow manages configuration of the platform features it provides. The hyperscale cloud provider and colocation facility do not participate in these configuration activities. Since responsibilities in this area do not extend equally across all partners, it is not universally shared.

Q66 **What are types of Visual Task Boards? - (Select two)** Multi-Select

- **A** **Freeform** ✅
- **B** Column
- **C** Pivot table
- **D** **Guided** ✅

💡 **Explanation:** Freeform Board is a valid Visual Task Board type that allows users to manually create and manage task cards that are not tied to a list filter.

Guided Board is a valid Visual Task Board type that organizes cards into lanes based on a defined field to support structured workflow transitions.

Pivot table is not a Visual Task Board type. A Pivot Table aggregates data from a table into rows and columns to summarize records.

Column is not a Visual Task Board type. Column is a data visualization type used in reports to compare values across categories using vertical bars.

Q67 **Which statement about coalesce in Import Sets is true?** Single Choice

- **A** Coalesce requires the sys_id field to be used as the match criteria.
- **B** Coalesce prevents new records from being created during a transform.
- **C** Coalesce deletes the existing record when the values do not match.
- **D** **Coalesce updates an existing record when a matching value is found in the target table.** ✅

💡 **Explanation:** Coalesce updates an existing record when a matching value is found in the target table. Coalesce causes the transform process to look for a target table record whose field matches the import set row. If a match exists, that record is updated.

Coalesce does not delete existing records when the values do not match. When no matching value is found in the target table, the transform process creates a new record instead of deleting one.

Coalesce does not require sys_id to be used as the match criteria. Coalesce can be set on any field, and administrators may designate one or multiple fields for matching.

Coalesce does not prevent new records from being created during a transform. If no match is found in the target table, the transform process automatically creates a new record.

Q68 **Which capability does a Manager use to automate the approval process?** Single Choice

- A Virtual Agent
- **B Flow Designer** ✅
- C UI Builder
- D Catalog Builder

💡 **Explanation:** Flow Designer can automate approval processes by using flows that route requests to approvers based on defined conditions. It is designed for building automated workflows without writing code, including approvals.

Catalog Builder does not automate approval processes. It is a guided interface used to create and manage catalog items without scripting.

UI Builder does not automate approval processes. It is used to build and configure workspace and experience pages for the Now Experience interface.

Virtual Agent does not automate approval processes. It provides automated conversational experiences that help users answer questions and complete simple tasks.

Q69 **What does an Administrator do if a plugin does not appear in the Application Manager?** Single Choice

- **A Request the plugin activation through Now Support** ✅
- B Create an update set to download the plugin
- C Clone the instance
- D Activate the plugin from the Plugins module

💡 **Explanation:** An Administrator should request activation for the plugin through Now Support if it does not appear in the Application Manager. ServiceNow personnel process these requests to make the plugin available on the specified instance.

Activating a plugin from the Plugins module does not resolve the issue if the plugin is not available in the instance. Plugins that are not available cannot be activated by an administrator, only be making a request through Now Support.

Creating an update set does not activate or make a plugin available. Update sets are used to move configuration changes between instances, not to enable plugins.

Cloning the instance does not make an unavailable plugin appear. Cloning is used to copy data and configuration from one instance to another, not to enable or activate plugins.

Q70 **Which fields are inherited by tables that extend from the Task table? - (Select two)** Multi-Select

- A Knowledge Base
- B Workflow
- **C State** ✅
- **D Work notes** ✅

Explanation: The State field is inherited by tables that extend from the Task table. It is used to track the lifecycle and progress of a task.

The Work notes field is inherited by tables that extend from the Task table. It is used for internal updates and activity history on a task.

The Knowledge base field is not inherited from the Task table. Knowledge base is used on Knowledge article records to identify where the article is stored.

The Workflow field is not inherited from the Task table. Workflow is used on Knowledge article records to track article publishing and approval processes.

Q71 **What does the maturity level represent for a Security Best Practice?** Single Choice

- **A The order of impact and effort required to implement the best practice** ✅
- B The number of security tasks associated with the best practice
- C The access control requirements needed to complete the best practice
- D The level of encryption required for data protected by the best practice

Explanation: Maturity level represents the staged progression used to categorize best practices by their relative impact and implementation effort. Security Center organizes best practices into maturity phases—Build a foundation, Enhance the experience, Optimize the functionality, and Add advanced features—to help organizations prioritize improvements. Lower-level maturity stages include foundational changes, while higher levels introduce more advanced or specialized enhancements. This structure guides administrators in planning security posture improvements in logical, progressive steps.

Encryption requirements are not used to determine maturity level. Though some best practices relate to encryption or data protection, maturity levels categorize best practices by impact and complexity rather than technical attributes such as encryption strength or method. Encryption needs vary widely across individual best practices and do not indicate maturity progression.

Access control requirements are not part of the maturity level classification. While administrators may need certain roles or permissions to carry out changes recommended by a best practice, maturity levels are not based on ACLs or role assignments. Instead, maturity levels describe the

progressive security improvement approach used by the organization.

The number of security tasks attached to a best practice does not determine maturity level. Security tasks are user-created records used to delegate or track implementation work, whereas maturity level is a predefined classification based on the best practice's impact and complexity. A best practice may have many or few tasks regardless of its maturity tier.

Q72 **Which configuration checkbox enables scripting within a Business Rule?** Single Choice

- **A** **Advanced** ✅
- **B** Order
- **C** Filter Conditions
- **D** Accessible from

💡 **Explanation:** The advanced field determines whether a Business Rule can be configured to run for specific database operations such as insert, update, or delete. Marking the advanced field as true allows more granular control over when the rule executes.

The accessible from field does not determine when a Business Rule runs. Accessible from controls where a record can be accessed, such as from all application scopes or only specific ones.

The filter conditions field does not determine which database operations trigger a business rule. Filter conditions define the criteria that the fields on the selected table must meet for the rule to execute.

The order field does not determine which database operations trigger a Business Rule. Order controls the sequence in which business rules are evaluated.

Q73 **What are types of Service Catalog items? - (Select two)** Multi-Select

- **A** Catalog client script
- **B** **Order guide** ✅
- **C** Variable set
- **D** **Record producer** ✅

💡 **Explanation:** A record producer is a type of catalog item that allows users to create records in a table through a simplified, user-friendly form.

An order guide is a type of catalog item that helps users order multiple related items in a single request.

A variable set is not a type of catalog item. Variable sets are reusable groups of variables that help structure the form used within catalog items.

A Catalog client script is not a type of catalog item. Catalog client scripts are used to control client-side behavior within a catalog form.

Q74 **What is automatically inherited from the Task table? - (Select two)** Multi-Select

- **A** **Fields** ✅
- **B** Related links
- **C** UI policies
- **D** **Business rules** ✅
- **E** Views

💡 **Explanation:** The system automatically inherits fields from the Task table. This includes standard Task fields such as Assigned To, Priority, and State.

Business rules defined on the Task table execute automatically for tables that extend Task because business rules evaluate operations based on the table hierarchy. When a child table performs an operation that meets the rule conditions, the rule executes without requiring additional configuration.

The system does not automatically inherit UI policies. UI policies apply to specific forms and field layouts, not table inheritance. A child table does not reuse the form configuration of its parent.

The system does not automatically inherit views. Views are unique to the form.

The system does not automatically inherit Related Links from the Task table. Related links are generated by UI Actions, client logic, or scripts that are defined on a specific table. A child table does not receive the Related Links of its parent table unless the underlying UI actions are explicitly configured for that table.

Q75 **How is a set of predefined options for a field configured on a form? - (Select two)** Multi-Select

- **A** By navigating to the variable and modifying the question choices
- **B** By right-clicking on the form header and selecting Configure Related Lists
- **C** **By navigating to the Dictionary Entry and modifying the Choice List Specification** ✅
- **D** **By right-clicking on the field and selecting Configure Choices** ✅

Explanation: Enabling a set of predefined options in a form is done by navigating to the Dictionary Entry and modifying the Choice List Specification. navigating to the Dictionary Entry by opening the System Definition application and selecting the Dictionary module.

Enabling a set of predefined options in a form is also done by right-clicking on the field and selecting Configure Choices. Once there, the Administrator needs to select Dictionary.

Right Clicking directly on the field and selecting Configure Choices opens the sys_choice record, which allows you to modify the choices.

Configuring Related Lists from the form header modifies which related lists appear on the form, but this approach does not modify the choice list for a field.

Modifying question choices for a variable applies only to Service Catalog variables and does not configure the choice list for a field on a standard form.

Q76 **Which modules are used to change the banner image? - (Select two)** Multi-Select

- **A** **My Company** ✅
- **B** CSS
- **C** **Basic Configuration UI16** ✅
- **D** UIPolicies
- **E** Maintain items

Explanation: The Basic Configuration UI16 module provides a centralized way to modify key branding elements of the classic UI, including the banner image, header colors, and system title. Administrators can upload or reference a new image from this module to update the banner that appears across the UI16 interface.

The My Company module can also be used to change the banner image. The Company record contains the UI16 Banner Image field, which ServiceNow evaluates when deciding which logo or banner to display in the header. Updating the UI16 Banner Image field on the My Company record updates the logo used across the UI, and this method takes precedence over other logo sources in the platform's resolution order.

UIPolicies cannot be used to change the banner image. They are designed to manage form behavior such as field visibility, mandatory settings, and read-only conditions. Their scope is limited strictly to form logic and does not extend to UI-level branding or image configuration, and there is no mechanism within UI Policies to alter banner images or system-wide UI elements.

The Cascading Style Sheets (CSS) module cannot be used to change the banner image. This module is intended for overriding or extending CSS styling rules rather than replacing UI components or uploaded images. While CSS scripts can apply styling to elements, ServiceNow's documented process for banner image changes requires updating a defined system property or company record rather than using CSS overrides.

The Maintain items module cannot be used to change the banner image. This module operates within the catalog application and does not interact with UI branding, which is controlled through system properties, theme configuration, or the Company record.

Q77 **Which feature enables a user to complete a form with predefined values?** Single Choice

- A Favorites
- B **Templates** ✅
- C Related List
- D Tags

💡 **Explanation:** Templates allow the quick population of a form with predefined field values. They help speed up data entry by automatically filling in commonly used values.

Related Lists do not populate a form with predefined field values. Related Lists display records from other tables that are associated with the current record.

Tags do not populate a form with predefined field values. Tags are used to label or categorize records so users can easily group or find them later.

Favorites do not populate a form with predefined field values. Favorites allow users to bookmark frequently accessed lists, modules, or records for quick access.

Q78 **Which components of an Access Control rule are mandatory when defining an ACL? - (Select two)** Multi-Select

- A Admin overrides
- B **Name** ✅
- C Advance
- D Applies To
- E **Type** ✅

💡 **Explanation:** Type is mandatory. Every Access Control rule (ACL) must identify whether it is a table-level or field-level rule. Without the Type, the ACL engine cannot determine the scope of the access check.

Name is mandatory. Every ACL must specify the table or field it governs. The ACL engine relies on the Name to determine where the rule applies.

Applies to is not mandatory. Applies to is not required for either table-level or field-level ACLs.

Advanced is not mandatory. It only enables script-based evaluation when selected. An ACL can be defined using roles or conditions without enabling the Advanced option.

Admin overrides is not mandatory. It simply determines whether administrators bypass the rule. An ACL can be created without enabling this option, and it does not affect whether the rule is valid or defined correctly.

Q79 **Which module in the Service Catalog application is used to create catalog items?** Single Choice

- A Variable Sets
- B User Criteria
- C **Maintain Items** ✅
- D Catalog Client Scripts

💡 **Explanation:** The Maintain Items module is used to create, configure, and manage catalog items in the Service Catalog. It provides access to all catalog item records, allowing administrators to build new items and modify existing ones.

Catalog Client Scripts are not used to create catalog items. This module refers to scripts that run client-side on catalog forms to control field behavior and form interaction.

User Criteria is not used to create catalog items. This module defines rules that determine which users can view or access specific catalog items or knowledge articles.

Variable Sets are not used to create catalog items. This module refers to reusable groups of variables that can be attached to catalog items or record producers, but they do not create or maintain the catalog item records.

Q80 **Which interfaces does an Administrator use to configure a form? - (Select two)** Multi-Select

- A Form template
- B Form formatter
- C **Form design** ✅
- D **Form builder** ✅

💡 **Explanation:** Form design can be used to configure a form by organizing fields and sections on a form using a drag-and-drop interface.

Form builder can be used to configure a form by managing layout, components, and form behavior

in a guided configuration interface.

Form template cannot be used to configure a form. Form templates are used to pre-populate field values when creating a new record.

Form formatter cannot be used to configure a form. Form formatters add specialized UI components to a form.

Q81 **What do users use to interact with Virtual Agent? - (Select two)** Multi-Select

- **A** **Slack** ✅
- **B** **Microsoft Teams** ✅
- **C** Google Chat
- **D** Connect Chat

Explanation: End users interact with Virtual Agent via Microsoft Teams. Microsoft Teams is a supported channel for Virtual Agent conversations. It allows users to interact with Virtual Agent through the Teams chat interface.

End users interact with Virtual Agent via Slack. Slack is a supported channel for Virtual Agent conversations. It enables users to engage with Virtual Agent in real time using the Slack messaging app.

Google Chat is not a supported channel for Virtual Agent conversations. Google Chat is integrated through a Flow Designer spoke to manage messages, spaces, and communications.

Connect Chat is not a supported channel for Virtual Agent conversations. Connect Chat provides real-time chat capabilities for user-to-user communication within the platform.

Q82 **Who is responsible for the data within a ServiceNow instance under the Shared Responsibility Model?** Single Choice

- **A** **The customer** ✅
- **B** A colocation facility
- **C** ServiceNow
- **D** The cloud service provider

Explanation: In the Shared Responsibility Model, the customer is responsible for the data within a ServiceNow instance, including its accuracy, classification, governance, retention, access permissions, and protection against loss or unauthorized disclosure; the customer determines what data to store, how it is labeled and restricted, who can access it, and how it is ingested and maintained across integrations and business processes, because ServiceNow's role covers the

platform and underlying services while data stewardship and compliance for content remain the customer's duty.

In the Shared Responsibility Model, ServiceNow is responsible for the SaaS platform and underlying system; covering areas such as platform availability, infrastructure security, patching, and baseline controls, but it does not own, manage, or govern the customer's data content; customers must ensure their instance data is correct, properly classified, and protected in line with their organizational and regulatory requirements.

In the Shared Responsibility Model, the colocation facility provides the physical hosting environment such as building security, power, cooling, and physical access controls for hardware but does not manage, control, classify, or protect application-level customer data stored within a ServiceNow instance; data stewardship remains outside the remit of a colocation provider.

In the Shared Responsibility Model, the cloud service provider operates and secures the cloud infrastructure components that run the SaaS platform, but it does not assume responsibility for customer-entered data within ServiceNow; the governance, classification, and protection of that data remain the customer's responsibility.

Q83 **Which role is required to create or modify Access Control rules?** Single Choice

- A snc_internal
- B Administrator [admin]
- C **Security Administrator [security_admin]** ✅
- D ITIL [itil]

💡 **Explanation:** The Security Administrator [security_admin] role is required to create or modify Access Control rules because Access Control List (ACL) changes are considered high-security operations. A user must elevate to security_admin before creating, editing, or deleting ACL records.

The Administrator [admin] role alone cannot create or modify ACLs. ACL changes require elevation to the security_admin role. Administrators must explicitly elevate privileges before editing ACLs.

The ITIL [itil] role cannot create or modify ACLs. The Information Technology Infrastructure Library (ITIL) role is intended for users who fulfill tasks and manage records, not for configuring platform-level security.

The snc_internal role cannot create or modify ACLs. This is a system role used for internal platform operations, not for defining or managing ACLs.

Q84 **In which order does ServiceNow evaluate ACL rules when determining access to a record and its fields?** Single Choice

- A ServiceNow evaluates field first, from most general to most specific, then table, from most general to most specific.
- B ServiceNow evaluates table first, from most general to most specific, then field, from most general to most specific.
- C ServiceNow evaluates field first, from most specific to most general, then table, from most specific to most general.
- D **ServiceNow evaluates table first, from most specific to most general, then field, from most specific to most general.** ✅

💡 **Explanation:** ServiceNow evaluates table first, from most specific to most general, then field, from most specific to most general. ServiceNow evaluates access control list (ACL) rules by first checking table-level ACLs, starting with the most specific match and progressing to more general ones. After all applicable table ACLs are evaluated, the system then evaluates field-level ACLs, also from most specific to most general. Access is granted only if every relevant ACL returns true, making this execution order essential to the platform's security model.

Q85 **What allows different versions of a form layout to be displayed to users based on conditions such as role or table values?** Single Choice

- A UI Policy
- B Related list
- C Dictionary Overrides
- D **View** ✅

💡 **Explanation:** A view allows different versions of a form layout to be displayed to users based on conditions such as role or table values. This enables multiple layouts for the same record.

A related list does not control which version of a form layout is displayed. Related Lists show records that have a relationship to the current record.

A UI policy does not control which version of a form layout is displayed. UI Policies dynamically change field behavior such as making fields read-only, hidden, or mandatory.

Dictionary Overrides do not control which version of a form layout is displayed. Dictionary Overrides change the behavior of inherited fields on child tables.

Q86 **Who is responsible for the platform infrastructure under the Shared Responsibility Model?** Single Choice

- A The colocation facility
- B The customer
- C **ServiceNow** ✅
- D The cloud service provider

💡 **Explanation:** In the Shared Responsibility Model, the ServiceNow is responsible for the platform infrastructure and the security of the underlying system, which covers the SaaS platform's compute, storage, networking, availability, patching, and baseline security controls, while the customer retains responsibility for what they put into the instance, i.e. their data, including how it is classified, governed, and protected.

In the Shared Responsibility Model, the colocation facility is responsible for the physical hosting environment such as building security, power, cooling, and physical access controls, but does not operate or secure the platform infrastructure itself.

In the Shared Responsibility Model, the cloud service provider operates and secures cloud infrastructure components that host the SaaS environment such as hypervisors, storage systems, and network fabric, but it does not assume responsibility for the platform infrastructure decisions or controls at the application/platform layer, nor for any customer-entered data.

In the Shared Responsibility Model, the customer is not responsible for the platform infrastructure; instead, they are accountable for their instance data; its accuracy, classification, governance, and protection, ensuring their content aligns with organizational policies and regulatory obligations while leveraging controls provided by the platform.

Q87 **Which table does the Incident table extend from?** Single Choice

- A cmdb_ci
- B Problem
- C Change
- D **Task** ✅

💡 **Explanation:** The Incident table extends from the Task table. This makes the Incident table a child class of the Task table, meaning it inherits all standard task fields such as assignment, state, priority, workflow properties, and auditing features. By extending Task, Incident gains core task management functionality and adds its own incident-specific fields. This relationship allows Incidents to participate in the common task framework, reporting structures, while having independent fields like, resolution information and categorization.

The Incident table does not extend from the Problem table. Like the incident table, the Problem

table is another child class of the Task table. Because both extend Task independently, neither is a parent or child of the other and do not share a class inheritance relationship.

The Incident table does not extend from the Change table. Like the Problem table and Incident table, the Change Request table is also a separate child class of the Task table. It provides structure for planned modifications to IT infrastructure and includes lifecycle stages such as planning, approval, testing, and implementation. While Incidents may generate Changes or be associated with them during remediation, they do not inherit fields or behaviors from the Change table.

The Incident table does not extend from the cmdb_ci table. The cmdb_ci table is its own base table within the Configuration Management Database (CMDB) hierarchy. While incidents commonly reference cmdb_ci records through fields like Configuration item, they do not inherit structure or behavior from the CMDB. The cmdb_ci table sits at the root of the configuration item (CI) class hierarchy, separate from all Task-derived tables.

Q88 **Which components are built using Workflow Studio? - (Select two)** Multi-Select

- A UI Policy
- B Dashboard
- C Workspace
- D **Playbook** ✅
- E **Flow** ✅

💡 **Explanation:** Flows can be built using Workflow Studio. Flows allow administrators to automate processes through a sequence of actions.

Playbooks can be built using Workflow Studio. Playbooks guide users through structured activities that support process completion.

Workspaces cannot be built using Workflow Studio. Workspaces are created and configured using Workspace Builder or UI Builder.

UI Policies cannot be built using Workflow Studio. UI Policies are created in the UI Policies module under System UI.

Dashboards cannot be built using Workflow Studio. Dashboards are created in the Dashboards module and display visualizations such as reports and performance widgets.

Q89 **Which field on a template record determines whether the template is ready for use?** Single Choice

- A User
- B Table
- C **Active** ✅
- D Short Description

💡 **Explanation:** The Active field determines whether a template is available for users to apply when creating new records. The Active field must be set to true for the template to be considered ready for use.

The Short description field does not determine whether the template is ready for use. The short description field provides a brief explanation of the template's purpose.

The User field does not determine whether the template is ready for use. The user field restricts template availability to a specific user.

The Table field does not determine whether the template is ready for use. The table field specifies which table the template applies to.

Q90 **What are variable types in the Service Catalog? - (Select two)** Multi-Select

- A String
- B Choice
- C **Select Box** ✅
- D **Date** ✅

💡 **Explanation:** Date is a Service Catalog variable type used to capture a calendar date.

Select Box is a Service Catalog variable type that allows users to pick from a predefined list of options.

A String is not a Service Catalog variable type. It is a basic text field used in lists and forms.

A Choice is not a Service Catalog variable type. It is a field type that allows users to select from a predefined set of values.

Q91 **What is the best practice for an Administrator who has marked an Update Set as Complete but needs to make additional changes?** Single Choice

- A Add changes to the default update set
- B Merge updates by modifying [sys_update_xml] records
- C **Create an entirely new update set** ✅
- D Change the state back to In Progress

💡 **Explanation:** Creating a new update set is the best practice when additional changes are needed after an update set is marked Complete. Completed update sets are read-only and should not be modified.

Changing the state of a completed update set back to In Progress is not recommended. Completed update sets are intended to remain read-only to preserve change history and integrity.

Manually modifying Customer Updates [sys_update_xml] records is not a best practice. These records are system-generated and should not be edited directly.

Adding changes to the default update set is not a best practice. The default update set should be avoided for intentional configuration changes.

Q92 **Which scripting type is used to control how a form behaves when a user interacts with it?** Single Choice

- A Transform map
- B Scheduled job
- C Server-side script
- D **Client-side script** ✅

💡 **Explanation:** A client-side script is used to control how a form behaves when a user interacts with it. Client-side scripts run in the user's browser and control form behavior such as visibility, mandatory status, and validation.

A scheduled job is not used to control form behavior. Scheduled jobs run scripts at defined intervals without user interaction.

A Server-side script is not used to control how a form behaves during user interaction. Server-side scripts run on the server or database to perform record and table operations.

A Transform Map is not used to control form behavior. Transform maps are used to map and transform imported data into target tables.

Q93 **In which table do users create auto-generated follow-up entries for tasks or records they need to return to later?** Single Choice

- A My Work
- B **Reminder** ✅
- C Task SLA
- D Incident

💡 **Explanation:** Reminder is the table that allows users to create personal follow-up entries so they can remember tasks or records they need to return to later.

My Work is not the table for creating follow-up entries. My Work displays tasks assigned to the user.

Task Service Level Agreement (SLA) is not the table for creating follow-up entries. Task SLA tracks Service Level Agreements associated with a task.

Incident is not the table for creating follow-up entries. Incident is a task-based table used to record and manage incidents reported by users.

Q94 **What are ServiceNow core actions in Flow Designer? - (Select two)** Multi-Select

- A **Create Record** ✅
- B Create Event
- C Send Report
- D **Ask for Approval** ✅
- E Send Notifications

💡 **Explanation:** The Ask for Approval action is a ServiceNow core action that is used to initiate approval requests directly within Flow Designer, allowing approvals to be automated as part of a workflow.

The Create Record action is a ServiceNow core action that is used to generate new records such as Catalog Tasks or other table entries within a Flow Designer process.

The Send Reports action is not a ServiceNow core action because Flow Designer cannot send or schedule reports; reporting capabilities are handled through the platform's Reports and Dashboards features, not through Flow Designer.

The Create Event action is not a ServiceNow core action because Flow Designer does not generate platform events; events are raised through system logging mechanisms or server-side scripts, not through core Flow Designer actions.

The Send Notification action is not a ServiceNow core action because notifications are sent through the platform's Notification framework or custom spokes rather than through Flow Designer's core action set.

Q95 **Which roles manage multiple Knowledge Bases? - (Select two)** Multi-Select

- **A** **Knowledge administrator [knowledge_admin]** ✅
- **B** ITIL
- **C** **Administrator [admin]** ✅
- **D** Catalog manager [catalog_manager]

💡 **Explanation:** The Knowledge administrator [knowledge_admin] role can manage multiple knowledge bases because it is specifically designed for administering Knowledge Management and modifying knowledge bases.

The Administrator role [admin] can manage multiple knowledge bases. It has full platform access and can configure all knowledge management settings.

The ITIL role does not allow users to manage multiple knowledge bases. This role is primarily for incident and request fulfillment work.

The Catalog manager [catalog_manager] role does not allow users to manage multiple knowledge bases. This role is primarily for maintaining service catalog items and categories.

Q96 **What tracks and measures a specific metric over time using historical snapshots and trend data?** Single Choice

- **A** Data Visualization
- **B** **Performance Analytics Indicator** ✅
- **C** Dashboard
- **D** Table

💡 **Explanation:** A Performance Analytics Indicator tracks and measures a specific metric over time using historical snapshots and trend data. Indicators allow users to analyze performance trends and monitor progress toward goals.

Data visualizations do not track and measure a metric over time using historical snapshots. Data visualizations display data graphically, such as charts or graphs, but do not store historical trend data.

A Dashboard does not track and measure a metric over time using historical snapshots. A

dashboard provides a single page where multiple reports and visualizations are displayed together.

A table does not track and measure a metric over time using historical snapshots. A table stores and organizes records and fields that hold the underlying data used in reports and analytics.

Q97 **What allows an inherited field to behave differently on a child table?** Single Choice

- A Client script
- B Form layout
- C **Dictionary override** ✅
- D UI policy

💡 **Explanation:** A dictionary override allows an inherited field from a parent table to behave differently on a child table. A dictionary override record on the child table overrides specific inherited dictionary attributes without modifying the parent field.

A UI policy does not allow an inherited field to behave differently across tables. UI Policies only change field behavior on a specific form based on conditions.

A client script does not allow an inherited field to behave differently across tables. Client scripts execute logic in the browser to perform client-side actions on a form.

A form layout does not allow an inherited field to behave differently across tables. Form layout controls the placement and arrangement of fields on a form.

Q98 **Which feature enforces field rules regardless of whether data is entered through a form?** Single Choice

- A Client script
- B Dictionary Attribute
- C **Data policy** ✅
- D UI policy

💡 **Explanation:** Data policies enforce field rules at the server level, so they apply to data entered into a form for data consistency.

UI policies do not enforce rules during imports. UI policies only control field behavior in the user interface when a form is being used.

Client scripts do not enforce rules during imports. Client scripts run in the browser and only execute when the user is interacting with a form.

Dictionary attributes do not enforce conditional field rules. Dictionary Attributes define field characteristics such as default values or behaviors at the dictionary level.

Q99 **How do Virtual Agent help users? - (Select two)** Multi-Select

- **A** **Submitting catalog requests** ✅
- **B** Building dashboards
- **C** **Resetting passwords** ✅
- **D** Configuring access control list (ACL) rules
- **E** Writing knowledge articles.

💡 **Explanation:** Virtual Agent can help users reset passwords. It guides users through simple automated steps to complete common support tasks.

Virtual Agent can help users submit catalog requests. It guides users through requesting items or services using conversational prompts.

Virtual Agent cannot help users in building dashboards. Dashboards are created and configured using the Dashboards module.

Virtual Agent cannot help users in configuring access control list (ACL) rules. ACL rules are managed by administrators in the Access Control module.

Virtual Agent cannot help users write knowledge articles. Knowledge articles are created and edited in the Knowledge Management application by contributors or knowledge managers.

Q100 **Which capability helps Virtual Agent understand user intent through natural language?** Single Choice

- **A** UI Policies
- **B** **NLU models** ✅
- **C** Flows
- **D** Localization

💡 **Explanation:** Natural Language Understanding (NLU) models help Virtual Agent understand user intent and interpret natural language input. They enable Virtual Agent to recognize what the user is asking and respond appropriately.

UI Policies do not help Virtual Agent understand natural language. UI Policies control client-side form behavior such as making fields visible, mandatory, or read-only.

Localization does not help Virtual Agent understand natural language. Localization is used to translate and adapt platform text for different languages and regions.

Flows does not help Virtual Agent understand natural language. Flows are automated sequences built in Flow Designer to perform actions and process logic.

Q101 **Where do users navigate when they need to order a new laptop?** Single Choice

- A Flow Designer
- B **Service Catalog** ✅
- C CMDB Workspace
- D Knowledge Base

💡 **Explanation:** The Service Catalog is where users go to order items like laptops, monitors, and other requestable services. It presents available catalog items and guides users through submitting a request for what they need.

Navigating to the Knowledge Base does not allow users to order a laptop. The Knowledge Base is where users read articles to find information and troubleshoot issues.

Navigating to Flow Designer does not allow users to order a laptop. Flow Designer is a tool used to build automated workflows and logic without scripting.

Navigating to the Configuration Management Database (CMDB) Workspace does not allow users to order a laptop. The CMDB Workspace manages configuration items and visualizing relationships within the CMDB.

Q102 **What allows a user to navigate back to a page record they were recently on?** Single Choice

- A Application Picker
- B User Menu
- C **History** ✅
- D Favorites

💡 **Explanation:** History allows users to return to recently visited records, lists, and pages, giving them quick access to previously viewed items.

Favorites does not take a user back to a recently visited record. Favorites allow a user to save frequently accessed modules or pages for easy access.

The Application Picker does not help users return to recently viewed pages. The Application Picker

allows a user to change the development scope when working in Studio or configuring applications.

The User Menu does not bring a user back to a recently viewed record. The User Menu allows a user to access personal settings, profile options, and impersonation features.

Q103 **What does Virtual Agent use to define conversations that users can interact with?** Single Choice

- A Catalog items
- B **Topics** ✅
- C Actions
- D Knowledge Articles

💡 **Explanation:** Topics define the conversational flows that users interact with in Virtual Agent. They structure the steps, questions, and logic used during a chat session.

Knowledge Articles do not define Virtual Agent conversations. Knowledge Articles provide informational content that users can read to troubleshoot or learn information.

Catalog items do not define Virtual Agent conversations. Catalog items allow users to request goods or services through the Service Catalog.

Actions do not define Virtual Agent conversations. Actions are reusable automation steps that can be used within flows.

Q104 **Which table stores connection data for CI?** Single Choice

- A cmdb_class_info
- B cmdb_ci
- C cmdb
- D **cmdb_rel_ci** ✅

💡 **Explanation:** The cmdb_rel_ci table stores Configuration Item (CI) relationship data. It contains all the records that describe how configuration items relate to one another, including dependency chains, containment relationships, and hierarchical parent-child structures. Administrators rely on this table to maintain accurate and traceable CI interactions across the Configuration Management Database (CMDB).

The cmdb table stores metadata that defines the core structure and operational framework of the CMDB. Instead of holding relationship instances, it contains system-level information used to support CMDB functionality. Since it does not store dependency, containment, or parent-child

relationship records, administrators cannot use this table to manage CI relationships.

The cmdb_ci table serves as the base class for all configuration items and stores CI attributes such as identifiers, classification, and operational metadata. Its purpose is to represent individual CIs, not the relationships between them. Since it contains CI-level information rather than relational mappings, it is not used by administrators to record CI relationship data.

The cmdb_class_info table contains descriptive and structural metadata about CMDB classes, including class hierarchy, inheritance patterns, and class definitions. It is designed to support the understanding and management of CMDB class architecture, not to store CI relationship instances.

Q105 **Which Security Center role grants create permission, read access to all records, and write access limited to the user's own entries?** Single Choice

- A Security Center Viewer [sn_vsc_security_center_viewer]
- B System Administrator [admin]
- C **Security Task Manager [sn_vsc_task_manager]** ✅
- D ITIL [itil]

💡 **Explanation:** Security Task Managers can work on Security Tasks assigned to them and can create and manage new tasks in Security Center. They can view tasks assigned to other users but cannot edit those tasks, and their access is restricted to task-manager-specific pages. This combination of task-creation ability, limited task-editing permissions, and broader visibility matches the capabilities described in the scenario.

System Administrators can fully manage Security Tasks, including viewing, creating, assigning, and deleting them. This role has unrestricted access to task operations and is not limited in what tasks it can edit or manage. Because administrators possess complete task-management capabilities, this role does not match a scenario in which a user is restricted from editing tasks assigned to others.

Security Center Viewers can view Security Tasks but cannot create, edit, or delete them. Their access to Security Tasks is strictly read-only, and they do not participate in task management or task execution. Since this role cannot perform any task-modification or task-creation actions, it does not align with responsibilities involving managing or working on tasks.

ITIL users can interact with Security Tasks only when those tasks are assigned to them. They cannot view all Security Tasks across the system and do not have permissions to create or manage tasks for other users. Their task access is limited to their own assigned work, which does not align with roles that require viewing or managing tasks outside their assignment.

Q106 **Which items are mandatory when creating an email notification? - (Select two)** Multi-Select

- **A** **What it will contain** ✅
- **B** **When to send** ✅
- **C** Email template
- **D** Email Digest

💡 **Explanation:** When to send must be defined when creating an email notification. It specifies the conditions or events that trigger the notification to be sent.

What it will contain must be defined when creating an email notification. This includes the subject and message content that will be sent in the email.

The email template does not need to be defined when creating an email notification. Email templates are optional formatting assets that can be applied to notifications but are not required to create one.

An email digest does not need to be defined when creating an email notification. An email digest is used to combine multiple notifications into a single summary message and is configured separately from standard notifications.

Q107 **Which capability offers employees an automated conversational experience to help them find answers and complete basic tasks?** Single Choice

- **A** Record Producer
- **B** Connect Chat
- **C** Notifications
- **D** **Virtual Agent** ✅

💡 **Explanation:** Virtual Agent provides automated, conversational assistance that helps users find answers and complete basic tasks, which directly reduces simple support tickets.

Notifications do not provide automated conversations for helping users complete tasks. Notifications are used to inform users of updates or changes through email, SMS, or in-platform alerts.

A Record Producer does not provide guided, automated conversations for resolving support issues. Record Producers simply create task based records in a table through a simplified form in the Service Catalog.

Connect Chat does not automate conversations to help users complete basic tasks. Connect Chat supports real-time messaging between users or support agents.

Q108 **An Administrator wants to verify records as part of the save operation, prior to the database commit. Which 'When to run' option does the Administrator use for the business rule?**

Single Choice

- A After
- B Async
- C Display
- D **Before** ✅

💡 **Explanation:** The Administrator uses the before option. This option determines when a business rule runs after the user submits the form but before any action is taken on the record in the database. This timing allows the rule to verify or modify data prior to the database commit.

The Administrator does not use the after option. The after option does not determine when records are verified prior to the database commit. After business rules run after the user submits the form and after actions are taken on the record in the database.

The Administrator does not use the async option. The async option does not determine when records are verified prior to the database commit. Async Business Rules run after the user submits the form or after a scheduled job created from the rule runs.

The Administrator does not use the display option. The display option does not determine when records are verified during the save operation. Display business rules run before the form is presented to the user, just after data is read from the database.

Q109 **What happens when an Administrator sets the default set field to true on an update set? - (Select two)**

Multi-Select

- A All other update sets in the same scope are set to default set = true
- B Multiple default update sets are created for the same scope
- C The update set becomes active across all application scopes
- D **All other update sets in the same scope are set to default set = false** ✅
- E **The update set becomes the default for its scope** ✅

💡 **Explanation:** Setting the default set to true makes the update set the default update set for its application scope. Any new configuration changes made in that scope are automatically captured in this update set.

When the default set is set to true, the system automatically sets default set = false on all other update sets in the same scope to ensure only one default exists. When a new update set is marked as default, the platform automatically removes the default designation from any other update set in that same scope.

Setting the default set to true does not affect other application scopes. Default update sets apply only within the selected scope. Default update sets are managed independently within each scope, so changes to the default designation apply only to update sets in the current scope.

The system does not set multiple update sets to default set = true. Only one default update set is allowed per scope so the default set = false. When one update set is marked as default, all other update sets in that scope automatically have default set = false to maintain a single active default.

Multiple default update sets are not allowed within the same scope. The system enforces a single default update set per scope to ensure configuration changes are captured consistently in only one active update set per scope.

Q110 **Which table relationships are represented as many-to-many relationships in the ServiceNow data schema? - (Select two)**

Multi-Select

- **A** **User and Role** ✅
- **B** **User and Group** ✅
- **C** Location and Asset
- **D** Catalog Item and Requested Item
- **E** Incident and Task

💡 **Explanation:** User and Group represent a many-to-many relationship because users can belong to multiple groups, and each group can contain multiple users. Records from both tables are visible to one another through a related list, which reflects this bidirectional relationship.

User and Role represent a many-to-many relationship because a user can be assigned multiple roles, and a single role can be assigned to multiple users. The related lists on both tables make the associated records visible, confirming the many-to-many relationship.

Incident and Task do not represent a many-to-many relationship because incident extends the Task table through table inheritance. This is a parent-child relationship rather than a relationship managed through a many-to-many table.

Location and Asset do not form a many-to-many relationship because assets typically reference a single location. This creates a one-to-many relationship, where one location can be associated with many assets.

Catalog Task and Requested Item do not represent a many-to-many relationship because each catalog task is associated with one requested item. This results in a one-to-many relationship.

Q111 **What allows an administrator to view the list of plugins that are currently installed on the instance?** Single Choice

- A Script includes
- B System Diagnostics
- C Data sources
- D **System Definition** ✅

💡 **Explanation:** The System Definition application allows administrators to view the list of installed and available plugins. The plugins module within the system definition application shows which plugins are active on the instance.

System Diagnostics does not allow administrators to view installed plugins. System Diagnostics is used to review system logs, health checks, and performance information.

Script includes do not allow administrators to view installed plugins. Script includes store reusable server-side JavaScript functions.

Data sources do not allow administrators to view installed plugins. Data sources are used to define where imported data comes from when creating an import set.

Q112 **How does a user leave feedback on a knowledge article? - (Select two)** Multi-Select

- A Impersonating a User
- B Subscribing to the Article
- C **Flagging the Article** ✅
- D **Rating with Stars** ✅

💡 **Explanation:** Flagging the article is a valid method of providing feedback. This alerts the knowledge manager that the article may be incorrect, outdated, or unclear.

Star ratings provide direct feedback about the quality or usefulness of a knowledge article. This helps knowledge managers evaluate article performance.

Impersonating a user is not a way to leave feedback on a knowledge article. Impersonation allows administrators to temporarily view the platform from another user's perspective to test permissions and functionality.

Subscribing to an article is not a method for leaving feedback on a knowledge article. Subscribing notifies a user when the article is updated.

Q113 **What is the goal of the Shared Responsibility Model in ServiceNow?** Single Choice

- **A** **To clarify accountability and uphold security and privacy** ✅
- **B** To assess configuration risk and recommend remediation
- **C** To automate tests and validate the instance after changes
- **D** To preserve CMDB integrity and sustain effectiveness

Explanation: The goal of the Shared Responsibility Model is define clear accountability across customers and uphold security and privacy. This model clarifies who does what across security and privacy so risk is minimized and all parties meet their obligations: customers act as data controllers (configuring access, classifying data, enforcing policies in-instance), ServiceNow operates and secures the platform as the data processor, and underlying providers (colocation/hyperscalers) have their own clearly delineated duties; this explicit division of accountability is the point of the model in the Zurich release and is framed around helping organizations fulfill security and privacy commitments.

The goal of the Shared Responsibility Model is not to assess configuration risk or recommend remediation steps. Those capabilities belong to Security Center and Configuration Compliance, which identify configuration weaknesses, calculate compliance and hardening scores, and guide remediation efforts. The Shared Responsibility Model does not perform assessments or generate remediation tasks; instead, it defines who is responsible for using the platform's security capabilities and for remediating risks identified by those tools.

The goal of the Shared Responsibility Model is not to provide automated testing capabilities. Automated testing is the purpose of the Automated Test Framework (ATF), which enables customers to create and run regression tests, validate platform behavior after changes, and support upgrade readiness. While testing is part of the customer's responsibilities under the Shared Responsibility Model, the model itself does not supply testing functionality; it only defines that customers are accountable for verifying their configurations and customizations through tools like ATF.

The goal of the Shared Responsibility Model is not to maintain the integrity or effectiveness of the Configuration Management Database (CMDB). CMDB maintenance is supported by capabilities such as CMDB Health, CMDB Workspace, and the reconciliation and governance tools used to manage data quality. The Shared Responsibility Model clarifies that customers are responsible for ensuring CMDB data accuracy and completeness, but it does not provide the mechanisms to maintain or measure data quality. Instead, it establishes who is accountable for applying and governing these CMDB tools and processes.

Q114 **What happens when a user fails a field-level Read ACL?** Single Choice

- A The system displays a warning message asking the user if they want to continue.
- **B The system hides the field and prevents the user from viewing its value.** ✅
- C The system denies access to the entire record and prevents the user from viewing it.
- D The system logs a warning but still allows the user to view and update the field.

💡 **Explanation:** The system hides the field and prevents the user from viewing its value. Failing a field access control rule (ACL) blocks access only to that specific field. The record remains accessible, but the restricted field is not displayed or returned to the user.

The system does not deny access to the entire record and prevents the user from viewing it. This only happens when a table ACL fails, not a field ACL. A failed field ACL restricts a single field while still allowing access to the rest of the record.

The system does not display a warning message asking the user if they want to continue. ACL failures do not generate user prompts. ACLs enforce access automatically without offering a bypass or confirmation option.

The system does not log a warning and still allows the user to view and update the field. ACL failures do not permit access. When a field ACL fails, the system blocks the user from both reading and writing that field.

Q115 **Which module displays a visual representation of table inheritance?** Single Choice

- A CI Class Manager
- B Localization Framework
- C Transform Map
- **D Schema Map** ✅

💡 **Explanation:** The Schema Map displays a visual representation of table inheritance by providing a graphical view of parent and child table relationships. It also shows extended fields and dictionary structures, making it useful for understanding how tables relate to one another.

The Localization Framework does not display a visual representation of table inheritance. The Localization Framework is used for translating UI text and managing localized content. It provides translation capabilities, not hierarchical table diagrams.

A Transform Map does not display a visual representation of table inheritance. A Transform Map defines how data is mapped from an import set to a target table. It supports data loading operations.

The configuration item (CI) Class Manager does not display a visual representation of table inheritance. The CI Class Manager is used to visualize and manage the Configuration Management Database (CMDB) class hierarchy inheritance specifically, rather than general application table inheritance.

Q116 **Which feature dynamically makes a field mandatory on a form when a specific condition is met?** Single Choice

- A UI policy conditions
- **B UI Policy Actions** ✅
- C On Load
- D Run scripts

💡 **Explanation:** UI Policy Actions set the actual field behavior: mandatory, read-only, or visible. They execute only when the parent UI Policy's conditions evaluate to true; they do not decide when the behavior applies. In practice, the dynamic change to mandatory is enforced by the action, while the timing is driven by the policy conditions that trigger those actions.

UI Policy conditions control when a UI Policy is applied on a form. The policy conditions evaluate field values client-side to determine whether specific UI behaviors, such as making a field mandatory, should run. UI Policies are explicitly configured by defining conditions that match field values and then adding UI Policy Actions that enforce behaviors like mandatory, read-only, or visible attributes.

On Load is a client-side script type that runs once when the form first renders; it initializes values or layout before the user interacts with the form, but it does not continuously evaluate changing conditions after load, so it is not the feature that toggles a field to mandatory in response to later user actions.

Run scripts is an advanced option on a UI Policy that executes client-side logic when the policy condition is true or false; it extends behavior for complex cases, but it does not directly set field attributes, so making a field mandatory still relies on the UI Policy's actions rather than the script itself.

Q117 **Which options determine when a Business Rule runs? - (Select two)** Multi-Select

- **A Async** ✅
- **B Display** ✅
- C onSubmit
- D Table

Explanation: The display option determines when a Business Rule runs before the form is presented to the user, just after the data is read from the database. Display business rules control behavior before the form is shown.

The async option determines when a Business Rule runs asynchronously after the database operation completes. Async business rules run in the background without delaying the user action.

The OnSubmit option does not determine when a Business Rule runs. OnSubmit is a Client Script type that runs when a form is submitted.

The Table option does not determine when a Business Rule runs. The Table option specifies which table the Business Rule applies to.

Q118 **Which field causes a UI Policy to execute the opposite of its defined actions when the condition is not met?** Single Choice

- A Run scripts
- B Execute if false
- C Execute if true
- D **Reverse if false** ✅

Explanation: The reverse if false field causes a UI Policy to execute the opposite of its defined actions when the condition is not met. Reverse if false allows field behavior to be restored when the policy condition evaluates to false.

The Execute if true field does not control whether opposite actions are executed. This option determines whether the UI Policy runs when the condition evaluates to true, but it does not reverse the configured actions.

The Execute if false field does not cause opposite actions to run. This option allows the UI Policy to execute when the condition evaluates to false, but it does not automatically reverse previously applied actions.

The Run scripts field does not control whether opposite actions are executed. This option enables the use of advanced scripting within the UI Policy but does not affect the reversal of configured UI Policy actions.

Q119 **Which feature allows Administrators to pass information from one action to another when building automated logic?** Single Choice

- A Filter
- **B Data Pill** ✅
- C Trigger
- D Activity Stream

💡 **Explanation:** A data pill allows administrators to pass data from one action to another when building automated logic. It represents outputs that can be reused throughout the process.

A filter does not allow administrators to pass data between actions. A filter is used to limit records shown in a list based on specific conditions.

The activity stream does not allow administrators to pass data between actions. The activity stream shows real-time updates and comments on a record.

A trigger does not allow administrators to pass data between actions. A trigger determines when an automated process starts.

Q120 **What is the purpose of a Workspace?** Single Choice

- **A To give agents a streamlined interface for managing and completing their work** ✅
- B To build application files
- C To create a conversational experience to increase user's ability to troubleshoot problems
- D To order items and services

💡 **Explanation:** The purpose of a Workspace is to give agents a streamlined interface for managing and completing their work. Workspaces provide agents and fulfillers with a modern, streamlined interface that centralizes tasks, records, lists, and tools to help them complete their work efficiently. Workspaces are designed for productivity, guided experiences, and quick access to the data agents need.

Ordering items and services does not describe the purpose of a Workspace. This is actually describing the Service Catalog, which allows users to browse available items and submit requests for goods and services.

Building application files does not describe the purpose of a Workspace. This is actually describing Studio, which developers use to build and configure application files like tables, script includes, and flows.

Creating a conversational experience to increase user's ability to troubleshoot problems does not

describe the purpose of a Workspace. This is actually describing Virtual Agent, which provides automated conversational assistance to help users troubleshoot issues and find answers.