

```

typescript // src/domain/entities/acai-order.ts import { randomUUID } from "node:crypto";
export interface AcaiOrderProps { customerName: string; description: string; price: number; }
export class AcaiOrder { private _id: string; private props: AcaiOrderProps;
constructor(props: AcaiOrderProps, id?: string) { if (props.price <= 0) { throw new Error("O
valor do pedido deve ser maior que zero."); } this._id = id ?? randomUUID(); this.props =
props; } get id() { return this._id; } get customerName() { return this.props.customerName; }
get description() { return this.props.description; } get price() { return this.props.price; } } //
src/application/repositories/IAcaiOrderRepository.ts import { AcaiOrder } from
"../../domain/entities/acai-order"; export interface IAcaiOrderRepository { create(order:
AcaiOrder): Promise; findAll(): Promise; delete(id: string): Promise; } //
src/application/use-cases/register-order-use-case.ts import { AcaiOrder } from
"../../domain/entities/acai-order"; import { IAcaiOrderRepository } from
"../repositories/IAcaiOrderRepository"; interface IRegisterOrderRequestDTO {
customerName: string; description: string; price: number; } export class
RegisterOrderUseCase { constructor(private orderRepository: IAcaiOrderRepository) {}
async execute(request: IRegisterOrderRequestDTO): Promise { const order = new
AcaiOrder(request); await this.orderRepository.create(order); } } //
src/application/use-cases/list-orders-use-case.ts export class ListOrdersUseCase {
constructor(private orderRepository: IAcaiOrderRepository) {} async execute(): Promise {
return await this.orderRepository.findAll(); } } //
src/application/use-cases/delete-order-use-case.ts export class DeleteOrderUseCase {
constructor(private orderRepository: IAcaiOrderRepository) {} async execute(id: string):
Promise { await this.orderRepository.delete(id); } } //
src/adapters/controllers/acai-order-controller.ts import { RegisterOrderUseCase } from
"../../application/use-cases/register-order-use-case"; import { ListOrdersUseCase } from
"../../application/use-cases/list-orders-use-case"; import { DeleteOrderUseCase } from
"../../application/use-cases/delete-order-use-case"; export class AcaiOrderController {
constructor( private registerOrder: RegisterOrderUseCase, private listOrders:
ListOrdersUseCase, private deleteOrder: DeleteOrderUseCase ) {} async
handleRegister(req: any, res: any) { try { const { customerName, description, price } =
req.body; await this.registerOrder.execute({ customerName, description, price }); return
res.status(201).send(); } catch (error: any) { return res.status(400).json({ error:
error.message }); } } async handleList(req: any, res: any) { const orders = await
this.listOrders.execute(); return res.status(200).json(orders); } async handleDelete(req: any,
res: any) { const { id } = req.params; await this.deleteOrder.execute(id); return
res.status(204).send(); } } // src/infrastructure/repositories/in-memory-acai-order-repository.ts
import { IAcaiOrderRepository } from "../../application/repositories/IAcaiOrderRepository";
import { AcaiOrder } from "../../domain/entities/acai-order"; export class
InMemoryAcaiOrderRepository implements IAcaiOrderRepository { public items: AcaiOrder[]
= []; async create(order: AcaiOrder): Promise { this.items.push(order); } async findAll():
Promise { return this.items; } async delete(id: string): Promise { this.items =
this.items.filter(item => item.id !== id); } }

```