

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show



source



outline



image report

Options...

Check by ☐ css

```

<!DOCTYPE html>
<html lang="en">

<head>
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>12 Tables</title>
  <style>
    * {
      box-sizing: border-box;
    }

    body {
      font-family: Verdana, sans-serif;
      margin: 0;
      padding: 0;
    }

    h1 {
      margin-top: 0;
      margin-bottom: 0;
    }

    .mySlides {
      display: none;
    }

    img {
      vertical-align: middle;
    }

    iframe {
      width: 55%;
      height: 350px;
    }

    /* Slideshow container */
    .slideshow-container {
      max-width: 1000px;
      position: relative;
      margin: auto;
    }

    /* The dots/bullets/indicators */
    .dot {
      cursor: pointer;
      height: 15px;
      width: 15px;
      margin: 0 2px;
      background-color: #bbb;
      border-radius: 50%;
      display: inline-block;
      transition: background-color 0.6s ease;
    }

    .active,
    .dot:hover {
      background-color: #717171;
    }

    /* Fading animation */
    .fade {
      animation-name: fade;
      animation-duration: 1.5s;
    }

    @keyframes fade {
      from {
        opacity: .4
      }

      to {
        opacity: 1
      }
    }
  </style>
</head>

<body>
  <div style="text-align:center; visibility: hidden;">---</div>
  <a href="index.pdf">Validation of index.html - Click to see</a>
  <div style="text-align:center;">Navigation</div>
  <div style="text-align:center;">
    <span class="dot" onclick="currentSlide(1)"></span>
    <span class="dot" onclick="currentSlide(2)"></span>
    <span class="dot" onclick="currentSlide(3)"></span>
    <span class="dot" onclick="currentSlide(4)"></span>
    <span class="dot" onclick="currentSlide(5)"></span>
    <span class="dot" onclick="currentSlide(6)"></span>
    <span class="dot" onclick="currentSlide(7)"></span>
    <span class="dot" onclick="currentSlide(8)"></span>
  </div>

```

```

<span class="dot" onclick="currentSlide(9)"></span>
<span class="dot" onclick="currentSlide(10)"></span>
<span class="dot" onclick="currentSlide(11)"></span>
<span class="dot" onclick="currentSlide(12)"></span>
</div>

<div class="slideshow-container">

  <!-- 12 slides -->
  <div class="mySlides fade">
    <h1>Table 1</h1><iframe src="Table1.html"></iframe>
    <object class="pdf" data="Table1.pdf" width="600" height="500"></object>
  </div>
  <div class="mySlides fade">
    <h1>Table 2</h1><iframe src="Table2.html"></iframe>
    <object class="pdf" data="Table2.pdf" width="600" height="500"></object>
  </div>
  <div class="mySlides fade">
    <h1>Table 3</h1><iframe src="Table3.html"></iframe>
    <object class="pdf" data="Table3.pdf" width="600" height="500"></object>
  </div>
  <div class="mySlides fade">
    <h1>Table 4</h1><iframe src="Table4.html"></iframe>
    <object class="pdf" data="Table4.pdf" width="600" height="500"></object>
  </div>
  <div class="mySlides fade">
    <h1>Table 5</h1><iframe src="Table5.html"></iframe>
    <object class="pdf" data="Table5.pdf" width="600" height="500"></object>
  </div>
  <div class="mySlides fade">
    <h1>Table 6</h1><iframe src="Table6.html"></iframe>
    <object class="pdf" data="Table6.pdf" width="600" height="500"></object>
  </div>
  <div class="mySlides fade">
    <h1>Table 7</h1><iframe src="Table7.html"></iframe>
    <object class="pdf" data="Table7.pdf" width="600" height="500"></object>
  </div>
  <div class="mySlides fade">
    <h1>Table 8</h1><iframe src="Table8.html"></iframe>
    <object class="pdf" data="Table8.pdf" width="600" height="500"></object>
  </div>
  <div class="mySlides fade">
    <h1>Table 9</h1><iframe src="Table9.html"></iframe>
    <object class="pdf" data="Table9.pdf" width="600" height="500"></object>
  </div>
  <div class="mySlides fade">
    <h1>Table 10</h1><iframe src="Table10.html"></iframe>
    <object class="pdf" data="Table10.pdf" width="600" height="500"></object>
  </div>
  <div class="mySlides fade">
    <h1>Table 11</h1><iframe src="Table11.html"></iframe>
    <object class="pdf" data="Table11.pdf" width="600" height="500"></object>
  </div>
  <div class="mySlides fade">
    <h1>Table 12</h1><iframe src="Table12.html"></iframe>
    <object class="pdf" data="Table12.pdf" width="600" height="500"></object>
  </div>

</div>
<br>

<script>
  let slideIndex = 1;
  showSlides(slideIndex);

  function plusSlides(n) {
    showSlides(slideIndex += n);
  }

  function currentSlide(n) {
    showSlides(slideIndex = n);
  }

  function showSlides(n) {
    let i;
    let slides = document.getElementsByClassName("mySlides");
    let dots = document.getElementsByClassName("dot");
    if (n > slides.length) { slideIndex = 1 }
    if (n < 1) { slideIndex = slides.length }
    for (i = 0; i < slides.length; i++) {
      slides[i].style.display = "none";
    }
    for (i = 0; i < dots.length; i++) {
      dots[i].className = dots[i].className.replace(" active", "");
    }
    slides[slideIndex - 1].style.display = "block";
    dots[slideIndex - 1].className += " active";
  }
</script>
</body>

```

</html>

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Document checking completed. No errors or warnings to show.

Source

```
1. <!DOCTYPE html>↵
2. <html lang="en">↵
3.   ↵
4.   <head>↵
5.     <meta name="viewport" content="width=device-width, initial-scale=1">↵
6.     <title>12 Tables</title>↵
7.     <style>↵
8.       * {↵
9.         box-sizing: border-box;↵
10.      }↵
11.   ↵
12.   body {↵
13.     font-family: Verdana, sans-serif;↵
14.     margin: 0;↵
15.     padding: 0;↵
16.   }↵
17.   ↵
18.   h1 {↵
19.     margin-top: 0;↵
20.     margin-bottom: 0;↵
21.   }↵
22.   ↵
23.   .mySlides {↵
24.     display: none;↵
25.   }↵
26.   ↵
27.   img {↵
28.     vertical-align: middle;↵
29.   }↵
30.   ↵
31.   iframe {↵
32.     width: 55%;↵
33.     height: 350px;↵
34.   }↵
35.   ↵
36.   /* Slideshow container */↵
37.   .slideshow-container {↵
38.     max-width: 1000px;↵
39.     position: relative;↵
40.     margin: auto;↵
41.   }↵
42.   ↵
43.   /* The dots/bullets/indicators */↵
44.   .dot {↵
45.     cursor: pointer;↵
46.     height: 15px;↵
47.     width: 15px;↵
48.     margin: 0 2px;↵
49.     background-color: #bbb;↵
50.     border-radius: 50%;↵
51.     display: inline-block;↵
52.     transition: background-color 0.6s ease;↵
53.   }↵
54.   ↵
55.   .active,↵
56.   .dot:hover {↵
57.     background-color: #717171;↵
58.   }↵
59.   ↵
60.   /* Fading animation */↵
61.   .fade {↵
62.     animation-name: fade;↵
63.     animation-duration: 1.5s;↵
64.   }↵
65.   ↵
66.   ↵
67.   @keyframes fade {↵
68.     from {↵
69.       opacity: .4↵
70.     }↵
71.     ↵
72.     to {↵
73.       opacity: 1↵
74.     }↵
75.   }↵
```

```

76. ↵
77. ↵ </style>↵
78. ↵ </head>↵
79. ↵
80. ↵ <body>↵
81. ↵   <div style="text-align:center; visibility: hidden;">---</div>↵
82. ↵   <a href="index.pdf">Validation of index.html - Click to see</a>↵
83. ↵   <div style="text-align:center;">Navigation</div>↵
84. ↵   <div style="text-align:center;">↵
85. ↵     <span class="dot" onclick="currentSlide(1)"></span>↵
86. ↵     <span class="dot" onclick="currentSlide(2)"></span>↵
87. ↵     <span class="dot" onclick="currentSlide(3)"></span>↵
88. ↵     <span class="dot" onclick="currentSlide(4)"></span>↵
89. ↵     <span class="dot" onclick="currentSlide(5)"></span>↵
90. ↵     <span class="dot" onclick="currentSlide(6)"></span>↵
91. ↵     <span class="dot" onclick="currentSlide(7)"></span>↵
92. ↵     <span class="dot" onclick="currentSlide(8)"></span>↵
93. ↵     <span class="dot" onclick="currentSlide(9)"></span>↵
94. ↵     <span class="dot" onclick="currentSlide(10)"></span>↵
95. ↵     <span class="dot" onclick="currentSlide(11)"></span>↵
96. ↵     <span class="dot" onclick="currentSlide(12)"></span>↵
97. ↵   </div>↵
98. ↵
99. ↵   <div class="slideshow-container">↵
100. ↵     ↵
101. ↵     <!-- 12 slides -->↵
102. ↵     <div class="mySlides fade">↵
103. ↵       <h1>Table 1</h1><iframe src="Table1.html"></iframe>↵
104. ↵       <object class="pdf" data="Table1.pdf" width="600" height="500"></object>↵
105. ↵     </div>↵
106. ↵     <div class="mySlides fade">↵
107. ↵       <h1>Table 2</h1><iframe src="Table2.html"></iframe>↵
108. ↵       <object class="pdf" data="Table2.pdf" width="600" height="500"></object>↵
109. ↵     </div>↵
110. ↵     <div class="mySlides fade">↵
111. ↵       <h1>Table 3</h1><iframe src="Table3.html"></iframe>↵
112. ↵       <object class="pdf" data="Table3.pdf" width="600" height="500"></object>↵
113. ↵     </div>↵
114. ↵     <div class="mySlides fade">↵
115. ↵       <h1>Table 4</h1><iframe src="Table4.html"></iframe>↵
116. ↵       <object class="pdf" data="Table4.pdf" width="600" height="500"></object>↵
117. ↵     </div>↵
118. ↵     <div class="mySlides fade">↵
119. ↵       <h1>Table 5</h1><iframe src="Table5.html"></iframe>↵
120. ↵       <object class="pdf" data="Table5.pdf" width="600" height="500"></object>↵
121. ↵     </div>↵
122. ↵     <div class="mySlides fade">↵
123. ↵       <h1>Table 6</h1><iframe src="Table6.html"></iframe>↵
124. ↵       <object class="pdf" data="Table6.pdf" width="600" height="500"></object>↵
125. ↵     </div>↵
126. ↵     <div class="mySlides fade">↵
127. ↵       <h1>Table 7</h1><iframe src="Table7.html"></iframe>↵
128. ↵       <object class="pdf" data="Table7.pdf" width="600" height="500"></object>↵
129. ↵     </div>↵
130. ↵     <div class="mySlides fade">↵
131. ↵       <h1>Table 8</h1><iframe src="Table8.html"></iframe>↵
132. ↵       <object class="pdf" data="Table8.pdf" width="600" height="500"></object>↵
133. ↵     </div>↵
134. ↵     <div class="mySlides fade">↵
135. ↵       <h1>Table 9</h1><iframe src="Table9.html"></iframe>↵
136. ↵       <object class="pdf" data="Table9.pdf" width="600" height="500"></object>↵
137. ↵     </div>↵
138. ↵     <div class="mySlides fade">↵
139. ↵       <h1>Table 10</h1><iframe src="Table10.html"></iframe>↵
140. ↵       <object class="pdf" data="Table10.pdf" width="600" height="500"></object>↵
141. ↵     </div>↵
142. ↵     <div class="mySlides fade">↵
143. ↵       <h1>Table 11</h1><iframe src="Table11.html"></iframe>↵
144. ↵       <object class="pdf" data="Table11.pdf" width="600" height="500"></object>↵
145. ↵     </div>↵
146. ↵     <div class="mySlides fade">↵
147. ↵       <h1>Table 12</h1><iframe src="Table12.html"></iframe>↵
148. ↵       <object class="pdf" data="Table12.pdf" width="600" height="500"></object>↵
149. ↵     </div>↵
150. ↵   </div>↵
151. ↵   <br>↵
152. ↵
153. ↵
154. ↵   <script>↵
155. ↵     let slideIndex = 1;↵
156. ↵     showSlides(slideIndex);↵
157. ↵
158. ↵     function plusSlides(n) {↵
159. ↵       showSlides(slideIndex += n);↵
160. ↵     }↵
161. ↵
162. ↵     function currentSlide(n) {↵
163. ↵       showSlides(slideIndex = n);↵
164. ↵     }↵
165. ↵
166. ↵     function showSlides(n) {↵
167. ↵       let i;↵
168. ↵       let slides = document.getElementsByClassName("mySlides");↵
169. ↵       let dots = document.getElementsByClassName("dot");↵
170. ↵       if (n > slides.length) { slideIndex = 1 }↵
171. ↵       if (n < 1) { slideIndex = slides.length }↵
172. ↵       for (i = 0; i < slides.length; i++) {↵
173. ↵         slides[i].style.display = "none";↵

```

```
174.     }↵
175.     for (i = 0; i < dots.length; i++) {↵
176.         dots[i].className = dots[i].className.replace(" active", "");↵
177.     }↵
178.     slides[slideIndex - 1].style.display = "block";↵
179.     dots[slideIndex - 1].className += " active";↵
180. }↵
181. </script>↵
182. ↵
183. </body>↵
184. ↵
185. </html>
```

Used the HTML parser.

Total execution time 11 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 25.1.23