



☒ Autocommit Rows  

Save

Run

```
CREATE TABLE orders (  
  cust_id NUMBER,  
  order_id NUMBER,  
  items NUMBER,  
  amount NUMBER  
);  
  
INSERT INTO orders VALUES (3, 1, 12, 2500);  
INSERT INTO orders VALUES (1, 2, 4, 1000);  
INSERT INTO orders VALUES (3, 3, 25, 6500);  
INSERT INTO orders VALUES (2, 4, 6, 1200);  
INSERT INTO orders VALUES (2, 5, 18, 3000);  
  
SELECT cust_id, order_id, items, amount,  
       (amount + 200) AS total_amount,  
       (amount - 100) AS offer_price,  
       (amount * 5) AS revised_amount,  
       (amount / 2) AS half_amount  
FROM Orders;
```

Results Explain Describe Saved SQL History

CUST_ID	ORDER_ID	ITEMS	AMOUNT	TOTAL_AMOUNT	OFFER_PRICE	REVISED_AMOUNT	HALF_AMOUNT
3	1	12	2500	2700	2400	12500	1250
1	2	4	1000	1200	900	5000	500
3	3	25	6500	6700	6400	32500	3250
2	4	6	1200	1400	1100	6000	600
2	5	18	3000	3200	2900	15000	1500