

1. Which type of trigger executes stored procedures when a session is established with a LOGON event?

- A. DML
- B. DDL
- C. Logon
- D. DCL

2. What is used for including conditional constructs in Transact-SQL?

- A. Variables
- B. Columns
- C. Triggers
- D. Control-of-flow statements

3. Which of these are deterministic built-in functions?

- A. POWER
- B. CAST
- C. LOG
- D. ISDATE

**4. Which of the following program flow statements are supported by T-SQL?
**

- A. BEGIN...END
- B. IF...ELSE
- C. WHILE
- D. SWITCH CASE

5. In T-SQL programming, one or more T-SQL statements can be combined into one unit as a _____ and submitted to the server?

- A. Batch
- B. Store Procedure
- C. Trigger
- D. Script

6. Identify the properties of logical unit of work.

- A. Atomicity
- B. Consistency
- C. Efficiency
- D. Durability

7. Match the system databases

- A1. master → 1 / 2 / 3 / 4
- A2. model → 1 / 2 / 3 / 4
- A3. resource → 1 / 2 / 3 / 4
- A4. tempdb → 1 / 2 / 3 / 4

8. Where are system databases used?

- A. Auditing
- B. Recovery
- C. Execute user transactions
- D. Store user data

9. Identify a key point to achieve third normal form.

- A. Tables should not have transitive dependencies in them.
- B. Tables should have partial dependencies in them.
- C. Tables are related through foreign keys.
- D. Tables must have atomic values.

10. Identify components in the Object Explorer of SSMS.

- A. Notification
- B. Server Objects
- C. Replication
- D. Integration Services Catalogs

11. Which code snippet adds a filegroup to the EMP_DB database?

- A. ALTER DATABASE EMP_DB Delete FILEGROUP FG_ReadOnly
- B. ALTER DATABASE EMP_DB ADD FILEGROUP FG_ReadOnly
- C. ALTER DATABASE EMP_DB SELECT FILEGROUP FG_ReadOnly
- D. ALTER DATABASE EMP_DB INSERT FILEGROUP FG_ReadOnly

12. Which code snippet drops the Contact_number column from the table?

- A. MODIFY TABLE Employee DROP COLUMN [Contact_name];
- B. ALTER TABLE Employee DELETE COLUMN [Contact_name];
- C. ALTER TABLE Employee DROP COLUMN [Contact_name];
- D. ALTER TABLE Employee ADD COLUMN [Contact_name];

**13. Which code snippet creates a table using DEFAULT for marks?

- A. CREATE TABLE Student(StudentID int NOT NULL, Name varchar(40) NOT NULL, Marks int NOT NULL DEFAULT (100))
- B. CREATE TABLE Student(StudentID int NOT NULL, Name varchar(40) NOT NULL, Marks int NOT NULL)
- C. CREATE TABLE Student(StudentID int NOT NULL, Name varchar(40) NOT NULL, Marks int NOT NULL DEFAULT)
- D. CREATE TABLE Student(StudentID int NOT NULL, Name varchar(40) NOT NULL, Marks int NOT NULL IDENTITY)

14. _____ trigger copies the original record into Deleted and the new one into Inserted when a record is updated.

- A. RENEW

- B. INSERT
- C. UPDATE
- D. DELETE

15. In which scenario is a DML trigger executed?

- A. The data is inserted, modified, or deleted in a table.
- B. A database is created.
- C. A table is created.
- D. Access to a table is granted to a user.