

****1. Identify a key point to achieve third normal form.****
A. Tables should not have transitive dependencies in them.
B. Tables should have partial dependencies in them.
C. Tables are related through foreign keys.
D. Tables must have atomic values.

****2. Identify components in the Object Explorer of SSMS.****
A. Notification
B. Server Objects
C. Replication
D. Integration Services Catalogs

****3. Which of the following code snippets adds a filegroup to an existing database, called EMP_DB?****
A. `ALTER DATABASE EMP\_DB DELETE FILEGROUP FG\_ReadOnly`
B. `ALTER DATABASE EMP\_DB ADD FILEGROUP FG\_ReadOnly`
C. `ALTER DATABASE EMP\_DB SELECT FILEGROUP FG\_ReadOnly`
D. `ALTER DATABASE EMP\_DB INSERT FILEGROUP FG\_ReadOnly`

****4. Which of the following code snippets drops the Contact_name column from the table?****
A. `MODIFY TABLE Employee DROP COLUMN [Contact\_name];`
B. `ALTER TABLE Employee DELETE COLUMN [Contact\_name];`
C. `ALTER TABLE Employee DROP COLUMN [Contact\_name];`
D. `ALTER TABLE Employee ADD COLUMN [Contact\_name];`

****5. Which of the following code snippets creates a table that uses the DEFAULT keyword to define the default value for Marks?****
A. `CREATE TABLE Student (StudentID int NOT NULL, Name varchar(40) NOT NULL, Marks int NOT NULL DEFAULT (100))`
B. `CREATE TABLE Student (StudentID int NOT NULL, Name varchar(40) NOT NULL, Marks int NOT NULL)`
C. `CREATE TABLE Student (StudentID int NOT NULL, Name varchar(40) NOT NULL, Marks int NOT NULL DEFAULT)`
D. `CREATE TABLE Student (StudentID int NOT NULL, Name varchar(40) NOT NULL, Marks int NOT NULL IDENTITY)`

****6. _____ triggers execute when a table or a view is created, modified, or deleted using CREATE, ALTER, or DROP statements.****
A. DDL
B. DML
C. INSERT
D. DELETE

****7. _____ trigger copies the original record in the Deleted table and the new record into the Inserted table when a record is updated.****
A. RENEW
B. INSERT
C. UPDATE
D. DELETE

****8. In which of the following scenarios is a DML trigger executed?****

- A. The data is inserted, modified, or deleted in a table.
- B. A database is created.
- C. A table is created.
- D. Access to a table is granted to a user.

****9. Which type of trigger executes stored procedures when a session is established with a LOGON event?****

- A. DML
- B. DDL
- C. Logon
- D. DCL

****10. What is used for including conditional constructs in Transact-SQL?****

- A. Variables
- B. Columns
- C. Triggers
- D. Control-of-flow statements

****11. Which of these are deterministic built-in functions?****

- A. POWER
- B. CAST
- C. LOG
- D. ISDATE

****12. Which of the following program flow statements are supported by T-SQL?****

- A. BEGIN...END
- B. IF...ELSE
- C. WHILE
- D. SWITCH CASE

****13. In T-SQL programming, one or more T-SQL statements can be combined into one unit as a _____ and submitted to the server.****

- A. Batch
- B. Stored Procedure
- C. Trigger
- D. Script

****14. Match the following system databases with their descriptions.****

- A1. master
- A2. model
- A3. resource
- A4. tempdb

Options:

- A. The database is used as the template for all databases in SQL Server 2019.
- B. The database holds temporary objects or intermediate result sets.
- C. The database records all system-level information of an instance of SQL Server.
- D. The database is a read-only database and contains system objects included

with SQL Server 2019.

****15. Where are system databases used?****

- A. Auditing
- B. Recovery
- C. Execute user transactions
- D. Store user data