

1. Total Revenue:

```
SELECT SUM(total_price) AS Total_Revenue from pizza_sale
```

Total_Revenue
817860.05083847

2.

```
SELECT SUM(total_price)/COUNT(DISTINCT order_id) AS Average_Order FROM pizza_sale
```

Average_Order
38.3072623343546

3.

```
SELECT SUM(quantity) AS Total_Pizza_Sold FROM pizza_sale
```

Total_Pizza_Sold
49574

- 4.

Total_Order
21350

5.

```
SELECT CAST(CAST(SUM(quantity) AS DECIMAL(10,2))/  
CAST(COUNT(DISTINCT order_id) AS DECIMAL(10,2)) AS DECIMAL(10,2)) AS  
Average_Pizzas_Per_Order FROM pizza_sale
```

Average_Pizzas_Per_Order
2.32

```
SELECT DATENAME(DW, order_date) AS Order_Day, COUNT(DISTINCT order_id) AS  
Total_Order FROM pizza_sale  
GROUP BY DATENAME(DW, order_date)
```

	Order_Day	Total_Order
1	Saturday	3158
2	Wednesday	3024
3	Monday	2794
4	Sunday	2624
5	Friday	3538
6	Thursday	3239
7	Tuesday	2973

```
SELECT DATENAME(MONTH, order_date) AS Month_Name, COUNT(DISTINCT order_id) AS
Total_Order FROM pizza_sale GROUP BY DATENAME(MONTH,order_date)
```

	Month_Name	Total_Order
1	February	1685
2	June	1773
3	August	1841
4	April	1799
5	May	1853
6	December	1680
7	January	1845
8	September	1661
9	October	1646
10	July	1935
11	November	1792

```
SELECT pizza_category, SUM(total_price)* 100/(SELECT SUM(total_price) FROM
pizza_sale) AS Percentage_of_Sale
FROM pizza_sale
GROUP BY pizza_category
```

	pizza_category	Percentage_of_Sale
1	Chicken	23.9551375322885
2	Supreme	25.4563112111462
3	Classic	26.9059602306976
4	Veggie	23.6825910258677

```
SELECT pizza_category, SUM(total_price)* 100/(SELECT SUM(total_price) FROM
pizza_sale WHERE MONTH(order_date) = 1) AS Percentage_of_Sale
FROM pizza_sale WHERE MONTH(order_date) = 1
GROUP BY pizza_category
```

	pizza_category	Percentage_of_Sale
1	Chicken	23.1952780348435
2	Supreme	25.6897867985821
3	Classic	26.6779189176038
4	Veggie	24.4370162489706

```
SELECT TOP 5 pizza_name, CAST(SUM(total_price) AS DECIMAL(10,2)) AS Total_Revenue
FROM pizza_sale
GROUP BY pizza_name
ORDER BY Total_Revenue DESC
```

	pizza_name	Total_Revenue
1	The Thai Chicken Pizza	43434.25
2	The Barbecue Chicken Pizza	42768.00
3	The California Chicken Pizza	41409.50
4	The Classic Deluxe Pizza	38180.50
5	The Spicy Italian Pizza	34831.25

6. `SELECT TOP 5 pizza_name, CAST(SUM(total_price) AS DECIMAL(10,2)) AS Total_Revenue FROM pizza_sale
GROUP BY pizza_name
ORDER BY Total_Revenue`

	pizza_name	Total_Revenue
1	The Brie Carré Pizza	11588.50
2	The Green Garden Pizza	13955.75
3	The Spinach Supreme Pizza	15277.75
4	The Mediterranean Pizza	15360.50
5	The Spinach Pesto Pizza	15596.00

7. `SELECT TOP 5 pizza_name, CAST(SUM(quantity) AS DECIMAL(10,2)) AS Total_Quantity FROM pizza_sale
GROUP BY pizza_name
ORDER BY Total_Quantity`

	pizza_name	Total_Quantity
1	The Brie Carré Pizza	490.00
2	The Mediterranean Pizza	934.00
3	The Calabrese Pizza	937.00
4	The Spinach Supreme Pizza	950.00
5	The Soppressata Pizza	961.00

8. `SELECT TOP 5 pizza_name, CAST(SUM(quantity) AS DECIMAL(10,2)) AS Total_Quantity FROM pizza_sale
GROUP BY pizza_name
ORDER BY Total_Quantity DESC`

	pizza_name	Total_Quantity
1	The Classic Deluxe Pizza	2453.00
2	The Barbecue Chicken Pizza	2432.00
3	The Hawaiian Pizza	2422.00
4	The Pepperoni Pizza	2418.00
5	The Thai Chicken Pizza	2371.00

9. `SELECT TOP 5 pizza_name, COUNT(DISTINCT order_id) AS Total_Order FROM pizza_sale
GROUP BY pizza_name
ORDER BY Total_Order DESC`

	pizza_name	Total_Order
1	The Classic Deluxe Pizza	2329
2	The Hawaiian Pizza	2280
3	The Pepperoni Pizza	2278
4	The Barbecue Chicken Pizza	2273
5	The Thai Chicken Pizza	2225

```
10. SELECT TOP 5 pizza_name, COUNT(DISTINCT order_id) AS Total_Order FROM
    pizza_sale
    GROUP BY pizza_name
    ORDER BY Total_Order
```

	pizza_name	Total_Order
1	The Brie Carré Pizza	480
2	The Mediterranean Pizza	912
3	The Spinach Supreme Pizza	918
4	The Calabrese Pizza	918
5	The Chicken Pesto Pizza	938