

Docs | HERY

HERY stands for Hierarchical Entity Relational YAML.

It also means: to glorify; praise.

But to glorify what!?

History

Whilst working on the [Amadla](#) project I tried different ways to store, and organize configurations and nothing was found that satisfied the requirements and the desideratum of what solutions it was supposed to provide.

So by trying out different ideas in code and on paper, HERY was born.

It was important for the [Amadla](#) project that the reinventing of the wheel not supervened nor should it be adding complexity by creating too many new concepts. A maximum of technologies needed to be familiar to the users.

This is why HERY is more of an extension to YAML than a completely new [Electronic Data Interchange \(EDI\)](#)/storage/markup thingamajig.

But again back to the question... Glorify what!?

- Simplicity
- Management of markup
- Relational markup content
- Schema enforcement

What does it have more than YAML?

- **Entities** - A block of YAML that has its own schema definition and tracking in a CVS with `git`
- **JSON Schema** - Using this standard the entity has always predictable content, and it can help with IDEs tools for instance code autocompletion
- **Hierarchy** - Entities can have a parent entity that it can overwrite so this way an entity can be reused multiple times with default values
- **Relational content** - A property can point to one or multiple entities (in this context an entity is like a table in a RDBMS and a property is like a column)
- `_entity` - Is a URI with a version number after `@` that informs what schema the content under it must follow
- `_body` - Contains the entity properties and its values
- `_id` - Is an ID given to a property to point to another entity
- `_meta` - Is an optional property that contains an entity or entities for metadata to an entity

That's it!

hery cli as a tool

hery -cli is used to get, validate, compose, and query the content in the entity, and entities.

- **Query language** - the cli has its own query language plus it comes with [jq](#) and [JSONPATH](#)
- **Caching** - inside hery uses [SQLite](#), since it is quicker to pull data than using text YAML files the file is saved at the root of the collection's directory
- **Validation** - the cli makes it possible to validate an entity or many entities
- **Get** - by using given entity URLs it will download the entity and its relational entities automatically
- **Compose** - combines the entities together
- And many other tools