

SYSTEM VERIFICATION & VALIDATION REPORT

IEEE 829 Standard Automated & Manual Test Specification

Project Name	Noir – Autonomous AI-Assisted Chaos & Reliability Engineering Platform
Target Environment	Full-Stack Production/Dev Mirror (Frontend: http://localhost:3000, Backend: http://localhost:8000)
Test Automation Engine	Python 3.14 + Selenium WebDriver 4.49.0 + PyTest 9.1.1 (GeckoDriver / Marionette)
Test Designed By	Amal S Kumar
Test Executed By	Amal S Kumar
Execution Timestamp	07-Oct-2026 06:15:30 IST
Overall Verdict	ALL 34 TEST CASES PASSED (100% Pass Rate, 0 Critical Defects)

34	34	0	100.0%
TOTAL TEST CASES	PASSED	FAILED	PASS RATE

SCOPE OF VERIFICATION

This validation report provides comprehensive end-to-end test evidence for the Noir system architecture, covering all primary stakeholder flows:

- Landing & Public Navigation:** Smoke verification, hero branding, responsive menu drawers, contact inquiries, and router wildcard fallback.
- Authentication & 2-Stage KYC:** Live email validation, credential rejection alerts, developer/company/admin login transitions, password masking toggles, and two-stage company document verification.
- Route Guards & Role-Based Access Control:** JWT token enforcement, unauthenticated redirection, cross-role horizontal barrier enforcement, and authenticated root auto-navigation.
- Developer Workspace & Chaos Telemetry:** Project initialization, system metric telemetry cards, chaos experiment configuration, and terminal logs.
- Native Go CLI Agent Distribution:** Multi-platform download portal, 1-click install scripts (Linux Bash & Windows PowerShell), and precompiled binaries with SHA-256 integrity verification.
- Company Enterprise Governance:** Developer roster telemetry and invitation dispatch.
- Super Admin Platform Governance:** Platform-wide KPIs, user role assignments, and company KYC audit approvals.
- Notification Center & Lifecycle:** In-app alerts drawer and authenticated session revocation / local token eviction.

Project Name: Noir – Autonomous AI-Assisted Chaos & Reliability Engineering Platform					
Application Smoke Test & Branding Header Verification					
Test Case ID: TC_E2E_01			Test Designed By: Amal S Kumar		
Test Priority (Low/Medium/High): High			Test Designed Date: 05-Oct-2026		
Module Name: Landing & Public Navigation			Test Executed By: Amal S Kumar		
Test Title: Application Smoke Test			Test Execution Date: 07-Oct-2026 06:15:30		
Description: Verify that the Noir frontend root URL loads successfully, renders the document title, mounts the transparent overlay navbar, and displays the primary hero headline.					
Pre-Condition: Frontend dev server is active on http://localhost:3000 and accessible via Selenium WebDriver.					
Step	Test Step	Test Data	Expected Result	Actual Result	Status
1	Navigate to application base URL	URL = http://localhost:3000	Browser loads root page within 10-second timeout window	Root page loads without HTTP connection or timeout error	Pass
2	Verify browser document title	Title substring match: "Noir"	driver.title contains "Noir"	Document title verified as "Noir: Meet the extreme"	Pass
3	Locate global navigation bar	Selector = nav	Main navbar element is visible with brand logo "NO IR"	Located <nav> containing "NO IR" branding logo	Pass
4	Locate main heading element (<h1>)	DOM element locator: tagName = "h1"	Visible <h1> heading contains "NOIR" and "The autonomous reliability engineer."	Located <h1> containing "NOIR" introducing badge and subtitle	Pass
Post-Condition: Landing page rendered with Canvas star particles and interactive layout active.					

Project Name: Noir – Autonomous AI-Assisted Chaos & Reliability Engineering Platform					
Public Header Navigation to Authentication Portal					
Test Case ID: TC_E2E_02			Test Designed By: Amal S Kumar		
Test Priority (Low/Medium/High): High			Test Designed Date: 05-Oct-2026		
Module Name: Landing & Public Navigation			Test Executed By: Amal S Kumar		
Test Title: Navigation to Login Portal			Test Execution Date: 07-Oct-2026 06:15:30		
Description: Verify that clicking the Login CTA button in the landing page navbar navigates the user to the /login route.					
Pre-Condition: User is unauthenticated and viewing the public landing page.					
Step	Test Step	Test Data	Expected Result	Actual Result	Status
1	Locate Login button in navbar	XPath = //a[contains(@href, '/login') or //span[text()='Login']]	Login button is visible and clickable	Login button found in top-right navbar tray	Pass
2	Click Login button	Mouse click on located element	URL transitions to /login	Browser navigates to http://localhost:3000/login	Pass
3	Verify Login page heading mounts	XPath = //h1[contains(., 'Sign in') or contains(., 'Welcome back')]	Authentication shell renders with email and password fields	Login card mounts with input fields ready	Pass
Post-Condition: Browser URL is http://localhost:3000/login.					

Project Name: Noir – Autonomous AI-Assisted Chaos & Reliability Engineering Platform					
Public Enterprise Company Registration CTA Navigation					
Test Case ID: TC_E2E_03			Test Designed By: Amal S Kumar		
Test Priority (Low/Medium/High): High			Test Designed Date: 05-Oct-2026		
Module Name: Landing & Public Navigation			Test Executed By: Amal S Kumar		
Test Title: Navigation to Company Registration			Test Execution Date: 07-Oct-2026 06:15:30		
Description: Verify that opening the desktop sliding menu or clicking the company registration link navigates cleanly to /register/company.					
Pre-Condition: User is on the public landing page.					
Step	Test Step	Test Data	Expected Result	Actual Result	Status
1	Open Menu tray	Selector = button containing "Menu"	Sliding tray animates open	Tray expands showing public links	Pass
2	Click "Join as a Company" link	XPath = //a[contains(@href, '/register/company')]	Navigation triggered	Click registered	Pass
3	Assert URL matches company registration	Assertion: "/register/company" in current_url	Current URL is http://localhost:3000/register/company	URL confirmed as /register/company	Pass
4	Verify Company Registration form mounts	XPath = //input[@name='company_name' or @name='email']	Stage 1 company account inputs visible	Company registration card rendered	Pass
Post-Condition: Company 2-Stage registration interface active.					

Project Name: Noir – Autonomous AI-Assisted Chaos & Reliability Engineering Platform					
Public Contact Inquiry Form Submission & Feedback					
Test Case ID: TC_E2E_04			Test Designed By: Amal S Kumar		
Test Priority (Low/Medium/High): Medium			Test Designed Date: 05-Oct-2026		
Module Name: Landing & Public Navigation			Test Executed By: Amal S Kumar		
Test Title: Contact Form Submission Flow			Test Execution Date: 07-Oct-2026 06:15:30		
Description: Verify that submitting the public contact inquiry form with valid fields displays a confirmation banner.					
Pre-Condition: Contact page is loaded at http://localhost:3000/contact.					
Step	Test Step	Test Data	Expected Result	Actual Result	Status
1	Navigate to Contact page	URL = http://localhost:3000/contact	Contact page loads with "Contact me" title	Contact heading and inputs visible	Pass
2	Enter First Name and Last Name	name="firstName": "Alex", name="lastName": "Tester"	Input values populated	First and last name fields populated	Pass
3	Enter Email address	name="email": "alex.test@noir.ai"	Email field populated	Email field populated with valid syntax	Pass
4	Enter Inquiry message	name="projectDescription": "Evaluating Noir platform for enterprise chaos telemetry."	Description textarea filled	Message string populated in textarea	Pass
5	Submit form	Selector = button[type='submit']	Form submission triggers and displays confirmation	Confirmation element mounted	Pass
Post-Condition: Contact inquiry registered in UI state.					

Project Name: Noir – Autonomous AI-Assisted Chaos & Reliability Engineering Platform					
Wildcard Unknown Route Redirection Fallback					
Test Case ID: TC_E2E_05			Test Designed By: Amal S Kumar		
Test Priority (Low/Medium/High): Medium			Test Designed Date: 05-Oct-2026		
Module Name: Landing & Public Navigation			Test Executed By: Amal S Kumar		
Test Title: Wildcard Fallback Route Redirection			Test Execution Date: 07-Oct-2026 06:15:30		
Description: Verify that requesting a non-existent route (/unknown-nonexistent-path-xyz) safely redirects back to / rather than leaving an unhandled blank page.					
Pre-Condition: Frontend Single Page Application router is active.					
Step	Test Step	Test Data	Expected Result	Actual Result	Status
1	Request non-existent URL directly	driver.get("http://localhost:3000/unknown-nonexistent-path-xyz")	Router detects unmatched route	Request sent to client router	Pass
2	Await route resolution	WebDriverWait(driver, 5)	Router evaluates fallback <Route path="" element={<Navigate to="/" replace /> } />	Fallback trigger executed	Pass
3	Assert current URL matches root path	Assertion: current_url.rstrip("/") == "http://localhost:3000"	Browser URL is restored to home URL	Current URL confirmed as root URL	Pass
Post-Condition: User safely returned to root application shell.					

Project Name: Noir – Autonomous AI-Assisted Chaos & Reliability Engineering Platform					
Real-Time Client-Side Email Format Validation					
Test Case ID: TC_E2E_06			Test Designed By: Amal S Kumar		
Test Priority (Low/Medium/High): High			Test Designed Date: 05-Oct-2026		
Module Name: Authentication & KYC			Test Executed By: Amal S Kumar		
Test Title: Live Email Input Validation			Test Execution Date: 07-Oct-2026 06:15:30		
Description: Verify that typing an invalid email format triggers immediate visual red border feedback without full form submission.					
Pre-Condition: User is on the login page http://localhost:3000/login.					
Step	Test Step	Test Data	Expected Result	Actual Result	Status
1	Navigate to /login	URL = http://localhost:3000/login	Login page loads with visible email field	Login form mounted	Pass
2	Type malformed email string	name="email", Value = "not-an-email-format"	Value typed into input	Input receives "not-an-email-format"	Pass
3	Focus password field to trigger blur	name="password", Value = "somepassword"	Validation evaluated on email field	Email field state updated	Pass
4	Assert visual error styling	Locator: //input[@name='email' and contains(@class, 'border-red')]	Input border turns red (border-red-500)	Red border class present on input element	Pass
Post-Condition: Malformed email rejected before API dispatch.					

Project Name: Noir – Autonomous AI-Assisted Chaos & Reliability Engineering Platform					
Login Invalid Credentials Rejection & Error Banner					
Test Case ID: TC_E2E_07			Test Designed By: Amal S Kumar		
Test Priority (Low/Medium/High): High			Test Designed Date: 05-Oct-2026		
Module Name: Authentication & KYC			Test Executed By: Amal S Kumar		
Test Title: Login Invalid Credentials Rejection			Test Execution Date: 07-Oct-2026 06:15:30		
Description: Verify that submitting invalid user credentials displays an inline error alert banner and prevents navigation away from /login.					
Pre-Condition: User is on the login page; test email does not exist in backend database.					
Step	Test Step	Test Data	Expected Result	Actual Result	Status
1	Enter non-existent user email	name="email", Value = "nonexistent_user@noir.ai"	Email field populated	Email field populated	Pass
2	Enter invalid password	name="password", Value = "wrongpassword123"	Password field populated	Password field populated securely	Pass
3	Click Sign In button	Selector = button[type='submit']	Form submission triggers POST /api/accounts/login/ returning HTTP 401	HTTP 401 response handled	Pass
4	Assert error banner is rendered	XPath = //div[contains(@class, 'border-red') or contains(text(), 'Invalid credentials')]	Prominent error banner appears informing user of failure	Error banner visible with invalid credentials notification	Pass
5	Assert URL remains on /login	Assertion: "/login" in current_url	Browser remains on /login without redirecting	Current URL remains http://localhost:3000/login	Pass
Post-Condition: User session not created; credentials rejected.					

Project Name: Noir – Autonomous AI-Assisted Chaos & Reliability Engineering Platform					
Developer Login UI Success & Dashboard Redirection					
Test Case ID: TC_E2E_08			Test Designed By: Amal S Kumar		
Test Priority (Low/Medium/High): High			Test Designed Date: 05-Oct-2026		
Module Name: Authentication & KYC			Test Executed By: Amal S Kumar		
Test Title: Developer Login & Dashboard Redirection			Test Execution Date: 07-Oct-2026 06:15:30		
Description: Verify that entering valid developer credentials logs in the developer, stores JWT tokens in localStorage, and navigates directly to /dashboard.					
Pre-Condition: Developer account tester@noir.ai exists with role developer.					
Step	Test Step	Test Data	Expected Result	Actual Result	Status
1	Enter registered developer email	name="email", Value = "tester@noir.ai"	Email populated	Email populated	Pass
2	Enter developer password	name="password", Value = "Password123!"	Password populated	Password populated	Pass
3	Click Sign In button	Selector = button[type='submit']	API returns HTTP 200 with JWT tokens	Response 200 returned with access/refresh tokens	Pass
4	Assert redirect to / dashboard	WebDriverWait for URL containing "/ dashboard"	Browser navigates away from /login to /dashboard	Browser navigates to http://localhost:3000/dashboard	Pass
5	Verify developer workspace shell	XPath = //h1[contains(., 'Overview')]	Developer dashboard shell mounts with workspace header	Overview title and project table mounted	Pass
Post-Condition: Developer session authenticated; localStorage.access_token present.					

Project Name: Noir – Autonomous AI-Assisted Chaos & Reliability Engineering Platform					
Company Owner Login & Enterprise Workspace Navigation					
Test Case ID: TC_E2E_09			Test Designed By: Amal S Kumar		
Test Priority (Low/Medium/High): High			Test Designed Date: 05-Oct-2026		
Module Name: Authentication & KYC			Test Executed By: Amal S Kumar		
Test Title: Company Owner Login & Workspace Navigation			Test Execution Date: 07-Oct-2026 06:15:30		
Description: Verify that authenticating as a verified company owner navigates directly to /company/dashboard.					
Pre-Condition: Company owner account company@noir.ai exists with role company.					
Step	Test Step	Test Data	Expected Result	Actual Result	Status
1	Enter company owner credentials	Email = "company@noir.ai", Password = "Password123!"	Form inputs populated	Fields populated	Pass
2	Click Sign In button	Selector = button[type='submit']	Authentication successful	POST /api/accounts/login/ returns 200	Pass
3	Assert redirect to /company/dashboard	URL check: "/company/dashboard" in current_url	Redirects to Company Executive workspace	Current URL confirmed as /company/dashboard	Pass
4	Verify Company KPI widgets mount	XPath = //h1[contains(., 'Enterprise') or contains(., 'workspace')]	Enterprise telemetry metrics, roster, and teams load	KPI boxes and Developer Roster loaded	Pass
Post-Condition: Company owner authenticated in corporate workspace.					

Project Name: Noir – Autonomous AI-Assisted Chaos & Reliability Engineering Platform					
System Administrator Login & Governance Dashboard Redirection					
Test Case ID: TC_E2E_10			Test Designed By: Amal S Kumar		
Test Priority (Low/Medium/High): High			Test Designed Date: 05-Oct-2026		
Module Name: Authentication & KYC			Test Executed By: Amal S Kumar		
Test Title: Admin Login & Governance Dashboard Navigation			Test Execution Date: 07-Oct-2026 06:15:30		
Description: Verify that authenticating as a Super Administrator navigates directly to /admin/dashboard.					
Pre-Condition: Superuser account admin@noir.ai exists with is_superuser = True.					
Step	Test Step	Test Data	Expected Result	Actual Result	Status
1	Enter Super Admin credentials	Email = "admin@noir.ai", Password = "Admin123!"	Inputs filled	Fields populated	Pass
2	Submit login form	Selector = button[type='submit']	Authentication succeeds with admin claims	Access token received with admin role	Pass
3	Assert redirect to /admin/dashboard	Assertion: "/admin/dashboard" in current_url	Browser navigates to Super Admin portal	URL confirmed as /admin/dashboard	Pass
4	Verify Admin management tabs	Selectors: // a[contains(@href, '/admin/users')], // a[contains(@href, '/admin/companies')]	Admin tabs (Users, Companies, Projects) rendered	Admin navigation header mounted	Pass
Post-Condition: Super Admin authenticated with full platform governance privileges.					

Project Name: Noir – Autonomous AI-Assisted Chaos & Reliability Engineering Platform					
Password Visibility Interactive Toggle Verification					
Test Case ID: TC_E2E_11			Test Designed By: Amal S Kumar		
Test Priority (Low/Medium/High): Medium			Test Designed Date: 05-Oct-2026		
Module Name: Authentication & KYC			Test Executed By: Amal S Kumar		
Test Title: Password Visibility Toggle			Test Execution Date: 07-Oct-2026 06:15:30		
Description: Verify that clicking the eye icon inside the password field toggles the DOM input attribute between password and text.					
Pre-Condition: User is on the login page http://localhost:3000/login.					
Step	Test Step	Test Data	Expected Result	Actual Result	Status
1	Enter password into input	name="password", Value = "SecretPass123!"	Password input receives text	Value entered	Pass
2	Assert initial input type attribute	input.getAttribute("type")	Attribute value is "password"	Initial type confirmed as "password"	Pass
3	Click visibility toggle eye button	XPath = //button[contains(@title, 'password') or .//*[local-name()='svg']]	Input type attribute switches to "text"	Attribute changed to "text"	Pass
4	Click toggle button again	Mouse click	Input type attribute reverts to "password"	Attribute restored to "password"	Pass
Post-Condition: Input field masking toggled without clearing entered string.					

Project Name: Noir – Autonomous AI-Assisted Chaos & Reliability Engineering Platform					
Developer Self-Registration Constraints & Live Validation					
Test Case ID: TC_E2E_12			Test Designed By: Amal S Kumar		
Test Priority (Low/Medium/High): High			Test Designed Date: 05-Oct-2026		
Module Name: Authentication & KYC			Test Executed By: Amal S Kumar		
Test Title: Developer Registration Live Validation			Test Execution Date: 07-Oct-2026 06:15:30		
Description: Verify that short username, invalid email format, and password mismatch display immediate validation error messages on /register.					
Pre-Condition: User is on the developer registration page http://localhost:3000/register.					
Step	Test Step	Test Data	Expected Result	Actual Result	Status
1	Enter 2-character short username	name="username", Value = "ab"	Minimum character threshold triggered	Warning indicator displayed	Pass
2	Enter invalid email format	name="email", Value = "bademail"	Email syntax error triggered	Invalid email format error visible	Pass
3	Enter mismatched password confirmation	name="password" = "Secret123!", name="confirmPassword" = "Mismatch123!"	Password mismatch validator triggers	"Passwords must match" error shown	Pass
4	Assert submit button state	Selector = button[type='submit']	Form submission disabled or prevented	Submit button disabled / submission blocked	Pass
Post-Condition: Registration form prevented from dispatching invalid payload.					

Project Name: Noir – Autonomous AI-Assisted Chaos & Reliability Engineering Platform					
Developer Registration Full Submission & Auto-Login					
Test Case ID: TC_E2E_13			Test Designed By: Amal S Kumar		
Test Priority (Low/Medium/High): High			Test Designed Date: 05-Oct-2026		
Module Name: Authentication & KYC			Test Executed By: Amal S Kumar		
Test Title: Developer Registration Success Flow			Test Execution Date: 07-Oct-2026 06:15:30		
Description: Verify that submitting a unique username and email provisions the user in the database, automatically sets auth tokens, and navigates to /dashboard.					
Pre-Condition: User is on http://localhost:3000/register.					
Step	Test Step	Test Data	Expected Result	Actual Result	Status
1	Generate unique developer username & email	username = dev_1728281928, email = dev_1728281928@noirtest.ai	Fresh test data created	Unique credentials prepared	Pass
2	Fill all valid registration fields	Password = "SecurePass123!", Confirm = "SecurePass123!"	All form fields valid; submit button enables	All inputs show green checks	Pass
3	Click Create Account button	Selector = button[type='submit']	API responds HTTP 201 Created with JWT tokens	Response 201 returned with user and tokens	Pass
4	Assert redirection to / dashboard	WebDriverWait for URL / dashboard	Browser automatically redirects to /dashboard	Browser navigates to / dashboard	Pass
Post-Condition: New developer account active in PostgreSQL database.					

Project Name: Noir – Autonomous AI-Assisted Chaos & Reliability Engineering Platform					
Company 2-Stage KYC Registration Stage Transition					
Test Case ID: TC_E2E_14			Test Designed By: Amal S Kumar		
Test Priority (Low/Medium/High): High			Test Designed Date: 05-Oct-2026		
Module Name: Authentication & KYC			Test Executed By: Amal S Kumar		
Test Title: Company Registration Multi-Step Transition			Test Execution Date: 07-Oct-2026 06:15:30		
Description: Verify that filling Stage 1 personal credentials on /register/company transitions cleanly to Stage 2 enterprise Tax ID & PDF upload fields.					
Pre-Condition: User is on /register/company.					
Step	Test Step	Test Data	Expected Result	Actual Result	Status
1	Enter Stage 1 Company Name & Email	company_name = "Apex Reliability Corp", email = "apex@noirtest.ai"	Inputs filled	Stage 1 fields populated	Pass
2	Enter Stage 1 Password & Confirm	"SecureApexPass123!"	Password criteria satisfied	Passwords match	Pass
3	Click "Continue to Stage 2" button	XPath = // button[contains(., 'Next') or contains(., 'Continue')]	Form transitions to Stage 2	Stage 2 fields animated into view	Pass
4	Assert Stage 2 KYC fields are visible	Locate name="tax_id", input[type='file']	Tax ID and Business Certificate upload inputs mount	Stage 2 enterprise fields visible	Pass
Post-Condition: Form state preserves Stage 1 values in memory.					

Project Name: Noir – Autonomous AI-Assisted Chaos & Reliability Engineering Platform					
Company Full KYC Registration with Certificate Upload					
Test Case ID: TC_E2E_15			Test Designed By: Amal S Kumar		
Test Priority (Low/Medium/High): High			Test Designed Date: 05-Oct-2026		
Module Name: Authentication & KYC			Test Executed By: Amal S Kumar		
Test Title: Company KYC Submission & Pending Status			Test Execution Date: 07-Oct-2026 06:15:30		
Description: Verify that submitting Stage 2 with a real PDF document (test_cert.pdf) uploads the document and routes the new company to /company/status in pending audit state.					
Pre-Condition: Stage 2 is active on /register/company; test/reports/test_cert.pdf fixture exists.					
Step	Test Step	Test Data	Expected Result	Actual Result	Status
1	Enter Enterprise Tax ID / GST	name="tax_id", Value = "US-EIN-948201482"	Tax ID populated	Input accepted	Pass
2	Attach KYC verification PDF	file_input.send_keys(abs_path("test/reports/test_cert.pdf"))	PDF attached to multipart file input	File selected; filename reflected	Pass
3	Submit complete registration	Selector = button[type='submit']	Multipart POST sends to backend; creates pending company	API returns 201 with pending status	Pass
4	Assert routing to /company/status	Assertion: "/company/status" in current_url	Browser redirects to /company/status	URL confirmed as /company/status	Pass
5	Verify pending audit banner	XPath = //[contains(text(), 'Pending') or contains(text(), 'Under Review')]	Screen confirms company status is pending verification	Pending review badge displayed	Pass
Post-Condition: Company entity created with status = "pending" pending Admin KYC review.					

Project Name: Noir – Autonomous AI-Assisted Chaos & Reliability Engineering Platform					
Unauthenticated Protected Route Access Denial & Redirection					
Test Case ID: TC_E2E_16			Test Designed By: Amal S Kumar		
Test Priority (Low/Medium/High): High			Test Designed Date: 05-Oct-2026		
Module Name: Route Guards & RBAC Security			Test Executed By: Amal S Kumar		
Test Title: Unauthenticated Route Access Denial			Test Execution Date: 07-Oct-2026 06:15:30		
Description: Verify that unauthenticated visitors attempting to navigate directly to protected routes are immediately barred and redirected to /login.					
Pre-Condition: Browser has no JWT tokens in localStorage.					
Step	Test Step	Test Data	Expected Result	Actual Result	Status
1	Request /dashboard directly	driver.get("http://localhost:3000/dashboard")	Access barred; redirected to /login	URL redirected to /login	Pass
2	Request /company/dashboard directly	driver.get("http://localhost:3000/company/dashboard")	Access barred; redirected to /login	URL redirected to /login	Pass
3	Request /admin/dashboard directly	driver.get("http://localhost:3000/admin/dashboard")	Access barred; redirected to /login	URL redirected to /login	Pass
4	Request /quickstart directly	driver.get("http://localhost:3000/quickstart")	Access barred; redirected to /login	URL redirected to /login	Pass
5	Request /dashboard/projects directly	driver.get("http://localhost:3000/dashboard/projects")	Access barred; redirected to /login	URL redirected to /login	Pass
Post-Condition: Protected dashboards inaccessible to unauthenticated visitors.					

Project Name: Noir – Autonomous AI-Assisted Chaos & Reliability Engineering Platform					
Cross-Role RBAC Boundary Guard: Developer Boundary					
Test Case ID: TC_E2E_17			Test Designed By: Amal S Kumar		
Test Priority (Low/Medium/High): High			Test Designed Date: 05-Oct-2026		
Module Name: Route Guards & RBAC Security			Test Executed By: Amal S Kumar		
Test Title: Developer Role Boundary Guard			Test Execution Date: 07-Oct-2026 06:15:30		
Description: Verify that an authenticated developer attempting to access /admin/dashboard or /company/dashboard is barred and redirected to /dashboard.					
Pre-Condition: Logged in as developer tester@noir.ai.					
Step	Test Step	Test Data	Expected Result	Actual Result	Status
1	Navigate to /admin/dashboard as developer	driver.get("http://localhost:3000/admin/dashboard")	Admin route guard detects role != 'admin'; bounces user	User redirected to /dashboard	Pass
2	Navigate to /company/dashboard as developer	driver.get("http://localhost:3000/company/dashboard")	Company route guard detects role != 'company'; bounces user	User redirected to /dashboard	Pass
3	Assert current URL remains in developer workspace	Assertion: "/" dashboard" in current_url and "/" admin" not in current_url	Developer is confined to developer workspace	URL confirmed as /dashboard	Pass
Post-Condition: Developer restricted to developer workspace permissions.					

Project Name: Noir – Autonomous AI-Assisted Chaos & Reliability Engineering Platform					
Cross-Role RBAC Boundary Guard: Company Role Boundary					
Test Case ID: TC_E2E_18			Test Designed By: Amal S Kumar		
Test Priority (Low/Medium/High): High			Test Designed Date: 05-Oct-2026		
Module Name: Route Guards & RBAC Security			Test Executed By: Amal S Kumar		
Test Title: Company Role Boundary Guard			Test Execution Date: 07-Oct-2026 06:15:30		
Description: Verify that an authenticated company user attempting to load /admin/dashboard is barred and redirected to /company/dashboard.					
Pre-Condition: Logged in as company user company@noir.ai.					
Step	Test Step	Test Data	Expected Result	Actual Result	Status
1	Navigate to /admin/dashboard as company	driver.get("http://localhost:3000/admin/dashboard")	Admin route guard detects unauthorized company role	Redirection triggered	Pass
2	Assert user redirected to /company/dashboard	Assertion: current_url == "http://localhost:3000/company/dashboard"	User returned to company dashboard	URL confirmed as /company/dashboard	Pass
Post-Condition: Super Admin endpoints shielded from tenant company accounts.					

Project Name: Noir – Autonomous AI-Assisted Chaos & Reliability Engineering Platform					
Public-Only Route Boundary: Authenticated User Redirect Away from Login					
Test Case ID: TC_E2E_19			Test Designed By: Amal S Kumar		
Test Priority (Low/Medium/High): Medium			Test Designed Date: 05-Oct-2026		
Module Name: Route Guards & RBAC Security			Test Executed By: Amal S Kumar		
Test Title: Public-Only Route Enforcement			Test Execution Date: 07-Oct-2026 06:15:30		
Description: Verify that an already authenticated user visiting /login or /register is automatically redirected away from auth forms to their workspace dashboard.					
Pre-Condition: User has valid JWT tokens in localStorage.					
Step	Test Step	Test Data	Expected Result	Actual Result	Status
1	Request /login with active tokens	driver.get("http://localhost:3000/login")	PublicOnlyRoute detects active session	Redirection evaluates	Pass
2	Assert URL redirected to /dashboard	WebDriverWait for URL /dashboard	Browser navigates away from /login to /dashboard	URL is /dashboard; /login absent	Pass
Post-Condition: Authenticated session preserved; redundant login prevented.					

Project Name: Noir – Autonomous AI-Assisted Chaos & Reliability Engineering Platform					
Auto-Redirect Registered / Logged-in Users to Dashboard on /					
Test Case ID: TC_E2E_20			Test Designed By: Amal S Kumar		
Test Priority (Low/Medium/High): High			Test Designed Date: 07-Oct-2026		
Module Name: Route Guards & RBAC Security			Test Executed By: Amal S Kumar		
Test Title: Authenticated Root URL Auto-Navigation			Test Execution Date: 07-Oct-2026 06:15:30		
Description: Verify that navigating to the root URL (http://localhost:3000/) while authenticated automatically skips the landing page and routes straight into the user's active dashboard.					
Pre-Condition: User has valid developer credentials in browser localStorage.					
Step	Test Step	Test Data	Expected Result	Actual Result	Status
1	Request root URL http://localhost:3000/	driver.get("http://localhost:3000/")	Router evaluates isAuthenticated() ? <Navigate to={getRoleHomePath()} replace />	Auto-redirect triggers	Pass
2	Verify landing page is bypassed	Assertion: Hero section not mounted; current URL equals / dashboard	Browser directly presents / dashboard without displaying public landing page	URL confirmed as http://localhost:3000/dashboard	Pass
Post-Condition: Returning developers land immediately on active workspace.					

Project Name: Noir – Autonomous AI-Assisted Chaos & Reliability Engineering Platform					
Developer Overview Dashboard Mounting & Telemetry Metrics Strip					
Test Case ID: TC_E2E_21			Test Designed By: Amal S Kumar		
Test Priority (Low/Medium/High): High			Test Designed Date: 05-Oct-2026		
Module Name: Developer Workspace & Chaos Telemetry			Test Executed By: Amal S Kumar		
Test Title: Developer Dashboard Rendering			Test Execution Date: 07-Oct-2026 06:15:30		
Description: Verify that the Developer Dashboard renders the Overview header, total projects metric card, live daemon status card, and "New Project" creation button.					
Pre-Condition: Authenticated as developer on /dashboard.					
Step	Test Step	Test Data	Expected Result	Actual Result	Status
1	Locate Overview title	XPath = //h1[contains(., 'Overview')]	Overview title visible	Overview title mounted	Pass
2	Verify Real Metrics cards	Locate cards containing "Total Projects", "Daemon Status", "Test Pass Rate"	3 live metric summary cards render with real data	Metric strip rendered	Pass
3	Verify "New Project" button	Selector = button containing "New Project"	Button is visible and clickable	New Project button active	Pass
Post-Condition: Developer workspace ready for project operations.					

Project Name: Noir – Autonomous AI-Assisted Chaos & Reliability Engineering Platform					
Project Creation Modal Form Interaction					
Test Case ID: TC_E2E_22			Test Designed By: Amal S Kumar		
Test Priority (Low/Medium/High): Medium			Test Designed Date: 05-Oct-2026		
Module Name: Developer Workspace & Chaos Telemetry			Test Executed By: Amal S Kumar		
Test Title: Project Creation Modal Verification			Test Execution Date: 07-Oct-2026 06:15:30		
Description: Verify that clicking "New Project" opens an accessible modal dialog containing Title, Description, Architecture, and Visibility inputs.					
Pre-Condition: User is on /dashboard.					
Step	Test Step	Test Data	Expected Result	Actual Result	Status
1	Click "New Project" button	Click button containing "New Project"	Modal dialog overlay animates open	Modal opens with backdrop	Pass
2	Verify Title and Description inputs	Locate input[placeholder='Project Title'], textarea	Form inputs are visible and accept text input	Form inputs located and editable	Pass
3	Close modal via Cancel/Close button	Click modal close button or backdrop	Modal dismisses cleanly from DOM	Modal closes	Pass
Post-Condition: Modal overlay closes without persisting unsaved data.					

Project Name: Noir – Autonomous AI-Assisted Chaos & Reliability Engineering Platform					
End-to-End Project Creation & Connection Code Generation					
Test Case ID: TC_E2E_23			Test Designed By: Amal S Kumar		
Test Priority (Low/Medium/High): High			Test Designed Date: 05-Oct-2026		
Module Name: Developer Workspace & Chaos Telemetry			Test Executed By: Amal S Kumar		
Test Title: Project Registration & Daemon Code Provisioning			Test Execution Date: 07-Oct-2026 06:15:30		
Description: Verify that submitting the New Project form sends POST /api/project/create/, receives a unique connection_code (e.g. NR-XXXX), and inserts the project into the Connected Projects table.					
Pre-Condition: User is authenticated on /dashboard.					
Step	Test Step	Test Data	Expected Result	Actual Result	Status
1	Open New Project modal	Click "New Project"	Modal mounts	Modal mounted	Pass
2	Enter unique project name	title = f"Chaos_Service_{int(time.time())}"	Title field populated	Title populated	Pass
3	Enter architecture description	description = "Distributed payment gateway microservice for fault injection."	Description populated	Description populated	Pass
4	Submit project creation form	Click "Create Project" submit button	API returns HTTP 201 with new project ID and connection code	Response 201 returned with connection code	Pass
5	Assert new project appears in table	XPath = //table//tr[contains(., f"Chaos_Service_")]	Table row displays project name and connection code	New project row visible in table	Pass
Post-Condition: Project registered and available for CLI pairing.					

Project Name: Noir – Autonomous AI-Assisted Chaos & Reliability Engineering Platform					
Client-Side Dynamic Project Search & Substring Filtering					
Test Case ID: TC_E2E_24			Test Designed By: Amal S Kumar		
Test Priority (Low/Medium/High): Medium			Test Designed Date: 05-Oct-2026		
Module Name: Developer Workspace & Chaos Telemetry			Test Executed By: Amal S Kumar		
Test Title: Dynamic Project Search Filtering			Test Execution Date: 07-Oct-2026 06:15:30		
Description: Verify that typing a search query into the "Filter projects..." input instantly isolates matching project rows and hides non-matching rows.					
Pre-Condition: Projects table contains multiple registered projects.					
Step	Test Step	Test Data	Expected Result	Actual Result	Status
1	Locate search input field	input[placeholder='Filter projects...']	Search input is editable	Search input located	Pass
2	Type specific project keyword	Value = "Chaos_Service"	Table rows dynamically update	Rows filtered in real time	Pass
3	Assert filtered rows match query	Every visible row text contains "Chaos_Service"	Only matching project records visible	Non-matching projects hidden	Pass
4	Clear search input	Value = ""	All original projects restored to view	Full project list restored	Pass
Post-Condition: Search filter operates without triggering page reloads.					

Project Name: Noir – Autonomous AI-Assisted Chaos & Reliability Engineering Platform					
Project Detail Telemetry View & Daemon Connection Code Display					
Test Case ID: TC_E2E_25			Test Designed By: Amal S Kumar		
Test Priority (Low/Medium/High): High			Test Designed Date: 05-Oct-2026		
Module Name: Developer Workspace & Chaos Telemetry			Test Executed By: Amal S Kumar		
Test Title: Project Detail & Daemon Connection View			Test Execution Date: 07-Oct-2026 06:15:30		
Description: Verify that navigating to /dashboard/projects/:id renders the project title, daemon pairing command (noir connect <CODE>), and quick-copy action button.					
Pre-Condition: Target project exists in user workspace.					
Step	Test Step	Test Data	Expected Result	Actual Result	Status
1	Click on project row	Click on target project link	URL transitions to /dashboard/projects/{id}	Project detail view mounts	Pass
2	Verify Project Header	XPath = //h1	Project title matches registered name	Project title displayed	Pass
3	Locate connection code pill	XPath = //code[contains(text(),'noir connect')]	Pairing instructions displayed with project connection code	Connection command visible	Pass
4	Test 1-click code copy	Click Copy icon button next to connection code	Tooltip indicates code copied to clipboard	Copy feedback displayed	Pass
Post-Condition: Connection code verified for CLI daemon linkage.					

Project Name: Noir – Autonomous AI-Assisted Chaos & Reliability Engineering Platform					
Project Reliability Analytics Latency & Error Rate Charts					
Test Case ID: TC_E2E_26			Test Designed By: Amal S Kumar		
Test Priority (Low/Medium/High): Medium			Test Designed Date: 05-Oct-2026		
Module Name: Developer Workspace & Chaos Telemetry			Test Executed By: Amal S Kumar		
Test Title: Project Reliability Analytics View			Test Execution Date: 07-Oct-2026 06:15:30		
Description: Verify that navigating to /dashboard/projects/:id/analytics renders latency, error rate, and throughput charts powered by Recharts.					
Pre-Condition: User has access to project detail workspace.					
Step	Test Step	Test Data	Expected Result	Actual Result	Status
1	Navigate to Analytics sub-page	URL = http://localhost:3000/dashboard/projects/{id}/analytics	Analytics page loads	Analytics page loads	Pass
2	Assert Chart containers render	XPath = //div[contains(@class, 'recharts-responsive-container')]	Responsive SVG chart containers rendered	Recharts SVG elements located	Pass
3	Assert Timeframe selectors visible	Locate buttons for "1h", "24h", "7d"	Interactive telemetry range filters visible	Range filters clickable	Pass
Post-Condition: Telemetry metric visualizers operational.					

Project Name: Noir – Autonomous AI-Assisted Chaos & Reliability Engineering Platform					
Chaos Engineering Experiment Report Audit History					
Test Case ID: TC_E2E_27			Test Designed By: Amal S Kumar		
Test Priority (Low/Medium/High): High			Test Designed Date: 05-Oct-2026		
Module Name: Developer Workspace & Chaos Telemetry			Test Executed By: Amal S Kumar		
Test Title: Chaos Experiment Report Inspection			Test Execution Date: 07-Oct-2026 06:15:30		
Description: Verify that navigating to /dashboard/projects/:id/reports renders chaos injection history, resilience scores (0-100), steady state evaluations, and Recovery Time Objective (RTO) measurements.					
Pre-Condition: Target project has completed chaos experiments.					
Step	Test Step	Test Data	Expected Result	Actual Result	Status
1	Navigate to Reports sub-page	URL = http://localhost:3000/dashboard/projects/{id}/reports	Reports page loads with audit history	Reports page loads	Pass
2	Verify Resilience Score card	XPath = // [contains(text(), 'Resilience Score') or contains(text(), 'RTO')]	Resilience score indicator and RTO metrics visible	Resilience score card visible	Pass
3	Verify Chaos Fault log items	Locate table rows detailing fault type (e.g. latency_injection, container_kill)	Executed chaos faults listed with pass/fail telemetry	Fault execution records listed	Pass
Post-Condition: Historical chaos resilience telemetry verified.					

Project Name: Noir – Autonomous AI-Assisted Chaos & Reliability Engineering Platform					
Go Native CLI Agent Download Page Mounting & OS Auto-Detection					
Test Case ID: TC_E2E_28			Test Designed By: Amal S Kumar		
Test Priority (Low/Medium/High): High			Test Designed Date: 07-Oct-2026		
Module Name: Go CLI Agent Distribution & Install			Test Executed By: Amal S Kumar		
Test Title: CLI Download Page & OS Auto-Detection			Test Execution Date: 07-Oct-2026 06:15:30		
Description: Verify that navigating to /download loads the dedicated Go CLI agent page, inspects navigator.userAgent, and automatically highlights the user's detected operating system (Linux or Windows).					
Pre-Condition: Frontend server is active at http://localhost:3000.					
Step	Test Step	Test Data	Expected Result	Actual Result	Status
1	Navigate to /download	URL = http://localhost:3000/download	Dedicated CLI download page loads	Page loads with "Download & Install Noir CLI Agent" title	Pass
2	Assert Go Native v2.0 Badge	XPath = // [contains(text(), 'Go Native') and contains(text(), 'v2.0')]	Badge highlights zero runtime dependencies and sub-8ms latency	Go Native v2.0 badge visible	Pass
3	Assert OS Auto-Detection pill	XPath = // div[contains(., 'Detected System:']	Pill displays detected OS matching browser environment	Detected System pill rendered	Pass
4	Assert active platform tab matches OS	Locate tab with gradient background (Linux or Windows)	Optimal platform pre-selected automatically	Target platform tab is active	Pass
Post-Condition: Download page tailored to developer's operating system.					

Project Name: Noir – Autonomous AI-Assisted Chaos & Reliability Engineering Platform					
Go CLI 1-Click Automated Install Script Verification (Linux & Windows)					
Test Case ID: TC_E2E_29			Test Designed By: Amal S Kumar		
Test Priority (Low/Medium/High): High			Test Designed Date: 07-Oct-2026		
Module Name: Go CLI Agent Distribution & Install			Test Executed By: Amal S Kumar		
Test Title: 1-Click Install Command Verification			Test Execution Date: 07-Oct-2026 06:15:30		
Description: Verify that the automated installation commands for Linux (curl -fsSL .../install.sh					
Pre-Condition: User is on /download.					
Step	Test Step	Test Data	Expected Result	Actual Result	Status
1	Select Linux tab	Click tab "Linux & WSL"	Linux install box displayed	Linux card active	Pass
2	Verify Linux one-liner command	Code block contains curl -fsSL and /install.sh	bash	Command points to active server origin	Valid curl command displayed
3	Test Copy Linux command button	Click Copy button	Button text changes to "Copied!" with green check	Copy feedback confirmed	Pass
4	Select Windows tab	Click tab "Windows (PowerShell)"	Windows install box displayed	Windows card active	Pass
5	Verify Windows PowerShell command	Code block contains irm and /install.ps1	irm	Command points to active server origin	Valid PowerShell command displayed
6	Test Copy Windows command button	Click Copy button	Button text changes to "Copied!"	Copy feedback confirmed	Pass
Post-Condition: Verified install scripts ready for terminal execution.					

Project Name: Noir – Autonomous AI-Assisted Chaos & Reliability Engineering Platform					
Precompiled Go Binary Standalone Download Links & Checksums					
Test Case ID: TC_E2E_30			Test Designed By: Amal S Kumar		
Test Priority (Low/Medium/High): High			Test Designed Date: 07-Oct-2026		
Module Name: Go CLI Agent Distribution & Install			Test Executed By: Amal S Kumar		
Test Title: Binary Direct Downloads & SHA-256 Checksums			Test Execution Date: 07-Oct-2026 06:15:30		
Description: Verify that the Direct Executable Downloads table renders links for Linux (amd64/arm64), Windows (.exe), and macOS, with file sizes and SHA-256 checksum copy buttons.					
Pre-Condition: User is on /download.					
Step	Test Step	Test Data	Expected Result	Actual Result	Status
1	Locate Direct Downloads Table	XPath = //h3[contains(., 'Direct Executable Downloads')]	Table displays rows for each supported OS and architecture	Table mounted with 5 binary rows	Pass
2	Verify Linux AMD64 binary download link	XPath = //a[@download='noir-linux-amd64' or contains(@href, 'noir-linux-amd64')]	Link points to /downloads/noir-linux-amd64	Download link verified	Pass
3	Verify Windows x64 binary download link	XPath = //a[@download='noir-windows-amd64.exe' or contains(@href, 'noir-windows-amd64.exe')]	Link points to /downloads/noir-windows-amd64.exe	Download link verified	Pass
4	Verify SHA-256 Checksum button	Click "SHA-256" button for Windows binary	Copies SHA-256 hash (cd394a63...) to clipboard	Checksum copied successfully	Pass
Post-Condition: All cross-compiled binaries verified available for offline distribution.					

Project Name: Noir – Autonomous AI-Assisted Chaos & Reliability Engineering Platform					
Company Telemetry Oversight & Multi-Developer Invitation Dispatch					
Test Case ID: TC_E2E_31			Test Designed By: Amal S Kumar		
Test Priority (Low/Medium/High): High			Test Designed Date: 05-Oct-2026		
Module Name: Company Workspace & Status Review			Test Executed By: Amal S Kumar		
Test Title: Company Developer Roster & Invite Dispatch			Test Execution Date: 07-Oct-2026 06:15:30		
Description: Verify that a company owner can search for registered developers by email in Box 1 and dispatch team invitations.					
Pre-Condition: Logged in as company user on /company/dashboard.					
Step	Test Step	Test Data	Expected Result	Actual Result	Status
1	Open "Invite Dev" tab in Box 1	Click "Invite" sub-tab button	Email search input renders	Sub-tab active	Pass
2	Search for developer by email	Enter "tester@noir.ai" and submit	Developer record located with Invite action button	Matching developer card returned	Pass
3	Click Invite button	Click "Invite"	Dispatches invitation request	Invite dispatched; status flips to Pending	Pass
Post-Condition: Developer receives pending organization invitation.					

Project Name: Noir – Autonomous AI-Assisted Chaos & Reliability Engineering Platform					
Super Admin Platform Overview Statistics & Tenant Audits					
Test Case ID: TC_E2E_32			Test Designed By: Amal S Kumar		
Test Priority (Low/Medium/High): High			Test Designed Date: 05-Oct-2026		
Module Name: Administrative Flow & Governance			Test Executed By: Amal S Kumar		
Test Title: Super Admin Platform Oversight			Test Execution Date: 07-Oct-2026 06:15:30		
Description: Verify that Super Admin can view platform metrics, manage user role assignments on /admin/users, and audit pending company KYC submissions on /admin/companies.					
Pre-Condition: Logged in as admin@noir.ai.					
Step	Test Step	Test Data	Expected Result	Actual Result	Status
1	Navigate to /admin/dashboard	URL = http://localhost:3000/admin/dashboard	Admin dashboard loads with global totals	Dashboard loaded	Pass
2	Navigate to /admin/users	URL = http://localhost:3000/admin/users	Registered users table renders with role tags	User table visible	Pass
3	Navigate to /admin/companies	URL = http://localhost:3000/admin/companies	Company table renders with status filters (pending, approved)	Companies table loaded	Pass
4	Open Company Document Review modal	Click "Review" button on pending company row	Modal opens displaying Tax ID and PDF preview link	Review modal mounted	Pass
5	Close review modal	Click modal close button	Modal dismisses	Modal closed	Pass
Post-Condition: Platform administration and KYC audit verified.					

Project Name: Noir – Autonomous AI-Assisted Chaos & Reliability Engineering Platform					
In-App Notification Center Bell Drawer Toggle					
Test Case ID: TC_E2E_33			Test Designed By: Amal S Kumar		
Test Priority (Low/Medium/High): Medium			Test Designed Date: 05-Oct-2026		
Module Name: Notifications & Session Lifecycle			Test Executed By: Amal S Kumar		
Test Title: Notification Center Bell & Popover Flow			Test Execution Date: 07-Oct-2026 06:15:30		
Description: Verify that clicking the Notification Bell toggles the notification popover dropdown, renders unread alerts or the empty state, and dismisses cleanly.					
Pre-Condition: User is authenticated and viewing the workspace navigation bar.					
Step	Test Step	Test Data	Expected Result	Actual Result	Status
1	Locate Notification Bell button	XPath = //button[contains(@title, 'Notification') or .// [local-name()='svg']]	Bell button is visible in top navbar	Notification Bell located	Pass
2	Click Notification Bell button	Mouse click	Notification popover opens with backdrop shadow elevation	Popover container mounts into DOM	Pass
3	Verify popover content	Check for notification list items or "No notifications yet"	Popover content rendered	Notifications displayed	Pass
4	Dismiss notification popover	Click outside popover or click bell again	Popover closes and disappears from DOM	Popover closed cleanly	Pass
Post-Condition: Notification center state updated.					

Project Name: Noir – Autonomous AI-Assisted Chaos & Reliability Engineering Platform					
Session Termination, Token LocalStorage Purging & Logout Flow					
Test Case ID: TC_E2E_34			Test Designed By: Amal S Kumar		
Test Priority (Low/Medium/High): High			Test Designed Date: 05-Oct-2026		
Module Name: Notifications & Session Lifecycle			Test Executed By: Amal S Kumar		
Test Title: Secure Logout & Token Eviction Flow			Test Execution Date: 07-Oct-2026 06:15:30		
Description: Verify that triggering logout wipes access_token and refresh_token from localStorage, redirects to /login, and prevents back-button navigation to protected routes.					
Pre-Condition: Authenticated user session active in browser.					
Step	Test Step	Test Data	Expected Result	Actual Result	Status
1	Click Logout action	Click UI logout button in navbar	Trigger /logout route execution	Logout initiated	Pass
2	Assert token eviction from localStorage	localStorage.getItem("access_token")	Returns null	Confirmed: access_token == null and refresh_token == null	Pass
3	Assert redirect to /login	URL assertion: "/login" in current_url	Browser arrives at /login	Redirected to http://localhost:3000/login	Pass
4	Attempt browser Back navigation	driver.back()	Protected route guard catches unauthenticated state and redirects to /login	Access barred; user remains on /login	Pass
Post-Condition: Session fully revoked; browser storage sanitized.					

SUMMARY OF TEST EXECUTION RESULTS

Noir Reliability Engineering System Verification

Suite Name	Total Tests	Passed	Failed	Pass Rate
Suite 01: Landing & Public Navigation	5	5	0	100%
Suite 02: Authentication & KYC	10	10	0	100%
Suite 03: Route Guards & RBAC Security	5	5	0	100%
Suite 04: Developer Workspace & Chaos Telemetry	7	7	0	100%
Suite 05: Go CLI Native Distribution & Install	3	3	0	100%
Suite 06: Company Workspace & Status Review	1	1	0	100%
Suite 07: Administrative Governance & Audit	1	1	0	100%
Suite 08: Notifications & Session Lifecycle	2	2	0	100%
TOTAL EXECUTION	34	34	0	100%

EXECUTION ENVIRONMENT & CERTIFICATION

- **Test Execution Date:** October 07, 2026
- **Automation Engine:** Python 3.14 + Selenium WebDriver 4.49.0 (GeckoDriver Headless Engine)
- **Operating System:** Linux (x86_64) Kernel 6.12
- **Display Matrix:** Virtual Framebuffer 1920 × 1080 × 24bpp
- **Discovered Defect Count:** 0 Defects. All 34 automated scenarios executed successfully with zero runtime assertions or timeout exceptions.

Certification Statement: This test suite certifies that the Noir frontend and backend services satisfy all functional, security, access control, and distribution requirements specified under the project architectural roadmap.