

## ADBMS LAB

### Assignment-1

```
create table CUSTOMER (CNAME varchar(15) PRIMARY KEY,CITY varchar(20) NOT NULL);
insert into CUSTOMER values('ANIL','CALCUTTA');
insert into CUSTOMER values('SUNIL','DELHI');
insert into CUSTOMER values('MEHUL','BARODA');
insert into CUSTOMER values('MANDAR','PATNA');
insert into CUSTOMER values ('MADHURI','NAGPUR');
insert into CUSTOMER values ('PRAMOD','NAGPUR');
insert into CUSTOMER values ('SANDIP','SURA');
insert into CUSTOMER values ('SHIVANI','BOMBAY');
insert into CUSTOMER values ('KRANTI','BOMBAY');
insert into CUSTOMER values ('NAREN','BOMBAY');
select *from CUSTOMER;
```



CNAME	CITY
ANIL	CALCUTTA
KRANTI	BOMBAY
MADHURI	NAGPUR
MANDAR	PATNA
MEHUL	BARODA
NAREN	BOMBAY
PRAMOD	NAGPUR
SANDIP	SURA
SHIVANI	BOMBAY
SUNIL	DELHI

```

create table BRANCH(BNAME VARCHAR(20) PRIMARY KEY,CITY VARCHAR(30) NOT NULL);
INSERT INTO BRANCH(BNAME, CITY) VALUES ('VRCE','NAGPUR');
INSERT INTO BRANCH(BNAME, CITY) VALUES ('AJNI','NAGPUR');
INSERT INTO BRANCH(BNAME, CITY) VALUES ('KAROLBAGH','DELHI');
INSERT INTO BRANCH(BNAME, CITY) VALUES ('CHANDNI','DELHI');
INSERT INTO BRANCH(BNAME, CITY) VALUES ('DHARAMPETH','NAGPUR');
INSERT INTO BRANCH(BNAME, CITY) VALUES ('MG ROAD','BANGALORE');
INSERT INTO BRANCH(BNAME, CITY) VALUES ('ANDHERI','BOMBAY');
INSERT INTO BRANCH(BNAME, CITY) VALUES ('NEHRU PALACE','DELHI');
INSERT INTO BRANCH(BNAME, CITY) VALUES ('POWAI','BOMBAY');
select *from BRANCH;

```

BNAME	CITY
AJNI	NAGPUR
ANDHERI	BOMBAY
CHANDNI	DELHI
DHARAMPETH	NAGPUR
KAROLBAGH	DELHI
MG ROAD	BANGALORE
NEHRU PALACE	DELHI
POWAI	BOMBAY
VRCE	NAGPUR

