

Subject 1

Study Metadata

Field	Value
study_id	UserStudy1
species	Mus musculus
route	IV bolus
dose	100
model	one
time_units	h
conc_units	a.u.
allow_demote	True
subject	1

Data Summary

n	21
Time span (min → max)	0.00 → 24.00 h
C_max (observed)	6.09 a.u.
Global $t_{1/2}$ (log-linear)	3.87 h
$ m_{\text{early}} / m_{\text{late}} $ (log-slopes)	1.07


Fit Results (with 95% CI)

Parameter	Estimate	95% CI
Vd	49.3	[47.8, 50.8]
kel	0.185	[0.176, 0.194]
Cl	9.12	[8.77, 9.47]
t_{half}	3.75	[3.56, 3.93]
C0	6.08	[5.9, 6.27]
AUC	32.9	[31.6, 34.2]
MRT	5.41	[5.14, 5.67]


Goodness-of-Fit

R ²	0.995
AIC	-85.2


Residual Diagnostics




Visual Predictive Check (5–95%)




Linear Fit



Semilog Fit



Dosing Timeline



Subject 2

Study Metadata

Field	Value
study_id	UserStudy1
species	Mus musculus
route	IV bolus
dose	100
model	one
time_units	h
conc_units	a.u.
allow_demote	True
subject	2

Data Summary

n	21
Time span (min → max)	0.59 → 23.41 h
C_max (observed)	7.31 a.u.
Global t½ (log-linear)	3.83 h
m_early / m_late (log-slopes)	0.96


Fit Results (with 95% CI)

Parameter	Estimate	95% CI
Vd	50.1	[48.5, 51.8]
kel	0.178	[0.17, 0.186]
Cl	8.94	[8.66, 9.22]
t_half	3.89	[3.71, 4.07]
C0	7.98	[7.72, 8.24]
AUC	44.7	[43.3, 46.2]
MRT	5.61	[5.35, 5.86]


Goodness-of-Fit

R ²	0.995
AIC	-80.0


Residual Diagnostics




Visual Predictive Check (5–95%)



Linear Fit



Semilog Fit



Dosing Timeline

