



Test Report

Report Ref No: CLIPL-2025-09-00609
ULR No: TC1155425000005837F
Discipline: Chemical
Group: Food and Agricultural products
Sub Group: Fruits & Fruit products

Issued To: To, Food Safety and Standards Authority of India (FSSAI) 03rd & 04th Floor, FDA Bhawan, Kotla Road Near Bal Bhawan, New Delhi - 110002 India.		Issue Date: 15-10-2025
		Client Reference: ZEUVMF(QR CODE)
Sample Details		
Order ID:	FS-AP-KO-ORANGE_(SANTARA)-190006	
Seal ID:	AG-08878	
Sample Name:	Orange (Santara)	
Variant:	Loose	
Type:	Fruits	
Sample Receipt Date:	29-09-2025	
Analysis start date:	29-09-2025	
Report Issue Date:	05-10-2025	
Lab Name and Address	Chemtex Labs India Pvt Limited 2 nd floor ,Plot No: 17&22,TSIC Tech park ,Road No: 12, Nacaharam ,IDA , Hyderabad -500076	
Sample Condition:	Good	
Sample Quantity:	534 g	

TEST RESULTS

S. No	Test parameter	Test Method	Results	Units	LOQ	FSSR Limits/Specification
Metal Contaminants						
1	Arsenic as As	CLIPL-CHE-SOP-48	BLQ	mg/Kg	0.05	1.1
2	Cadmium as Cd	CLIPL-CHE-SOP-48	BLQ	mg/Kg	0.05	1.5
3	Copper as Cu	CLIPL-CHE-SOP-48	0.49	mg/Kg	0.05	30
4	Lead as Pb	CLIPL-CHE-SOP-48	BLQ	mg/Kg	0.05	0.1
5	Mercury as Hg	CLIPL-CHE-SOP-48	BLQ	mg/Kg	0.05	1.0
6	Tin as Sn	CLIPL-CHE-SOP-48	BLQ	mg/Kg	0.05	250
7	Antimony as Sb	CLIPL-CHE-SOP-48	BLQ	mg/Kg	0.05	0.0
8	Nickel as Ni	CLIPL-CHE-SOP-48	BLQ	mg/Kg	0.05	0.0
9	Chromium as Cr	CLIPL-CHE-SOP-48	BLQ	mg/Kg	0.05	0.0
Pesticide Residues						
10	Aldicarb	CLIPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
11	Aldrin	CLIPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
12	Captafol	CLIPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
13	Carbofuran (Sum of Carbofuran and 3-hydroxy-carbofuran expressed as carbofuran)	CLIPL-CHE-SOP-62	BLQ	mg/Kg	0.002	0.1



Test Report

S. No	Test parameter	Test Method	Results	Units	LOQ	FSSR Limits/Specification
14	Chlordane	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
15	D.D.T	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.05
16	Diazinon	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
17	Dieldrin	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
18	Endosulfan	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
19	Ethyl Parathion	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
20	Fenitrothion	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
21	Fenthion	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
22	Formothion	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
23	Heptachlor	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
24	Lindane (Gamma-HCH) Gamma Isomer (Known as Lindane)	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
25	Methomyl	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
26	Methyl Parathion (combined residues of methyl parathion and its oxygen analogue to be determined and expressed as methyl parathion)	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
27	Phosphamidon	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
28	Simazine	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
29	2,4-D Amine Salt	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
30	2,4-Dichlorophenoxy Acetic acid	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	2
31	Abamectin	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
32	Acephate (expressed as mixture of Methamidophos and acephate)	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
33	Acetamiprid	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
34	Alachlor	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
35	Alfa-Cypermethrin	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
36	Alpha naphthyl Acetic Acid	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
37	Ametroctradin	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
38	Ametyrn	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
39	Anilophos	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
40	Atrazine	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
41	Azimsulfuron	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
42	Azoxystrobin	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
43	Benfuracarb	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.002	0.01
44	Bensulfuron Methyl	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
45	Bentazone	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
46	Beta cyfluthrin	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
47	Bifenthrin	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
48	Bispyribac Sodium	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
49	Bitertanol	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
50	Boscalid	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
51	Buprofezin	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
52	Butachlor	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
53	Captan	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	15



Test Report

S. No	Test parameter	Test Method	Results	Units	LOQ	FSSR Limits/Specification
54	Carbaryl	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	15
55	Carbendazim	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	5
56	Carbosulfan	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.002	0.01
57	Carfentrazone Ethyl	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
58	Carpropamid	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
59	Cartap hydrochloride	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
60	Chlorantraniliprole	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
61	Chlorfenapyr	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
62	Chlorfluazuron	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
63	Chlorimuron-ethyl	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
64	Chlormequat chloride (CCC)	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
65	Chlorothalonil	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
66	Chlorpropham	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
67	Chlorpyrifos	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.5
68	Chlothianidin (Chlothianidin and its metabolites Thiazolymethylguanidine (TMG), Thiazolymethylurea (TZMU), Methylnitroguanidine (MNG) TMG)	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
69	Chromafenozide	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
70	Cinmethylen	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
71	Clodinafop-propargyl	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
72	Clomazone	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
73	Copper Hydroxide (Copper determined as elemental copper)	CL IPL-CHE-SOP-48	0.49	mg/Kg	0.05	30
74	Copper Oxychloride (Copper determined as elemental copper)	CL IPL-CHE-SOP-48	0.49	mg/Kg	0.05	30
75	Copper Sulphate (Copper determined as elemental copper)	CL IPL-CHE-SOP-48	0.49	mg/Kg	0.05	30
76	Cuprous Oxide (Copper determined as elemental copper)	CL IPL-CHE-SOP-48	0.49	mg/Kg	0.05	30
77	Cyantranilipole	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
78	Cyazofamid	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
79	Cyflumetofen	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
80	Cyhalofop-butyl	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
81	Cymoxanil	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.05
82	Cypermethrin (sum of isomers) (fat soluble residue)	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
83	Deltamethrin/Decamethrin	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
84	Diafenthuron	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.2
85	Dichlorvos (DDVP) (content of dichloroacetaldehyde (D.C.A.) be reported where possible)	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.1
86	Diclofop (sum diclofop-methyl and diclofop acid expressed as diclofop-methyl)	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01





Test Report

S. No	Test parameter	Test Method	Results	Units	LOQ	FSSR Limits/Specification
87	Diclosulam	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
88	Dicofol (Sum of p,p and o,p isomers)	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	5
89	Difenoconazole	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
90	Diflubenzuron	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
91	Dimethoate	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	2
92	Dimethomorph	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
93	Dinocap	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
94	Dinotefuran	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
95	Dithianon	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
96	Dithiocarbamates including Ethylene bis-dithiocarbamates, Ferbam, Zineb, Metiram, Mancozeb (expressed as CS ₂)	CL IPL-CHE-SOP-28	BLQ	mg/Kg	0.01	3
97	Diuron	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	1
98	Dodine	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
99	Edifenphos	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
100	Emamectin benzoate	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
101	Epoxyconazole	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
102	Ethephon	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
103	Ethion (Residue to be determined as ethion and Its oxygen analogue and expressed as ethion)	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	2.0
104	Ethofenprox (Etofenprox)	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
105	Ethoxysulfuron	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
106	Etoxazole	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
107	Famoxadone	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
108	Fenamidone	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
109	Fenarimol	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
110	Fenazaquin	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
111	Fenobucarb (BPMC)	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
112	Fenoxaprop-p-ethyl	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
113	Fenpropathrin	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
114	Fenpyroximate	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
115	Fenvalerate (Fat soluble residue)	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
116	Fipronil	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.005	0.01
117	Flonicamid	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
118	Fluazifop-p-butyl	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
119	Flubendiamide	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
120	Flucetosulfuron	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
121	Fluchloralin	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
122	Flufenacet	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
123	Fluopicolide	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
124	Fluopyram and its metabolites	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
125	Flupyradifurone and its metabolites Difluoroacetic Acid and Difluoroethylamino- furanone	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01





TC-11554

Test Report

S. No	Test parameter	Test Method	Results	Units	LOQ	FSSR Limits/Specification
126	Flusilazole	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
127	Fluvalinate	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
128	Fluxapyroxad	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
129	Fomesafen	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
130	Fenchlorfenuron	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
131	Fosetyl-Al	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
132	Glufosinate ammonium	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
133	Glyphosate	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
134	Halosulfuron methyl	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
135	Haloxyp-R Methyl	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
136	Hexaconazole	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
137	Hexazinone	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
138	Hexythiazox	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
139	Hydrogen Cyanamide	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
140	Imazamox	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
141	Imazethapyr	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
142	Imidacloprid	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	1
143	Indoxacarb	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
144	Iodosulfuron Methyl Sodium	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
145	Iprobenfos (Kitazin)	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
146	Iprodione	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
147	Isoprothiolane	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
148	Isoproturon	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
149	Kasugamycin	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
150	Kresoxim methyl	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
151	Lambda cyhalothrin	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
152	Linuron	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
153	Lufenuron	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
154	Malathion (Malathion to be determined and expressed as combined residue of malathion and malaoxon)	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	4





TC-11554

Test Report

S. No	Test parameter	Test Method	Results	Units	LOQ	FSSR Limits/Specification
155	Mandipropamid	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
156	Mepiquat chloride	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
157	Mesosulfuron Methyl	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
158	Metaflumizone	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
159	Metalaxyl	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
160	Metalaxyl-M	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
161	Methabenzthiazuron	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
162	Methyl ChloroPhenoxy acetic acid (MCPA)	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
163	Metolachlor	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
164	Metrafenone	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
165	Metribuzin	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
166	Metsulfuron Methyl	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
167	Milbemectin	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
168	Monocrotophos	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.2
169	Myclobutanil	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
170	Novaluron	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
171	Orthosulfamuron	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
172	Oxadiazyl	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
173	Oxadiazon	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
174	Oxydemeton methyl	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
175	Oxyfluorfen	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
176	Paclobutrazol	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
177	Paraquat Dichloride (Determined as Paraquat cations)	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.05
178	Penconazole	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
179	Pencycuron	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
180	Pendimethalin	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
181	Penoxuslum	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
182	Permethrin	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
183	Phenthoate	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
184	Phorate (sum of Phorate, its oxygen analogue and their sulphoxides and sulphones, expressed as phorate)	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.05
185	Phosalone	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	1
186	Picoxystrobin	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
187	Pinoxaden	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
188	Pirimiphos Methyl	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
189	Pretilachlor	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
190	Profenofos	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
191	Prohexadione calcium	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01





TC-11554

Test Report

S. No	Test parameter	Test Method	Results	Units	LOQ	FSSR Limits/Specification
192	Propanil	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
193	Propaquizafop	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
194	Propargite	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
195	Propiconazole	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
196	Propineb	CL IPL-CHE-SOP-28	BLQ	mg/Kg	0.01	0.01
197	Pymetrozine	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
198	Pyraclostrobin	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
199	Pyrazosulfuron ethyl	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
200	Pyridalyl	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
201	Pyriproxyfen	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
202	Pyriithiolac Sodium	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
203	Quinalphos	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.05
204	Quizalofop-Ethyl	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
205	Quizalofop-P-tefuryl	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
206	Sodium Acefloufen	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
207	Sodium Para Nitro Phenolate	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
208	Spinetoram and its metabolites (Spinosyn-J and Spinosyn-L)	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
209	Spinosad	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
210	Spiromesifen	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
211	Spirotetramat	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
212	Sulfentrazone and its metabolite Desmethyisulfentrazone and 3-Hydroxymethylsulfentrazone	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
213	Sulfosulfuron	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
214	Sulfoxaflor	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
215	Sum of benomyl and carbendazim expressed as carbendazim	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	5
216	Tebuconazole	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
217	Tembotrione	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
218	Tetraconazole	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
219	Thiacloprid	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
220	Thiamethoxam	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
221	Thifluzamide	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
222	Thiocyclam Hydrogen Oxalate	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
223	Thiodicarb	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
224	Thiometon(residue determined as thiometon its sulfoxide and sulphone expressed as thiometon)	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.5
225	Thiophanate methyl	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
226	Tolfenpyrad	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
227	Topramezone	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
228	Triacntanol	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01





Test Report

S. No	Test parameter	Test Method	Results	Units	LOQ	FSSR Limits/Specification
229	Triadimefon	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
230	Triallate	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
231	Triasulfuron	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
232	Triazophos	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
233	Trichlorfon	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.1
234	Tricyclazole	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
235	Tridemorph	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
236	Trifloxystrobin	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
237	Trifluralin	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01
238	Validamycin	CL IPL-CHE-SOP-62	BLQ	mg/Kg	0.01	0.01

Remarks :

1	Total Parameters tested in this report:	238
2	Number of Compliant Parameters:	5
3	Number of Non-Compliant Parameters:	0
3.1	Number of Parameters Non-Compliant due to Pesticides	0
3.2	Non-Compliant Parameters are:	
4	Basis of Result interpretation:	FSSR (CONTAMINANTS, TOXINS AND RESIDUES)-2011
5	Conclusion: Compliant/non-compliant	Compliant

[Signature]



Authorized by:

Name of Food Analyst: B.K.V.R Prasad

Designation: General Manager - Operations

Disclaimer: 1) The Results relate only to the item tested. 2) The Report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of a report are not taken out of context. 3) CLIPL retains the right to proceed with official action against any modifications or editing of test report issued by CLIPL.

*****End of Report*****

