

Report Ref No: 02084/25/FW/ML-03

ULR: TC1146825001115933F

Discipline: **Chemical**

Product Group: **Residues and contaminants in Food and Agricultural Products**

Sub-Group: Fruit & Vegetable Products

Issued To: Food Safety and Standards Authority of India (FSSAI) 03rd & 04th Floor, FDA Bhawan, Kotla Road Near Bal Bhawan, New Delhi - 110002 India.	Issue Date: 30 Sep 2025 Client Reference: FSSAI Fruit & Vegetable Products surveillance Project 2025
---	---

Sample Details	
Order ID:	FS-JH-RA-BANANA_(KELA)-828026
Seal ID:	AG-07083
Sample Name:	Banana (Kela)
Variant:	Loose
Type:	Whole
Sample Receipt Date:	28 Sep 2025
Analysis start date:	28 Sep 2025
Report Issue Date:	30 Sep 2025
Lab Name and Address:	Tentamus India Pvt Ltd, # 3-13/33, Plot No.33/ Part Sy. No.s 123, 124, 125 & 142, Kompally, Quthbullapur, Hyderabad - 500014, INDIA
Sample Condition:	Intact
Sample Quantity:	500g

Test Results:

S.No.	Test Parameter	Test Method	Result	Units	LOQ (If applicable)	FSSR Limit/ Specification
Metal Contaminants						
1	Arsenic as As	STP FW080	0.06	mg/Kg	0.05	1.1
2	Cadmium as Cd	STP FW080	BLQ	mg/Kg	0.05	0.2

S.No.	Test Parameter	Test Method	Result	Units	LOQ (If applicable)	FSSR Limit/ Specification
3	Copper as Cu	STP FW080	BLQ	mg/Kg	0.05	30
4	Lead as Pb	STP FW080	BLQ	mg/Kg	0.05	0.3
5	Mercury as Hg	STP FW080	BLQ	mg/Kg	0.05	1.0
6	Tin as Sn	STP FW080	BLQ	mg/Kg	0.05	250.0
7	Antimony as Sb	STP FW080	BLQ	mg/Kg	0.05	1.0
8	Nickel as Ni	STP FW080	BLQ	mg/Kg	0.05	1.0
9	Chromium as Cr	STP FW080	0.07	mg/Kg	0.05	1.0
Pesticide Residues						
10	Aldicarb	STP FW108	BLQ	mg/Kg	0.005	0.01
11	Aldrin	STP FW108	BLQ	mg/Kg	0.005	0.01
12	Captafol	STP FW108	BLQ	mg/Kg	0.005	0.01
13	Carbofuran (Sum of Carbofuran and 3-hydroxy-carbofuran expressed as carbofuran)	STP FW108	BLQ	mg/Kg	0.002	0.1
14	Chlordane	STP FW108	BLQ	mg/Kg	0.005	0.01
15	D.D.T	STP FW108	BLQ	mg/Kg	0.005	0.05
16	Diazinon	STP FW108	BLQ	mg/Kg	0.005	0.01
17	Dieldrin	STP FW108	BLQ	mg/Kg	0.005	0.01
18	Endosulfan	STP FW108	BLQ	mg/Kg	0.005	0.01
19	Ethyl Parathion	STP FW108	BLQ	mg/Kg	0.005	0.01

S.No.	Test Parameter	Test Method	Result	Units	LOQ (If applicable)	FSSR Limit/ Specification
20	Fenitrothion	STP FW108	BLQ	mg/Kg	0.005	0.01
21	Fenthion	STP FW108	BLQ	mg/Kg	0.005	0.01
22	Formothion	STP FW108	BLQ	mg/Kg	0.005	0.01
23	Heptachlor	STP FW108	BLQ	mg/Kg	0.005	0.01
24	Lindane (Gamma-HCH) Gamma Isomer (Known as Lindane)	STP FW108	BLQ	mg/Kg	0.005	0.01
25	Methomyl	STP FW108	BLQ	mg/Kg	0.005	0.01
26	Methyl Parathion (combined residues of methyl parathion and its oxygen analogue to be determined and expressed as methyl parathion)	STP FW108	BLQ	mg/Kg	0.005	0.01
27	Phosphamidon	STP FW108	BLQ	mg/Kg	0.005	0.01
28	Simazine	STP FW108	BLQ	mg/Kg	0.005	0.01
29	2,4-D Amine Salt	STP FW108	BLQ	mg/Kg	0.005	0.01
30	2,4-Dichlorophenoxy Acetic acid	STP FW108	BLQ	mg/Kg	0.005	0.01
31	Abamectin	STP FW108	BLQ	mg/Kg	0.005	0.01
32	Acephate (expressed as mixture of Methamidophos and acephate)	STP FW108	BLQ	mg/Kg	0.005	0.01
33	Acetamiprid	STP FW108	BLQ	mg/Kg	0.005	0.01
34	Alachlor	STP FW108	BLQ	mg/Kg	0.005	0.01
35	Alfa-Cypermethrin	STP FW108	BLQ	mg/Kg	0.005	0.01

S.No.	Test Parameter	Test Method	Result	Units	LOQ (If applicable)	FSSR Limit/ Specification
36	Alpha naphthyl Acetic Acid	STP FW108	BLQ	mg/Kg	0.005	0.01
37	Ametroctradin	STP FW108	BLQ	mg/Kg	0.005	0.01
38	Ametyrn	STP FW108	BLQ	mg/Kg	0.005	0.01
39	Anilophos	STP FW108	BLQ	mg/Kg	0.005	0.01
40	Atrazine	STP FW108	BLQ	mg/Kg	0.005	0.01
41	Azimsulfuron	STP FW108	BLQ	mg/Kg	0.005	0.01
42	Azoxystrobin	STP FW108	BLQ	mg/Kg	0.005	0.01
43	Benfuracarb	STP FW108	BLQ	mg/Kg	0.005	0.01
44	Bensulfuron Methyl	STP FW108	BLQ	mg/Kg	0.005	0.01
45	Bentazone	STP FW108	BLQ	mg/Kg	0.005	0.01
46	Beta cyfluthrin	STP FW108	BLQ	mg/Kg	0.005	0.01
47	Bifenthrin	STP FW108	BLQ	mg/Kg	0.005	0.01
48	Bispyribac Sodium	STP FW108	BLQ	mg/Kg	0.005	0.01
49	Bitertanol	STP FW108	BLQ	mg/Kg	0.005	0.01
50	Boscalid	STP FW108	BLQ	mg/Kg	0.005	0.01
51	Buprofezin	STP FW108	BLQ	mg/Kg	0.005	0.01
52	Butachlor	STP FW108	BLQ	mg/Kg	0.005	0.01
53	Captan	STP FW108	BLQ	mg/Kg	0.005	15
54	Carbaryl	STP FW108	BLQ	mg/Kg	0.005	10

S.No.	Test Parameter	Test Method	Result	Units	LOQ (If applicable)	FSSR Limit/ Specification
55	Carbendazim	STP FW108	BLQ	mg/Kg	0.005	0.5
56	Carbosulfan	STP FW108	BLQ	mg/Kg	0.002	0.01
57	Carfentrazone Ethyl	STP FW108	BLQ	mg/Kg	0.005	0.01
58	Carpropamid	STP FW108	BLQ	mg/Kg	0.005	0.01
59	Cartap hydrochloride	STP FW108	BLQ	mg/Kg	0.005	0.01
60	Chlorantraniliprole	STP FW108	BLQ	mg/Kg	0.005	0.01
61	Chlorfenapyr	STP FW108	BLQ	mg/Kg	0.005	0.01
62	Chlorfluazuron	STP FW108	BLQ	mg/Kg	0.005	0.01
63	Chlorimuron-ethyl	STP FW108	BLQ	mg/Kg	0.005	0.01
64	Chlormequat chloride (CCC)	STP FW108	BLQ	mg/Kg	0.005	0.01
65	Chlorothalonil	STP FW108	BLQ	mg/Kg	0.005	0.01
66	Chlorpropham	STP FW108	BLQ	mg/Kg	0.005	0.01
67	Chlorpyrifos	STP FW108	BLQ	mg/Kg	0.005	0.01
68	Chlothianidin (Chlothianidin and its metabolites Thiazolymethylguanidine (TMG), Thiazolymethylurea (TZMU), Methylnitroguanidine (MNG) TMG)	STP FW108	BLQ	mg/Kg	0.005	0.01
69	Chromafenozide	STP FW108	BLQ	mg/Kg	0.005	0.01
70	Cinmethylen	STP FW108	BLQ	mg/Kg	0.005	0.01
71	Clodinafop-propargyl	STP FW108	BLQ	mg/Kg	0.005	0.01

S.No.	Test Parameter	Test Method	Result	Units	LOQ (If applicable)	FSSR Limit/ Specification
72	Clomazone	STP FW108	BLQ	mg/Kg	0.005	0.01
73	Copper Hydroxide (Copper determined as elemental copper)	STP FW080	BLQ	mg/Kg	0.05	30.0
74	Copper Oxychloride (Copper determined as elemental copper)	STP FW080	BLQ	mg/Kg	0.05	30.0
75	Copper Sulphate (Copper determined as elemental copper)	STP FW080	BLQ	mg/Kg	0.05	30.0
76	Cuprous Oxide (Copper determined as elemental copper)	STP FW080	BLQ	mg/Kg	0.05	30.0
77	Cyantranilipole	STP FW108	BLQ	mg/Kg	0.005	0.01
78	Cyazofamid	STP FW108	BLQ	mg/Kg	0.005	0.01
79	Cyflumetofen	STP FW108	BLQ	mg/Kg	0.005	0.01
80	Cyhalofop-butyl	STP FW108	BLQ	mg/Kg	0.005	0.01
81	Cymoxanil	STP FW108	BLQ	mg/Kg	0.005	0.01
82	Cypermethrin (sum of isomers) (fat soluble residue)	STP FW108	BLQ	mg/Kg	0.005	0.01
83	Deltamethrin/Decamethrin	STP FW108	BLQ	mg/Kg	0.005	0.01
84	Diafenthiuron	STP FW108	BLQ	mg/Kg	0.005	0.01
85	Dichlorvos (DDVP) (content of dichloroacetaldehyde (D.C.A.) be reported where possible)	STP FW108	BLQ	mg/Kg	0.005	0.15

S.No.	Test Parameter	Test Method	Result	Units	LOQ (If applicable)	FSSR Limit/ Specification
86	Diclofop (sum diclofop-methyl and diclofop acid expressed as diclofop-methyl)	STP FW108	BLQ	mg/Kg	0.005	5
87	Diclosulam	STP FW108	BLQ	mg/Kg	0.005	0.01
88	Dicofol (Sum of p,p and o,p isomers)	STP FW108	BLQ	mg/Kg	0.005	0.01
89	Difenoconazole	STP FW108	BLQ	mg/Kg	0.005	0.01
90	Diflubenzuron	STP FW108	BLQ	mg/Kg	0.005	0.01
91	Dimethoate	STP FW108	BLQ	mg/Kg	0.005	2
92	Dimethomorph	STP FW108	BLQ	mg/Kg	0.005	0.01
93	Dinocap	STP FW108	BLQ	mg/Kg	0.005	0.01
94	Dinotefuran	STP FW108	BLQ	mg/Kg	0.005	0.01
95	Dithianon	STP FW108	BLQ	mg/Kg	0.005	0.01
96	Dithiocarbamates including Ethylene bis- dithiocarbamates, Ferbam, Zineb, Metiram, Mancozeb (expressed as CS2)	STP FW108	BLQ	mg/Kg	0.01	0.01
97	Diuron	STP FW108	BLQ	mg/Kg	0.005	0.01
98	Dodine	STP FW108	BLQ	mg/Kg	0.005	0.01
99	Edifenphos	STP FW108	BLQ	mg/Kg	0.005	0.01
100	Emamectin benzoate	STP FW108	BLQ	mg/Kg	0.005	0.01
101	Epoxyconazole	STP FW108	BLQ	mg/Kg	0.005	0.01

S.No.	Test Parameter	Test Method	Result	Units	LOQ (If applicable)	FSSR Limit/ Specification
102	Ethephon	STP FW108	BLQ	mg/Kg	0.005	0.01
103	Ethion (Residue to be determined as ethion and Its oxygen analogue and expressed as ethion)	STP FW108	BLQ	mg/Kg	0.005	0.01
104	Ethofenprox (Etofenprox)	STP FW108	BLQ	mg/Kg	0.005	0.01
105	Ethoxysulfuron	STP FW108	BLQ	mg/Kg	0.005	0.01
106	Etoxazole	STP FW108	BLQ	mg/Kg	0.005	0.01
107	Famoxadone	STP FW108	BLQ	mg/Kg	0.005	0.01
108	Fenamidone	STP FW108	BLQ	mg/Kg	0.005	0.01
109	Fenarimol	STP FW108	BLQ	mg/Kg	0.005	0.01
110	Fenazaquin	STP FW108	BLQ	mg/Kg	0.005	0.01
111	Fenobucarb (BPMC)	STP FW108	BLQ	mg/Kg	0.005	0.01
112	Fenoxaprop-p-ethyl	STP FW108	BLQ	mg/Kg	0.005	0.01
113	Fenpropathrin	STP FW108	BLQ	mg/Kg	0.005	0.01
114	Fenpyroximate	STP FW108	BLQ	mg/Kg	0.005	0.01
115	Fenvalerate (Fat soluble residue)	STP FW108	BLQ	mg/Kg	0.005	0.01
116	Fipronil	STP FW108	BLQ	mg/Kg	0.002	0.01
117	Flonicamid	STP FW108	BLQ	mg/Kg	0.005	0.01
118	Fluazifop-p-butyl	STP FW108	BLQ	mg/Kg	0.005	0.01
119	Flubendiamide	STP FW108	BLQ	mg/Kg	0.005	0.01

S.No.	Test Parameter	Test Method	Result	Units	LOQ (If applicable)	FSSR Limit/ Specification
120	Flucetosulfuron	STP FW108	BLQ	mg/Kg	0.005	0.01
121	Fluchloralin	STP FW108	BLQ	mg/Kg	0.005	0.01
122	Flufenacet	STP FW108	BLQ	mg/Kg	0.005	0.01
123	Fluopicolide	STP FW108	BLQ	mg/Kg	0.005	0.01
124	Fluopyram and its metabolites	STP FW108	BLQ	mg/Kg	0.005	0.01
125	Flupyradifurone and its metabolites Difluoroacetic Acid and Difluoroethylamino- furanone	STP FW108	BLQ	mg/Kg	0.005	0.01
126	Flusilazole	STP FW108	BLQ	mg/Kg	0.005	0.01
127	Fluvalinate	STP FW108	BLQ	mg/Kg	0.005	0.01
128	Fluxapyroxad	STP FW108	BLQ	mg/Kg	0.005	0.01
129	Fomesafen	STP FW108	BLQ	mg/Kg	0.005	0.01
130	Forchlorfenuron	STP FW108	BLQ	mg/Kg	0.005	0.01
131	Fosetyl-Al	STP FW108	BLQ	mg/Kg	0.005	0.01
132	Glufosinate ammonium	STP FW108	BLQ	mg/Kg	0.005	0.01
133	Glyphosate	STP FW108	BLQ	mg/Kg	0.005	0.01
134	Halosulfuron methyl	STP FW108	BLQ	mg/Kg	0.005	0.01
135	Haloxypop-R Methyl	STP FW108	BLQ	mg/Kg	0.005	0.01
136	Hexaconazole	STP FW108	BLQ	mg/Kg	0.005	0.01
137	Hexazinone	STP FW108	BLQ	mg/Kg	0.005	0.01

S.No.	Test Parameter	Test Method	Result	Units	LOQ (If applicable)	FSSR Limit/ Specification
138	Hexythiazox	STP FW108	BLQ	mg/Kg	0.005	0.01
139	Hydrogen Cyanamide	STP FW064	BLQ	mg/Kg	0.01	0.01
140	Imazamox	STP FW108	BLQ	mg/Kg	0.005	0.01
141	Imazethapyr	STP FW108	BLQ	mg/Kg	0.005	0.01
142	Imidacloprid	STP FW108	BLQ	mg/Kg	0.005	0.01
143	Indoxacarb	STP FW108	BLQ	mg/Kg	0.005	0.01
144	Iodosulfuron Methyl Sodium	STP FW108	BLQ	mg/Kg	0.005	0.01
145	Iprobenfos (Kitazin)	STP FW108	BLQ	mg/Kg	0.005	0.01
146	Iprodione	STP FW108	BLQ	mg/Kg	0.005	0.01
147	Isoprothiolane	STP FW108	BLQ	mg/Kg	0.005	0.01
148	Isoproturon	STP FW108	BLQ	mg/Kg	0.005	0.01
149	Kasugamycin	STP FW108	BLQ	mg/Kg	0.005	0.01
150	Kresoxim methyl	STP FW108	BLQ	mg/Kg	0.005	0.01
151	Lambda cyhalothrin	STP FW108	BLQ	mg/Kg	0.005	0.01
152	Linuron	STP FW108	BLQ	mg/Kg	0.005	0.01
153	Lufenuron	STP FW108	BLQ	mg/Kg	0.005	0.01
154	Malathion (Malathion to be determined and expressed as combined residue of malathion and malaoxon)	STP FW108	BLQ	mg/Kg	0.005	3

S.No.	Test Parameter	Test Method	Result	Units	LOQ (If applicable)	FSSR Limit/ Specification
155	Mandipropamid	STP FW108	BLQ	mg/Kg	0.005	0.01
156	Mepiquat chloride	STP FW108	BLQ	mg/Kg	0.005	0.01
157	Mesosulfuron Methyl	STP FW108	BLQ	mg/Kg	0.005	0.01
158	Metaflumizone	STP FW108	BLQ	mg/Kg	0.005	0.01
159	Metalaxyl	STP FW108	BLQ	mg/Kg	0.005	0.01
160	Metalaxyl-M	STP FW108	BLQ	mg/Kg	0.005	0.01
161	Methabenzthiazuron	STP FW108	BLQ	mg/Kg	0.005	0.01
162	Methyl ChloroPhenoxy acetic acid (MCPA)	STP FW108	BLQ	mg/Kg	0.005	0.01
163	Metolachlor	STP FW108	BLQ	mg/Kg	0.005	0.01
164	Metrafenone	STP FW108	BLQ	mg/Kg	0.005	0.01
165	Metribuzin	STP FW108	BLQ	mg/Kg	0.005	0.01
166	Metsulfuron Methyl	STP FW108	BLQ	mg/Kg	0.005	0.01
167	Milbemectin	STP FW108	BLQ	mg/Kg	0.005	0.01
168	Monocrotophos	STP FW108	BLQ	mg/Kg	0.005	0.01
169	Myclobutanil	STP FW108	BLQ	mg/Kg	0.005	0.01
170	Novaluron	STP FW108	BLQ	mg/Kg	0.005	0.01
171	Orthosulfamuron	STP FW108	BLQ	mg/Kg	0.005	0.01
172	Oxadiargyl	STP FW108	BLQ	mg/Kg	0.005	0.01

S.No.	Test Parameter	Test Method	Result	Units	LOQ (If applicable)	FSSR Limit/ Specification
173	Oxadiazon	STP FW108	BLQ	mg/Kg	0.005	0.01
174	Oxydemeton methyl	STP FW108	BLQ	mg/Kg	0.005	0.01
175	Oxyfluorfen	STP FW108	BLQ	mg/Kg	0.005	0.01
176	Paclobutrazol	STP FW108	BLQ	mg/Kg	0.005	0.01
177	Paraquat Dichloride (Determined as Paraquat cations)	STP FW108	BLQ	mg/Kg	0.005	0.01
178	Penconazole	STP FW108	BLQ	mg/Kg	0.005	0.01
179	Pencycuron	STP FW108	BLQ	mg/Kg	0.005	0.01
180	Pendimethalin	STP FW108	BLQ	mg/Kg	0.005	0.01
181	Penoxuslum	STP FW108	BLQ	mg/Kg	0.005	0.01
182	Permethrin	STP FW108	BLQ	mg/Kg	0.005	0.01
183	Phenthoate	STP FW108	BLQ	mg/Kg	0.005	0.01
184	Phorate (sum of Phorate, its oxygen analogue and their sulphoxides and sulphones, expressed as phorate)	STP FW108	BLQ	mg/Kg	0.005	0.01
185	Phosalone	STP FW108	BLQ	mg/Kg	0.005	0.01
186	Picoxystrobin	STP FW108	BLQ	mg/Kg	0.005	0.01
187	Pinoxaden	STP FW108	BLQ	mg/Kg	0.005	0.01
188	Pirimiphos Methyl	STP FW108	BLQ	mg/Kg	0.005	0.01
189	Pretilachlor	STP FW108	BLQ	mg/Kg	0.005	0.01

S.No.	Test Parameter	Test Method	Result	Units	LOQ (If applicable)	FSSR Limit/ Specification
190	Profenofos	STP FW108	BLQ	mg/Kg	0.005	0.01
191	Prohexadione calcium	STP FW108	BLQ	mg/Kg	0.005	0.01
192	Propanil	STP FW108	BLQ	mg/Kg	0.005	0.01
193	Propaquizafop	STP FW108	BLQ	mg/Kg	0.005	0.01
194	Propargite	STP FW108	BLQ	mg/Kg	0.005	0.01
195	Propiconazole	STP FW108	BLQ	mg/Kg	0.005	0.01
196	Propineb	STP FW108	BLQ	mg/Kg	0.005	0.01
197	Pymetrozine	STP FW108	BLQ	mg/Kg	0.005	0.01
198	Pyraclostrobin	STP FW108	BLQ	mg/Kg	0.005	0.01
199	Pyrazosulfuron ethyl	STP FW108	BLQ	mg/Kg	0.005	0.01
200	Pyridalyl	STP FW108	BLQ	mg/Kg	0.005	0.01
201	Pyriproxyfen	STP FW108	BLQ	mg/Kg	0.005	0.01
202	Pyriithiolac Sodium	STP FW108	BLQ	mg/Kg	0.005	0.01
203	Quinalphos	STP FW108	BLQ	mg/Kg	0.005	0.01
204	Quizalofop-Ethyl	STP FW108	BLQ	mg/Kg	0.005	0.01
205	Quizalofop-P-tefuryl	STP FW108	BLQ	mg/Kg	0.005	0.01
206	Sodium Aceflourofen	STP FW108	BLQ	mg/Kg	0.005	0.01
207	Sodium Para Nitro Phenolate	STP FW108	BLQ	mg/Kg	0.005	0.01

S.No.	Test Parameter	Test Method	Result	Units	LOQ (If applicable)	FSSR Limit/ Specification
208	Spinetoram and its metabolites (Spinosyn-J and Spinosyn-L)	STP FW108	BLQ	mg/Kg	0.005	0.01
209	Spinosad	STP FW108	BLQ	mg/Kg	0.005	0.01
210	Spiromesifen	STP FW108	BLQ	mg/Kg	0.005	0.01
211	Spirotetramat	STP FW108	BLQ	mg/Kg	0.005	0.01
212	Sulfentrazone and its metabolite Desmethylsulfentrazone and 3-Hydroxymethylsulfentrazone	STP FW108	BLQ	mg/Kg	0.005	0.01
213	Sulfosulfuron	STP FW108	BLQ	mg/Kg	0.005	0.01
214	Sulfoxaflor	STP FW108	BLQ	mg/Kg	0.005	0.01
215	Sum of benomyl and carbendazim expressed as carbendazim	STP FW108	BLQ	mg/Kg	0.005	0.5
216	Tebuconazole	STP FW108	BLQ	mg/Kg	0.005	0.01
217	Tembotrione	STP FW108	BLQ	mg/Kg	0.005	0.01
218	Tetraconazole	STP FW108	BLQ	mg/Kg	0.005	0.01
219	Thiacloprid	STP FW108	BLQ	mg/Kg	0.005	0.01
220	Thiamethoxam	STP FW108	BLQ	mg/Kg	0.005	0.01
221	Thifluzamide	STP FW108	BLQ	mg/Kg	0.005	0.01
222	Thiocyclam Hydrogen Oxalate	STP FW108	BLQ	mg/Kg	0.005	0.01
223	Thiodicarb	STP FW108	BLQ	mg/Kg	0.005	0.01

S.No.	Test Parameter	Test Method	Result	Units	LOQ (If applicable)	FSSR Limit/ Specification
224	Thiometon(residue determined as thiometon its sulfoxide and sulphone expressed as thiometon)	STP FW108	BLQ	mg/Kg	0.005	0.01
225	Thiophanate methyl	STP FW108	BLQ	mg/Kg	0.005	0.01
226	Tolfenpyrad	STP FW108	BLQ	mg/Kg	0.005	0.01
227	Topramezone	STP FW108	BLQ	mg/Kg	0.005	0.01
228	Triaccontanol	STP FW108	BLQ	mg/Kg	0.005	0.01
229	Triadimefon	STP FW108	BLQ	mg/Kg	0.005	0.01
230	Triallate	STP FW108	BLQ	mg/Kg	0.005	0.01
231	Triasulfuron	STP FW108	BLQ	mg/Kg	0.005	0.01
232	Triazophos	STP FW108	BLQ	mg/Kg	0.005	0.01
233	Trichlorfon	STP FW108	BLQ	mg/Kg	0.005	0.1
234	Tricyclazole	STP FW108	BLQ	mg/Kg	0.005	0.01
235	Tridemorph	STP FW108	BLQ	mg/Kg	0.005	0.01
236	Trifloxystrobin	STP FW108	BLQ	mg/Kg	0.005	0.01
237	Trifluralin	STP FW108	BLQ	mg/Kg	0.005	0.01
238	Validamycin	STP FW108	BLQ	mg/Kg	0.005	0.01

Remarks:

1. Total Parameters tested in this report: 238
2. Number of Compliant Parameters: 238
3. Number of Non-Compliant Parameters: 00
- 3.1 Number of Parameters Non-Compliant due to Pesticides:00

- 3.2 Non-Compliant Parameters are:NA
4. **Basis of Result interpretation: (FSSR)**
5. **Conclusion: Compliant**
6. **BLQ: Below Limit of Quantification**
7. **LOQ: Limit of Quantification**



Authorized By: (Sign & Stamp)

Mr. Balakrishna Reddy Surakanti

(Designation) Assist. Manager



Name of Food Analyst: **Mr. M. Naresh**

(Designation) Assist. Manager

-----End of Test Report-----