BTC Sunday Analysis

Binance BTCUSDT 1-second data, 2017 se 2026

Download se lekar Sunday (IST) ki hilchal, shant/active time aur call-put strike analysis tak ka poora record

Cheez	Detail
Data source	data.binance.vision, BTCUSDT, 1s klines (daily zip)
Period	17 Aug 2017 se 31 Oct 2026
Total rows	lagbhag 29.2 crore (292 million)
Format	Parquet (saal-wise files, folder btc_1s)
Tools	Python, pandas, pyarrow, DuckDB, VS Code
Timezone	Binance data UTC me hota hai; analysis me IST = UTC + 5:30
Reference price	77,582 USDT (31 Oct 2026 ka aakhri price)

Dhyan: Ye sirf past data ka analysis hai, financial salah nahi. Option trade se pehle chhote size se test karein aur apne broker ke asli premium, IV aur strike gap dekhein.

Index

- 1. Setup aur download
- 2. Data health check
- 3. Sunday subah (6-12 IST) ki movement
- 4. Points me worst / medium / average
- 5. Sunday ka kaunsa ghanta shant, kaunsa active
- 6. Sabse bade jhatke (date aur time)
- 7. 12 AM entry: strike kitni door
- 8. Final nishkarsh aur salah
- 9. Dobara chalane ke steps
- 10. Appendix: scripts

1. Setup aur download

CSV ki jagah Parquet use kiya, kyunki 1 din me 86,400 rows hoti hain aur poora data 29 crore rows ka hai. Excel ki limit sirf 10,48,576 rows hai, aur CSV 30-40 GB ka hota. Parquet chhota aur bahut tez hai, aur DuckDB se bina RAM bhare query chalti hai.

Step	Kya kiya
1	Python 3.11 aur VS Code, folder C:\binance_btc_data
2	pip install requests pandas pyarrow duckdb
3	download_btc_1s.py banayi: 8 parallel downloads, saal-wise Parquet, resume support (bani hui saal skip)
4	Timestamp fix: 2025 se Binance microseconds deta hai, script milliseconds me badalti hai
5	Download ~10 minute/saal-range me hua, kul lagbhag 1 ghante ke aas-paas

Parquet file notepad/VS Code me garbage dikhti hai, ye normal hai kyunki wo binary format hai. Python (pandas ya DuckDB) se hi padhni hoti hai.

2. Data health check

Saal	Total rows	Din	Pehli date	Aakhri date
2017	11,789,652	137	2017-08-17 04:00:28	2017-12-31 23:59:59
2018	31,297,471	365	2018-01-01 00:00:00	2018-12-31 23:59:59
2019	31,430,329	365	2019-01-01 00:00:00	2019-12-31 23:59:59
2020	31,546,169	366	2020-01-01 00:00:00	2020-12-31 23:59:59
2021	31,476,625	365	2021-01-01 00:00:00	2021-12-31 23:59:59
2022	31,536,000	365	2022-01-01 00:00:00	2022-12-31 23:59:59
2023	31,531,218	365	2023-01-01 00:00:00	2023-12-31 23:59:59
2024	31,622,400	366	2024-01-01 00:00:00	2024-12-31 23:59:59
2025	31,536,000	365	2025-01-01 00:00:00	2025-12-31 23:59:59
2026	26,265,600	304	2026-01-01 00:00:00	2026-10-31 23:59:59

Result: koi din missing nahi, dates sahi (1970 jaisi galat date nahi), 2025 ka microsecond conversion sahi. Kuch saalon me rows 31,536,000 se thodi kam hain, kyunki jis second me trade nahi hota us second ki row nahi banti.

3. Sunday subah (6 AM - 12 PM IST) ki movement

Movement ka matlab: us window me sabse upar aur sabse neeche price ka farak (high - low). % me bhi nikala, kyunki 2017 me BTC ~4,000 tha aur ab bahut upar hai, to sirf USDT range ki tulna unfair hoti hai.

Summary (480 Sunday)	Value
Average range	1.83% (~555 points)
Median range	1.24%
Maximum range	17.37% (18 Apr 2021)

Top 10 Sunday, range % ke hisaab se

Date	Open	High	Low	Close	Range pts	Range %	Net move %	BTC vol
2021-04-18	59,590	59,780	50,931	56,179	8,848.7	17.37	-5.72	49,074
2017-12-10	14,260	14,260	12,368	13,395	1,892.4	15.30	-6.07	4,433
2020-08-02	11,802	12,123	10,519	11,306	1,604.9	15.26	-4.20	45,159
2017-11-12	6,200	6,209	5,451	5,524	758.0	13.91	-10.90	1,471
2017-12-24	12,850	13,750	12,100	13,525	1,650.4	13.64	5.25	8,517
2019-05-19	7,299	7,997	7,280	7,902	717.0	9.85	8.25	23,971
2018-02-18	10,988	11,274	10,323	10,617	951.0	9.21	-3.38	17,549
2017-12-31	12,478	13,411	12,454	12,600	957.3	7.69	0.98	3,546
2018-01-14	14,219	14,340	13,359	13,785	980.4	7.34	-3.05	3,179
2019-05-12	7,144	7,370	6,876	7,360	493.9	7.18	3.03	15,667

Top 10 Sunday, range USDT (points) ke hisaab se

Date	Range pts	Range %	Net move %	BTC vol
2021-04-18	8,848.7	17.37	-5.72	49,074
2025-10-05	3,572.4	2.92	2.11	10,233
2024-11-10	3,127.6	4.08	2.77	18,306
2021-02-28	2,899.8	6.63	-2.98	23,252
2021-05-16	2,575.4	5.49	3.45	16,043
2025-10-12	2,560.5	2.34	1.83	6,024
2024-04-14	2,534.1	4.08	1.73	17,581
2025-02-02	2,425.4	2.45	-0.65	6,539
2025-08-10	2,201.8	1.89	1.08	5,480
2021-02-14	2,200.0	4.66	2.77	22,672

Samajh: % wali list me purane saal (2017-2021) zyada hain aur USDT wali list me naye saal (2024-2025), kyunki ab price bada hai. Isliye % hi sahi tulna hai. Typical Sunday subah shant (~1.2%) hoti hai, kabhi-kabhi bade jhatke aate hain.

4. Points me worst / medium / average

Saal	Sunday	Worst	Median (normal)	Average
2017	20	1,892.36	215.96	421.52
2018	52	980.43	134.09	219.95
2019	52	716.99	79.10	139.45
2020	52	1,604.96	162.26	225.80
2021	52	8,848.70	1,115.55	1,399.73
2022	52	1,354.96	298.14	419.40
2023	53	580.60	214.06	243.22
2024	52	3,127.56	665.50	813.36
2025	52	3,572.42	687.33	933.12
2026	43	2,157.27	586.51	679.69

Aaj ke hisaab se (2024-2026)	Approx points
Medium (normal Sunday subah)	590 se 690
Average	680 se 930
Worst (3 saal me)	~3,570 (2025)

- Average hamesha median se upar hai, kyunki bade jhatke average ko kheench dete hain. 'Normal din' ke liye median zyada bharosemand hai.
- 2021 sabse zyada hilne wala saal (median 1,116), 2019 sabse shant (median 79).
- Points ki jagah % dekho to Sunday subah ka move saalon me ~1% ke aas-paas hi rehta hai.

5. Sunday ka kaunsa ghanta shant, kaunsa active (IST)

Ghanta (IST)	Median %	Avg %	95th pct %	Max %	Median pts	Avg BTC vol
00-01	0.48	0.66	1.83	5.60	130	1,484
01-02	0.43	0.69	2.06	9.82	127	1,485
02-03	0.48	0.75	2.37	6.93	138	1,505
03-04	0.50	0.75	2.06	6.01	150	1,432
04-05	0.50	0.76	2.51	6.98	147	1,525
05-06	0.53	0.86	2.59	15.78	156	1,715
06-07	0.52	0.76	1.93	7.40	153	1,675
07-08	0.53	0.71	1.90	6.87	137	1,488
08-09	0.49	0.69	2.10	7.07	134	1,435
09-10	0.45	0.67	1.89	9.74	120	1,385
10-11	0.41	0.70	2.22	12.06	116	1,439
11-12	0.43	0.63	1.91	6.12	118	1,412
12-13	0.44	0.64	1.69	17.83	125	1,435
13-14	0.48	0.73	1.93	15.26	133	1,621
14-15	0.50	0.73	1.99	8.88	148	1,653
15-16	0.50	0.75	2.35	8.08	146	1,799
16-17	0.48	0.75	2.11	9.76	149	1,752
17-18	0.54	0.85	2.66	6.96	166	1,987

Ghanta (IST)	Median %	Avg %	95th pct %	Max %	Median pts	Avg BTC vol
18-19	0.56	0.81	2.16	9.27	161	1,883
19-20	0.63	0.84	2.18	9.71	172	1,974
20-21	0.62	0.87	2.29	5.79	183	2,182
21-22	0.65	0.92	2.71	6.67	184	2,282
22-23	0.59	0.86	2.47	8.73	183	2,210
23-00	0.54	0.79	2.20	6.14	174	1,925

	Ghante (IST)	Median move
Sabse shant 5	10-11 AM (0.41%), 1-2 AM (0.43%), 11 AM-12 PM (0.43%), 12-1 PM (0.44%), 9-10 AM (0.45%)	116-127 pts
Sabse active 5	9-10 PM (0.65%), 7-8 PM (0.63%), 8-9 PM (0.62%), 10-11 PM (0.59%), 6-7 PM (0.56%)	161-184 pts

Matlab: subah 9 se dopahar 1 baje tak sabse shant, raat 12 se subah 5 baje bhi kaafi shant. Shaam 6 se raat 11 baje sabse active, aur volume bhi us time sabse zyada (~2,200 BTC/ghanta).

6. Sabse bade 1-ghante ke jhatke (Sunday, IST)

Date	Time (IST)	Points	%
2017-11-12	12:00	985	17.83
2020-05-10	05:00	1,517	15.78
2017-11-12	13:00	930	15.26
2020-08-02	10:00	1,436	12.06
2017-12-24	05:00	1,623	11.39
2024-04-14	01:00	6,581	9.82
2018-11-25	16:00	363	9.76
2021-04-18	09:00	5,493	9.74
2019-02-24	19:00	401	9.71
2017-12-24	18:00	1,116	9.27

Zaroori: shant ghanton me bhi bade jhatke aaye hain (jaise 12 PM, 10 AM, 1 AM). 'Shant' ka matlab 'kabhi nahi hilta' nahi hai. Sabse bada points wala jhatka 14 Apr 2024, 1 AM IST ko (6,581 points) aaya.

7. 12 AM entry: strike kitni door

Entry Sunday 12:00 AM IST (entry price se). Har level ka matlab: **50%** = aadhe Sunday isse kam hile; **95%** = 20 me se 19 Sunday me price yahan tak nahi pahunchi; **99%** = 100 me se 99 me nahi pahunchi; **Worst** = ab tak ki sabse badi. Points aur strike spot 77,582 ke hisaab se hain.

A. Sirf 2024-2026 (148 Sunday), aaj ke price ke kareeb

Hold 6:00 AM tak

Level	Call % / pts	Call strike	Put % / pts	Put strike
50%	0.31% / 241	77,823	0.29% / 222	77,360
90%	1.04% / 806	78,388	1.00% / 776	76,806
95%	1.44% / 1,119	78,701	2.00% / 1,550	76,032
99%	2.09% / 1,625	79,207	3.39% / 2,627	74,955
Worst	3.95% / 3,061	80,643	9.29% / 7,210	70,372

Hold 12:00 PM tak

Level	Call % / pts	Call strike	Put % / pts	Put strike
50%	0.47% / 362	77,944	0.42% / 326	77,256
90%	1.73% / 1,342	78,924	1.66% / 1,291	76,291
95%	2.34% / 1,813	79,395	2.49% / 1,935	75,647
99%	3.95% / 3,067	80,649	3.39% / 2,627	74,955
Worst	4.62% / 3,585	81,167	9.29% / 7,210	70,372

Hold 6:00 PM tak

Level	Call % / pts	Call strike	Put % / pts	Put strike
50%	0.62% / 479	78,061	0.52% / 406	77,176
90%	1.91% / 1,481	79,063	2.06% / 1,598	75,984

Level	Call % / pts	Call strike	Put % / pts	Put strike
95%	2.61% / 2,025	79,607	2.49% / 1,935	75,647
99%	4.20% / 3,256	80,838	3.57% / 2,771	74,811
Worst	4.94% / 3,835	81,417	9.29% / 7,210	70,372

Hold 12:00 AM (raat) tak, poora din

Level	Call % / pts	Call strike	Put % / pts	Put strike
50%	0.88% / 681	78,263	0.63% / 491	77,091
90%	2.48% / 1,923	79,505	2.42% / 1,875	75,707
95%	3.03% / 2,350	79,932	3.51% / 2,727	74,855
99%	5.48% / 4,251	81,833	5.40% / 4,187	73,395
Worst	11.59% / 8,993	86,575	9.29% / 7,210	70,372

B. Poora 2017-2026 (481 Sunday)

Hold 6:00 AM tak

Level	Call % / pts	Call strike	Put % / pts	Put strike
50%	0.50% / 389	77,971	0.51% / 399	77,183
90%	1.98% / 1,532	79,114	2.47% / 1,918	75,664
95%	2.81% / 2,181	79,763	3.42% / 2,654	74,928
99%	4.40% / 3,417	80,999	7.48% / 5,807	71,775
Worst	6.88% / 5,340	82,922	16.77% / 13,012	64,570

Hold 12:00 PM tak

Level	Call % / pts	Call strike	Put % / pts	Put strike
50%	0.74% / 571	78,153	0.68% / 528	77,054
90%	2.80% / 2,172	79,754	3.30% / 2,559	75,023
95%	3.71% / 2,881	80,463	4.79% / 3,716	73,866
99%	6.23% / 4,836	82,418	11.66% / 9,049	68,533
Worst	10.28% / 7,974	85,556	16.84% / 13,064	64,518

Hold 6:00 PM tak

Level	Call % / pts	Call strike	Put % / pts	Put strike
50%	0.95% / 739	78,321	0.90% / 698	76,884
90%	3.27% / 2,534	80,116	4.06% / 3,148	74,434
95%	4.63% / 3,594	81,176	5.95% / 4,620	72,962
99%	8.26% / 6,411	83,993	13.01% / 10,097	67,485
Worst	11.60% / 9,000	86,582	18.44% / 14,309	63,273

Hold 12:00 AM (raat) tak

Level	Call % / pts	Call strike	Put % / pts	Put strike
50%	1.22% / 948	78,530	1.11% / 863	76,719
90%	3.74% / 2,905	80,487	5.03% / 3,900	73,682
95%	5.80% / 4,503	82,085	7.46% / 5,785	71,797
99%	10.35% / 8,027	85,609	15.02% / 11,655	65,927
Worst	13.60% / 10,554	88,136	20.00% / 15,516	62,066

8. Final nishkarsh aur salah

- **Sabse shant combo:** 12 AM entry aur subah 6 ya 12 baje tak hold. 2024-26 me 95% Sunday me call side +1,100 se +1,800 aur put side -1,550 se -1,950 points se door rahi.
- **Shaam 6 PM ke baad** hilna badhta hai, poora din hold karoge to strike aur door leni padegi (95% par ~ +2,350 / -2,727).
- **Put side zyada khatarnak:** 2024-26 me worst put move -7,210 points (9.29%), jabki call side me worst +3,061 se +3,835 (6 AM-6 PM tak).
- **Strike chunne ka rule:** 95% level = 20 me se 1 Sunday touch; 99% level = 100 me se 1. Zyada safety ke liye 99% ya usse bahar.
- **Poore 2017-2026 ka data** 2017-2021 ke pagal market se bhara hai, isliye aaj ke liye 2024-2026 wali table zyada relevant hai.

Zaroori warnings

1. 'Ekdum safe' strike koi nahi hoti. 2024-26 ke sirf 148 Sunday ka data hai, isse bada jhatka aa sakta hai (2021 me ek Sunday subah 17% move hua tha).
2. Option **sell** karne me nuksan bahut bada ho sakta hai; **buy** karne me door ki strike zyadatar zero hoti hai.
3. Ye spot price ka analysis hai; option ka asli premium, IV, expiry aur strike gap alag hote hain.
4. Reference price 77,582 purana hai; trade se pehle script me aaj ka price daalke dobara chalao.
5. Main financial advisor nahi hu; ye sirf past data ka analysis hai.

9. Dobara chalane ke steps

Kaam	Command
Folder me jao	cd C:\binance_btc_data
Data health check	python health.py
Sunday subah movement	python sunday_morning.py
Ghanta-wise + strike table	python sunday_full.py
Aaj ke price par strike	sunday_full.py me SPOT_FROM_DATA = False aur SPOT = aaj ka price karo

DuckDB 2.0 note: connection par adhoora result na chhode, isliye script me `.fetchall()` use hua hai.

Naye data ke liye: download script me END date badlo aur dobara chalao; jo saal ki file ban chuki hai wo skip hogi, isliye chal rahe saal ki .parquet file delete karke chalao.

10. Appendix: scripts

download_btc_1s.py

```
import io, os, time, zipfile
from datetime import date, timedelta
from concurrent.futures import ThreadPoolExecutor
import pandas as pd, requests

SYMBOL="BTCUSDT"; INTERVAL="1s"
START=date(2017,8,17); END=date(2026,10,31)
OUT_DIR="btc_1s"; WORKERS=8
BASE="https://data.binance.vision/data/spot/daily/klines"
COLS=["open_time","open","high","low","close","volume","close_time",
      "quote_volume","trades","taker_buy_base","taker_buy_quote","ignore"]
session=requests.Session()

def fetch_day(d):
    url=f"{BASE}/{SYMBOL}/{INTERVAL}/{SYMBOL}-{INTERVAL}-{d.isoformat()}.zip"
    for attempt in range(4):
        try:
            r=session.get(url,timeout=60)
            if r.status_code==404: return d,None
            r.raise_for_status()
            with zipfile.ZipFile(io.BytesIO(r.content)) as z:
                with z.open(z.namelist()[0]) as f:
                    df=pd.read_csv(f,header=None,names=COLS)
            df=df[pd.to_numeric(df["open_time"],errors="coerce").notna()]
            df=df.astype({"open_time":"int64","close_time":"int64"})
            for c in ("open_time","close_time"):
                df.loc[df[c]>10**14,c]//=1000      # microsec -> millisec
            df["open_time"]=pd.to_datetime(df["open_time"],unit="ms")
            df["close_time"]=pd.to_datetime(df["close_time"],unit="ms")
            for c in ["open","high","low","close","volume","quote_volume",
                      "taker_buy_base","taker_buy_quote"]:
                df[c]=df[c].astype("float64")
            df["trades"]=df["trades"].astype("int64")
            return d,df.drop(columns=["ignore"])
        except Exception as e:
            if attempt==3: print(f"FAILED {d}: {e}"); return d,None
            time.sleep(2*(attempt+1))

def main():
    os.makedirs(OUT_DIR,exist_ok=True)
    for year in range(START.year,END.year+1):
        out=f"{OUT_DIR}/BTCUSDT_1s_{year}.parquet"
        if os.path.exists(out): print("skip",year); continue
        print("downloading",year,"...",flush=True)
        ys=max(START,date(year,1,1)); ye=min(END,date(year,12,31))
        days=[ys+timedelta(n) for n in range((ye-ys).days+1)]
        frames=[]
        with ThreadPoolExecutor(WORKERS) as ex:
            for _,df in ex.map(fetch_day,days):
                if df is not None: frames.append(df)
        if frames:
            big=pd.concat(frames,ignore_index=True)
            big.to_parquet(out+".tmp",compression="zstd",index=False)
            os.replace(out+".tmp",out)
            print(year,f"{len(big):,} rows",flush=True)
        else: print(year,"no data",flush=True)

if __name__=="__main__": main()
```

sunday_morning.py

```
import duckdb
START_HOUR=6; END_HOUR=12      # IST subah 6 se 12
query=f"""
WITH ist AS (
  SELECT open_time + INTERVAL 330 MINUTE AS t, open, high, low, close, volume
  FROM 'C:/binance_btc_data/btc_1s/*.parquet'),
sunday AS (
  SELECT CAST(t AS DATE) AS din, arg_min(open,t) AS open_price,
         max(high) AS high, min(low) AS low, arg_max(close,t) AS close_price,
         sum(volume) AS btc_volume
  FROM ist WHERE dayofweek(t)=0 AND hour(t)>={START_HOUR} AND hour(t)<{END_HOUR}
  GROUP BY din)
SELECT din, open_price, high, low, close_price,
       round(high-low,2) AS range_usdt,
       round((high-low)/low*100,2) AS range_pct,
       round((close_price-open_price)/open_price*100,2) AS net_move_pct,
       round(btc_volume,2) AS btc_volume
FROM sunday"""
con=duckdb.connect()
con.sql(query+" ORDER BY range_pct DESC LIMIT 10").show()
```

```
con.sql(query+" ORDER BY range_usdt DESC LIMIT 10").show()
con.sql(query+" ORDER BY din").df().to_csv("C:/binance_btc_data/sunday_morning.csv",index=False)
```

sunday_full.py (final, working)

```
import duckdb
pd_path="C:/binance_btc_data/btc_1s/*.parquet"
SPOT_FROM_DATA=True      # False karke SPOT me aaj ka price daalo
SPOT=100000
WINDOWS=[6,12,18,24]     # IST ghante tak hold
con=duckdb.connect()
print("Data padh raha hu, 1-2 minute lag sakte hain...",flush=True)
con.execute(f"""
CREATE TABLE m AS
SELECT date_trunc('minute',t) AS mt, arg_min(open,t) AS o, max(high) AS h,
       min(low) AS l, arg_max(close,t) AS c, sum(volume) AS v
FROM (SELECT open_time + INTERVAL 330 MINUTE AS t, open, high, low, close, volume
      FROM '{pd_path}')
WHERE dayofweek(t)=0 GROUP BY mt""").fetchall()
if SPOT_FROM_DATA:
    SPOT=con.execute("SELECT c FROM m ORDER BY mt DESC LIMIT 1").fetchall()[0][0]
print(f"Reference price (spot): {SPOT:,.0f}")

hourly="""
WITH hh AS (
  SELECT CAST(mt AS DATE) AS din, hour(mt) AS hr, max(h)-min(l) AS pts,
         (max(h)-min(l))/arg_min(o,mt)*100 AS pct, sum(v) AS vol
  FROM m GROUP BY din,hr)
SELECT lpad(hr::VARCHAR,2,'0')||':00-'||lpad(((hr+1)%24)::VARCHAR,2,'0')||':00' AS ghanta_IST,
       round(median(pct),2) AS median_pct, round(avg(pct),2) AS avg_pct,
       round(quantile_cont(pct,0.95),2) AS p95_pct, round(max(pct),2) AS max_pct,
       round(median(pts),0) AS median_pts, round(avg(vol),0) AS avg_btc_vol
FROM hh GROUP BY hr ORDER BY hr"""
con.sql(hourly).show(max_rows=30)
con.sql(f"SELECT * FROM ({hourly}) ORDER BY median_pct ASC LIMIT 5").show()
con.sql(f"SELECT * FROM ({hourly}) ORDER BY median_pct DESC LIMIT 5").show()
con.sql("""
SELECT CAST(mt AS DATE) AS din, lpad(hour(mt)::VARCHAR,2,'0')||':00 IST' AS ghanta,
       round(max(h)-min(l),2) AS points,
       round((max(h)-min(l))/arg_min(o,mt)*100,2) AS pct
FROM m GROUP BY din,hour(mt) ORDER BY pct DESC LIMIT 10""").show()

def excursion(end_hr,from_year):
    return con.execute(f"""
    WITH d AS (
      SELECT CAST(mt AS DATE) AS din, arg_min(o,mt) AS o0, max(h) AS hi, min(l) AS lo
      FROM m WHERE hour(mt)<{end_hr} AND year(mt)>={from_year}
      GROUP BY din HAVING hour(min(mt))=0)
    SELECT count(*),
      quantile_cont((hi-o0)/o0*100,0.50), quantile_cont((hi-o0)/o0*100,0.90),
      quantile_cont((hi-o0)/o0*100,0.95), quantile_cont((hi-o0)/o0*100,0.99),
      max((hi-o0)/o0*100),
      quantile_cont((o0-lo)/o0*100,0.50), quantile_cont((o0-lo)/o0*100,0.90),
      quantile_cont((o0-lo)/o0*100,0.95), quantile_cont((o0-lo)/o0*100,0.99),
      max((o0-lo)/o0*100)
    FROM d""").fetchall()[0]
labels=["50% (normal)","90%","95%","99%","Worst (max)"]
for fy,title in [(2017,"POORA 2017-2026"),(2024,"SIRF 2024-2026")]:
    print("#####",title)
    for w in WINDOWS:
        r=excursion(w,fy); print(f"--- 12 AM entry, hold {w}:00 IST tak ({r[0]} Sunday)")
        for i,lab in enumerate(labels):
            up,dn=r[1+i],r[6+i]
            print(f"{lab:<14} {up:6.2f}% {SPOT*up/100:7,.0f} pts -> {SPOT*(1+up/100):9,.0f}"
                  f"   {dn:6.2f}% {SPOT*dn/100:7,.0f} pts -> {SPOT*(1-dn/100):9,.0f}")
```