

Instances

EC2 Dashboard

EC2 Global View

Events

Instances

Instances

Instance Types

Launch Templates

Spot Requests

Savings Plans

Reserved Instances

Dedicated Hosts

Capacity Reservations

Images

AMIs

AMI Catalog

Elastic Block Store

Volumes

Snapshots

Lifecycle Manager

CloudShell

Feedback

CloudShell

Feedback

eu-north-1.console.aws.amazon.com/ec2/home

Search

[Alt+S]

Instances (1) Info

Find Instance by attribute or tag (case-sensitive)

All states

Instance state = running

Clear filters

Name Instance ID Instance state Instance type Status check Alarm status Availability Zone Public IP

Name	Instance ID	Instance state	Instance type	Status check	Alarm status	Availability Zone	Public IP
My1stMachine	i-0c8e730a6e929e9ae	Running	t3.micro	2/2 checks passed	View alarms	eu-north-1b	ec2-16-1

Select an instance

CloudShell

Feedback

© 2024, Amazon Web Services, Inc. or its affiliates.

Privacy Terms Cookie preferences

107°F Haze

Search

8:42 PM

6/3/2024

Instances Home GitHub MEGA ElSyster Netflix (136) SS Cloud ChatGP LinkedIn (30) Set YouTube (137) AV +

eu-north-1.console.aws.amazon.com/ec2/home

(1) WhatsApp Meet - mxd-twky-b... Meet - oav-pkza-its DevOps Roadmap... Reddit - Dive into a... Getting started - M... Azure DevOps Han... DevOps Training ... linuxtoolbox.pdf -... MEGA

aws Services Search [Alt+S]

EC2 Dashboard EC2 Global View Events Instances Instances Instance Types Launch Templates Spot Requests Savings Plans Reserved Instances Dedicated Hosts Capacity Reservations Images AMIs AMI Catalog Elastic Block Store Volumes Snapshots Lifecycle Manager

EC2 > Instances > i-0c8e730a6e929e9ae

Instance summary for i-0c8e730a6e929e9ae (My1stMachine) [Info](#)

Updated less than a minute ago

Attribute	Value	Attribute	Value
Instance ID	i-0c8e730a6e929e9ae (My1stMachine)	Public IPv4 address	16.171.41.214 open address
IPv6 address	-	Instance state	Running
Hostname type	IP name: ip-172-31-39-177.eu-north-1.compute.internal	Private IP DNS name (IPv4 only)	ip-172-31-39-177.eu-north-1.compute.internal
Answer private resource DNS name	IPv4 (A)	Instance type	t3.micro
Auto-assigned IP address	16.171.41.214 [Public IP]	VPC ID	vpc-02d20472725b21883
IAM Role	-	Subnet ID	subnet-01ac9689b029c0226
IMDSv2	-	Instance ARN	-

Actions

CloudShell Feedback © 2024, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

107°F Haze

Search

8:42 PM 6/3/2024

Quick connect...

2. /drives/c/AWS

ubuntu@ip-172-31-39-177:~\$ client_loop: send disconnect: Connection reset by peer

03/06/2024 20:43.34 /drives/c/AWS ls
.. MobaXterm_13.53.165.119ubuntu_20240603_154352.rtf MobaXterm_Installer_v24.1.zip
.cache MobaXterm_Installer_v24.1
.ssh key1.pem
.bash_logout
.bashrc
.profile
.Xauthority

03/06/2024 20:44.37 /drives/c/AWS chmod 400 key1.pem

03/06/2024 20:44.51 /drives/c/AWS ssh -i key1.pem ubuntu@16.171.41.214

 Follow terminal folder

Quick connect...

2. ubuntu@ip-172-31-39-177: ~

ubuntu@ip-172-31-39-177:~\$ client_loop: send disconnect: Connection reset by peer

03/06/2024 20:43:34 /drives/c/AWS ls
MobaXterm_13.53.165.119ubuntu_20240603_154352.rtf MobaXterm_Installer_v24.1.zip
MobaXterm_Installer_v24.1 key1.pem

03/06/2024 20:44:37 /drives/c/AWS chmod 400 key1.pem

03/06/2024 20:44:51 /drives/c/AWS ssh -i key1.pem ubuntu@16.171.41.214
Welcome to Ubuntu 24.04 LTS (GNU/Linux 6.8.0-1008-aws x86_64)

- * Documentation: <https://help.ubuntu.com>
- * Management: <https://landscape.canonical.com>
- * Support: <https://ubuntu.com/pro>

System information as of Mon Jun 3 15:15:31 UTC 2024

System load:	0.0	Temperature:	-273.1 C
Usage of /:	26.1% of 6.71GB	Processes:	111
Memory usage:	25%	Users logged in:	1
Swap usage:	0%	IPv4 address for ens5:	172.31.39.177

Expanded Security Maintenance for Applications is not enabled.

51 updates can be applied immediately.

34 of these updates are standard security updates.

To see these additional updates run: apt list --upgradable

Enable ESM Apps to receive additional future security updates.

See <https://ubuntu.com/esm> or run: sudo pro status

Last login: Mon Jun 3 15:04:34 2024 from 103.156.168.43
ubuntu@ip-172-31-39-177:~\$

 Follow terminal folder


Quick connect...


2. root@ip-172-31-39-177: ~

```
ubuntu@ip-172-31-39-177:~$ sudo su -
root@ip-172-31-39-177:~# apt update -y
Hit:1 http://eu-north-1.ec2.archive.ubuntu.com/ubuntu noble InRelease
Hit:2 http://eu-north-1.ec2.archive.ubuntu.com/ubuntu noble-updates InRelease
Hit:3 http://eu-north-1.ec2.archive.ubuntu.com/ubuntu noble-backports InRelease
Hit:4 http://security.ubuntu.com/ubuntu noble-security InRelease
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
51 packages can be upgraded. Run 'apt list --upgradable' to see them.
root@ip-172-31-39-177:~# apt install apache2 -y
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
The following additional packages will be installed:
  apache2-bin apache2-data apache2-utils libapr1t64 libaprutil1-dbd-sqlite3 libaprutil1-ldap libaprutil1t64 liblua5.4-0 ssl-cert
Suggested packages:
  apache2-doc apache2-suexec-pristine | apache2-suexec-custom www-browser
The following NEW packages will be installed:
  apache2 apache2-bin apache2-data apache2-utils libapr1t64 libaprutil1-dbd-sqlite3 libaprutil1-ldap libaprutil1t64 liblua5.4-0 ssl-cert
0 upgraded, 10 newly installed, 0 to remove and 51 not upgraded.
Need to get 2080 kB of archives.
After this operation, 8091 kB of additional disk space will be used.
Get:1 http://eu-north-1.ec2.archive.ubuntu.com/ubuntu noble/main amd64 libapr1t64 amd64 1.7.2-3.1build2 [107 kB]
Get:2 http://eu-north-1.ec2.archive.ubuntu.com/ubuntu noble/main amd64 libaprutil1t64 amd64 1.6.3-1.1ubuntu7 [91.9 kB]
Get:3 http://eu-north-1.ec2.archive.ubuntu.com/ubuntu noble/main amd64 libaprutil1-dbd-sqlite3 amd64 1.6.3-1.1ubuntu7 [11.2 kB]
Get:4 http://eu-north-1.ec2.archive.ubuntu.com/ubuntu noble/main amd64 libaprutil1-ldap amd64 1.6.3-1.1ubuntu7 [9116 B]
Get:5 http://eu-north-1.ec2.archive.ubuntu.com/ubuntu noble/main amd64 liblua5.4-0 amd64 5.4.6-3build2 [166 kB]
Get:6 http://eu-north-1.ec2.archive.ubuntu.com/ubuntu noble-updates/main amd64 apache2-bin amd64 2.4.58-1ubuntu8.1 [1327 kB]
Get:7 http://eu-north-1.ec2.archive.ubuntu.com/ubuntu noble-updates/main amd64 apache2-data all 2.4.58-1ubuntu8.1 [163 kB]
Get:8 http://eu-north-1.ec2.archive.ubuntu.com/ubuntu noble-updates/main amd64 apache2-utils amd64 2.4.58-1ubuntu8.1 [96.2 kB]
Get:9 http://eu-north-1.ec2.archive.ubuntu.com/ubuntu noble-updates/main amd64 apache2 amd64 2.4.58-1ubuntu8.1 [90.2 kB]
Get:10 http://eu-north-1.ec2.archive.ubuntu.com/ubuntu noble/main amd64 ssl-cert all 1.1.2ubuntu1 [17.8 kB]
Fetched 2080 kB in 0s (27.2 MB/s)
Preconfiguring packages ...
Selecting previously unselected package libapr1t64:amd64.
(Reading database ... 71839 files and directories currently installed.)
Preparing to unpack .../0-libapr1t64_1.7.2-3.1build2_amd64.deb ...
Unpacking libapr1t64:amd64 (1.7.2-3.1build2) ...
Selecting previously unselected package libaprutil1t64:amd64.
Preparing to unpack .../1-libaprutil1t64_1.6.3-1.1ubuntu7_amd64.deb ...
Unpacking libaprutil1t64:amd64 (1.6.3-1.1ubuntu7) ...
```

 Follow terminal folder

root@ip-172-31-39-177: ~

Terminal Sessions View Xserver Tools Games Settings Macros Help



X server Exit

Quick connect...

2. root@ip-172-31-39-177: ~

```
root@ip-172-31-39-177:~# systemctl status apache2
● apache2.service - The Apache HTTP Server
   Loaded: loaded (/usr/lib/systemd/system/apache2.service; enabled; preset: enabled)
   Active: active (running) since Mon 2024-06-03 15:18:41 UTC; 1min 4s ago
     Docs: https://httpd.apache.org/docs/2.4/
          Main PID: 2565 (apache2)
            Tasks: 55 (limit: 1078)
           Memory: 5.4M (peak: 5.7M)
             CPU: 43ms
            CGroup: /system.slice/apache2.service
                    ├─2565 /usr/sbin/apache2 -k start
                    ├─2567 /usr/sbin/apache2 -k start
                    └─2568 /usr/sbin/apache2 -k start
```

```
Jun 03 15:18:41 ip-172-31-39-177 systemd[1]: Starting apache2.service - The Apache HTTP Server...
Jun 03 15:18:41 ip-172-31-39-177 systemd[1]: Started apache2.service - The Apache HTTP Server.
root@ip-172-31-39-177:~#
```

Follow terminal folder

UNREGISTERED VERSION - Please support MobaXterm by subscribing to the professional edition here: <https://mobaxterm.mobatek.net>

USD/GBP
-0.33%



Search



8:49 PM
6/3/2024

Apache2 Default Page



It works!

This is the default welcome page used to test the correct operation of the Apache2 server after installation on Ubuntu systems. It is based on the equivalent page on Debian, from which the Ubuntu Apache packaging is derived. If you can read this page, it means that the Apache HTTP server installed at this site is working properly. You should **replace this file** (located at /var/www/html/index.html) before continuing to operate your HTTP server.

If you are a normal user of this web site and don't know what this page is about, this probably means that the site is currently unavailable due to maintenance. If the problem persists, please contact the site's administrator.

Configuration Overview

Ubuntu's Apache2 default configuration is different from the upstream default configuration, and split into several files optimized for interaction with Ubuntu tools. The configuration system is **fully documented in /usr/share/doc/apache2/README.Debian.gz**. Refer to this for the full documentation. Documentation for the web server itself can be found by accessing the **manual** if the apache2-doc package was installed on this server.

The configuration layout for an Apache2 web server installation on Ubuntu systems is as follows:

```
/etc/apache2/  
|-- apache2.conf  
|   '-- ports.conf  
|-- mods-enabled  
|   '-- *.Load  
|   '-- *.conf  
|-- conf-enabled  
|   '-- *.conf  
|-- sites-enabled  
|   '-- *.conf
```

Quick connect...

2. root@ip-172-31-39-177: ~

root@ip-172-31-39-177:~# mysql_secure_installation

Securing the MySQL server deployment.

Connecting to MySQL using a blank password.

VALIDATE PASSWORD COMPONENT can be used to test passwords and improve security. It checks the strength of password and allows the users to set only those passwords which are secure enough. Would you like to setup VALIDATE PASSWORD component?

Press y|Y for Yes, any other key for No: Y

There are three levels of password validation policy:

LOW Length >= 8

MEDIUM Length >= 8, numeric, mixed case, and special characters

STRONG Length >= 8, numeric, mixed case, special characters and dictionary

file

Please enter 0 = LOW, 1 = MEDIUM and 2 = STRONG: 2

Skipping password set for root as authentication with auth_socket is used by default.

If you would like to use password authentication instead, this can be done with the "ALTER_USER" command.

See <https://dev.mysql.com/doc/refman/8.0/en/alter-user.html#alter-user-password-management> for more information.

By default, a MySQL installation has an anonymous user, allowing anyone to log into MySQL without having to have a user account created for them. This is intended only for testing, and to make the installation go a bit smoother. You should remove them before moving into a production environment.

Remove anonymous users? (Press y|Y for Yes, any other key for No) : y
Success.

Normally, root should only be allowed to connect from 'localhost'. This ensures that someone cannot guess at the root password from the network.

Disallow root login remotely? (Press y|Y for Yes, any other key for No) : y
Success.

 Follow terminal folder

Quick connect...

2. root@ip-172-31-39-177:~

```
root@ip-172-31-39-177:~# mysql -u root -p
Enter password:
Welcome to the MySQL monitor. Commands end with ; or \g.
Your MySQL connection id is 10
Server version: 8.0.36-2ubuntu3 (Ubuntu)
```

Copyright (c) 2000, 2024, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

```
mysql> CREATE USER 'user1'@localhost IDENTIFIED BY 'password';
ERROR 1819 (HY000): Your password does not satisfy the current policy requirements
mysql> CREATE USER 'user1'@'localhost' IDENTIFIED BY 'Aman@!456';
Query OK, 0 rows affected (0.01 sec)
```

```
mysql> CREATE USER 'user1'@'%' IDENTIFIED BY 'Aman@!456';
Query OK, 0 rows affected (0.01 sec)
```

```
mysql> CREATE USER 'user1'@'%' IDENTIFIED WITH caching_sha2_password BY 'Aman@!456';
ERROR 1396 (HY000): Operation CREATE USER failed for 'user1'@'%'
mysql> GRANT ALL PRIVILEGES .* TO 'user1'@'localhost';
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near '.* TO 'user1'@'localhost'' at line 1
mysql> GRANT ALL PRIVILEGES ON .* TO 'user1'@'localhost';
Query OK, 0 rows affected (0.01 sec)
```

```
mysql> FLUSH PRIVILEGES
-> EXIT
-> FLUSH PRIVILEGES;
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'EXIT
FLUSH PRIVILEGES' at line 2
mysql> FLUSH PRIVILEGES;
Query OK, 0 rows affected (0.00 sec)
```

```
mysql> EXIT
```


Bye

```
root@ip-172-31-39-177:~#
```

 Follow terminal folder

root@ip-172-31-39-177: ~

Terminal Sessions View Xserver Tools Games Settings Macros Help



X server Exit

Quick connect...

2. root@ip-172-31-39-177: ~

```
root@ip-172-31-39-177:~# mysql -u root -p
Enter password:
Welcome to the MySQL monitor. Commands end with ; or \g.
Your MySQL connection id is 14
Server version: 8.0.36-2ubuntu3 (Ubuntu)
```

Copyright (c) 2000, 2024, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

```
mysql> CREATE DATABASE wordpressdb;
ERROR 1007 (HY000): Can't create database 'wordpressdb'; database exists
mysql> SHOW DATABASES;
+-----+
| Database |
+-----+
| information_schema |
| mysql |
| performance_schema |
| sys |
| wordpressdb |
+-----+
5 rows in set (0.00 sec)

mysql> |
```

 Follow terminal folderUNREGISTERED VERSION - Please support MobaXterm by subscribing to the professional edition here: <https://mobaxterm.mobatek.net>

102°F

Haze




Search



9:29 PM

6/3/2024



Quick connect...

2. root@ip-172-31-39-177: ~

Server version: 8.0.36-2ubuntu3 (Ubuntu)

Copyright (c) 2000, 2024, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

```
mysql> CREATE DATABASE wordpressdb;
ERROR 1007 (HY000): Can't create database 'wordpressdb'; database exists
```

```
mysql> SHOW DATABASES;
+-----+
| Database |
+-----+
| information_schema |
| mysql |
| performance_schema |
| sys |
| wordpressdb |
+-----+
5 rows in set (0.00 sec)
```

```
mysql> exit
```

Bye

```
root@ip-172-31-39-177:~# systemctl status mysql.service
● mysql.service - MySQL Community Server
   Loaded: loaded (/usr/lib/systemd/system/mysql.service; enabled; preset: enabled)
   Active: active (running) since Mon 2024-06-03 15:40:47 UTC; 19min ago
     Process: 10067 ExecStartPre=/usr/share/mysql/mysql-systemd-start pre (code=exited, status=0/SUCCESS)
    Main PID: 10076 (mysqld)
      Status: "Server is operational"
        Tasks: 39 (limit: 1078)
       Memory: 373.3M (peak: 379.1M)
         CPU: 8.840s
        CGroup: /system.slice/mysql.service
                   └─10076 /usr/sbin/mysqld
```

```
Jun 03 15:40:46 ip-172-31-39-177 systemd[1]: Starting mysql.service - MySQL Community Server...
```


```
Jun 03 15:40:47 ip-172-31-39-177 systemd[1]: Started mysql.service - MySQL Community Server.
```

```
root@ip-172-31-39-177:~#
```

 Follow terminal folder


root@ip-172-31-39-177: ~

Terminal Sessions View Xserver Tools Games Settings Macros Help



X server Exit


Quick connect...

2. root@ip-172-31-39-177: ~

```
root@ip-172-31-39-177:~# apt-get install php php-mysql php-gd php-cli php-common
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
The following additional packages will be installed:
  libapache2-mod-php8.3 php8.3 php8.3-cli php8.3-common php8.3-gd php8.3-mysql php8.3-opcache php8.3-readline
Suggested packages:
  php-pear
The following NEW packages will be installed:
  libapache2-mod-php8.3 php php-common php-gd php-mysql php8.3 php8.3-common php8.3-gd php8.3-mysql php8.3-opcache php8.3-readline
0 upgraded, 13 newly installed, 0 to remove and 0 not upgraded.
Need to get 5080 kB of archives.
After this operation, 23.0 MB of additional disk space will be used.
Do you want to continue? [Y/n] ■
```

Follow terminal folder

UNREGISTERED VERSION - Please support MobaXterm by subscribing to the professional edition here: <https://mobaxterm.mobatek.net>




Search



9:31 PM
6/3/2024

root@ip-172-31-39-177: ~

Terminal Sessions View Xserver Tools Games Settings Macros Help




X server Exit

Quick connect...

2. root@ip-172-31-39-177: ~

GNU nano 7.2
/etc/apache2/mods-enabled/dir.conf *

```
DirectoryIndex index.php index.html index.cgi index.pl index.xhtml index.htm
```



Follow terminal folder

^G Help
^X Exit

^O Write Out
^R Read File

^W Where Is
^Y Replace

^K Cut
^U Paste

^T Execute
^J Justify

^O Location
^Y Go To Line

M-U Undo
M-E Redo

M-A Set Mark
M-C Copy

M-J To Bracket
^O Where Was

UNREGISTERED VERSION - Please support MobaXterm by subscribing to the professional edition here: <https://mobaxterm.mobatek.net>

1 102°F
Haze




Search



9:37 PM
6/3/2024

root@ip-172-31-39-177: ~

Terminal Sessions View Xserver Tools Games Settings Macros Help




X server Exit

Quick connect...

2. root@ip-172-31-39-177: ~

```
root@ip-172-31-39-177:~# nano /etc/apache2/mods-enabled/dir.conf
root@ip-172-31-39-177:~# nano /etc/apache2/mods-enabled/dir.conf
```



UNREGISTERED VERSION - Please support MobaXterm by subscribing to the professional edition here: <https://mobaxterm.mobatek.net>



102°F



Search



9:37 PM

6/3/2024

Quick connect...

2. root@ip-172-31-39-177: ~

```

root@ip-172-31-39-177:~# nano /etc/apache2/mods-enabled/dir.conf
root@ip-172-31-39-177:~# nano /etc/apache2/mods-enabled/dir.conf
root@ip-172-31-39-177:~# sudo service apache2 restart
root@ip-172-31-39-177:~# apt install phpmyadmin
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
The following additional packages will be installed:
  dbconfig-common dbconfig-mysql libc-profiles-free javascript-common libjs-bootstrap5 libjs-codemirror libjs-jquery libjs-jquery-metadata
  libjs-jquery-mousewheel libjs-jquery-tablesorter libjs-jquery-timepicker libjs-jquery-ui libjs-popper.js libjs-sizzle libjs-sphinxdoc libjs-underscore
  libmcrypt4 libzipp4t64 node-jquery php-bz2 php-composer-ca-bundle php-curl php-fimg-http-message-util php-getallheaders php-google-recaptcha
  php-mariadb-mysql-kbs php-mbstring php-mcrypt php-nikic-fast-route php-phpmyadmin-motranslator php-phpmyadmin-shapefile php-phpmyadmin-sql-parser
  php-psr-cache php-psr-container php-psr-http-factory php-psr-http-message php-psr-log php-slim-psr7 php-symfony-cache php-symfony-cache-contracts
  php-symfony-config php-symfony-dependency-injection php-symfony-deprecation-contracts php-symfony-expression-language php-symfony-filesystem
  php-symfony-polyfill-php80 php-symfony-service-contracts php-symfony-var-exporter php-tcpdf php-twifg php-twifg-i18n-extension php-webmozart-assert php-xml
  php-zip php8.3-bz2 php8.3-curl php8.3-mbstring php8.3-mcrypt php8.3-xml php8.3-zip
Suggested packages:
  bootstrap-icons libjs-bootstrap5-doc libjs-requirejs libjs-jquery-ui-docs libmcrypt-dev mcrypt php-apcu php-dbase php-imagick php-twifg-doc php-recode
  www-browser php-gd2 php-pragmarx-google2fa-qrcode php-bacon-qr-code php-code-lts-u2f-php-server
The following NEW packages will be installed:
  dbconfig-common dbconfig-mysql libc-profiles-free javascript-common libjs-bootstrap5 libjs-codemirror libjs-jquery libjs-jquery-metadata
  libjs-jquery-mousewheel libjs-jquery-tablesorter libjs-jquery-timepicker libjs-jquery-ui libjs-popper.js libjs-sizzle libjs-sphinxdoc libjs-underscore
  libmcrypt4 libzipp4t64 node-jquery php-bz2 php-composer-ca-bundle php-curl php-fimg-http-message-util php-getallheaders php-google-recaptcha
  php-mariadb-mysql-kbs php-mbstring php-mcrypt php-nikic-fast-route php-phpmyadmin-motranslator php-phpmyadmin-shapefile php-phpmyadmin-sql-parser
  php-psr-cache php-psr-container php-psr-http-factory php-psr-http-message php-psr-log php-slim-psr7 php-symfony-cache php-symfony-cache-contracts
  php-symfony-config php-symfony-dependency-injection php-symfony-deprecation-contracts php-symfony-expression-language php-symfony-filesystem
  php-symfony-polyfill-php80 php-symfony-service-contracts php-symfony-var-exporter php-tcpdf php-twifg php-twifg-i18n-extension php-webmozart-assert php-xml
  php-zip php8.3-bz2 php8.3-curl php8.3-mbstring php8.3-mcrypt php8.3-xml php8.3-zip phpmyadmin
0 upgraded, 61 newly installed, 0 to remove and 0 not upgraded.
Need to get 17.7 MB of archives.
After this operation, 85.3 MB of additional disk space will be used.
Do you want to continue? [Y/n] y
Get:1 http://eu-north-1.ec2.archive.ubuntu.com/ubuntu noble/universe amd64 libmcrypt4 amd64 2.5.8-7 [68.8 kB]
Get:2 http://eu-north-1.ec2.archive.ubuntu.com/ubuntu noble/universe amd64 php8.3-mcrypt amd64 3:1.0.5-4ubuntu1 [17.6 kB]
Get:3 http://eu-north-1.ec2.archive.ubuntu.com/ubuntu noble/universe amd64 php-mcrypt amd64 3:1.0.5-4ubuntu1 [2694 B]
Get:4 http://eu-north-1.ec2.archive.ubuntu.com/ubuntu noble/universe amd64 dbconfig-common all 2.0.24 [596 kB]
Get:5 http://eu-north-1.ec2.archive.ubuntu.com/ubuntu noble/universe amd64 dbconfig-mysql all 2.0.24 [938 B]
Get:6 http://eu-north-1.ec2.archive.ubuntu.com/ubuntu noble/main amd64 libc-profiles-free all 2.0.1+dfsg-1.1 [214 kB]
Get:7 http://eu-north-1.ec2.archive.ubuntu.com/ubuntu noble/main amd64 javascript-common all 11+nmu1 [5936 B]
Get:8 http://eu-north-1.ec2.archive.ubuntu.com/ubuntu noble/universe amd64 libjs-popper.js all 1.16.1+ds-6 [54.1 kB]
Get:9 http://eu-north-1.ec2.archive.ubuntu.com/ubuntu noble/universe amd64 libjs-bootstrap5 all 5.3.1+dfsg-1 [260 kB]
Get:10 http://eu-north-1.ec2.archive.ubuntu.com/ubuntu noble/main amd64 libjs-jquery all 3.6.1+dfsg+~3.5.14-1 [328 kB]
```

 Follow terminal folder

Quick connect... 2. root@ip-172-31-39-177: ~

Reconnect SSH-browser

root@ip-172-31-39-177:~# apt install wget unzip -y
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
wget is already the newest version (1.21.4-1ubuntu4).
wget set to manually installed.
Suggested packages:
 zip
The following NEW packages will be installed:
 unzip
0 upgraded, 1 newly installed, 0 to remove and 0 not upgraded.
Need to get 175 kB of archives.
After this operation, 384 kB of additional disk space will be used.
Get:1 http://eu-north-1.ec2.archive.ubuntu.com/ubuntu noble/main amd64 unzip amd64 6.0-28ubuntu4 [175 kB]
Fetched 175 kB in 0s (5480 kB/s)
Selecting previously unselected package unzip.
(Reading database ... 79514 files and directories currently installed.)
Preparing to unpack .../unzip_6.0-28ubuntu4_amd64.deb ...
Unpacking unzip (6.0-28ubuntu4) ...
Setting up unzip (6.0-28ubuntu4) ...
Processing triggers for man-db (2.12.0-4build2) ...
Scanning processes...
Scanning candidates...
Scanning linux images...

Running kernel seems to be up-to-date.

Restarting services...

Service restarts being deferred:
 /etc/needrestart/restart.d/dbus.service
 systemctl restart getty@tty1.service
 systemctl restart networkd-dispatcher.service
 systemctl restart serial-getty@ttyS0.service
 systemctl restart systemd-logind.service
 systemctl restart unattended-upgrades.service


No containers need to be restarted.

User sessions running outdated binaries:
 ubuntu @ session #1: sshd[1022,1134]
 ubuntu @ session #3: sshd[1056,1184]

 Follow terminal folder

root@ip-172-31-39-177: ~

Terminal Sessions View Xserver Tools Games Settings Macros Help



X server Exit

Quick connect...

2. root@ip-172-31-39-177: ~

root@ip-172-31-39-177:~# wget https://wordpress.org/latest.zip

--2024-06-03 16:11:55-- https://wordpress.org/latest.zip

Resolving wordpress.org (wordpress.org)... 198.143.164.252

Connecting to wordpress.org (wordpress.org)|198.143.164.252|:443... connected.

HTTP request sent, awaiting response... 200 OK

Length: 26193148 (25M) [application/zip]

Saving to: 'latest.zip'

latest.zip

100%[=====] 24.98M 13.4MB/s in 1.9s

2024-06-03 16:11:58 (13.4 MB/s) - 'latest.zip' saved [26193148/26193148]

root@ip-172-31-39-177:~# unzip latest.zip

Archive: latest.zip

creating: wordpress/

inflating: wordpress/xmlrpc.php

inflating: wordpress/wp-blog-header.php

inflating: wordpress/readme.html

inflating: wordpress/wp-signup.php

inflating: wordpress/index.php

inflating: wordpress/wp-cron.php

inflating: wordpress/wp-config-sample.php

inflating: wordpress/wp-login.php

inflating: wordpress/wp-settings.php

inflating: wordpress/license.txt

creating: wordpress/wp-content/

creating: wordpress/wp-content/themes/

creating: wordpress/wp-content/themes/twentytwentythree/

inflating: wordpress/wp-content/themes/twentytwentythree/theme.json

creating: wordpress/wp-content/themes/twentytwentythree/parts/

inflating: wordpress/wp-content/themes/twentytwentythree/parts/footer.html

inflating: wordpress/wp-content/themes/twentytwentythree/parts/comments.html

inflating: wordpress/wp-content/themes/twentytwentythree/parts/header.html

inflating: wordpress/wp-content/themes/twentytwentythree/parts/post-meta.html

creating: wordpress/wp-content/themes/twentytwentythree/patterns/

inflating: wordpress/wp-content/themes/twentytwentythree/patterns/hidden-404.php

inflating: wordpress/wp-content/themes/twentytwentythree/patterns/post-meta.php

inflating: wordpress/wp-content/themes/twentytwentythree/patterns/hidden-no-results.php

inflating: wordpress/wp-content/themes/twentytwentythree/patterns/call-to-action.php

inflating: wordpress/wp-content/themes/twentytwentythree/patterns/footer-default.php

inflating: wordpress/wp-content/themes/twentytwentythree/patterns/hidden-comments.php

creating: wordpress/wp-content/themes/twentytwentythree/styles/

 Follow terminal folderUNREGISTERED VERSION - Please support MobaXterm by subscribing to the professional edition here: <https://mobaxterm.mobatek.net>9:42 PM
6/3/2024




English (United States)

- Afrikaans
- አማርኛ
- Aragonés
- العربية
- العربية المغربية
- অসমীয়া
- گۈئىي ئۇرپاجان
- Azərbaycan dili
- Беларуская мова
- Български
- বাংলা
- ଓଡ଼ିଆ
- Bosanski
- Català
- Cebuano
- Čeština
- Cymraeg
- Dansk
- Deutsch (Österreich)
- Deutsch (Sie)

Continue

Quick connect... 2. root@ip-172-31-39-177: /var/www/html +

```
root@ip-172-31-39-177:~# cp -r wordpress/* /var/www/html
root@ip-172-31-39-177:~# chown www-data:www-data -R /var/www/html/
root@ip-172-31-39-177:~# cd /var/www/html/
index.html  readme.html  wp-blog-header.php  wp-content  wp-links-opml.php  wp-mail.php  wp-trackback.php
index.php   wp-activate.php  wp-comments-post.php  wp-cron.php  wp-load.php  wp-settings.php  xmlrpc.php
license.txt  wp-admin      wp-config-sample.php  wp-includes  wp-login.php  wp-signup.php
root@ip-172-31-39-177:/var/www/html# rm -rf index.html
root@ip-172-31-39-177:/var/www/html# ls
index.php   wp-activate.php  wp-comments-post.php  wp-cron.php  wp-load.php  wp-settings.php  xmlrpc.php
license.txt  wp-admin      wp-config-sample.php  wp-includes  wp-login.php  wp-signup.php
readme.html  wp-blog-header.php  wp-content  wp-links-opml.php  wp-mail.php  wp-trackback.php
root@ip-172-31-39-177:/var/www/html#
```

 Follow terminal folder

DevOps R YouTube (136) Day Instance d Home - M GitHub MEGA ElSystems Netflix (136) SSH Cloud(AW) ChatGPT (30) Settings Install WO WordP + X Search _

< > C Not secure 16.171.41.214/wp-admin/setup-config.php

(1) WhatsApp Meet - mxd-twky-b... Meet - oav-pkza-its DevOps Roadmap... Reddit - Dive into a... Getting started - M... Azure DevOps Han... DevOps Training ... linuxtoolbox.pdf ... MEGA

W

Welcome to WordPress. Before getting started, you will need to know the following items.

1. Database name
2. Database username
3. Database password
4. Database host
5. Table prefix (if you want to run more than one WordPress in a single database)

This information is being used to create a wp-config.php file. **If for any reason this automatic file creation does not work, do not worry. All this does is fill in the database information to a configuration file. You may also simply open wp-config-sample.php in a text editor, fill in your information, and save it as wp-config.php.** Need more help? [Read the support article on wp-config.php](#).

In all likelihood, these items were supplied to you by your web host. If you do not have this information, then you will need to contact them before you can continue. If you are ready...

Let's go!

102°F Haze

Search

9

9:47 PM 6/3/2024

The image shows a screenshot of a WordPress setup configuration page. At the top, there is a large blue "W" logo. Below it, a message reads: "Below you should enter your database connection details. If you are not sure about these, contact your host." The form consists of five input fields with labels and descriptions:

- Database Name:** The name of the database you want to use with WordPress.
- Username:** Your database username.
- Password:** Your database password. A "Hide" button is located to the right of the password field.
- Database Host:** You should be able to get this info from your web host, if localhost does not work.
- Table Prefix:** If you want to run multiple WordPress installations in a single database, change this.

Submit button is located at the bottom left of the form.



DevOps R YouTube (136) Day Instance d Home - M GitHub MEGA ElSystems Netflix (136) SSH Cloud(AW) ChatGPT (30) Settings Install WO WordP +

Not secure 16.171.41.214/wp-admin/install.php

(1) WhatsApp Meet - mxd-twky-b... Meet - oav-pkza-its DevOps Roadmap... Reddit - Dive into a... Getting started - M... Azure DevOps Han... DevOps Training ... linuxtoolbox.pdf... MEGA

Would you like the password manager to save the password for "16.171.41.214"? Save Never



Success!

WordPress has been installed. Thank you, and enjoy!

Username Neo

Password *Your chosen password.*

[Log In](#)



Username or Email Address

Password

Remember Me

Log In

[I lost my password](#)

[← Go to MyWordpres](#)

DevOps R YouTube (136) Day Instance d Home - M GitHub MEGA ElSystems Netflix (136) SSH Cloud(AW) ChatGPT (30) Settings Install WO Dashb +

Not secure 16.171.41.214/wp-admin/

(1) WhatsApp Meet - mxd-twky-b... Meet - oav-pkza-its DevOps Roadmap... Reddit - Dive into a... Getting started - M... Azure DevOps Han... DevOps Training ... linuxtoolbox.pdf... MEGA

Would you like the password manager to save the password for "16.171.41.214"? Save Never

MyWordpress 0 New Howdy, Neo Screen Options Help

Dashboard

Welcome to WordPress!

Learn more about the 6.5.3 version.

Author rich content with blocks and patterns

Block patterns are pre-configured block layouts. Use them to get inspired or create new pages in a flash.

[Add a new page](#)

Customize your entire site with block themes

Design everything on your site — from the header down to the footer, all using blocks and patterns.

[Open site editor](#)

Switch up your site's look & feel with Styles

Tweak your site, or give it a whole new look! Get creative — how about a new color palette or font?

[Edit styles](#)

Site Health Status

Site health checks will automatically run periodically to gather

Quick Draft

Title

102°F Haze

Search

9:51 PM 6/3/2024

DevOps X YouTube (136) D X Security X A Home - GitHub X MEGA X ElSyster X Netflix X YouTube (136) SS X Cloudflare X ChatGPT X LinkedIn (30) Set X Dashbo X +

eu-north-1.console.aws.amazon.com/ec2/home

(1) WhatsApp Meet - mxd-twky-b... Meet - oav-pkza-its DevOps Roadmap... Reddit - Dive into a... Getting started - M... Azure DevOps Han... DevOps Training ... linuxtoolbox.pdf... MEGA

aws Services Search [Alt+S]

EC2 Dashboard EC2 Global View Events Instances Instances Instance Types Launch Templates Spot Requests Savings Plans Reserved Instances Dedicated Hosts Capacity Reservations Images AMIs AMI Catalog Elastic Block Store Volumes Snapshots Lifecycle Manager

Details

Security group name	Security group ID	Description	VPC ID
launch-wizard-2	sg-01419c30852335768	launch-wizard-2 created 2024-06-03T14:56:37.762Z	vpc-02d20472725b21883
Owner	Inbound rules count	Outbound rules count	
660695140731	3 Permission entries	1 Permission entry	

Inbound rules Outbound rules Tags

Inbound rules (3)

<input type="checkbox"/>	Name	Security group rule...	IP version	Type	Protocol	Port range
<input type="checkbox"/>	-	sgr-0481281846127ca...	IPv4	HTTPS	TCP	443
<input type="checkbox"/>	-	sgr-0bf28a41ac345ad0d	IPv4	HTTP	TCP	80
<input type="checkbox"/>	-	sgr-0391d475cae351f7d	IPv4	SSH	TCP	22

CloudShell Feedback © 2024, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

102°F Haze

Search

9:52 PM 6/3/2024